


## Cooling System for a Superconducting DC-Rail

Frederik Klein, Moritz Kuhn, Andreas Kade, Ulrich Zerweck, Nobert Gust, Jürgen Klier

Institut für Luft- und Kältetechnik gemeinnützige Gesellschaft mbH, D-01309 Dresden, Germany


### Objective

- ▶ Within the framework of the government founded research project “3S-SupraStromSchiene”, a superconducting DC-rail for a chlorine electrolysis plant was designed and is currently under final construction.
- ▶ The ILK Dresden is responsible for the development of the cooling system consisting mainly of a special high-power cryocooler and a cryogenic liquid pump.



### The high-power cryocooler → an ILK Dresden development

- ▶ New pulse tube concept operating by use of the expansion work at the warm end of the pulse tube
- ▶ Using of two adapted commercial compressor, one acting as compressor the other as expander
- ▶ The phase shift between pressure wave and volume flow can be optimized via the crank angle concerning the two compressors
- ▶ **Improvement of cooling power and coefficient of performance (COP)**
- ▶ Cooling capacity: designed for **1000 W @ 65 K**
- ▶ Working fluid: Helium at 40 bar, operating frequency: 13 Hz
- ▶ Phase shift between expansion and compression: 80 ... 135°
- ▶ Footprint: 1200 x 800 mm<sup>2</sup> (europallet)



### The cryogenic liquid pump → an ILK Dresden development

- ▶ No mechanical link to 300 K (only electrical power supply needed), no problems with thermal expansion, no mechanical feedthrough means no leakage problems
- ▶ Double acting piston pump driven by an electro dynamic linear motor

#### “Linear Cold Drive”

- ▶ Temperature range: **4 K to 300 K**, 3S-Project: 68 K
- ▶ Cryogenic media: **e.g. LHe, LH<sub>2</sub>, LN<sub>2</sub>, LAr, LNG**, 3S-Project: LN<sub>2</sub>
- ▶ Volume flow: **up to 1000 liters per hour** (depending on design), 3S-Project: 400 l/h
- ▶ Pressure range: **up to a few hundred bar** (depending on design), 3S-Project: 2 bar



For a video of the running pump, go to: <http://www.ilkdresden.de/cryogenicpump> or scan the QR-code

High capacity pulse tube cryo cooler at test stand