

Search for high-mass exclusive diphoton production with tagged protons in proton-proton collisions at $\sqrt{s} = 13$ TeV

A. Tumasyan *et al.**

(CMS and TOTEM Collaborations)

 (Received 5 November 2023; accepted 22 March 2024; published 16 July 2024)

A search is presented for high-mass exclusive diphoton production via photon-photon fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV in events where both protons survive the interaction. The analysis utilizes data corresponding to an integrated luminosity of 103 fb^{-1} collected in 2016–2018 with the central CMS detector and the CMS and TOTEM precision proton spectrometer (PPS). Events that have two photons with high transverse momenta ($p_T^\gamma > 100 \text{ GeV}$), back-to-back in azimuth, and with a large diphoton invariant mass ($m_{\gamma\gamma} > 350 \text{ GeV}$) are selected. To remove the dominant inclusive diphoton backgrounds, the kinematic properties of the protons detected in PPS are required to match those of the central diphoton system. Only events having opposite-side forward protons detected with a fractional momentum loss between 0.035 and 0.15 (0.18) for the detectors on the negative (positive) side of CMS are considered. One exclusive diphoton candidate is observed for an expected background of 1.1 events. Limits at 95% confidence level are derived for the four-photon anomalous coupling parameters $|\zeta_1| < 0.073 \text{ TeV}^{-4}$ and $|\zeta_2| < 0.15 \text{ TeV}^{-4}$, using an effective field theory. Additionally, upper limits are placed on the production of axionlike particles with coupling strength to photons f^{-1} that varies from 0.03 TeV^{-1} to 1 TeV^{-1} over the mass range from 500 to 2000 GeV.

DOI: [10.1103/PhysRevD.110.012010](https://doi.org/10.1103/PhysRevD.110.012010)

I. INTRODUCTION

While the standard model (SM) of particle physics has been largely successful in describing the known elementary particles and interactions, there are still many observed phenomena that suggest it is incomplete. These include the unknown nature of dark matter, the origin of matter-antimatter asymmetry, the generation of neutrino masses, and the absence of charge-parity (CP) symmetry violation in the theory of the strong interaction. Photon-photon interactions in proton-proton (pp) collisions at the LHC provide an environment with very small irreducible backgrounds to probe theories that go beyond the standard model (BSM) and that feature anomalous quartic gauge couplings (aQGC) at energies so far unexplored. At the LHC, when the protons interact purely electromagnetically the final state can be particularly simple with a C-even, neutral system produced exclusively in the central detector and the two protons remaining intact (Fig. 1). A process of interest is that of the exclusive production of two photons in photon

fusion, usually called light-by-light (LbL) scattering [1], which allows the probing of multiple BSM phenomena including the production of axionlike particles (ALPs) [2,3], monopoles [4], and massive gravitons [5–7], as well as searches for Born–Infeld nonlinear extensions of quantum electrodynamics [8], extra spatial dimensions [9], etc.

Both the CMS and ATLAS collaborations have presented evidence or observation of the SM LbL process in electromagnetic ultraperipheral collisions (UPCs) of heavy ions [10,11]. However, UPCs with ions cannot reach two-photon invariant masses ($m_{\gamma\gamma}$) much above 100 GeV [12,13], where larger contributions to the four-photon (4γ) interaction from BSM physics can be expected. Proton-proton collisions, on the other hand, feature larger beam energies and luminosities, and harder photon spectra than heavy ion UPCs. By tagging the intact final-state protons, one can better identify the process and study 4γ anomalous couplings at the multi-TeV scale [14]. Different particles can contribute to the four-photon interaction shown in Fig. 1. This can include loops of SM or of new charged fermions or bosons. In other BSM scenarios, a C-even scalar, pseudoscalar, or tensor neutral resonance can be produced that decays back to two photons.

As shown in Ref. [14], with the assumption of a new mass scale heavier than the current experimentally reachable energy, the anomalous 4γ interactions can be described

*Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.




FIG. 1. Diagram of diphoton production via photon fusion with intact protons in the final state. The four-photon vertex includes virtual contributions from SM or BSM charged fermions or bosons. In other BSM scenarios, a new heavy particle can be produced in the s -channel, such as an axion-like particle that decays into two photons.

by an effective Lagrangian density using dimension-8 operators,

$$\mathcal{L}_{4\gamma} = \zeta_1 F_{\mu\nu} F^{\mu\nu} F_{\rho\sigma} F^{\rho\sigma} + \zeta_2 F_{\mu\nu} F^{\nu\rho} F_{\rho\lambda} F^{\lambda\mu}, \quad (1)$$

where F is the electromagnetic field tensor. These ζ_1 and ζ_2 parameters are identically zero in the SM, but this would not be so if BSM particles contribute to the 4γ process. In this latter case, from Eq. (1), the differential cross section for the anomalous four-photon production can be written as

$$\frac{d\sigma}{d\Omega} = \frac{1}{16\pi^2 s} (s^2 + t^2 + st)^2 [48\zeta_1^2 + 40\zeta_1\zeta_2 + 11\zeta_2^2],$$

where s and t are the Mandelstam variables.

The s -channel production of a pseudoscalar particle, such as an ALP, can also give rise to an increased production rate of the LbL process with respect to the SM expectations [3]. The production of ALPs is often characterized by two parameters: the ALP mass and its photon coupling, $f^{-1} \equiv C_{\gamma\gamma}/\Lambda$ [15], where $C_{\gamma\gamma}$ is a dimensionless coefficient between zero and one, and Λ is a high-energy scale associated with the spontaneous breaking of an

approximate Peccei-Quinn global U(1) symmetry [16]. Our analysis considers ALPs that couple only to photons in a photophilic scenario with $C_{\gamma\gamma} = 1$, as often considered in the literature [17].

The strategy of this study is to search for central diphoton events exhibiting kinematic properties consistent with their exclusive production through photon fusion, in coincidence with two opposite-side protons having a momentum loss compatible with the rapidity of the diphoton system. Compared to the previous exclusive diphoton result reported by the CMS and TOTEM Collaborations [18], the integrated luminosity has been increased by more than a factor of ten, and a set of new techniques are used to improve the sensitivity to the 4γ process. The new techniques include a more efficient photon identification algorithm, improved forward proton reconstruction, and a more robust background estimation. Tabulated results are provided in the HEPData record for this analysis [19].

II. THE CMS DETECTOR AND EVENT SELECTION AND RECONSTRUCTION

This analysis relies equally on the central CMS and Precision Proton Spectrometer (PPS) detectors shown in Fig. 2. Both of these are described below along with the event reconstruction algorithms.

A. The central CMS detector

The main feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter (ECAL), and a brass and scintillator hadron calorimeter (HCAL), each composed of a barrel and two end cap sections. Forward calorimeters extend the pseudorapidity coverage provided by the barrel and end cap detectors. Muons are detected in gas-ionization chambers embedded in the steel flux-return yoke outside the solenoid.

The electromagnetic calorimeter consists of 75 848 lead tungstate crystals, which provide coverage in pseudorapidity $|\eta| < 1.48$ and $1.48 < |\eta| < 3.0$ in a barrel region




FIG. 2. A schematic view of one side of the PPS detector with respect to the central CMS detector. The stations labeled as (or located at) 210 and 220 m house the Roman Pot detectors. Timing detector stations are also shown, although they are not used in this analysis. A symmetric set of detectors exists on the opposite side of CMS as well.

(EB) and two end cap regions (EE), respectively. Preshower detectors consisting of two planes of silicon sensors interleaved with a total of three radiation lengths of lead are located in front of each EE detector.

In the EB, an energy resolution of about 1% is achieved for unconverted or late-converting photons in the tens of GeV energy range. The remaining barrel photons have a resolution of about 1.3% extending up to a pseudorapidity of $|\eta| = 1$, rising to about 2.5% at $|\eta| = 1.4$. In the end caps, the resolution of unconverted or late-converting photons is about 2.5%, while the remaining end cap photons have a resolution between 3 and 4% [20].

A more detailed description of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, can be found in [21].

Events of interest are selected using a two-tiered trigger system. The first level, composed of custom hardware processors, uses information from the calorimeters and muon detectors to select events at a rate of around 100 kHz within a fixed latency of about 4 μ s [22]. The second level, known as the high-level trigger (HLT), consists of a farm of processors running a version of the full event reconstruction software optimized for fast processing, and reduces the event rate to around 1 kHz before data storage [23].

The global event reconstruction, also called particle-flow (PF) event reconstruction [24], aims to reconstruct and identify each individual particle in an event, with an optimized combination of all subdetector information. In this process, the identification of the particle type (photon, electron, muon, charged or neutral hadron) plays an important role in the determination of the particle direction and energy. Photons are identified as ECAL energy clusters not linked to the extrapolation of any charged particle trajectory to the ECAL. Electrons are identified by a primary charged particle track and potentially many ECAL energy clusters corresponding to the extrapolation of this track to the ECAL as well as possible bremsstrahlung photons emitted along the way through the tracker material. Muons (e.g., from semileptonic decays of heavy-quark hadrons) are identified as tracks in the central tracker consistent with either a track or several hits in the muon system, and associated with calorimeter deposits compatible with the muon hypothesis. Charged hadrons are identified as charged particle tracks that are not identified as electrons, nor as muons. Finally, neutral hadrons are identified as HCAL energy clusters not linked to any charged hadron trajectory, or as a combined ECAL and HCAL energy excess with respect to the expected charged hadron energy deposit.

The energy of photons is obtained from the ECAL measurement. The energy of electrons is determined from a combination of the track momentum at the main interaction vertex, the corresponding ECAL cluster energy, and the energy sum of all bremsstrahlung photons associated with the track. The energy of muons is obtained from the

corresponding track momentum. The energy of charged hadrons is determined from a combination of the track momentum and the corresponding ECAL and HCAL energies, corrected for the response function of the calorimeters to hadronic showers. Finally, the energy of neutral hadrons is obtained from the corresponding corrected ECAL and HCAL energies.

For each event, hadronic jets are clustered from these reconstructed particles using the infrared- and collinear-safe anti- k_T algorithm [25,26] with a distance parameter of 0.4. Additional pp interactions within the same or nearby bunch crossings (pileup) can contribute additional tracks and calorimetric energy depositions. To mitigate this effect, charged particles identified to be originating from pileup vertices are discarded and an offset correction is applied to correct for remaining contributions [27].

B. The precision proton spectrometer

The PPS detectors were developed by a collaboration between the CMS and TOTEM experiments (previously named CT-PPS) [28]. These detectors extend the CMS physics program to study central-exclusive production processes [29] under high-luminosity conditions at the LHC, in the context of both SM and BSM physics studies. The PPS detectors are located approximately 210 and 220 m away from the LHC interaction point 5 (IP5) on both sides of CMS, as shown in Fig. 2 for one side.

After a pp collision at IP5, if a proton remains intact in the final state, it may continue to travel down the LHC beam line, guided by the LHC magnets, until it interacts with the PPS detectors in the forward regions. The horizontal distance of the proton from the center of the beam is proportional to the momentum loss of the proton, and in this way the LHC magnetic lattice acts as a mass spectrometer for measuring protons. The main observable used in the analysis is the fractional momentum loss of the proton, denoted as ξ . When measuring each of the final-state protons from an exclusive event, their ξ_p value can be used to derive the mass and rapidity of the centrally produced system at the pp center-of-mass energy \sqrt{s} , as follows:

$$m_{pp} = \sqrt{s \xi_p^+ \xi_p^-}, \quad y_{pp} = \frac{1}{2} \log \left(\frac{\xi_p^+}{\xi_p^-} \right). \quad (2)$$

The positive and negative indices of ξ_p refer to protons moving in the positive and negative z directions, respectively. The PPS detectors located in the positive- z direction from CMS are referred to as sector-45 (for the region between IP4 and IP5), and the PPS detectors located in the negative- z direction from CMS are referred to as sector-56 (for the region between IP5 and IP6) as shown in Fig. 2. At each of the 210 and 220 m stations, movable, near-beam insertions called Roman Pots (RPs) provide the housing for




FIG. 3. Kinematic distributions of simulated aQGC $\gamma\gamma \rightarrow \gamma\gamma$ events: Single-photon η (upper left) and p_T (upper right), and diphoton acoplanarity (lower left) and mass (lower right). The events are generated with FPMC, reconstructed accounting for the full CMS detector response, for aQGC parameters $\zeta_1 = 0.5 \text{ TeV}^{-4}$ and $\zeta_2 = 0 \text{ TeV}^{-4}$. A preselection is applied to these events as described in Sec. V.

the proton tracking detectors. The PPS tracking detector configuration was different for each of the three data-taking years: in 2016 with silicon microstrip detectors in both tracking Roman pots in the same arm, in 2017 with silicon microstrip detectors in the one and silicon pixel detectors in the other Roman pot in the same arm, and finally in 2018 with silicon pixel detectors in both. The protons are reconstructed using a “multi-RP” algorithm, which combines tracks reconstructed in both of the tracking Roman pots in each arm of PPS. A detailed description of the PPS detector system, alignment, optics, and simulation can be found in [30].

During 2016–2018, PPS collected proton-proton collision data corresponding to an integrated luminosity of 107.7 fb^{-1} . Using data from 2016, corresponding to an integrated luminosity of 9.4 fb^{-1} , the first validation of the PPS system resulted in the observation of the SM exclusive production of a pair of charged leptons, $\gamma\gamma \rightarrow \ell^+\ell^-$ [31]. Signal events were selected by requiring a match between

the dilepton and forward protons kinematic properties. This study revealed a signal yield corresponding to a significance greater than 5.1 standard deviations above the background-only expectation, and constituted the first observation of this process at masses around and above the electroweak scale.

III. DATASETS AND SIMULATED SAMPLES

This analysis uses datasets collected by the CMS and TOTEM experiments in 2016, 2017, 2018 of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ corresponding to integrated luminosities of 9.8 [32], 37.2 [33], and 55.7 [34] fb^{-1} , respectively. The datasets comprise the LHC running periods where all central CMS and PPS detectors were operating simultaneously and included in the data acquisition.

Simulated Monte Carlo (MC) samples are used to model the signal and SM backgrounds. The dominant background is due to inclusive $\gamma\gamma + \text{jet(s)}$ production, where “jet(s)” is




FIG. 4. Kinematic distributions of simulated ALP $\gamma\gamma \rightarrow a \rightarrow \gamma\gamma$ events: Single-photon η (upper left) and p_T (upper right), and diphoton acoplanarity (lower left) and mass (lower right). The events are generated with FPMC, reconstructed accounting for the full CMS detector response, for a value $f^{-1} = 0.1 \text{ TeV}^{-1}$ of the ALP-photon coupling. A preselection is applied to these events as described in Sec. V.

loosely used to indicate any additional energy in the event. Subleading backgrounds include $t\bar{t} + \text{jet}(s)$ and $V + \gamma$ processes, where V represents a weak boson. The decay channels considered for weak bosons are $Z \rightarrow \ell^+\ell^-$ and $W^\pm \rightarrow \ell^\pm\nu_\ell$. Background samples are modeled with the MadGraph5_aMC@NLO [35] package, with the 2016 samples generated using the NNPDF3.0 parton distribution functions (PDFs) at next-to-leading order (NLO) accuracy, and the other samples with NNPDF3.1 PDFs at next-to-NLO accuracy. To estimate additional backgrounds from quantum chromodynamics (QCD) jet production, an electron- and photon-enriched QCD sample generated with PYTHIA 8.2 [36] and the CP5 underlying event tune [37] is utilized.

The LbL signal samples are generated using the forward physics Monte Carlo (FPMC) code [38] assuming collinear photon emission from both incoming protons. The photon fluxes from each proton are modeled using the Budnev *et al.* parametrization [39]. For the simulated conditions of each data-taking year, various $\gamma\gamma \rightarrow \gamma\gamma$ aQGC signal

samples are generated for representative ζ_1 and ζ_2 values. Kinematic distributions of the simulated aQGC events are shown in Fig. 3. Additionally, samples modeling ALP production via s -channel exchange, $\gamma\gamma \rightarrow a \rightarrow \gamma\gamma$, are produced for twelve different ALP masses in the range of 500–2000 GeV where the analysis reaches the best sensitivity. These simulated data samples are used to derive the corresponding reconstruction efficiencies. Kinematic distributions for various ALP mass samples are shown in Fig. 4. The shape of these distributions are independent of the coupling strength, f^{-1} [3]. It should be noted that the LbL, aQGC, and ALP processes at any given photon-photon mass value all have similar kinematic properties, and are studied using the same event selection criteria.

The parton showering, hadronization, and particle decays in the simulated background samples are carried out with PYTHIA 8.230 for the 2016 and 2018 samples, and 8.226 for the 2017 samples. All generated samples are subsequently passed through the Geant4 simulated response

of the CMS detector [40]. In all cases, the pileup distribution in the simulated events is weighted to match that observed in data.

IV. PHOTON IDENTIFICATION AND ISOLATION

A multivariate analysis (MVA) utilizing a boosted decision tree (BDT) is used for identification (ID) and isolation of photons. This technique allows for the definition of a single discriminating variable, based on many parameters for each photon candidate, that helps separate prompt isolated photons from backgrounds. The inputs to the BDT are shower shape and isolation variables, as well as quantities used to minimize the pileup present in the event [20], described next. The variables used by the BDT are described in Table I.

The photon isolation variables that are considered, based on the PF algorithm, are I_γ , I_{ch} , and I_{n} . These are obtained by summing the transverse momenta of the photons, charged hadrons, and neutral hadrons, respectively, inside an isolation region of radius $\Delta R = \sqrt{\Delta\eta^2 + \Delta\phi^2}$ around the photon candidate [41]. Other variables used as inputs are the raw SC energy and η of the photon candidate as well as the average energy density of the event. Specifically for photon candidates in the end cap, the preshower energy spread in the η direction and the preshower energy divided by the SC energy are provided to the decision tree.

The BDT is trained on simulated $\gamma + \text{jet(s)}$ events where the photon candidates have passed the set of preselection criteria listed in Table II. The BDT is also validated with simulated Drell–Yan dilepton events, as well as with events

TABLE I. The input variables to the BDT used in the photon identification process.

BDT variable	Description
$\sigma_{i\eta i\eta}$	Second-order spatial moment of the photon candidate with respect to η .
R_9 and $R_9(5 \times 5)$	Sum of the energy contained in the 3×3 matrix centered on the most energetic crystal of the supercluster (SC) divided, respectively, by the SC energy or by the energy contained in a 5×5 matrix.
$q_{\eta\phi}$	Elements of the covariance matrix of the single-crystal energy values in η and ϕ for the 5×5 array of crystals centered on the highest energy crystal.
S_4	Energy contained in the most energetic 2×2 array of crystals (containing the seed crystal) divided by the SC energy.
H/E	Ratio between the energy deposits in the hadronic and electromagnetic calorimeters.
w_η	η width of the electromagnetic shower.
w_ϕ	ϕ width of the electromagnetic shower.

TABLE II. Selection criteria applied to simulated $\gamma + \text{jet(s)}$ samples to train the BDT for signal photon identification.

Region	R_9	H/E	$\sigma_{i\eta i\eta}$	$R_9(5 \times 5)$	$I_\gamma(\text{GeV})$	$I_{\text{trk}}(\text{GeV})$
EB	>0.85	<0.08	...	>0.5
EB	≤ 0.85	<0.08	<0.015	>0.5	<4.0	<6.0
EE	>0.9	<0.08	...	>0.8
EE	≤ 0.9	<0.08	<0.035	>0.8	<4.0	<6.0

from a single-electron trigger. Photons can belong to four different categories based on their barrel or end cap location and R_9 value, and each category has its own preselection criteria based on H/E , $\sigma_{i\eta i\eta}$, $R_9(5 \times 5)$, I_γ , and I_{trk} . The latter variable is a tracker hollow-cone isolation defined as the sum of the transverse momenta of all tracks inside a cone around the photon candidate. A working point is defined where the BDT output gives a signal efficiency of around 90% for identifying photons.

The MVA ID applies identification and isolation requirements on the reconstructed particle in the ECAL, but does not distinguish between photons and electrons. For this reason, an additional veto is employed to filter out electrons from the photon candidates [20]. For the signal samples described in Sec. III, the MVA ID is found to be 84.8% efficient, and the electron veto is found to be 96.2% efficient for the combination of both signal photons passing the ID.

V. EVENT SELECTION

For the 2016 data the HLT trigger required a photon candidate with a transverse momentum greater than 60 GeV, and an H/E ratio below 0.15. For 2017 and 2018 data, the transverse momentum requirement was raised to 70 GeV. The efficiency of each of these triggers has been studied as a function of p_T , and selections safely above the trigger threshold (trigger-safe p_T selections) are applied to the data. For the 2016 data, the trigger-safe p_T selection is placed at 75 GeV and, for the 2017 and 2018 data, the p_T selection is placed at 100 GeV. Additionally, a trigger-safe H/E selection requirement of $H/E < 0.10$ is applied.

In addition to the HLT selection, the preselection introduces special criteria to ensure the quality of the diphoton events. To ensure that the electromagnetic objects selected by the trigger are photons, we use the MVA photon ID and electron veto described in Sec. IV. Furthermore, the single-photon pseudorapidity is constrained to be within the region $|\eta^\gamma| < 2.5$, with an additional veto between $1.444 < |\eta^\gamma| < 1.566$ to avoid the EE-EB transition region. Finally, the mass of the diphoton pair must be greater than 350 GeV, a region where the cross section for the SM LbL process is negligible, as motivated in [14].

In order to reconstruct the exclusive $\gamma\gamma \rightarrow \gamma\gamma$ process, photons are selected that are back-to-back in azimuthal angle ϕ [1], by using the acoplanarity variable defined as

$$A_\phi \equiv 1 - |\Delta\phi^{\gamma\gamma}/\pi|, \quad \text{where } \Delta\phi^{\gamma\gamma} = \phi^{\gamma 2} - \phi^{\gamma 1}. \quad (3)$$

Requiring $A_\phi < 0.0025$ results in a significant rejection of inclusive diphoton backgrounds.

The final step in the event selection is based on the $\xi_{\gamma\gamma}^+$ and $\xi_{\gamma\gamma}^-$ variables of the diphoton system measured in the central CMS detectors, and defined as

$$\xi_{\gamma\gamma}^\pm = \frac{1}{\sqrt{s}} \sum_{i=1}^2 p_T^{\gamma_i} e^{\pm\eta_{\gamma_i}}. \quad (4)$$

In the case of a truly exclusive photon-fusion event, the ξ values of the two intact protons must be compatible with those derived from the central photons as given by Eq. (4). Therefore, if events are required to have forward protons within the acceptance of PPS, the diphoton $\xi_{\gamma\gamma}$ values must also be within the PPS ξ range, namely they both are required to satisfy $0.02 < \xi_{\gamma\gamma}^\pm < 0.20$.

Additionally, for the pair of protons detected in the PPS, it was found that placing a lower requirement on the proton ξ values of 0.035 decreases the background (as discussed in Sec. VI A) without significantly affecting the signal efficiency. An asymmetric selection is also placed on the upper end of the proton ξ spectrum to take into account the PPS acceptance. These asymmetric upper ξ selection criteria are placed at 0.15 for sector-45 and 0.18 for sector-56. The final selection criteria are listed in Table III.

Table IV lists the number of simulated events for each background source that pass all selection criteria. Figure 5 shows the impact of each step in the selection sequence: preselection, acoplanarity selection, and diphoton ξ selection. Good agreement is observed between the MC simulation and data, especially for the number of events after all selection criteria. The kinematic distributions of events passing all selections are shown in Fig. 6.

TABLE III. Summary of the criteria applied to select exclusive diphoton events.

Selection type	Criteria
Preselection	Diphoton HLT $p_T^\gamma > 75(100)$ GeV for 2016 (2017–2018) $H/E < 0.10$ Photon ID with electron veto $ \eta^\gamma < 2.5$ (except $1.444 < \eta^\gamma < 1.566$, EB-EE transition veto) $m_{\gamma\gamma} > 350$ GeV
Acoplanarity	$A_\phi < 0.0025$
Diphoton $\xi_{\gamma\gamma}$	$0.02 < \xi_{\gamma\gamma}^\pm < 0.20$
Diproton ξ_p acceptance	$0.035 < \xi_p < 0.150$ (0.180) for sector-45 (sector-56)

TABLE IV. Summary of the predicted number of events for each SM background contributing to the $\xi \in$ PPS selection region, their sum, and the observed number of events. The uncertainties quoted are statistical only.

Sample	Events
Inclusive $\gamma\gamma + \text{jet}(s)$	580 ± 41
Inclusive $\gamma + \text{jet}(s)$	110 ± 22
Inclusive $W\gamma$	4 ± 2
Inclusive $Z\gamma$	2 ± 1
Inclusive $t\bar{t} + \text{jet}(s)$	Negligible
QCD jets	Negligible
Total predicted	696 ± 47
Observed	735 ± 27
Data/MC	1.06 ± 0.08

VI. RESULTS

After all selection criteria (Table III) are applied, a comparison between the forward diproton and central diphoton kinematic properties is performed. To reiterate, the analysis strategy is based on a search for an excess above the background expectations for events where the mass and rapidity of the diphoton and diproton systems match. This is done by comparing the values calculated in




FIG. 5. Number of events in data (black symbols) and simulated backgrounds (histograms) after each of the three consecutive selection criteria applied (upper plot), and ratio of data to sum of all backgrounds (lower plot). The first bin corresponds to the preselection region, the second bin to the acoplanarity criterion, and the third bin to the diphoton ξ selection defined in the text. The lined red histogram represents an aQGC signal with $\zeta_1 = 0.5 \text{ TeV}^{-4}$ and $\zeta_2 = 0.1 \text{ TeV}^{-4}$ for reference. Hatched bands indicate systematic uncertainties (statistical uncertainties are smaller than the symbols size).




FIG. 6. Kinematic distributions for events passing all selection criteria. From upper to lower and left to right are the single-photon η , and p_T , diphoton acoplanarity, mass, $\xi_{\gamma\gamma}^-$, and $\xi_{\gamma\gamma}^+$ distributions. The black dots represent the data, filled histograms represent the simulated SM backgrounds, and the lined red histogram represents an aQGC signal with $\zeta_1 = 50 \text{ TeV}^{-4}$ and $\zeta_2 = 100 \text{ TeV}^{-4}$ for reference. The lower panels in each plot show the ratio of the number of data events to the total SM background expectation. The dashed box indicates the systematic uncertainties.

Eqs. (2) and (4) taking into account their associated uncertainties given by

$$\frac{\delta m_{pp}}{m_{pp}} = \delta y_{pp} = \frac{1}{2} \left(\frac{\delta \xi_p^+}{\xi_p^+} \oplus \frac{\delta \xi_p^-}{\xi_p^-} \right) \quad (5)$$

where δm_{pp} , δy_{pp} , and $\delta \xi_p^\pm$ represent the uncertainties on the diproton mass and rapidity, and the uncertainty on the positive and negative proton ξ , respectively.

An event is considered matched if the mass and rapidity of the forward and central systems are within two standard deviations of equivalence. Such a relatively loose matching window is chosen so as to keep as many signal events as possible (given the very low number of background events expected). The criteria for this matching are

$$\begin{aligned} -2 < (m_{pp} - m_{\gamma\gamma})/\delta(m_{pp} - m_{\gamma\gamma}) < 2 \\ -2 < (y_{pp} - y_{\gamma\gamma})/\delta(y_{pp} - y_{\gamma\gamma}) < 2 \end{aligned}$$

where $\delta(m_{pp} - m_{\gamma\gamma})$ and $\delta(y_{pp} - y_{\gamma\gamma})$ are the uncertainties in the differences between the diphoton and diproton mass and rapidity, respectively. The uncertainties are clearly dominated by the diproton system, and derived event-by-event.

Figure 7 shows events from data as a function of how closely they match (in terms of standard deviations) in mass and rapidity. One event is observed within the matching window.

A. Background estimation

The signal region after forward-central matching is expected to have contamination from pileup events. The overlap of events with pileup protons detected in PPS and




FIG. 7. Mass versus rapidity matching distributions for events passing the diphoton and diproton selection criteria described in the text. The matching window is shown by a green rectangle corresponding to two standard deviations.

events with inclusively produced diphotons in the central CMS detectors can lead to accidental forward-central matchings. Such events are the only significant source of background for this analysis.

To quantify how these events contaminate the signal region, we use a fully data-driven approach to generate background-like pseudoevents. As inputs for the creation of the pseudoevents, diphoton events in the signal region are used as well as protons (detected in PPS) from all CMS events passing the diphoton trigger. Each pseudoevent is created by combining a diphoton pair with a diproton pair randomly added from the same run and LHC crossing-angle. We then check for the forward-central matching in mass and rapidity. This procedure is done for all diphoton events in the signal region to create one pseudoexperiment. Since the protons are randomly mixed with the diphotons, any matching that occurs is truly accidental and not due to a true correlation between the forward and central systems. As expected, the number of matching events for the pseudoexperiments follows a Poisson distribution. The background estimation is validated by using simulated diphoton events from the signal selection as an input to the pseudoexperiment. A second validation method uses diphoton events from an orthogonal selection (reversing the acoplanarity selection) as an input to the pseudoexperiments. Both validation methods give similar numbers of average matching events and are also used to extract the systematic uncertainty in the background estimation procedure.

The number of expected matching background events is 0.03, 0.16, and 0.91 for the 2016, 2017, and 2018 data taking, respectively. The total number of expected background events is 1.10 ± 0.01 (statistical uncertainty). The differences in the background estimations between the years are driven by their different luminosities [32–34], detector configurations, and efficiencies [30].

B. Systematic uncertainties

The integrated luminosities of the 2016, 2017, and 2018 data-taking periods are individually known with uncertainties in the 1.2%–2.5% range [32–34], while the total integrated luminosity has an uncertainty of 1.9%, with an improvement in precision reflecting the (uncorrelated) time evolution of some systematic effects. A 23.3%, 25.2%, and a 20.9% systematic uncertainty in the background estimation procedure is assigned for 2016, 2017, and 2018, respectively, calculated as the largest relative difference in the number of estimated events between the default method and the two validation methods for the pseudoexperiments. For the signal efficiency in 2016, 2017, and 2018, uncertainties of 3.1%, 7.0%, and 2.9% are assigned, respectively, as derived from the photon ID and assuming that the ID efficiencies are uncorrelated. A 10% uncertainty is assigned to the theoretical proton survival probability, i.e., the probability that the interacting protons do not break

TABLE V. Systematic uncertainties corresponding to each year of data taking used in the analysis.

Source	2016	2017	2018
Integrated luminosity (%)	1.2	2.3	2.5
Background estimation (%)	23.3	25.2	20.9
Photon ID scale factors (%)	3.1	7.0	2.9
Proton survival probability (%)	10	10	10
Particle shower reconstruction in PPS (%)	1.7

up due to soft exchanges between their spectator partons, as estimated in [42] and considered in [43]. A 1.7% uncertainty is assumed for the particle shower reconstruction efficiency in the PPS detectors in 2018 [30]. The systematic uncertainties of the proton reconstruction are assigned on an event-by-event basis. The systematic uncertainties described above are summarized in Table V. Systematic uncertainties are treated as uncorrelated across the years. In the exclusion limit setting procedure, all systematic uncertainties apply to the signal (except the uncertainty associated with the background estimation procedure) and background (except the uncertainty associated with the proton survival probability).

C. Limit on anomalous quartic gauge couplings

With one event observed and $1.10 \pm 0.24(\text{stat} + \text{syst})$ events expected, no excess is observed above the SM prediction. Limits are thereby placed on the anomalous coupling parameters, ζ_1 and ζ_2 .

The modified frequentist criterion CL_s [44,45] with the profile likelihood ratio test statistic modified for upper

limits [46] and determined by pseudoexperiments is used to evaluate the observed and expected limits at 95% confidence level (CL) on the production cross section of aQGC LbL scattering within the fiducial region of the analysis defined as $p_T^\gamma > 100$ GeV, $|\eta^\gamma| < 2.5$, $m_{\gamma\gamma} > 350$ GeV, and fractional proton energy loss of $0.035 < \xi < 0.150$ (0.180) for the positive- z (negative- z) arm of PPS. The signal efficiency is evaluated over a wide range of the coupling parameters ζ_1 and ζ_2 using FPMC [38] and found approximately constant for each year in the search region.

The product of the efficiency (ϵ) and the acceptance (A) for the aQGC signal is used as an input to the limit setting tool. The ϵA distributions for the PPS detectors to reconstruct diffractively scattered protons as a function of the proton ξ areas shown in Fig. 8 for each running year. The ϵA values are calculated as the ratio of the number of reconstructed protons over that of generated protons using a simulation of the forward proton detectors. This simulation accounts for the LHC beam parameters, detector configuration, and detector technology used over the full data-taking period. The width of the 2016 reconstruction efficiency distribution is narrower than for the other years because of a different physical location of one of the two RPs used for tracking, limiting the overlapping ξ acceptance of the two tracking RPs in this year. The ϵA values of 2017 are overall lower than those of the other years because of the inability of the silicon strip detectors to reconstruct multiple protons within one bunch crossing. This inefficiency was intensified in 2017 as compared to 2016 because of the increase in the instantaneous luminosity of the LHC. The signal efficiency is highest in 2018 because of the use of pixel detector technology in all




FIG. 8. Distributions of combined efficiency-times-acceptance (ϵA) for diffractively scattered protons as a function of the proton ξ for each running year for PPS sectors 45 (left) and 56 (right), respectively. Differences in the overall reconstruction efficiency are explained by varying detector location, configuration, and design across the years.

TABLE VI. Product of efficiency and acceptance values for each year of data taking, for aQGC signal protons (populating mostly the high- ξ region in Fig. 8). The second column corresponds to the central CMS detectors, the third column to the PPS, and the fourth column is the product of the two previous ones.

Year	Central-CMS ϵA (%)	PPS ϵA (%)	Combined ϵA (%)
2016	80.1	6.5	5.2
2017	75.7	3.3	2.5
2018	77.4	18.4	14.2

RPs, which do not suffer from the inefficiency of tracking multiple protons.

The derived ϵA values for each year are listed in Table VI. Systematic uncertainties are included as nuisance parameters with log-normal probability density functions in the likelihood. The observed and expected 95% CL in the plane of (ζ_1, ζ_2) are shown in Fig. 9.

These anomalous 4γ coupling limits are equivalent to setting an upper limit on the fiducial LbL cross section of

$$\sigma(pp \rightarrow p\gamma\gamma p | \xi_p \in \xi^{\text{PPS}}) < 0.61 \text{ fb}, \quad (6)$$

where $\xi_p \in \xi^{\text{PPS}}$ denotes that both protons are within the acceptance of PPS. This cross section upper limit is the strongest to date in this region of high diphoton masses.




FIG. 9. Observed (solid ellipse) and expected (dashed ellipse) exclusion limits at 95% CL on the anomalous coupling parameters ζ_1 and ζ_2 derived from the analysis of high-mass exclusive diphoton events in pp collisions at 13 TeV.

The observed (expected) 95% CL limits on the separate anomalous 4γ coupling parameters (setting the other to zero) are

$$|\zeta_1| < 0.073(0.071) \text{ TeV}^{-4} (\zeta_2 = 0),$$

$$|\zeta_2| < 0.15(0.15) \text{ TeV}^{-4} (\zeta_1 = 0).$$

D. Limit on axion-like particle production

The same limit setting procedure described above is applied to the s -channel production of a pseudoscalar ALP. Following the same approach described in [3], this $\gamma\gamma \rightarrow a \rightarrow \gamma\gamma$ process can be parametrized as a function of the ALP mass, m_a , and its photon coupling, f^{-1} .

For the diphoton invariant mass acceptance determined by the ξ ranges probed in this analysis, the selection efficiency depends only on the mass of the ALP. The ϵA product is shown in Fig. 10 as a function of ALP mass m_a for a fixed $f^{-1} = 0.1 \text{ TeV}^{-1}$ coupling, separately for each year of data taking (as well as for PPS only, and for central-CMS plus PPS detectors) and for the full 2016–2018 dataset (Run-2 combined). The distributions of ϵA versus ALP mass are used as input to the limit-setting tool.

The observed and expected 95% CL limits resulting from the analysis are shown in Fig. 11. Limits on the production of ALPs coupling to photons with strengths $f^{-1} \geq 0.03$ to 1 TeV^{-1} are set over $m_a = 500\text{--}2000 \text{ GeV}$, a region of masses that has been barely explored so far [47]. For $m_a \gtrsim 0.7 \text{ TeV}$, these limits extend those derived in a recent similar analysis by ATLAS (using single-tagged forward protons) [48], and are the strongest to date in this mass range.




FIG. 10. Product of the ALP efficiency and acceptance (ϵA) values as a function of mass m_a for samples generated with $f^{-1} = 0.1 \text{ TeV}^{-1}$ ALP- γ coupling, within the fiducial volume of this search. The curves shown correspond to the PPS ϵA values (dashed curves), as well as the latter convolved with the central-CMS ϵA (solid curves), for each data-taking year and for the full Run-2.




FIG. 11. Upper limits at 95% CL on ALP-photon coupling strength as a function of the ALP mass. The shape of the limit curve is determined by the PPS efficiency-times-acceptance curve. The expected limits almost completely overlap with the observed ones.

VII. SUMMARY

A search has been performed for events with a high-mass exclusive diphoton system and two intact protons produced in the final state, $pp \rightarrow p\gamma\gamma p$, in proton-proton collisions at $\sqrt{s} = 13$ TeV. The dataset corresponds to an integrated luminosity of 103 fb^{-1} collected with the CMS central detectors and the CMS and TOTEM precision proton spectrometer (PPS) in 2016–2018. Light-by-light (LbL) signal events are selected by requiring the measurement of two high- p_T photons emitted back-to-back, in coincidence with two opposite-side forward protons, measured in PPS, whose kinematic properties match those of the central diphoton system.

The data are found to be in agreement with the predicted standard model (SM) background, with one event observed and $1.10 \pm 0.01(\text{stat}) \pm 0.24(\text{syst})$ events expected. An upper limit on the LbL cross section of $\sigma(pp \rightarrow p\gamma\gamma p) < 0.61 \text{ fb}$ is set within the fiducial range of the analysis defined as $p_T^\gamma > 100 \text{ GeV}$, $|\eta^\gamma| < 2.5$, $m_{\gamma\gamma} > 350 \text{ GeV}$, and fractional proton energy loss of $0.035 < \xi_p < 0.150$ (0.180) for the positive- z (negative- z) arm of PPS. Limits at 95% confidence level are derived for the four-photon anomalous quartic gauge couplings (aQGC) parameters (setting, alternatively, the other to zero) $|\zeta_1| < 0.073 \text{ TeV}^{-4}$ and $|\zeta_2| < 0.15 \text{ TeV}^{-4}$, using an effective field theory. Additionally, limits on the production of axion-like particles (ALPs) coupling to photons with strengths

$f^{-1} \approx 0.03$ to 1 TeV^{-1} are set over the mass range from 500 to 2000 GeV. These are the most restrictive limits to date on 4γ aQGC and on ALPs coupling to photons, in the very high mass phase space region.

ACKNOWLEDGMENTS

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS and TOTEM institutes for their contributions to the success of the common CMS-TOTEM effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS and TOTEM detectors, and the supporting computing infrastructure provided by the following funding agencies: SC (Armenia), BMBWF and Austrian Science Fund (FWF) [grant DOI: 10.55776/P35891] (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); MoER, ERC PUT and ERDF (Estonia); Academy of Finland, Magnus Ehrnrooth Foundation, MEC, HIP, and Waldemar von Frenckell Foundation (Finland); CEA and CNRS/IN2P3 (France); SRNSF (Georgia); BMBF, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LAS (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES and NSC (Poland); FCT (Portugal); MESTD (Serbia); MCIN/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI and NSTDA (Thailand); TUBITAK and TENMAK (Turkey); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (USA). Individuals have received support from the Marie-Curie program and the European Research Council and Horizon 2020 Grant, Contracts No. 675440, No. 724704, No. 752730, No. 758316, No. 765710, No. 824093, and COST Action No. CA16108 (European Union); the Leventis Foundation; the Alfred P. Sloan Foundation; the Alexander von Humboldt Foundation; the Science Committee, Project No. 22r1-037 (Armenia); the Belgian Federal Science Policy Office; the Fonds pour la Formation à la Recherche dans l’Industrie et dans l’Agriculture (FRIA-Belgium); the Agentschap voor Innovatie door Wetenschap en Technologie (IWT-Belgium); the F. R. S.-FNRS and FWO (Belgium) under the “Excellence of Science—EOS”—be.h Project

No. 30820817; the Beijing Municipal Science & Technology Commission, No. Z191100007219010 and Fundamental Research Funds for the Central Universities (China); the Ministry of Education, Youth and Sports (MEYS) of the Czech Republic; Svenska Kulturfonden (Finland); the Shota Rustaveli National Science Foundation, Grant No. FR-22-985 (Georgia); the Deutsche Forschungsgemeinschaft (DFG), under Germany's Excellence Strategy—EXC 2121 “Quantum Universe”—390833306, and under Project No. 400140256—GRK2497; the Hellenic Foundation for Research and Innovation (HFRI), Project No. 2288 (Greece); the Hungarian Academy of Sciences, the New National Excellence Program—ÚNKP, the NKFIH research Grants No. K 124845, No. K 124850, No. K 128713, No. K 128786, No. K 129058, No. K 131991, No. K 133046, No. K 138136, No. K 143460, No. K 143477, No. 2020-2.2.1-ED-2021-00181, and No. TKP2021-NKTA-64 (Hungary); the Council of Science and Industrial Research, India; ICSC—National Research Center for High Performance Computing, Big Data and Quantum Computing, funded by the EU

NexGeneration program (Italy); the Latvian Council of Science; the Ministry of Education and Science, Project No. 2022/WK/14, and the National Science Center, Contracts No. Opus 2021/41/B/ST2/01369 and No. 2021/43/B/ST2/01552 (Poland); the Fundação para a Ciência e a Tecnologia, Grant No. CEECIND/01334/2018 (Portugal); the National Priorities Research Program by Qatar National Research Fund; MCIN/AEI/10.13039/501100011033, ERDF “a way of making Europe,” and the Programa Estatal de Fomento de la Investigación Científica y Técnica de Excelencia María de Maeztu, Grant No. MDM-2017-0765 and Programa Severo Ochoa del Principado de Asturias (Spain); the Chulalongkorn Academic into Its 2nd Century Project Advancement Project, and the National Science, Research and Innovation Fund via the Program Management Unit for Human Resources & Institutional Development, Research and Innovation, Grant No. B05F650021 (Thailand); the Kavli Foundation; the Nvidia Corporation; the SuperMicro Corporation; the Welch Foundation, Contract No. C-1845; and the Weston Havens Foundation (USA).

-
- [1] D. d’Enterria and G. G. da Silveira, Observing light-by-light scattering at the Large Hadron Collider, *Phys. Rev. Lett.* **111**, 080405 (2013); **116**, 129901 (2016).
- [2] S. Knapen, T. Lin, H. K. Lou, and T. Melia, Searching for axionlike particles with ultraperipheral heavy-ion collisions, *Phys. Rev. Lett.* **118**, 171801 (2017).
- [3] C. Baldenegro, S. Fichet, G. von Gersdorff, and C. Royon, Searching for axion-like particles with proton tagging at the LHC, *J. High Energy Phys.* **06** (2018) 131.
- [4] Y. Kurochkin, I. Satsunkevich, D. Shoukavy, N. Rusakovich, and Y. Kulchitsky, On production of magnetic monopoles via $\gamma\gamma$ fusion at high energy pp collisions, *Mod. Phys. Lett. A* **21**, 2873 (2006).
- [5] D. Atwood, S. Bar-Shalom, and A. Soni, Graviton production by two photon processes in Kaluza-Klein theories with large extra dimensions, [arXiv:hep-ph/9903538](https://arxiv.org/abs/hep-ph/9903538).
- [6] S. C. Inan, Direct graviton production via photon-photon fusion at the CERN-LHC, *Chin. Phys. Lett.* **29**, 031301 (2012).
- [7] D. d’Enterria, M. A. Tamliah, L. Schoeffel, H.-S. Shao, and Y. Tayalati, Collider constraints on massive gravitons coupling to photons, *Phys. Lett. B* **846**, 138237 (2023).
- [8] J. Ellis, N. E. Mavromatos, and T. You, Light-by-light scattering constraint on Born-Infeld theory, *Phys. Rev. Lett.* **118**, 261802 (2017).
- [9] S. M. Lietti and C. G. Roldao, Radion and Higgs signals in peripheral heavy ion collisions at the LHC, *Phys. Lett. B* **540**, 252 (2002).
- [10] CMS Collaboration, Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, *Phys. Lett. B* **797**, 134826 (2019).
- [11] ATLAS Collaboration, Observation of light-by-light scattering in ultraperipheral Pb + Pb collisions with the ATLAS detector, *Phys. Rev. Lett.* **123**, 052001 (2019).
- [12] A. J. Baltz, The physics of ultraperipheral collisions at the LHC, *Phys. Rep.* **458**, 1 (2008).
- [13] R. Bruce *et al.*, New physics searches with heavy-ion collisions at the CERN Large Hadron Collider, *J. Phys. G* **47**, 060501 (2020).
- [14] S. Fichet, G. von Gersdorff, B. Lenzi, C. Royon, and M. Saimpert, Light-by-light scattering with intact protons at the LHC: From standard model to new physics, *J. High Energy Phys.* **02** (2015) 165.
- [15] M. Bauer, M. Neubert, and A. Thamm, Collider probes of axion-like particles, *J. High Energy Phys.* **12** (2017) 044.
- [16] R. D. Peccei and H. R. Quinn, CP conservation in the presence of instantons, *Phys. Rev. Lett.* **38**, 1440 (1977).
- [17] P. Agrawal *et al.*, Feebly-interacting particles: FIPs 2020 workshop report, *Eur. Phys. J. C* **81**, 1015 (2021).
- [18] CMS and TOTEM Collaborations, First search for exclusive diphoton production at high mass with tagged protons in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* **129**, 011801 (2022).
- [19] HEPData record for this analysis (2023), [10.17182/hepdata.142335](https://hepdata.net/record/10.17182/hepdata.142335).
- [20] CMS Collaboration, Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, *J. Instrum.* **10**, P08010 (2015).

- [21] CMS Collaboration, The CMS experiment at the CERN LHC, *J. Instrum.* **3**, S08004 (2008).
- [22] CMS Collaboration, Performance of the CMS level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* **15**, P10017 (2020).
- [23] CMS Collaboration, The CMS trigger system, *J. Instrum.* **12**, P01020 (2017).
- [24] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, *J. Instrum.* **12**, P10003 (2017).
- [25] M. Cacciari, G. P. Salam, and G. Soyez, The anti- k_T jet clustering algorithm, *J. High Energy Phys.* **04** (2008) 063.
- [26] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, *Eur. Phys. J. C* **72**, 1896 (2012).
- [27] CMS Collaboration, Pileup mitigation at CMS in 13 TeV data, *J. Instrum.* **15**, P09018 (2018).
- [28] CMS and TOTEM Collaborations, CMS-TOTEM precision proton spectrometer, CERN Technical Report CERN-LHCC-2014-021, TOTEM-TDR-003, CMS-TDR-13, 2014.
- [29] K. Akiba *et al.* (LHC Forward Physics Working Group), LHC forward physics, *J. Phys. G* **43**, 110201 (2016).
- [30] CMS and TOTEM Collaborations, Proton reconstruction with the CMS-TOTEM precision proton spectrometer, *J. Instrum.* **18**, P09009 (2023).
- [31] CMS and TOTEM Collaborations, Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer, *J. High Energy Phys.* **07** (2018) 153.
- [32] CMS Collaboration, Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS, *Eur. Phys. J. C* **81**, 800 (2021).
- [33] CMS Collaboration, CMS luminosity measurement for the 2017 data-taking period at $\sqrt{s} = 13$ TeV, CMS physics analysis summary, CERN Report No. CMS-PAS-LUM-17-004, 2018, <https://cds.cern.ch/record/2621960>.
- [34] CMS Collaboration, CMS luminosity measurement for the 2018 data-taking period at $\sqrt{s} = 13$ TeV, CERN Technical Report, CMS-PAS-LUM-18-002, 2019, <https://cds.cern.ch/record/2676164>.
- [35] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H. S. Shao, T. Stelzer, P. Torrielli, and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079.
- [36] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* **191**, 159 (2015).
- [37] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements, *Eur. Phys. J. C* **80**, 4 (2020).
- [38] M. Boonekamp, A. Dechambre, V. Juranek, O. Kepka, M. Rangel, C. Royon, and R. Staszewski, FPMC: A generator for forward physics, [arXiv:1102.2531](https://arxiv.org/abs/1102.2531).
- [39] V. M. Budnev, I. F. Ginzburg, G. V. Meledin, and V. G. Serbo, The two photon particle production mechanism. Physical problems. Applications. Equivalent photon approximation, *Phys. Rep.* **15**, 181 (1975).
- [40] S. Agostinelli *et al.* (GEANT4 Collaboration), Geant4—A simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [41] CMS Collaboration, Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC, *J. Instrum.* **16**, P05014 (2021).
- [42] L. A. Harland-Lang, V. A. Khoze, and M. G. Ryskin, Exclusive physics at the LHC with SuperChic 2, *Eur. Phys. J. C* **76**, 9 (2016).
- [43] A. Tumasyan *et al.* (CMS and TOTEM Collaborations), Search for high-mass exclusive $\gamma\gamma \rightarrow WW$ and $\gamma\gamma \rightarrow ZZ$ production in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* **07** (2023) 229.
- [44] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Methods Phys. Res., Sect. A* **434**, 435 (1999).
- [45] A. L. Read, Presentation of search results: The CL_s technique, *J. Phys. G* **28**, 2693 (2002).
- [46] ATLAS, CMS Collaborations, and LHC Higgs Combination Group, Procedure for the LHC Higgs boson search combination in Summer 2011, Technical Report, CMS-NOTE-2011-005, ATL-PHYS-PUB-2011-11, 2011.
- [47] D. d'Enterria, Collider constraints on axion-like particles, in *Workshop on Feebly Interacting Particles* (2021), [arXiv:2102.08971](https://arxiv.org/abs/2102.08971).
- [48] ATLAS Collaboration, Search for an axion-like particle with forward proton scattering in association with photon pairs at ATLAS, *J. High Energy Phys.* **07** (2023) 234.

A. Tumasyan^{1,†} W. Adam^{2,†} J. W. Andrejkovic^{2,†} T. Bergauer^{2,†} S. Chatterjee^{2,†} K. Damanakis^{2,†}
M. Dragicevic^{2,†} A. Escalante Del Valle^{2,†} P. S. Hussain^{2,†} M. Jeitler^{2,b,†} N. Krammer^{2,†} L. Lechner^{2,†}
D. Liko^{2,†} I. Mikulec^{2,†} P. Paulitsch^{2,†} F. M. Pitters^{2,†} J. Schieck^{2,b,†} R. Schöffbeck^{2,†} D. Schwarz^{2,†}
M. Sonawane^{2,†} S. Templ^{2,†} W. Waltenberger^{2,†} C.-E. Wulz^{2,b,†} M. R. Darwish^{3,c,†} T. Janssen^{3,†} T. Kello^{3,d,†}
H. Rejeb Sfar^{3,†} P. Van Mechelen^{3,†} E. S. Bols^{4,†} J. D'Hondt^{4,†} A. De Moor^{4,†} M. Delcourt^{4,†} H. El Faham^{4,†}
S. Lowette^{4,†} S. Moortgat^{4,†} A. Morton^{4,†} D. Müller^{4,†} A. R. Sahasransu^{4,†} S. Tavernier^{4,†} W. Van Doninck^{4,†}
D. Vannerom^{4,†} B. Clerbaux^{5,†} G. De Lentdecker^{5,†} L. Favart^{5,†} D. Hohov^{5,†} J. Jaramillo^{5,†} K. Lee^{5,†}
M. Mahdavihorrani^{5,†} I. Makarenko^{5,†} A. Malara^{5,†} S. Paredes^{5,†} L. Pétré^{5,†} N. Postiau^{5,†} L. Thomas^{5,†}
M. Vanden Bemden^{5,†} C. Vander Velde^{5,†} P. Vanlaer^{5,†} D. Dobur^{6,†} J. Knolle^{6,†} L. Lambrecht^{6,†}
G. Mestdach^{6,†} M. Niedziela^{6,†} C. Rendón^{6,†} C. Roskas^{6,†} A. Samalan^{6,†} K. Skovpen^{6,†} M. Tytgat^{6,†}

N. Van Den Bossche^{6,†} B. Vermassen^{6,†} L. Wezenbeek^{6,†} A. Benecke^{7,†} G. Bruno^{7,†} F. Bury^{7,†} C. Caputo^{7,†} P. David^{7,†} C. Delaere^{7,†} I. S. Donertas^{7,†} A. Giammanco^{7,†} K. Jaffel^{7,†} Sa. Jain^{7,†} V. Lemaître^{7,†} K. Mondal^{7,†} A. Talierecio^{7,†} T. T. Tran^{7,†} P. Vischia^{7,†} S. Wertz^{7,†} G. A. Alves^{8,†} E. Coelho^{8,†} C. Hensel^{8,†} A. Moraes^{8,†} P. Rebello Teles^{8,†} W. L. Aldá Júnior^{9,†} M. Alves Gallo Pereira^{9,†} M. Barroso Ferreira Filho^{9,†} H. Brandao Malbouisson^{9,†} W. Carvalho^{9,†} J. Chinellato^{9,e,†} E. M. Da Costa^{9,†} G. G. Da Silveira^{9,f,†} D. De Jesus Damiao^{9,†} V. Dos Santos Sousa^{9,†} S. Fonseca De Souza^{9,†} J. Martins^{9,g,†} C. Mora Herrera^{9,†} K. Mota Amarilo^{9,†} L. Mundim^{9,†} H. Nogima^{9,†} A. Santoro^{9,†} S. M. Silva Do Amaral^{9,†} A. Sznajder^{9,†} M. Thiel^{9,†} F. Torres Da Silva De Araujo^{9,h,†} A. Vilela Pereira^{9,†} C. A. Bernardes^{10,f,†} L. Calligaris^{10,†} T. R. Fernandez Perez Tomei^{10,†} E. M. Gregores^{10,†} P. G. Mercadante^{10,†} S. F. Novaes^{10,†} Sandra S. Padula^{10,†} A. Aleksandrov^{11,†} R. Hadjiiska^{11,†} P. Iaydjiev^{11,†} M. Misheva^{11,†} M. Rodozov^{11,†} M. Shopova^{11,†} G. Sultanov^{11,†} A. Dimitrov^{12,†} T. Ivanov^{12,†} L. Litov^{12,†} B. Pavlov^{12,†} P. Petkov^{12,†} A. Petrov^{12,†} E. Shumka^{12,†} S. Thakur^{13,†} T. Cheng^{14,†} T. Javaid^{14,i,†} M. Mittal^{14,†} L. Yuan^{14,†} M. Ahmad^{15,†} G. Bauer^{15,j,†} Z. Hu^{15,†} S. Lezki^{15,†} K. Yi^{15,k,†} G. M. Chen^{16,i,†} H. S. Chen^{16,i,†} M. Chen^{16,i,†} F. Iemmi^{16,†} C. H. Jiang^{16,†} A. Kapoor^{16,†} H. Kou^{16,†} H. Liao^{16,†} Z.-A. Liu^{16,l,†} V. Milosevic^{16,†} F. Monti^{16,†} R. Sharma^{16,†} J. Tao^{16,†} J. Thomas-Wilsker^{16,†} J. Wang^{16,†} H. Zhang^{16,†} J. Zhao^{16,†} A. Agapitos^{17,†} Y. An^{17,†} Y. Ban^{17,†} C. Chen^{17,†} A. Levin^{17,†} C. Li^{17,†} Q. Li^{17,†} X. Lyu^{17,†} Y. Mao^{17,†} S. J. Qian^{17,†} X. Sun^{17,†} D. Wang^{17,†} J. Xiao^{17,†} H. Yang^{17,†} M. Lu^{18,†} Z. You^{18,†} N. Lu^{19,†} X. Gao^{20,d,†} D. Leggat^{20,†} H. Okawa^{20,†} Y. Zhang^{20,†} Z. Lin^{21,†} C. Lu^{21,†} M. Xiao^{21,†} C. Avila^{22,†} D. A. Barbosa Trujillo^{22,†} A. Cabrera^{22,†} C. Florez^{22,†} J. Fraga^{22,†} J. Mejia Guisao^{23,†} F. Ramirez^{23,†} M. Rodriguez^{23,†} J. D. Ruiz Alvarez^{23,†} D. Giljanovic^{24,†} N. Godinovic^{24,†} D. Lelas^{24,†} I. Puljak^{24,†} Z. Antunovic^{25,†} M. Kovac^{25,†} T. Sculac^{25,†} V. Brigljevic^{26,†} B. K. Chitroda^{26,†} D. Ferencek^{26,†} S. Mishra^{26,†} M. Roguljic^{26,†} A. Starodumov^{26,m,†} T. Susa^{26,†} A. Attikis^{27,†} K. Christoforou^{27,†} M. Kolosova^{27,†} S. Konstantinou^{27,†} J. Mousa^{27,†} C. Nicolaou^{27,†} F. Ptochos^{27,†} P. A. Razis^{27,†} H. Rykaczewski^{27,†} H. Saka^{27,†} A. Stepennov^{27,†} M. Finger^{28,†} M. Finger Jr.^{28,†} A. Kveton^{28,†} E. Ayala^{29,†} E. Carrera Jarrin^{30,†} S. Elgammal^{31,n,†} A. Ellithi Kamel^{31,o,†} M. A. Mahmoud^{32,†} Y. Mohammed^{32,†} S. Bhowmik^{33,†} R. K. Dewanjee^{33,†} K. Ehattaht^{33,†} M. Kadastik^{33,†} T. Lange^{33,†} S. Nandan^{33,†} C. Nielsen^{33,†} J. Pata^{33,†} M. Raidal^{33,†} L. Tani^{33,†} C. Veelken^{33,†} P. Eerola^{34,†} H. Kirschenmann^{34,†} M. Voutilainen^{34,†} S. Bharthuar^{35,†} E. Brücken^{35,†} J. Havukainen^{35,†} M. S. Kim^{35,†} R. Kinnunen^{35,†} T. Lampén^{35,†} K. Lassila-Perini^{35,†} S. Lehti^{35,†} T. Lindén^{35,†} M. Lotti^{35,†} L. Martikainen^{35,†} M. Myllymäki^{35,†} J. Ott^{35,†} M. m. Rantanen^{35,†} H. Siikonen^{35,†} E. Tuominen^{35,†} J. Tuominiemi^{35,†} P. Luukka^{36,†} H. Petrow^{36,†} T. Tuuva^{36,†} C. Amendola^{37,†} M. Besancon^{37,†} F. Couderc^{37,†} M. Dejardin^{37,†} D. Denegri^{37,†} J. L. Faure^{37,†} F. Ferri^{37,†} S. Ganjour^{37,†} P. Gras^{37,†} G. Hamel de Monchenault^{37,†} P. Jarry^{37,†} V. Lohezic^{37,†} J. Malcles^{37,†} J. Rander^{37,†} A. Rosowsky^{37,†} M. Ö. Sahin^{37,†} A. Savoy-Navarro^{37,p,†} P. Simkina^{37,†} M. Titov^{37,†} C. Baldenegro Barrera^{38,†} F. Beaudette^{38,†} A. Buchot Perraguin^{38,†} P. Busson^{38,†} A. Cappati^{38,†} C. Charlot^{38,†} F. Damas^{38,†} O. Davignon^{38,†} B. Diab^{38,†} G. Falmagne^{38,†} B. A. Fontana Santos Alves^{38,†} S. Ghosh^{38,†} R. Granier de Cassagnac^{38,†} A. Hakimi^{38,†} B. Harikrishnan^{38,†} G. Liu^{38,†} J. Motta^{38,†} M. Nguyen^{38,†} C. Ochando^{38,†} L. Portales^{38,†} R. Salerno^{38,†} U. Sarkar^{38,†} J. B. Sauvan^{38,†} Y. Sirois^{38,†} A. Tarabini^{38,†} E. Vernazza^{38,†} A. Zabi^{38,†} A. Zghiche^{38,†} J.-L. Agram^{39,q,†} J. Andrea^{39,†} D. Apparub^{39,†} D. Bloch^{39,†} G. Bourgatte^{39,†} J.-M. Brom^{39,†} E. C. Chabert^{39,†} C. Collard^{39,†} D. Darej^{39,†} U. Goerlach^{39,†} C. Grimault^{39,†} A.-C. Le Bihan^{39,†} P. Van Hove^{39,†} S. Beauceron^{40,†} B. Blancon^{40,†} G. Boudoul^{40,†} A. Carle^{40,†} N. Chanon^{40,†} J. Choi^{40,†} D. Contardo^{40,†} P. Depasse^{40,†} C. Dozen^{40,r,†} H. El Mamouni^{40,†} J. Fay^{40,†} S. Gascon^{40,†} M. Gouzevitch^{40,†} G. Grenier^{40,†} B. Ille^{40,†} I. B. Laktineh^{40,†} M. Lethuillier^{40,†} L. Mirabito^{40,†} S. Perries^{40,†} L. Torterotot^{40,†} M. Vander Donckt^{40,†} P. Verdier^{40,†} S. Viret^{40,†} G. Adamov^{41,†} I. Lomidze^{41,†} Z. Tsamalaidze^{41,m,†} V. Botta^{42,†} L. Feld^{42,†} K. Klein^{42,†} M. Lipinski^{42,†} D. Meuser^{42,†} A. Pauls^{42,†} N. Röwert^{42,†} M. Teroerde^{42,†} S. Diekmann^{43,†} A. Dodonova^{43,†} N. Eich^{43,†} D. Eliseev^{43,†} M. Erdmann^{43,†} P. Fackeldey^{43,†} D. Fasanella^{43,†} B. Fischer^{43,†} T. Hebbeker^{43,†} K. Hoepfner^{43,†} F. Ivone^{43,†} M. y. Lee^{43,†} L. Mastrolorenzo^{43,†} M. Merschmeyer^{43,†} A. Meyer^{43,†} S. Mondal^{43,†} S. Mukherjee^{43,†} D. Noll^{43,†} A. Novak^{43,†} F. Nowotny^{43,†} A. Pozdnyakov^{43,†} Y. Rath^{43,†} W. Redjeb^{43,†} H. Reithler^{43,†} A. Schmidt^{43,†} S. C. Schuler^{43,†} A. Sharma^{43,†} A. Stein^{43,†} L. Vigilante^{43,†} S. Wiedenbeck^{43,†} S. Zaleski^{43,†} C. Dziwok^{44,†} G. Flüge^{44,†} W. Haj Ahmad^{44,s,†} O. Hlushchenko^{44,†}

- T. Kress^{44,†} A. Nowack^{44,†} O. Pooth^{44,†} A. Stahl^{44,†} T. Ziemons^{44,†} A. Zotz^{44,†} H. Aarup Petersen^{45,†}
M. Aldaya Martin^{45,†} P. Asmuss^{45,†} S. Baxter^{45,†} M. Bayatmakou^{45,†} O. Behnke^{45,†} A. Bermúdez Martínez^{45,†}
S. Bhattacharya^{45,†} A. A. Bin Anuar^{45,†} F. Blekman^{45,†} K. Borras^{45,u,†} D. Brunner^{45,†} A. Campbell^{45,†}
A. Cardini^{45,†} C. Cheng^{45,†} F. Colombina^{45,†} S. Consuegra Rodríguez^{45,†} G. Correia Silva^{45,†} M. De Silva^{45,†}
L. Didukh^{45,†} G. Eckerlin^{45,†} D. Eckstein^{45,†} L. I. Estevez Banos^{45,†} O. Filatov^{45,†} E. Gallo^{45,t,†} A. Geiser^{45,†}
A. Giraldi^{45,†} G. Greau^{45,†} A. Grohsjean^{45,†} V. Guglielmi^{45,†} M. Guthoff^{45,†} A. Jafari^{45,v,†} N. Z. Jomhari^{45,†}
B. Kaech^{45,†} M. Kasemann^{45,†} H. Kaveh^{45,†} C. Kleinwort^{45,†} R. Kogler^{45,†} M. Komm^{45,†} D. Krücker^{45,†}
W. Lange^{45,†} D. Leyva Pernia^{45,†} K. Lipka^{45,w,†} W. Lohmann^{45,x,†} R. Mankel^{45,†} I.-A. Melzer-Pellmann^{45,†}
M. Mendizabal Morentin^{45,†} J. Metwally^{45,†} A. B. Meyer^{45,†} G. Milella^{45,†} M. Mormile^{45,†} A. Mussgiller^{45,†}
A. Nürnberg^{45,†} Y. Otari^{45,†} D. Pérez Adán^{45,†} A. Raspereza^{45,†} B. Ribeiro Lopes^{45,†} J. Rübenach^{45,†}
A. Saggio^{45,†} A. Saibel^{45,†} M. Savitskiy^{45,†} M. Scham^{45,y,u,†} V. Scheurer^{45,†} S. Schnake^{45,u,†} P. Schütze^{45,†}
C. Schwanenberger^{45,t,†} M. Shchedrolosiev^{45,†} R. E. Sosa Ricardo^{45,†} D. Stafford^{45,†} N. Tonon^{45,a,†}
M. Van De Klundert^{45,†} F. Vazzoler^{45,†} A. Ventura Barroso^{45,†} R. Walsh^{45,†} D. Walter^{45,†} Q. Wang^{45,†}
Y. Wen^{45,†} K. Wichmann^{45,†} L. Wiens^{45,u,†} C. Wissing^{45,†} S. Wuchterl^{45,†} Y. Yang^{45,†}
A. Zimmermann Castro Santos^{45,†} A. Albrecht^{46,†} S. Albrecht^{46,†} M. Antonello^{46,†} S. Bein^{46,†} L. Benato^{46,†}
M. Bonanomi^{46,†} P. Connor^{46,†} K. De Leo^{46,†} M. Eich^{46,†} K. El Morabit^{46,†} F. Feindt^{46,†} A. Fröhlich^{46,†}
C. Garbers^{46,†} E. Garutti^{46,†} M. Hajheidari^{46,†} J. Haller^{46,†} A. Hinzmann^{46,†} H. R. Jabusch^{46,†} G. Kasieczka^{46,†}
P. Keicher^{46,†} R. Klanner^{46,†} W. Korcaric^{46,†} T. Kramer^{46,†} V. Kutzner^{46,†} F. Labe^{46,†} J. Lange^{46,†}
A. Lobanov^{46,†} C. Matthies^{46,†} A. Mehta^{46,†} L. Moureaux^{46,†} M. Mrowietz^{46,†} A. Nigamova^{46,†} Y. Nissan^{46,†}
A. Paasch^{46,†} K. J. Pena Rodriguez^{46,†} T. Quadfasel^{46,†} M. Rieger^{46,†} O. Rieger^{46,†} D. Savoio^{46,†}
J. Schindler^{46,†} P. Schleper^{46,†} M. Schröder^{46,†} J. Schwandt^{46,†} M. Sommerhalder^{46,†} H. Stadie^{46,†}
G. Steinbrück^{46,†} A. Tews^{46,†} M. Wolf^{46,†} S. Brommer^{47,†} M. Burkart^{47,†} E. Butz^{47,†} R. Caspart^{47,†}
T. Chwalek^{47,†} A. Dierlamm^{47,†} A. Droll^{47,†} N. Faltermann^{47,†} M. Giffels^{47,†} J. O. Gosewisch^{47,†}
A. Gottmann^{47,†} F. Hartmann^{47,z,†} M. Horzela^{47,†} U. Husemann^{47,†} M. Klute^{47,†} R. Koppenhöfer^{47,†}
A. Lintuluoto^{47,†} S. Maier^{47,†} S. Mitra^{47,†} Th. Müller^{47,†} M. Neukum^{47,†} M. Oh^{47,†} G. Quast^{47,†}
K. Rabbertz^{47,†} J. Rauser^{47,†} M. Schnepf^{47,†} D. Seith^{47,†} I. Shvetsov^{47,†} H. J. Simonis^{47,†} N. Trevisani^{47,†}
R. Ulrich^{47,†} J. van der Linden^{47,†} R. F. Von Cube^{47,†} M. Wassmer^{47,†} S. Wieland^{47,†} R. Wolf^{47,†}
S. Wozniowski^{47,†} S. Wunsch^{47,†} X. Zuo^{47,†} G. Anagnostou^{48,†} P. Assiouras^{48,†} G. Daskalakis^{48,†} A. Kyriakis^{48,†}
A. Stakia^{48,†} M. Diamantopoulou^{49,†} D. Karasavvas^{49,†} P. Kontaxakis^{49,†} A. Manousakis-Katsikakis^{49,†}
A. Panagiotou^{49,†} I. Papavergou^{49,†} N. Saoulidou^{49,†} K. Theofilatos^{49,†} E. Tziaferi^{49,†} K. Vellidis^{49,†}
I. Zisopoulos^{49,†} G. Bakas^{50,†} T. Chatzistavrou^{50,†} K. Kousouris^{50,†} I. Papakrivopoulos^{50,†} G. Tsipolitis^{50,†}
A. Zacharopoulou^{50,†} K. Adamidis^{51,†} I. Bestintzanos^{51,†} I. Evangelou^{51,†} C. Foudas^{51,†} P. Gianneios^{51,†}
C. Kamtsikis^{51,†} P. Katsoulis^{51,†} P. Kokkas^{51,†} P. G. Kosmoglou Kioseoglou^{51,†} N. Manthos^{51,†}
I. Papadopoulos^{51,†} J. Strologas^{51,†} M. Bartók^{52,aa,†} G. Bencze^{52,†} C. Hajdu^{52,†} D. Horvath^{52,bb,cc,†} F. Sikler^{52,†}
V. Veszpremi^{52,†} M. Csanád^{53,†} K. Farkas^{53,†} M. M. A. Gadallah^{53,dd,†} S. Lökös^{53,ee,†} P. Major^{53,†}
K. Mandal^{53,†} G. Pásztor^{53,†} A. J. Rádl^{53,ff,†} O. Surányi^{53,†} G. I. Veres^{53,†} N. Beni^{54,†} S. Czellar^{54,†}
J. Karancsi^{54,aa,†} J. Molnar^{54,†} Z. Szillasi^{54,†} D. Teyssier^{54,†} P. Raics^{55,†} B. Ujvari^{55,gg,†} T. Csorgo^{56,ff,†}
T. Novak^{56,†} J. Babbar^{57,†} S. Bansal^{57,†} S. B. Beri^{57,†} V. Bhatnagar^{57,†} G. Chaudhary^{57,†} S. Chauhan^{57,†}
N. Dhingra^{57,hh,†} R. Gupta^{57,†} A. Kaur^{57,†} A. Kaur^{57,†} H. Kaur^{57,†} M. Kaur^{57,†} S. Kumar^{57,†} P. Kumari^{57,†}
M. Meena^{57,†} K. Sandeep^{57,†} T. Sheokand^{57,†} J. B. Singh^{57,ii,†} A. Singla^{57,†} A. K. Viridi^{57,†} A. Ahmed^{58,†}
A. Bhardwaj^{58,†} B. C. Choudhary^{58,†} A. Kumar^{58,†} M. Naimuddin^{58,†} K. Ranjan^{58,†} S. Saumya^{58,†}
S. Baradia^{59,†} S. Barman^{59,†} S. Bhattacharya^{59,†} D. Bhowmik^{59,†} S. Dutta^{59,†} S. Dutta^{59,†} B. Gumber^{59,kk,†}
M. Maity^{59,†} P. Palit^{59,†} G. Saha^{59,†} B. Sahu^{59,†} S. Sarkar^{59,†} P. K. Behera^{60,†} S. C. Behera^{60,†} P. Kalbhor^{60,†}
J. R. Komaragiri^{60,ll,†} D. Kumar^{60,ll,†} A. Muhammad^{60,†} L. Panwar^{60,ll,†} R. Pradhan^{60,†} P. R. Pujahari^{60,†}
A. Sharma^{60,†} A. K. Sikdar^{60,†} P. C. Tiwari^{60,ll,†} S. Verma^{60,†} K. Naskar^{61,mm,†} T. Aziz^{62,†} I. Das^{62,†}
S. Dugad^{62,†} M. Kumar^{62,†} G. B. Mohanty^{62,†} P. Suryadevara^{62,†} S. Banerjee^{63,†} R. Chudasama^{63,†}
M. Guchait^{63,†} S. Karmakar^{63,†} S. Kumar^{63,†} G. Majumder^{63,†} K. Mazumdar^{63,†} S. Mukherjee^{63,†}
A. Thachayath^{63,†} S. Bahinipati^{64,nn,†} A. K. Das^{64,†} C. Kar^{64,†} P. Mal^{64,†} T. Mishra^{64,†}
V. K. Muraleedharan Nair Bindhu^{64,oo,†} A. Nayak^{64,oo,†} P. Saha^{64,†} S. K. Swain^{64,†} D. Vats^{64,oo,†} A. Alpana^{65,†}

S. Dube^{65,†}, B. Kansal^{65,†}, A. Laha^{65,†}, S. Pandey^{65,†}, A. Rastogi^{65,†}, S. Sharma^{65,†}, H. Bakhshiansohi^{66,pp,qq,†},
E. Khazaie^{66,qq,†}, M. Zeinali^{66,rr,†}, S. Chenarani^{67,ss,†}, S. M. Etesami^{67,†}, M. Khakzad^{67,†},
M. Mohammadi Najafabadi^{67,†}, M. Grunewald^{68,†}, M. Abbrescia^{69a,69b,†}, R. Aly^{69a,69b,tt,†}, C. Aruta^{69a,69b,†},
A. Colaleo^{69a,†}, D. Creanza^{69a,69c,†}, N. De Filippis^{69a,69c,†}, M. De Palma^{69a,69b,†}, A. Di Florio^{69a,69b,†},
W. Elmetenawee^{69a,69b,†}, F. Errico^{69a,69b,†}, L. Fiore^{69a,†}, G. Iaselli^{69a,69c,†}, M. Ince^{69a,69b,†}, G. Maggi^{69a,69c,†},
M. Maggi^{69a,†}, I. Margjeka^{69a,69b,†}, V. Mastrapasqua^{69a,69b,†}, S. My^{69a,69b,†}, S. Nuzzo^{69a,69b,†}, A. Pellicchia^{69a,69b,†},
A. Pompili^{69a,69b,†}, G. Pugliese^{69a,69c,†}, R. Radogna^{69a,†}, D. Ramos^{69a,†}, A. Ranieri^{69a,†}, G. Selvaggi^{69a,69b,†},
L. Silvestris^{69a,†}, F. M. Simone^{69a,69b,†}, Ü. Sözbilir^{69a,†}, A. Stamerra^{69a,†}, R. Venditti^{69a,†}, P. Verwilligen^{69a,†},
G. Abbiendi^{70a,†}, C. Battilana^{70a,70b,†}, D. Bonacorsi^{70a,70b,†}, L. Borgonovi^{70a,†}, L. Brigliadori^{70a,†},
R. Campanini^{70a,70b,†}, P. Capiluppi^{70a,70b,†}, A. Castro^{70a,70b,†}, F. R. Cavallo^{70a,†}, M. Cuffiani^{70a,70b,†},
G. M. Dallavalle^{70a,†}, T. Diotallevi^{70a,70b,†}, F. Fabbri^{70a,†}, A. Fanfani^{70a,70b,†}, P. Giacomelli^{70a,†}, L. Giommi^{70a,70b,†},
C. Grandi^{70a,†}, L. Guiducci^{70a,70b,†}, S. Lo Meo^{70a,uu,†}, L. Lunerti^{70a,70b,†}, S. Marcellini^{70a,†}, G. Masetti^{70a,†},
F. L. Navarria^{70a,70b,†}, A. Perrotta^{70a,†}, F. Primavera^{70a,70b,†}, A. M. Rossi^{70a,70b,†}, T. Rovelli^{70a,70b,†},
G. P. Siroli^{70a,70b,†}, S. Costa^{71a,71b,vv,†}, A. Di Mattia^{71a,†}, R. Potenza^{71a,71b,†}, A. Tricomi^{71a,71b,vv,†}, C. Tuve^{71a,71b,†},
G. Barbagli^{72a,†}, G. Bardelli^{72a,72b,†}, B. Camaiani^{72a,72b,†}, A. Cassese^{72a,†}, R. Ceccarelli^{72a,72b,†}, V. Ciulli^{72a,72b,†},
C. Civinini^{72a,†}, R. D'Alessandro^{72a,72b,†}, E. Focardi^{72a,72b,†}, G. Latino^{72a,72b,†}, P. Lenzi^{72a,72b,†}, M. Lizzo^{72a,72b,†},
M. Meschini^{72a,†}, S. Paoletti^{72a,†}, R. Seidita^{72a,72b,†}, G. Sguazzoni^{72a,†}, L. Viliani^{72a,†}, L. Benussi^{73,†},
S. Bianco^{73,†}, S. Meola^{73,z,†}, D. Piccolo^{73,†}, P. Chatagnon^{74a,†}, F. Ferro^{74a,†}, R. Mulargia^{74a,†}, E. Robutti^{74a,†},
S. Tosi^{74a,74b,†}, A. Benaglia^{75a,†}, G. Boldrini^{75a,†}, F. Brivio^{75a,75b,†}, F. Cetorelli^{75a,75b,†}, F. De Guio^{75a,75b,†},
M. E. Dinardo^{75a,75b,†}, P. Dini^{75a,†}, S. Gennai^{75a,†}, A. Ghezzi^{75a,75b,†}, P. Govoni^{75a,75b,†}, L. Guzzi^{75a,75b,†},
M. T. Lucchini^{75a,75b,†}, M. Malberti^{75a,†}, S. Malvezzi^{75a,†}, A. Massironi^{75a,†}, D. Menasce^{75a,†}, L. Moroni^{75a,†},
M. Paganoni^{75a,75b,†}, D. Pedrini^{75a,†}, B. S. Pinolini^{75a,†}, S. Ragazzi^{75a,75b,†}, N. Redaelli^{75a,†},
T. Tabarelli de Fatis^{75a,75b,†}, D. Zuolo^{75a,75b,†}, S. Buontempo^{76a,†}, F. Carnevali^{76a,76b,†}, N. Cavallo^{76a,76c,†},
A. De Iorio^{76a,76b,†}, F. Fabozzi^{76a,76c,†}, A. O. M. Iorio^{76a,76b,†}, L. Lista^{76a,76b,ww,†}, P. Paolucci^{76a,z,†}, B. Rossi^{76a,†},
C. Sciacca^{76a,76b,†}, P. Azzi^{77a,†}, N. Bacchetta^{77a,xx,†}, D. Bisello^{77a,77b,†}, P. Bortignon^{77a,†}, A. Bragagnolo^{77a,77b,†},
R. Carlin^{77a,77b,†}, P. Checchia^{77a,†}, T. Dorigo^{77a,†}, U. Gasparini^{77a,77b,†}, G. Grosso^{77a,†}, L. Layer^{77a,yy,†}, E. Lusiani^{77a,†},
M. Margoni^{77a,77b,†}, A. T. Meneguzzo^{77a,77b,†}, M. Michelotto^{77a,†}, F. Montecassiano^{77a,†}, J. Pazzini^{77a,77b,†},
P. Ronchese^{77a,77b,†}, R. Rossin^{77a,77b,†}, G. Strong^{77a,†}, M. Tosi^{77a,77b,†}, H. Yarar^{77a,77b,†}, M. Zanetti^{77a,77b,†},
P. Zotto^{77a,77b,†}, A. Zucchetta^{77a,77b,†}, G. Zumerle^{77a,77b,†}, S. Abu Zeid^{78a,zz,†}, C. Aimè^{78a,78b,†}, A. Braghieri^{78a,†},
S. Calzaferri^{78a,78b,†}, D. Fiorina^{78a,78b,†}, P. Montagna^{78a,78b,†}, V. Re^{78a,†}, C. Riccardi^{78a,78b,†}, P. Salvini^{78a,†},
I. Vai^{78a,†}, P. Vitulo^{78a,78b,†}, P. Asenov^{79a,aaa,†}, G. M. Bilei^{79a,†}, D. Ciangottini^{79a,79b,†}, L. Fanò^{79a,79b,†},
M. Magherini^{79a,79b,†}, G. Mantovani^{79a,79b,†}, V. Mariani^{79a,79b,†}, M. Menichelli^{79a,†}, F. Moscatelli^{79a,aaa,†},
A. Piccinelli^{79a,79b,†}, M. Presilla^{79a,79b,†}, A. Rossi^{79a,79b,†}, A. Santocchia^{79a,79b,†}, D. Spiga^{79a,†}, T. Tedeschi^{79a,79b,†},
P. Azzurri^{80a,†}, G. Bagliesi^{80a,†}, V. Bertacchi^{80a,80c,†}, R. Bhattacharya^{80a,†}, L. Bianchini^{80a,80b,†}, T. Boccali^{80a,†},
E. Bossini^{80a,80b,†}, D. Bruschini^{80a,80c,†}, R. Castaldi^{80a,†}, M. A. Ciocci^{80a,80b,†}, V. D'Amante^{80a,80d,†}, R. Dell'Orso^{80a,†},
M. R. Di Domenico^{80a,80d,†}, S. Donato^{80a,†}, A. Giassi^{80a,†}, F. Ligabue^{80a,80c,†}, G. Mandorli^{80a,80c,†},
D. Matos Figueiredo^{80a,†}, A. Messineo^{80a,80b,†}, M. Musich^{80a,80b,†}, F. Palla^{80a,†}, S. Parolia^{80a,80b,†},
G. Ramirez-Sanchez^{80a,80c,†}, A. Rizzi^{80a,80b,†}, G. Rolandi^{80a,80c,†}, S. Roy Chowdhury^{80a,†}, T. Sarkar^{80a,†},
N. Shafiei^{80a,80b,†}, P. Spagnolo^{80a,†}, R. Tenchini^{80a,†}, G. Tonelli^{80a,80b,†}, A. Venturi^{80a,†}, P. G. Verdini^{80a,†},
P. Barria^{81a,†}, M. Campana^{81a,81b,†}, F. Cavallari^{81a,†}, D. Del Re^{81a,81b,†}, E. Di Marco^{81a,†}, M. Diemoz^{81a,†},
E. Longo^{81a,81b,†}, P. Meridiani^{81a,†}, G. Organtini^{81a,81b,†}, F. Pandolfi^{81a,†}, R. Paramatti^{81a,81b,†}, C. Quaranta^{81a,81b,†},
S. Rahatlou^{81a,81b,†}, C. Rovelli^{81a,†}, F. Santanastasio^{81a,81b,†}, L. Soffi^{81a,†}, R. Tramontano^{81a,81b,†},
N. Amapane^{82a,82b,†}, R. Arcidiacono^{82a,82c,†}, S. Argiro^{82a,82b,†}, M. Arneodo^{82a,82c,†}, N. Bartosik^{82a,†},
R. Bellan^{82a,82b,†}, A. Bellora^{82a,82b,†}, C. Biino^{82a,†}, N. Cartiglia^{82a,†}, M. Costa^{82a,82b,†}, R. Covarelli^{82a,82b,†},
N. Demaria^{82a,†}, M. Grippo^{82a,82b,†}, B. Kiani^{82a,82b,†}, F. Legger^{82a,†}, C. Mariotti^{82a,†}, S. Maselli^{82a,†},
A. Mecca^{82a,82b,†}, E. Migliore^{82a,82b,†}, E. Monteil^{82a,82b,†}, M. Monteno^{82a,†}, M. M. Obertino^{82a,82b,†}, G. Ortona^{82a,†},
L. Pacher^{82a,82b,†}, N. Pastrone^{82a,†}, M. Pelliccioni^{82a,†}, M. Ruspa^{82a,82c,†}, K. Shchelina^{82a,†}, F. Siviero^{82a,82b,†},
V. Sola^{82a,†}, A. Solano^{82a,82b,†}, D. Soldi^{82a,82b,†}, A. Staiano^{82a,†}, M. Tornago^{82a,82b,†}, D. Trocino^{82a,†},
G. Umoret^{82a,82b,†}, A. Vagnerini^{82a,82b,†}, S. Belforte^{83a,†}, V. Candelise^{83a,83b,†}, M. Casarsa^{83a,†}, F. Cossutti^{83a,†}

A. Da Rold^{83a,83b,†} G. Della Ricca^{83a,83b,†} G. Sorrentino^{83a,83b,†} S. Dogra^{84,†} C. Huh^{84,†} B. Kim^{84,†}
 D. H. Kim^{84,†} G. N. Kim^{84,†} J. Kim^{84,†} J. Lee^{84,†} S. W. Lee^{84,†} C. S. Moon^{84,†} Y. D. Oh^{84,†} S. I. Pak^{84,†}
 M. S. Ryu^{84,†} S. Sekmen^{84,†} Y. C. Yang^{84,†} H. Kim^{85,†} D. H. Moon^{85,†} E. Asilar^{86,†} T. J. Kim^{86,†} J. Park^{86,†}
 S. Choi^{87,†} S. Han^{87,†} B. Hong^{87,†} K. Lee^{87,†} K. S. Lee^{87,†} J. Lim^{87,†} J. Park^{87,†} S. K. Park^{87,†} J. Yoo^{87,†}
 J. Goh^{88,†} H. S. Kim^{89,†} Y. Kim^{89,†} S. Lee^{89,†} J. Almond^{90,†} J. H. Bhyun^{90,†} J. Choi^{90,†} S. Jeon^{90,†} J. Kim^{90,†}
 J. S. Kim^{90,†} S. Ko^{90,†} H. Kwon^{90,†} H. Lee^{90,†} S. Lee^{90,†} B. H. Oh^{90,†} S. B. Oh^{90,†} H. Seo^{90,†} U. K. Yang^{90,†}
 I. Yoon^{90,†} W. Jang^{91,†} D. Y. Kang^{91,†} Y. Kang^{91,†} D. Kim^{91,†} S. Kim^{91,†} B. Ko^{91,†} J. S. H. Lee^{91,†} Y. Lee^{91,†}
 J. A. Merlin^{91,†} I. C. Park^{91,†} Y. Roh^{91,†} D. Song^{91,†} I. J. Watson^{91,†} S. Yang^{91,†} S. Ha^{92,†} H. D. Yoo^{92,†}
 M. Choi^{93,†} M. R. Kim^{93,†} H. Lee^{93,†} Y. Lee^{93,†} Y. Lee^{93,†} I. Yu^{93,†} T. Beyrouthy^{94,†} Y. Maghrbi^{94,†}
 K. Dreimanis^{95,†} G. Pikurs^{95,†} M. Seidel^{95,†} V. Veckalns^{95,bbb,†} M. Ambrozias^{96,†}
 A. Carvalho Antunes De Oliveira^{96,†} A. Juodagalvis^{96,†} A. Rinkevicius^{96,†} G. Tamulaitis^{96,†}
 N. Bin Norjoharuddeen^{97,†} S. Y. Hoh^{97,ccc,†} I. Yusuff^{97,ccc,†} Z. Zolkapli^{97,†} J. F. Benitez^{98,†}
 A. Castaneda Hernandez^{98,†} H. A. Encinas Acosta^{98,†} L. G. Gallegos Maríñez^{98,†} M. León Coello^{98,†}
 J. A. Murillo Quijada^{98,†} A. Sehwat^{98,†} L. Valencia Palomo^{98,†} G. Ayala^{99,†} H. Castilla-Valdez^{99,†}
 I. Heredia-De La Cruz^{99,ddd,†} R. Lopez-Fernandez^{99,†} C. A. Mondragon Herrera^{99,†} D. A. Perez Navarro^{99,†}
 A. Sánchez Hernández^{99,†} C. Oropesa Barrera^{100,†} F. Vazquez Valencia^{100,†} I. Pedraza^{101,†}
 H. A. Salazar Ibarguen^{101,†} C. Uribe Estrada^{101,†} I. Bujanja^{102,†} J. Mijuskovic^{102,eee,†} N. Raicevic^{102,†}
 A. Ahmad^{103,†} M. I. Asghar^{103,†} A. Awais^{103,†} M. I. M. Awan^{103,†} M. Gul^{103,†} H. R. Hoorani^{103,†}
 W. A. Khan^{103,†} M. Shoaib^{103,†} M. Waqas^{103,†} H. Bialkowska^{105,†} M. Bluj^{105,†} B. Boimska^{105,†}
 M. Górski^{105,†} M. Kazana^{105,†} M. Szeleper^{105,†} P. Zalewski^{105,†} K. Bunkowski^{106,†} K. Doroba^{106,†}
 A. Kalinowski^{106,†} M. Konecki^{106,†} J. Krolikowski^{106,†} M. Araujo^{107,†} P. Bargassa^{107,†} D. Bastos^{107,†}
 A. Boletti^{107,†} P. Faccioli^{107,†} M. Gallinaro^{107,†} J. Hollar^{107,†} N. Leonardo^{107,†} T. Niknejad^{107,†}
 M. Pisano^{107,†} J. Seixas^{107,†} J. Varela^{107,†} P. Adzic^{108,fff,†} M. Dordevic^{108,†} P. Milenovic^{108,†} J. Milosevic^{108,†}
 M. Aguilar-Benitez^{109,†} J. Alcaraz Maestre^{109,†} A. Álvarez Fernández^{109,†} M. Barrio Luna^{109,†}
 Cristina F. Bedoya^{109,†} C. A. Carrillo Montoya^{109,†} M. Cepeda^{109,†} M. Cerrada^{109,†} N. Colino^{109,†}
 B. De La Cruz^{109,†} A. Delgado Peris^{109,†} D. Fernández Del Val^{109,†} J. P. Fernández Ramos^{109,†} J. Flix^{109,†}
 M. C. Fouz^{109,†} O. Gonzalez Lopez^{109,†} S. Goy Lopez^{109,†} J. M. Hernandez^{109,†} M. I. Josa^{109,†}
 J. León Holgado^{109,†} D. Moran^{109,†} C. Perez Dengra^{109,†} A. Pérez-Calero Yzquierdo^{109,†} J. Puerta Pelayo^{109,†}
 I. Redondo^{109,†} D. D. Redondo Ferrero^{109,†} L. Romero^{109,†} S. Sánchez Navas^{109,†} J. Sastre^{109,†}
 L. Urda Gómez^{109,†} J. Vazquez Escobar^{109,†} C. Willmott^{109,†} J. F. de Trocóniz^{110,†} B. Alvarez Gonzalez^{111,†}
 J. Cuevas^{111,†} J. Fernandez Menendez^{111,†} S. Folgueras^{111,†} I. Gonzalez Caballero^{111,†}
 J. R. González Fernández^{111,†} E. Palencia Cortezon^{111,†} C. Ramón Álvarez^{111,†} V. Rodríguez Bouza^{111,†}
 A. Soto Rodríguez^{111,†} A. Trapote^{111,†} C. Vico Villalba^{111,†} J. A. Brochero Cifuentes^{112,†} I. J. Cabrillo^{112,†}
 A. Calderon^{112,†} J. Duarte Campderros^{112,†} M. Fernandez^{112,†} C. Fernandez Madrazo^{112,†} A. García Alonso^{112,†}
 G. Gomez^{112,†} C. Lasasa García^{112,†} C. Martinez Rivero^{112,†} P. Martinez Ruiz del Arbol^{112,†} F. Matorras^{112,†}
 P. Matorras Cuevas^{112,†} J. Piedra Gomez^{112,†} C. Prieels^{112,†} A. Ruiz-Jimeno^{112,†} L. Scodellaro^{112,†} I. Vila^{112,†}
 J. M. Vizan Garcia^{112,†} M. K. Jayananda^{113,†} B. Kailasapathy^{113,ggg,†} D. U. J. Sonnadara^{113,†}
 D. D. C. Wickramaratna^{113,†} W. G. D. Dharmaratna^{114,hhh,†} K. Liyanage^{114,†} N. Perera^{114,†} N. Wickramage^{114,†}
 D. Abbaneo^{115,†} J. Alimena^{115,†} E. Auffray^{115,†} G. Auzinger^{115,†} P. Baillon^{115,a,†} D. Barney^{115,†}
 J. Bendavid^{115,†} M. Bianco^{115,†} B. Bilin^{115,†} A. Bocci^{115,†} E. Brondolin^{115,†} C. Caillol^{115,†} T. Camporesi^{115,†}
 G. Cerminara^{115,†} N. Chernyavskaya^{115,†} S. S. Chhibra^{115,†} S. Choudhury^{115,†} M. Cipriani^{115,†} L. Cristella^{115,†}
 D. d'Enterria^{115,†} A. Dabrowski^{115,†} A. David^{115,†} A. De Roeck^{115,†} M. M. Defranchis^{115,†} M. Dobson^{115,†}
 M. Dünser^{115,†} N. Dupont^{115,†} F. Fallavollita^{115,iii,†} A. Florent^{115,†} L. Forthomme^{115,†} G. Franzoni^{115,†}
 W. Funk^{115,†} S. Ghosh^{115,†} D. Gigi^{115,†} K. Gill^{115,†} F. Glege^{115,†} L. Gouskos^{115,†} E. Govorkova^{115,†}
 M. Haranko^{115,†} J. Hegeman^{115,†} V. Innocente^{115,†} T. James^{115,†} P. Janot^{115,†} J. Kieseler^{115,†}
 N. Kratochwil^{115,†} S. Laurila^{115,†} P. Lecoq^{115,†} E. Leutgeb^{115,†} C. Lourenço^{115,†} B. Maier^{115,†} L. Malgeri^{115,†}
 M. Mannelli^{115,†} A. C. Marini^{115,†} F. Meijers^{115,†} S. Mersi^{115,†} E. Meschi^{115,†} F. Moortgat^{115,†}
 M. Mulders^{115,†} S. Orfanelli^{115,†} L. Orsini^{115,†} F. Pantaleo^{115,†} E. Perez^{115,†} M. Peruzzi^{115,†} A. Petrilli^{115,†}
 G. Petrucciani^{115,†} A. Pfeiffer^{115,†} M. Pierini^{115,†} D. Piparo^{115,†} M. Pitt^{115,†} H. Qu^{115,†} T. Quast^{115,†}

D. Rabady^{115,†} A. Racz^{115,†} G. Reales Gutiérrez^{115,†} M. Rovere^{115,†} H. Sakulin^{115,†} J. Salfeld-Nebgen^{115,†}
 S. Scarfi^{115,†} M. Selvaggi^{115,†} A. Sharma^{115,†} P. Silva^{115,†} P. Sphicas^{115,†} A. G. Stahl Leiton^{115,†}
 S. Summers^{115,†} K. Tatar^{115,†} V. R. Tavolaro^{115,†} D. Treille^{115,†} P. Tropea^{115,†} A. Tsirou^{115,†} J. Wanczyk^{115,†}
 K. A. Wozniak^{115,†} W. D. Zeuner^{115,†} L. Caminada^{116,†} A. Ebrahimi^{116,†} W. Erdmann^{116,†} R. Horisberger^{116,†}
 Q. Ingram^{116,†} H. C. Kaestli^{116,†} D. Kotlinski^{116,†} C. Lange^{116,†} M. Missiroli^{116,†} L. Noehte^{116,†}
 T. Rohe^{116,†} T. K. Aarrestad^{117,†} K. Androsov^{117,†} M. Backhaus^{117,†} P. Berger^{117,†} A. Calandri^{117,†}
 K. Datta^{117,†} A. De Cosa^{117,†} G. Dissertori^{117,†} M. Dittmar^{117,†} M. Donegà^{117,†} F. Eble^{117,†} M. Galli^{117,†}
 K. Gedia^{117,†} F. Glessgen^{117,†} T. A. Gómez Espinosa^{117,†} C. Grab^{117,†} D. Hits^{117,†} W. Lustermann^{117,†}
 A.-M. Lyon^{117,†} R. A. Manzoni^{117,†} L. Marchese^{117,†} C. Martin Perez^{117,†} A. Mascellani^{117,†}
 F. Nessi-Tedaldi^{117,†} J. Niedziela^{117,†} F. Pauss^{117,†} V. Perovic^{117,†} S. Pigazzini^{117,†} M. G. Ratti^{117,†}
 M. Reichmann^{117,†} C. Reissel^{117,†} T. Reitenspiess^{117,†} B. Ristic^{117,†} F. Riti^{117,†} D. Ruini^{117,†}
 D. A. Sanz Becerra^{117,†} J. Steggemann^{117,†} D. Valsecchi^{117,†} R. Wallny^{117,†} C. Amsler^{118,†}
 P. Bärtzchi^{118,†} C. Botta^{118,†} D. Brzhechko^{118,†} M. F. Canelli^{118,†} K. Cormier^{118,†} A. De Wit^{118,†}
 R. Del Burgo^{118,†} J. K. Heikkilä^{118,†} M. Huwiler^{118,†} W. Jin^{118,†} A. Jofrehei^{118,†} B. Kilminster^{118,†}
 S. Leontsinis^{118,†} S. P. Liechti^{118,†} A. Macchiolo^{118,†} P. Meiring^{118,†} V. M. Mikuni^{118,†} U. Molinatti^{118,†}
 I. Neutelings^{118,†} A. Reimers^{118,†} P. Robmann^{118,†} S. Sanchez Cruz^{118,†} K. Schweiger^{118,†} M. Senger^{118,†}
 Y. Takahashi^{118,†} C. Adloff^{119,†} C. M. Kuo^{119,†} W. Lin^{119,†} P. K. Rout^{119,†} S. S. Yu^{119,†} L. Ceard^{120,†}
 Y. Chao^{120,†} K. F. Chen^{120,†} P. s. Chen^{120,†} H. Cheng^{120,†} W.-S. Hou^{120,†} R. Khurana^{120,†} G. Kole^{120,†}
 Y. y. Li^{120,†} R.-S. Lu^{120,†} E. Paganis^{120,†} A. Psallidas^{120,†} A. Steen^{120,†} H. y. Wu^{120,†} E. Yazgan^{120,†} P. r. Yu^{120,†}
 C. Asawatangtrakuldee^{121,†} N. Srimanobhas^{121,†} D. Agyel^{122,†} F. Boran^{122,†} Z. S. Demiroglu^{122,†} F. Dolek^{122,†}
 I. Dumanoglu^{122,†} E. Eskut^{122,†} Y. Guler^{122,†} E. Gurpinar Guler^{122,†} C. Isik^{122,†} O. Kara^{122,†}
 A. Kayis Topaksu^{122,†} U. Kiminsu^{122,†} G. Onengut^{122,†} K. Ozdemir^{122,†} A. Polatoz^{122,†} A. E. Simsek^{122,†}
 B. Tali^{122,†} U. G. Tok^{122,†} S. Turkcapar^{122,†} E. Uslan^{122,†} I. S. Zorbakir^{122,†} G. Karapinar^{123,†}
 K. Ocalan^{123,†} M. Yalvac^{123,†} B. Akgun^{124,†} I. O. Atakisi^{124,†} E. Gülmez^{124,†} M. Kaya^{124,†}
 O. Kaya^{124,†} S. Tekten^{124,†} A. Cakir^{125,†} K. Cankocak^{125,†} Y. Komurcu^{125,†} S. Sen^{125,†}
 O. Aydilek^{126,†} S. Cerci^{126,†} B. Hacisahinoglu^{126,†} I. Hos^{126,†} B. Isildak^{126,†} C. Simsek^{126,†}
 D. Sunar Cerci^{126,†} B. Grynyov^{127,†} L. Levchuk^{128,†} D. Anthony^{129,†} E. Bhal^{129,†} J. J. Brooke^{129,†}
 A. Bundock^{129,†} E. Clement^{129,†} D. Cussans^{129,†} H. Flacher^{129,†} M. Glowacki^{129,†} J. Goldstein^{129,†}
 G. P. Heath^{129,†} H. F. Heath^{129,†} L. Kreczko^{129,†} B. Krikler^{129,†} S. Paramesvaran^{129,†} S. Seif El Nasr-Storey^{129,†}
 V. J. Smith^{129,†} N. Stylianou^{129,†} K. Walkingshaw Pass^{129,†} R. White^{129,†} A. H. Ball^{130,†} K. W. Bell^{130,†}
 A. Belyaev^{130,†} C. Brew^{130,†} R. M. Brown^{130,†} D. J. A. Cockerill^{130,†} C. Cooke^{130,†} K. V. Ellis^{130,†}
 K. Harder^{130,†} S. Harper^{130,†} M.-L. Holmberg^{130,†} Sh. Jain^{130,†} J. Linacre^{130,†} K. Manolopoulos^{130,†}
 D. M. Newbold^{130,†} E. Olaiya^{130,†} D. Petyt^{130,†} T. Reis^{130,†} G. Salvi^{130,†} T. Schuh^{130,†}
 C. H. Shepherd-Themistocleous^{130,†} I. R. Tomalin^{130,†} T. Williams^{130,†} R. Bainbridge^{131,†} P. Bloch^{131,†}
 S. Bonomally^{131,†} J. Borg^{131,†} C. E. Brown^{131,†} O. Buchmuller^{131,†} V. Cacchio^{131,†} V. Cepaitis^{131,†}
 G. S. Chahal^{131,†} D. Colling^{131,†} J. S. Dancu^{131,†} P. Dauncey^{131,†} G. Davies^{131,†} J. Davies^{131,†}
 M. Della Negra^{131,†} S. Fayer^{131,†} G. Fedi^{131,†} G. Hall^{131,†} M. H. Hassanshahi^{131,†} A. Howard^{131,†} G. Iles^{131,†}
 J. Langford^{131,†} L. Lyons^{131,†} A.-M. Magnan^{131,†} S. Malik^{131,†} A. Martelli^{131,†} M. Mieskolainen^{131,†}
 D. G. Monk^{131,†} J. Nash^{131,†} M. Pesaresi^{131,†} B. C. Radburn-Smith^{131,†} D. M. Raymond^{131,†} A. Richards^{131,†}
 A. Rose^{131,†} E. Scott^{131,†} C. Seez^{131,†} R. Shukla^{131,†} A. Tapper^{131,†} K. Uchida^{131,†} G. P. Uttley^{131,†}
 L. H. Vage^{131,†} T. Virdee^{131,†} M. Vojinovic^{131,†} N. Wardle^{131,†} S. N. Webb^{131,†} D. Winterbottom^{131,†}
 K. Coldham^{132,†} J. E. Cole^{132,†} A. Khan^{132,†} P. Kyberd^{132,†} I. D. Reid^{132,†} S. Abdullin^{133,†} A. Brinkerhoff^{133,†}
 B. Caraway^{133,†} J. Dittmann^{133,†} K. Hatakeyama^{133,†} A. R. Kanuganti^{133,†} B. McMaster^{133,†} M. Saunders^{133,†}
 S. Sawant^{133,†} C. Sutantawibul^{133,†} J. Wilson^{133,†} R. Bartek^{134,†} A. Dominguez^{134,†} R. Uniyal^{134,†}
 A. M. Vargas Hernandez^{134,†} S. I. Cooper^{135,†} D. Di Croce^{135,†} S. V. Gleyzer^{135,†} C. Henderson^{135,†}
 C. U. Perez^{135,†} P. Rumerio^{135,†} C. West^{135,†} A. Akpinar^{136,†} A. Albert^{136,†} D. Arcaro^{136,†} C. Cosby^{136,†}
 Z. Demiragli^{136,†} C. Erice^{136,†} E. Fontanesi^{136,†} D. Gastler^{136,†} S. May^{136,†} J. Rohlf^{136,†} K. Salyer^{136,†}
 D. Sperka^{136,†} D. Spitzbart^{136,†} I. Suarez^{136,†} A. Tsatsos^{136,†} S. Yuan^{136,†} G. Benelli^{137,†} B. Burkle^{137,†}
 X. Coubez^{137,†} D. Cutts^{137,†} M. Hadley^{137,†} U. Heintz^{137,†} J. M. Hogan^{137,†} T. Kwon^{137,†}

G. Landsberg^{137,†} K. T. Lau^{137,†} D. Li^{137,†} J. Luo^{137,†} M. Narain^{137,†} N. Pervan^{137,†} S. Sagir^{137,hhhh,†}
 F. Simpson^{137,†} E. Usai^{137,†} W. Y. Wong^{137,†} X. Yan^{137,†} D. Yu^{137,†} W. Zhang^{137,†} J. Bonilla^{138,†}
 C. Brainerd^{138,†} R. Breedon^{138,†} M. Calderon De La Barca Sanchez^{138,†} M. Chertok^{138,†} J. Conway^{138,†}
 P. T. Cox^{138,†} R. Erbacher^{138,†} G. Haza^{138,†} F. Jensen^{138,†} O. Kukral^{138,†} G. Mocellin^{138,†} M. Mulhearn^{138,†}
 D. Pellett^{138,†} B. Regnery^{138,†} Y. Yao^{138,†} F. Zhang^{138,†} M. Bachtis^{139,†} R. Cousins^{139,†} A. Datta^{139,†}
 D. Hamilton^{139,†} J. Hauser^{139,†} M. Ignatenko^{139,†} M. A. Iqbal^{139,†} T. Lam^{139,†} E. Manca^{139,†} W. A. Nash^{139,†}
 S. Regnard^{139,†} D. Saltzberg^{139,†} B. Stone^{139,†} V. Valuev^{139,†} R. Clare^{140,†} J. W. Gary^{140,†} M. Gordon^{140,†}
 G. Hanson^{140,†} G. Karapostoli^{140,†} O. R. Long^{140,†} N. Manganeli^{140,†} W. Si^{140,†} S. Wimpenny^{140,†}
 J. G. Branson^{141,†} P. Chang^{141,†} S. Cittolin^{141,†} S. Cooperstein^{141,†} D. Diaz^{141,†} J. Duarte^{141,†} R. Gerosa^{141,†}
 L. Giannini^{141,†} J. Guiang^{141,†} R. Kansal^{141,†} V. Krutelyov^{141,†} R. Lee^{141,†} J. Letts^{141,†}
 M. Masciovecchio^{141,†} F. Mokhtar^{141,†} M. Pieri^{141,†} B. V. Sathia Narayanan^{141,†} V. Sharma^{141,†} M. Tadel^{141,†}
 E. Vourliotis^{141,†} F. Würthwein^{141,†} Y. Xiang^{141,†} A. Yagil^{141,†} N. Amin^{142,†} C. Campagnari^{142,†} M. Citron^{142,†}
 G. Collura^{142,†} A. Dorsett^{142,†} V. Dutta^{142,†} J. Incandela^{142,†} M. Kilpatrick^{142,†} J. Kim^{142,†} A. J. Li^{142,†}
 P. Masterson^{142,†} H. Mei^{142,†} M. Oshiro^{142,†} M. Quinnan^{142,†} J. Richman^{142,†} U. Sarica^{142,†} R. Schmitz^{142,†}
 F. Setti^{142,†} J. Sheplock^{142,†} P. Siddireddy^{142,†} D. Stuart^{142,†} S. Wang^{142,†} A. Bornheim^{143,†} O. Cerri^{143,†}
 I. Dutta^{143,†} A. Latorre^{143,†} J. M. Lawhorn^{143,†} J. Mao^{143,†} H. B. Newman^{143,†} T. Q. Nguyen^{143,†}
 M. Spiropulu^{143,†} J. R. Vlimant^{143,†} C. Wang^{143,†} S. Xie^{143,†} R. Y. Zhu^{143,†} J. Alison^{144,†} S. An^{144,†}
 M. B. Andrews^{144,†} P. Bryant^{144,†} T. Ferguson^{144,†} A. Harilal^{144,†} C. Liu^{144,†} T. Mudholkar^{144,†}
 S. Murthy^{144,†} M. Paulini^{144,†} A. Roberts^{144,†} A. Sanchez^{144,†} W. Terrill^{144,†} J. P. Cumalat^{145,†} W. T. Ford^{145,†}
 A. Hassani^{145,†} G. Karathanasis^{145,†} E. MacDonald^{145,†} F. Marini^{145,†} A. Perloff^{145,†} C. Savard^{145,†}
 N. Schonbeck^{145,†} K. Stenson^{145,†} K. A. Ulmer^{145,†} S. R. Wagner^{145,†} N. Zipper^{145,†} J. Alexander^{146,†}
 S. Bright-Thonney^{146,†} X. Chen^{146,†} D. J. Cranshaw^{146,†} J. Fan^{146,†} X. Fan^{146,†} D. Gadkari^{146,†} S. Hogan^{146,†}
 J. Monroy^{146,†} J. R. Patterson^{146,†} D. Quach^{146,†} J. Reichert^{146,†} M. Reid^{146,†} A. Ryd^{146,†} J. Thom^{146,†}
 P. Wittich^{146,†} R. Zou^{146,†} M. Albrow^{147,†} M. Alyari^{147,†} G. Apollinari^{147,†} A. Apresyan^{147,†}
 L. A. T. Bauerdick^{147,†} D. Berry^{147,†} J. Berryhill^{147,†} P. C. Bhat^{147,†} K. Burkett^{147,†} J. N. Butler^{147,†}
 A. Canepa^{147,†} G. B. Cerati^{147,†} H. W. K. Cheung^{147,†} F. Chlebana^{147,†} K. F. Di Petrillo^{147,†} J. Dickinson^{147,†}
 V. D. Elvira^{147,†} Y. Feng^{147,†} J. Freeman^{147,†} A. Gandrakota^{147,†} Z. Gece^{147,†} L. Gray^{147,†} D. Green^{147,†}
 S. Grünendahl^{147,†} D. Guerrero^{147,†} O. Gutsche^{147,†} R. M. Harris^{147,†} R. Heller^{147,†} T. C. Herwig^{147,†}
 J. Hirschauer^{147,†} L. Horyn^{147,†} B. Jayatilaka^{147,†} S. Jindariani^{147,†} M. Johnson^{147,†} U. Joshi^{147,†}
 T. Klijnsma^{147,†} B. Klima^{147,†} K. H. M. Kwok^{147,†} S. Lammel^{147,†} D. Lincoln^{147,†} R. Lipton^{147,†} T. Liu^{147,†}
 C. Madrid^{147,†} K. Maeshima^{147,†} C. Mantilla^{147,†} D. Mason^{147,†} P. McBride^{147,†} P. Merkel^{147,†}
 S. Mrenna^{147,†} S. Nahn^{147,†} J. Ngadiuba^{147,†} D. Noonan^{147,†} V. Papadimitriou^{147,†} N. Pastika^{147,†}
 K. Pedro^{147,†} C. Pena^{147,iiii,†} F. Ravera^{147,†} A. Reinsvold Hall^{147,iiii,†} L. Ristori^{147,†} E. Sexton-Kennedy^{147,†}
 N. Smith^{147,†} A. Soha^{147,†} L. Spiegel^{147,†} J. Strait^{147,†} L. Taylor^{147,†} S. Tkaczyk^{147,†} N. V. Tran^{147,†}
 L. Uplegger^{147,†} E. W. Vaandering^{147,†} I. Zoi^{147,†} P. Avery^{148,†} D. Bourilkov^{148,†} L. Cadamuro^{148,†}
 V. Cherepanov^{148,†} R. D. Field^{148,†} M. Kim^{148,†} E. Koenig^{148,†} J. Konigsberg^{148,†} A. Korytov^{148,†}
 E. Kuznetsova^{148,kkkk,†} K. H. Lo^{148,†} K. Matchev^{148,†} N. Menendez^{148,†} G. Mitselmakher^{148,†}
 A. Muthirakalayil Madhu^{148,†} N. Rawal^{148,†} D. Rosenzweig^{148,†} S. Rosenzweig^{148,†} K. Shi^{148,†} J. Wang^{148,†}
 Z. Wu^{148,†} T. Adams^{149,†} A. Askew^{149,†} R. Habibullah^{149,†} V. Hagopian^{149,†} T. Kolberg^{149,†} G. Martinez^{149,†}
 H. Prosper^{149,†} O. Viazlo^{149,†} M. Wulansatiti^{149,†} R. Yohay^{149,†} J. Zhang^{149,†} M. M. Baarmand^{150,†}
 S. Butalla^{150,†} T. Elkafray^{150,zz,†} M. Hohlmann^{150,†} R. Kumar Verma^{150,†} M. Rahmani^{150,†} F. Yumiceva^{150,†}
 M. R. Adams^{151,†} H. Becerril Gonzalez^{151,†} R. Cavanaugh^{151,†} S. Dittmer^{151,†} O. Evdokimov^{151,†}
 C. E. Gerber^{151,†} D. J. Hofman^{151,†} D. S. Lemos^{151,†} A. H. Merrit^{151,†} C. Mills^{151,†} G. Oh^{151,†} T. Roy^{151,†}
 S. Rudrabhatla^{151,†} M. B. Tonjes^{151,†} N. Varelas^{151,†} X. Wang^{151,†} Z. Ye^{151,†} J. Yoo^{151,†} M. Alhusseini^{152,†}
 K. Dilsiz^{152,llll,†} L. Emediato^{152,†} R. P. Gandrajula^{152,†} G. Karaman^{152,†} O. K. Köseyan^{152,†} J.-P. Merlo^{152,†}
 A. Mestvirishvili^{152,mmmm,†} J. Nachtman^{152,†} O. Neogi^{152,†} H. Ogul^{152,nnnn,†} Y. Onel^{152,†} A. Penzo^{152,†}
 C. Snyder^{152,†} E. Tiras^{152,oooo,†} O. Amram^{153,†} B. Blumenfeld^{153,†} L. Corcodilos^{153,†} J. Davis^{153,†}
 A. V. Gritsan^{153,†} S. Kyriacou^{153,†} P. Maksimovic^{153,†} J. Roskes^{153,†} S. Sekhar^{153,†} M. Swartz^{153,†}
 T. Á. Vámi^{153,†} A. Abreu^{154,†} L. F. Alcerro Alcerro^{154,†} J. Anguiano^{154,†} P. Baringer^{154,†} A. Bean^{154,†}

Z. Flowers^{154,†} J. King^{154,†} G. Krintiras^{154,†} M. Lazarovits^{154,†} C. Le Mahieu^{154,†} J. Marquez^{154,†}
M. Murray^{154,†} M. Nickel^{154,†} C. Rogan^{154,†} R. Salvatico^{154,†} S. Sanders^{154,†} C. Smith^{154,†} Q. Wang^{154,†}
G. Wilson^{154,†} B. Allmond^{155,†} S. Duric^{155,†} A. Ivanov^{155,†} K. Kaadze^{155,†} D. Kim^{155,†} Y. Maravin^{155,†}
T. Mitchell^{155,†} A. Modak^{155,†} K. Nam^{155,†} D. Roy^{155,†} F. Rebassoo^{156,†} D. Wright^{156,†} E. Adams^{157,†}
A. Baden^{157,†} O. Baron^{157,†} A. Belloni^{157,†} A. Bethani^{157,†} S. C. Eno^{157,†} N. J. Hadley^{157,†} S. Jabeen^{157,†}
R. G. Kellogg^{157,†} T. Koeth^{157,†} Y. Lai^{157,†} S. Lascio^{157,†} A. C. Mignerey^{157,†} S. Nabili^{157,†} C. Palmer^{157,†}
C. Papageorgakis^{157,†} L. Wang^{157,†} K. Wong^{157,†} D. Abercrombie^{158,†} W. Busza^{158,†} I. A. Cali^{158,†}
Y. Chen^{158,†} M. D'Alfonso^{158,†} J. Eysermans^{158,†} C. Freer^{158,†} G. Gomez-Ceballos^{158,†} M. Goncharov^{158,†}
P. Harris^{158,†} M. Hu^{158,†} D. Kovalskyi^{158,†} J. Krupa^{158,†} Y.-J. Lee^{158,†} K. Long^{158,†} C. Mironov^{158,†}
C. Paus^{158,†} D. Rankin^{158,†} C. Roland^{158,†} G. Roland^{158,†} Z. Shi^{158,†} G. S. F. Stephens^{158,†} J. Wang^{158,†}
Z. Wang^{158,†} B. Wyslouch^{158,†} T. J. Yang^{158,†} R. M. Chatterjee^{159,†} B. Crossman^{159,†} A. Evans^{159,†}
J. Hiltbrand^{159,†} B. M. Joshi^{159,†} C. Kapsiak^{159,†} M. Krohn^{159,†} Y. Kubota^{159,†} J. Mans^{159,†} M. Revering^{159,†}
R. Rusack^{159,†} R. Saradhy^{159,†} N. Schroeder^{159,†} N. Strobbe^{159,†} M. A. Wadud^{159,†} L. M. Cremaldi^{160,†}
K. Bloom^{161,†} M. Bryson^{161,†} D. R. Claes^{161,†} C. Fangmeier^{161,†} L. Finco^{161,†} F. Golf^{161,†} C. Joo^{161,†}
R. Kamalieddin^{161,†} I. Kravchenko^{161,†} I. Reed^{161,†} J. E. Siado^{161,†} G. R. Snow^{161,a,†} W. Tabb^{161,†}
A. Wightman^{161,†} F. Yan^{161,†} A. G. Zecchinelli^{161,†} G. Agarwal^{162,†} H. Bandyopadhyay^{162,†} L. Hay^{162,†}
I. Iashvili^{162,†} A. Kharchilava^{162,†} C. McLean^{162,†} M. Morris^{162,†} D. Nguyen^{162,†} J. Pekkanen^{162,†}
S. Rappoccio^{162,†} A. Williams^{162,†} G. Alverson^{163,†} E. Barberis^{163,†} Y. Haddad^{163,†} Y. Han^{163,†}
A. Krishna^{163,†} J. Li^{163,†} J. Lidrych^{163,†} G. Madigan^{163,†} B. Marzocchi^{163,†} D. M. Morse^{163,†} V. Nguyen^{163,†}
T. Orimoto^{163,†} A. Parker^{163,†} L. Skinnari^{163,†} A. Tishelman-Charny^{163,†} T. Wamorkar^{163,†} B. Wang^{163,†}
A. Wisecarver^{163,†} D. Wood^{163,†} S. Bhattacharya^{164,†} J. Bueghly^{164,†} Z. Chen^{164,†} A. Gilbert^{164,†}
K. A. Hahn^{164,†} Y. Liu^{164,†} N. Odell^{164,†} M. H. Schmitt^{164,†} M. Velasco^{164,†} R. Band^{165,†} R. Bucci^{165,†}
M. Cremonesi^{165,†} A. Das^{165,†} R. Goldouzian^{165,†} M. Hildreth^{165,†} K. Hurtado Anampa^{165,†} C. Jessop^{165,†}
K. Lannon^{165,†} J. Lawrence^{165,†} N. Loukas^{165,†} L. Lutton^{165,†} J. Mariano^{165,†} N. Marinelli^{165,†} I. Mcalister^{165,†}
T. McCauley^{165,†} C. Mcgrady^{165,†} K. Mohrman^{165,†} C. Moore^{165,†} Y. Musienko^{165,m,†} R. Ruchti^{165,†}
A. Townsend^{165,†} M. Wayne^{165,†} H. Yockey^{165,†} M. Zarucki^{165,†} L. Zygala^{165,†} B. Bylsma^{166,†} M. Carrigan^{166,†}
L. S. Durkin^{166,†} B. Francis^{166,†} C. Hill^{166,†} M. Joyce^{166,†} A. Lesauvage^{166,†} M. Nunez Ornelas^{166,†} K. Wei^{166,†}
B. L. Winer^{166,†} B. R. Yates^{166,†} F. M. Addesa^{167,†} P. Das^{167,†} G. Dezoort^{167,†} P. Elmer^{167,†}
A. Frankenthal^{167,†} B. Greenberg^{167,†} N. Haubrich^{167,†} S. Higginbotham^{167,†} A. Kalogeropoulos^{167,†}
G. Kopp^{167,†} S. Kwan^{167,†} D. Lange^{167,†} D. Marlow^{167,†} K. Mei^{167,†} I. Ojalvo^{167,†} J. Olsen^{167,†}
D. Stickland^{167,†} C. Tully^{167,†} S. Malik^{168,†} S. Norberg^{168,†} A. S. Bakshi^{169,†} V. E. Barnes^{169,†} R. Chawla^{169,†}
S. Das^{169,†} L. Gutay^{169,†} M. Jones^{169,†} A. W. Jung^{169,†} D. Kondratyev^{169,†} A. M. Koshy^{169,†} M. Liu^{169,†}
G. Negro^{169,†} N. Neumeister^{169,†} G. Paspalaki^{169,†} S. Piperov^{169,†} A. Purohit^{169,†} J. F. Schulte^{169,†}
M. Stojanovic^{169,p,†} J. Thieman^{169,†} F. Wang^{169,†} R. Xiao^{169,†} W. Xie^{169,†} J. Dolen^{170,†} N. Parashar^{170,†}
D. Acosta^{171,†} A. Baty^{171,†} T. Carnahan^{171,†} M. Decaro^{171,†} S. Dildick^{171,†} K. M. Ecklund^{171,†}
P. J. Fernández Manteca^{171,†} S. Freed^{171,†} P. Gardner^{171,†} F. J. M. Geurts^{171,†} A. Kumar^{171,†} W. Li^{171,†}
B. P. Padley^{171,†} R. Redjimi^{171,†} J. Rotter^{171,†} W. Shi^{171,†} S. Yang^{171,†} E. Yigitbasi^{171,†} L. Zhang^{171,pppp,†}
Y. Zhang^{171,†} A. Bodek^{172,†} P. de Barbaro^{172,†} R. Demina^{172,†} J. L. Dulemba^{172,†} C. Fallon^{172,†} T. Ferbel^{172,†}
M. Galanti^{172,†} A. Garcia-Bellido^{172,†} O. Hindrichs^{172,†} A. Khukhunaishvili^{172,†} E. Ranken^{172,†} R. Taus^{172,†}
G. P. Van Onsem^{172,†} K. Goulios^{173,†} B. Chiarito^{174,†} J. P. Chou^{174,†} Y. Gershtein^{174,†} E. Halkiadakis^{174,†}
A. Hart^{174,†} M. Heindl^{174,†} D. Jaroslawski^{174,†} O. Karacheban^{174,x,†} I. Laflotte^{174,†} A. Lath^{174,†}
R. Montalvo^{174,†} K. Nash^{174,†} M. Osherson^{174,†} H. Routray^{174,†} S. Salur^{174,†} S. Schnetzer^{174,†} S. Somalwar^{174,†}
R. Stone^{174,†} S. A. Thayil^{174,†} S. Thomas^{174,†} H. Wang^{174,†} H. Acharya^{175,†} A. G. Delannoy^{175,†} S. Fiorendi^{175,†}
T. Holmes^{175,†} E. Nibigira^{175,†} S. Spanier^{175,†} O. Bouhali^{176,qqq,†} M. Dalchenko^{176,†} A. Delgado^{176,†}
R. Eusebi^{176,†} J. Gilmore^{176,†} T. Huang^{176,†} T. Kamon^{176,rrr,†} H. Kim^{176,†} S. Luo^{176,†} S. Malhotra^{176,†}
R. Mueller^{176,†} D. Overton^{176,†} D. Rathjens^{176,†} A. Safonov^{176,†} N. Akchurin^{177,†} J. Damgov^{177,†}
V. Hegde^{177,†} K. Lamichhane^{177,†} S. W. Lee^{177,†} T. Mengke^{177,†} S. Muthumuni^{177,†} T. Peltola^{177,†}
I. Volobouev^{177,†} A. Whitbeck^{177,†} E. Appelt^{178,†} S. Greene^{178,†} A. Gurrola^{178,†} W. Johns^{178,†} A. Melo^{178,†}
F. Romeo^{178,†} P. Sheldon^{178,†} S. Tuo^{178,†} J. Velkovska^{178,†} J. Viinikainen^{178,†} B. Cardwell^{179,†} B. Cox^{179,†}

G. Cummings^{179,†} J. Hakala^{179,†} R. Hirosky^{179,†} A. Ledovskoy^{179,†} A. Li^{179,†} C. Neu^{179,†}
 C. E. Perez Lara^{179,†} B. Tannenwald^{179,†} P. E. Karchin^{180,†} N. Poudyal^{180,†} S. Banerjee^{181,†} K. Black^{181,†}
 T. Bose^{181,†} S. Dasu^{181,†} I. De Bruyn^{181,†} P. Everaerts^{181,†} C. Galloni^{181,†} H. He^{181,†} M. Herndon^{181,†}
 A. Herve^{181,†} C. K. Koraka^{181,†} A. Lanaro^{181,†} A. Loeliger^{181,†} R. Loveless^{181,†} J. Madhusudanan Sreekala^{181,†}
 A. Mallampalli^{181,†} A. Mohammadi^{181,†} S. Mondal^{181,†} G. Parida^{181,†} D. Pinna^{181,†} A. Savin^{181,†} V. Shang^{181,†}
 V. Sharma^{181,†} W. H. Smith^{181,†} D. Teague^{181,†} H. F. Tsoi^{181,†} W. Vetens^{181,†} S. Afanasiev^{182,†} V. Andreev^{182,†}
 Yu. Andreev^{182,†} T. Aushev^{182,†} M. Azarkin^{182,†} A. Babaev^{182,†} A. Belyaev^{182,†} V. Blinov^{182,m,†} E. Boos^{182,†}
 D. Budkouski^{182,†} V. Chekhovsky^{182,†} R. Chistov^{182,m,†} A. Dermenev^{182,†} T. Dimova^{182,m,†} I. Dremin^{182,†}
 M. Dubinin^{182,iii,†} L. Dudko^{182,†} V. Epshteyn^{182,†} A. Ershov^{182,†} G. Gavrilo^{182,†} V. Gavrilo^{182,†}
 S. Gninenko^{182,†} V. Golovtsov^{182,†} N. Golubev^{182,†} I. Golutvin^{182,†} I. Gorbunov^{182,†} A. Gribushin^{182,†}
 Y. Ivanov^{182,†} V. Kachanov^{182,†} L. Kardapoltsev^{182,m,†} V. Karjavine^{182,†} A. Karneyev^{182,†} V. Kim^{182,m,†}
 M. Kirakosyan^{182,†} D. Kirpichnikov^{182,†} M. Kirsanov^{182,†} V. Klyukhin^{182,†} O. Kodolova^{182,ssss,†}
 D. Konstantinov^{182,†} V. Korenkov^{182,†} A. Kozyrev^{182,m,†} N. Krasnikov^{182,†} A. Lanev^{182,†} P. Levchenko^{182,†}
 A. Litomin^{182,†} O. Lukina^{182,†} N. Lychkovskaya^{182,†} V. Makarenko^{182,†} A. Malakhov^{182,†} V. Matveev^{182,m,†}
 V. Murzin^{182,†} A. Nikitenko^{182,tttt,†} S. Obraztsov^{182,†} A. Oskin^{182,†} I. Ovtin^{182,m,†} V. Palichik^{182,†}
 P. Parygin^{182,†} V. Perelygin^{182,†} S. Petrushanko^{182,†} S. Polikarpov^{182,m,†} V. Popov^{182,†} E. Popova^{182,†}
 O. Radchenko^{182,m,†} M. Savina^{182,†} V. Savrin^{182,†} D. Selivanova^{182,†} V. Shalaev^{182,†} S. Shmatov^{182,†}
 S. Shulha^{182,†} Y. Skovpen^{182,m,†} S. Slabospitskii^{182,†} V. Smirnov^{182,†} D. Sosnov^{182,†} V. Sulimov^{182,†}
 A. Terkulov^{182,†} O. Teryaev^{182,†} I. Tliso^{182,†} M. Toms^{182,†} A. Toropin^{182,†} L. Uvarov^{182,†} A. Uzunian^{182,†}
 E. Vlasov^{182,†} A. Vorobyev^{182,†} N. Voytishin^{182,†} B. S. Yuldashev^{182,uuuu,†} A. Zarubin^{182,†} I. Zhizhin^{182,†}
 A. Zhokin^{182,†} G. Antchev^{194,‡} P. Aspell^{189,‡} I. Atanassov^{194,‡} V. Avati^{104,189,‡} J. Baechler^{189,‡}
 C. Baldenegro Barrera^{192,‡} V. Berardi^{186a,186b,‡} M. Berretti^{184a,‡} V. Borshch^{193,‡} E. Bossini^{188a,‡} U. Bottigli^{188b,‡}
 M. Bozzo^{187a,187b,‡} H. Burkhardt^{189,‡} F. S. Cafagna^{186a,‡} M. G. Catanesi^{186a,‡} M. Deile^{189,‡}
 F. De Leonardis^{186a,186c,‡} M. Doubek^{183c,‡} D. Druzhkin^{185a,189,‡} K. Eggert^{191,‡} V. Eremin^{193,‡} A. Fiergolski^{189,‡}
 F. Garcia^{184a,‡} V. Georgiev^{183a,‡} S. Giani^{189,‡} L. Grzanka^{104,‡} J. Hammerbauer^{183a,‡} T. Isidori^{192,‡}
 V. Ivanchenko^{193,‡} M. Janda^{183c,‡} A. Karev^{189,‡} J. Kašpar^{183b,189,‡} B. Kaynak^{190,‡} J. Kopal^{189,‡} V. Kundra^{183b,‡}
 S. Lami^{188a,‡} R. Linhart^{183a,‡} C. Lindsey^{192,‡} M. V. Lokajčec^{183b,a,‡} L. Losurdo^{188b,‡} F. Lucas Rodríguez^{189,‡}
 M. Macrí^{187a,a,‡} M. Malawski^{104,‡} N. Minafra^{192,‡} S. Minutoli^{187a,‡} K. Misan^{104,‡} T. Naaranoja^{184a,184b,‡}
 F. Nemes^{185a,185b,189,‡} H. Niewiadomski^{191,‡} E. Oliveri^{189,‡} F. Oljemark^{184a,184b,‡} M. Oriunno^{195,‡}
 K. Österberg^{184a,184b,‡} S. Ozkorucuklu^{190,‡} P. Palazzi^{189,‡} V. Passaro^{186a,186c,‡} Z. Peroutka^{183a,‡} O. Potok^{190,‡}
 J. Procházka^{183b,a,‡} M. Quinto^{186a,186b,‡} E. Radermacher^{189,‡} E. Radicioni^{186a,‡} F. Ravotti^{189,‡} C. Royon^{192,‡}
 G. Ruggiero^{189,‡} H. Saarikko^{184a,184b,‡} V. D. Samoylenko^{193,‡} A. Scribano^{188a,192,‡} J. Široký^{183a,‡} J. Smajek^{189,‡}
 W. Snoeys^{189,‡} R. Stefanovitch^{185a,189,‡} C. Taylor^{191,‡} E. Tcherniaev^{193,‡} N. Turini^{188b,‡} O. Urban^{183a,‡}
 V. Vacek^{183c,‡} O. Vavroch^{183a,‡} J. Welti^{184a,184b,‡} J. Williams^{192,‡} and J. Zich^{183a,‡}

[†](CMS Collaboration)

[‡](TOTEM Collaboration)

¹*Yerevan Physics Institute, Yerevan, Armenia*

²*Institut für Hochenergiephysik, Vienna, Austria*

³*Universiteit Antwerpen, Antwerpen, Belgium*

⁴*Vrije Universiteit Brussel, Brussel, Belgium*

⁵*Université Libre de Bruxelles, Bruxelles, Belgium*

⁶*Ghent University, Ghent, Belgium*

⁷*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*

⁸*Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*

⁹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*

¹⁰*Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil*

¹¹*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*

¹²*University of Sofia, Sofia, Bulgaria*

¹³*Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile*

¹⁴*Beihang University, Beijing, China*

¹⁵*Department of Physics, Tsinghua University, Beijing, China*

- ¹⁶*Institute of High Energy Physics, Beijing, China*
- ¹⁷*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*
- ¹⁸*Sun Yat-Sen University, Guangzhou, China*
- ¹⁹*University of Science and Technology of China, Hefei, China*
- ²⁰*Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE)—Fudan University, Shanghai, China*
- ²¹*Zhejiang University, Hangzhou, Zhejiang, China*
- ²²*Universidad de Los Andes, Bogota, Colombia*
- ²³*Universidad de Antioquia, Medellin, Colombia*
- ²⁴*University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
- ²⁵*University of Split, Faculty of Science, Split, Croatia*
- ²⁶*Institute Rudjer Boskovic, Zagreb, Croatia*
- ²⁷*University of Cyprus, Nicosia, Cyprus*
- ²⁸*Charles University, Prague, Czech Republic*
- ²⁹*Escuela Politecnica Nacional, Quito, Ecuador*
- ³⁰*Universidad San Francisco de Quito, Quito, Ecuador*
- ³¹*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
- ³²*Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt*
- ³³*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
- ³⁴*Department of Physics, University of Helsinki, Helsinki, Finland*
- ³⁵*Helsinki Institute of Physics, Helsinki, Finland*
- ³⁶*Lappeenranta-Lahti University of Technology, Lappeenranta, Finland*
- ³⁷*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ³⁸*Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France*
- ³⁹*Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France*
- ⁴⁰*Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France*
- ⁴¹*Georgian Technical University, Tbilisi, Georgia*
- ⁴²*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
- ⁴³*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
- ⁴⁴*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
- ⁴⁵*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
- ⁴⁶*University of Hamburg, Hamburg, Germany*
- ⁴⁷*Karlsruher Institut fuer Technologie, Karlsruhe, Germany*
- ⁴⁸*Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*
- ⁴⁹*National and Kapodistrian University of Athens, Athens, Greece*
- ⁵⁰*National Technical University of Athens, Athens, Greece*
- ⁵¹*University of Ioánnina, Ioánnina, Greece*
- ⁵²*HUN-REN Wigner Research Centre for Physics, Budapest, Hungary*
- ⁵³*MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary*
- ⁵⁴*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*
- ⁵⁵*Institute of Physics, University of Debrecen, Debrecen, Hungary*
- ⁵⁶*Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary*
- ⁵⁷*Panjab University, Chandigarh, India*
- ⁵⁸*University of Delhi, Delhi, India*
- ⁵⁹*Saha Institute of Nuclear Physics, HBNI, Kolkata, India*
- ⁶⁰*Indian Institute of Technology Madras, Madras, India*
- ⁶¹*Bhabha Atomic Research Centre, Mumbai, India*
- ⁶²*Tata Institute of Fundamental Research-A, Mumbai, India*
- ⁶³*Tata Institute of Fundamental Research-B, Mumbai, India*
- ⁶⁴*National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India*
- ⁶⁵*Indian Institute of Science Education and Research (IISER), Pune, India*
- ⁶⁶*Isfahan University of Technology, Isfahan, Iran*
- ⁶⁷*Institute for Research in Fundamental Sciences (IPM), Tehran, Iran*
- ⁶⁸*University College Dublin, Dublin, Ireland*
- ^{69a}*INFN Sezione di Bari, Bari, Italy*

- ^{69b}*Università di Bari, Bari, Italy*
^{69c}*Politecnico di Bari, Bari, Italy*
^{70a}*INFN Sezione di Bologna, Bologna, Italy*
^{70b}*Università di Bologna, Bologna, Italy*
^{71a}*INFN Sezione di Catania, Catania, Italy*
^{71b}*Università di Catania, Catania, Italy*
^{72a}*INFN Sezione di Firenze, Firenze, Italy*
^{72b}*Università di Firenze, Firenze, Italy*
⁷³*INFN Laboratori Nazionali di Frascati, Frascati, Italy*
^{74a}*INFN Sezione di Genova, Genova, Italy*
^{74b}*Università di Genova, Genova, Italy*
^{75a}*INFN Sezione di Milano-Bicocca, Milano, Italy*
^{75b}*Università di Milano-Bicocca, Milano, Italy*
^{76a}*INFN Sezione di Napoli, Napoli, Italy*
^{76b}*Università di Napoli “Federico II,” Napoli, Italy*
^{76c}*Università della Basilicata, Potenza, Italy*
^{76d}*Università G. Marconi, Roma, Italy*
^{77a}*INFN Sezione di Padova, Padova, Italy*
^{77b}*Università di Padova, Padova, Italy*
^{77c}*Università di Trento, Trento, Italy*
^{78a}*INFN Sezione di Pavia, Pavia, Italy*
^{78b}*Università di Pavia, Pavia, Italy*
^{79a}*INFN Sezione di Perugia, Perugia, Italy*
^{79b}*Università di Perugia, Perugia, Italy*
^{80a}*INFN Sezione di Pisa, Pisa, Italy*
^{80b}*Università di Pisa, Pisa, Italy*
^{80c}*Scuola Normale Superiore di Pisa, Pisa, Italy*
^{80d}*Università di Siena, Siena, Italy*
^{81a}*INFN Sezione di Roma, Roma, Italy*
^{81b}*Sapienza Università di Roma, Roma, Italy*
^{82a}*INFN Sezione di Torino, Torino, Italy*
^{82b}*Università di Torino, Torino, Italy*
^{82c}*Università del Piemonte Orientale, Novara, Italy*
^{83a}*INFN Sezione di Trieste, Trieste, Italy*
^{83b}*Università di Trieste, Trieste, Italy*
⁸⁴*Kyungpook National University, Daegu, Korea*
⁸⁵*Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea*
⁸⁶*Hanyang University, Seoul, Korea*
⁸⁷*Korea University, Seoul, Korea*
⁸⁸*Kyung Hee University, Department of Physics, Seoul, Korea*
⁸⁹*Sejong University, Seoul, Korea*
⁹⁰*Seoul National University, Seoul, Korea*
⁹¹*University of Seoul, Seoul, Korea*
⁹²*Yonsei University, Department of Physics, Seoul, Korea*
⁹³*Sungkyunkwan University, Suwon, Korea*
⁹⁴*College of Engineering and Technology, American University of the Middle East (AUM),
Dasman, Kuwait*
⁹⁵*Riga Technical University, Riga, Latvia*
⁹⁶*Vilnius University, Vilnius, Lithuania*
⁹⁷*National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia*
⁹⁸*Universidad de Sonora (UNISON), Hermosillo, Mexico*
⁹⁹*Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico*
¹⁰⁰*Universidad Iberoamericana, Mexico City, Mexico*
¹⁰¹*Benemerita Universidad Autonoma de Puebla, Puebla, Mexico*
¹⁰²*University of Montenegro, Podgorica, Montenegro*
¹⁰³*National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan*
¹⁰⁴*Akademia Górniczo-Hutnicza (AGH) University of Kraków, Faculty of Computer Science, Kraków,
Poland*
¹⁰⁵*National Centre for Nuclear Research, Swierk, Poland*
¹⁰⁶*Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland*

- ¹⁰⁷*Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal*
- ¹⁰⁸*VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia*
- ¹⁰⁹*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
- ¹¹⁰*Universidad Autónoma de Madrid, Madrid, Spain*
- ¹¹¹*Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain*
- ¹¹²*Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*
- ¹¹³*University of Colombo, Colombo, Sri Lanka*
- ¹¹⁴*University of Ruhuna, Department of Physics, Matara, Sri Lanka*
- ¹¹⁵*CERN, European Organization for Nuclear Research, Geneva, Switzerland*
- ¹¹⁶*Paul Scherrer Institut, Villigen, Switzerland*
- ¹¹⁷*ETH Zurich—Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland*
- ¹¹⁸*Universität Zürich, Zurich, Switzerland*
- ¹¹⁹*National Central University, Chung-Li, Taiwan*
- ¹²⁰*National Taiwan University (NTU), Taipei, Taiwan*
- ¹²¹*High Energy Physics Research Unit, Department of Physics, Faculty of Science, Chulalongkorn University, Bangkok, Thailand*
- ¹²²*Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey*
- ¹²³*Middle East Technical University, Physics Department, Ankara, Turkey*
- ¹²⁴*Bogazici University, Istanbul, Turkey*
- ¹²⁵*Istanbul Technical University, Istanbul, Turkey*
- ¹²⁶*Istanbul University, Istanbul, Turkey*
- ¹²⁷*Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine*
- ¹²⁸*National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine*
- ¹²⁹*University of Bristol, Bristol, United Kingdom*
- ¹³⁰*Rutherford Appleton Laboratory, Didcot, United Kingdom*
- ¹³¹*Imperial College, London, United Kingdom*
- ¹³²*Brunel University, Uxbridge, United Kingdom*
- ¹³³*Baylor University, Waco, Texas, USA*
- ¹³⁴*Catholic University of America, Washington, DC, USA*
- ¹³⁵*The University of Alabama, Tuscaloosa, Alabama, USA*
- ¹³⁶*Boston University, Boston, Massachusetts, USA*
- ¹³⁷*Brown University, Providence, Rhode Island, USA*
- ¹³⁸*University of California, Davis, Davis, California, USA*
- ¹³⁹*University of California, Los Angeles, California, USA*
- ¹⁴⁰*University of California, Riverside, Riverside, California, USA*
- ¹⁴¹*University of California, San Diego, La Jolla, California, USA*
- ¹⁴²*University of California, Santa Barbara—Department of Physics, Santa Barbara, California, USA*
- ¹⁴³*California Institute of Technology, Pasadena, California, USA*
- ¹⁴⁴*Carnegie Mellon University, Pittsburgh, Pennsylvania, USA*
- ¹⁴⁵*University of Colorado Boulder, Boulder, Colorado, USA*
- ¹⁴⁶*Cornell University, Ithaca, New York, USA*
- ¹⁴⁷*Fermi National Accelerator Laboratory, Batavia, Illinois, USA*
- ¹⁴⁸*University of Florida, Gainesville, Florida, USA*
- ¹⁴⁹*Florida State University, Tallahassee, Florida, USA*
- ¹⁵⁰*Florida Institute of Technology, Melbourne, Florida, USA*
- ¹⁵¹*University of Illinois Chicago, Chicago, Illinois, USA*
- ¹⁵²*The University of Iowa, Iowa City, Iowa, USA*
- ¹⁵³*Johns Hopkins University, Baltimore, Maryland, USA*
- ¹⁵⁴*The University of Kansas, Lawrence, Kansas, USA*
- ¹⁵⁵*Kansas State University, Manhattan, Kansas, USA*
- ¹⁵⁶*Lawrence Livermore National Laboratory, Livermore, California, USA*
- ¹⁵⁷*University of Maryland, College Park, Maryland, USA*
- ¹⁵⁸*Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
- ¹⁵⁹*University of Minnesota, Minneapolis, Minnesota, USA*
- ¹⁶⁰*University of Mississippi, Oxford, Mississippi, USA*
- ¹⁶¹*University of Nebraska-Lincoln, Lincoln, Nebraska, USA*
- ¹⁶²*State University of New York at Buffalo, Buffalo, New York, USA*
- ¹⁶³*Northeastern University, Boston, Massachusetts, USA*
- ¹⁶⁴*Northwestern University, Evanston, Illinois, USA*

- ¹⁶⁵*University of Notre Dame, Notre Dame, Indiana, USA*
¹⁶⁶*The Ohio State University, Columbus, Ohio, USA*
¹⁶⁷*Princeton University, Princeton, New Jersey, USA*
¹⁶⁸*University of Puerto Rico, Mayaguez, Puerto Rico, USA*
¹⁶⁹*Purdue University, West Lafayette, Indiana, USA*
¹⁷⁰*Purdue University Northwest, Hammond, Indiana, USA*
¹⁷¹*Rice University, Houston, Texas, USA*
¹⁷²*University of Rochester, Rochester, New York, USA*
¹⁷³*The Rockefeller University, New York, New York, USA*
¹⁷⁴*Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA*
¹⁷⁵*University of Tennessee, Knoxville, Tennessee, USA*
¹⁷⁶*Texas A&M University, College Station, Texas, USA*
¹⁷⁷*Texas Tech University, Lubbock, Texas, USA*
¹⁷⁸*Vanderbilt University, Nashville, Tennessee, USA*
¹⁷⁹*University of Virginia, Charlottesville, Virginia, USA*
¹⁸⁰*Wayne State University, Detroit, Michigan, USA*
¹⁸¹*University of Wisconsin—Madison, Madison, Wisconsin, USA*
¹⁸²*Authors affiliated with an institute or an international laboratory covered by a cooperation agreement with CERN*
^{183a}*University of West Bohemia, Plzeň, Czech Republic*
^{183b}*Institute of Physics of the Academy of Sciences of the Czech Republic, Prague, Czech Republic*
^{183c}*Czech Technical University, Prague, Czech Republic*
^{184a}*Helsinki Institute of Physics, University of Helsinki, Helsinki, Finland*
^{184b}*Department of Physics, University of Helsinki, Helsinki, Finland*
^{185a}*Wigner Research Centre for Physics, RMKI, Budapest, Hungary*
^{185b}*MATE Institute of Technology KRC, Gyöngyös, Hungary*
^{186a}*INFN Sezione di Bari, Bari, Italy*
^{186b}*Dipartimento Interateneo di Fisica di Bari, University of Bari, Bari, Italy*
^{186c}*Dipartimento di Ingegneria Elettrica e dell'Informazione—Politecnico di Bari, Bari, Italy*
^{187a}*INFN Sezione di Genova, Genova, Italy*
^{187b}*Università degli Studi di Genova, Genova, Italy*
^{188a}*INFN Sezione di Pisa, Pisa, Italy*
^{188b}*Università degli Studi di Siena and Gruppo Collegato INFN di Siena, Siena, Italy*
¹⁸⁹*CERN, Geneva, Switzerland*
¹⁹⁰*Istanbul University, Istanbul, Turkey*
¹⁹¹*Department of Physics, Case Western Reserve University, Cleveland, Ohio, USA*
¹⁹²*The University of Kansas, Lawrence, Kansas, USA*
¹⁹³*An institute or international laboratory covered by a cooperation agreement with CERN*
¹⁹⁴*INRNE-BAS, Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*
¹⁹⁵*SLAC National Accelerator Laboratory, Menlo Park, California, USA*

^aDeceased.

^bAlso at TU Wien, Vienna, Austria.

^cAlso at Institute of Basic and Applied Sciences, Faculty of Engineering, Arab Academy for Science, Technology and Maritime Transport, Alexandria, Egypt.

^dAlso at Université Libre de Bruxelles, Bruxelles, Belgium.

^eAlso at Universidade Estadual de Campinas, Campinas, Brazil.

^fAlso at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.

^gAlso at UFMS, Nova Andradina, Brazil.

^hAlso at The University of the State of Amazonas, Manaus, Brazil.

ⁱAlso at University of Chinese Academy of Sciences, Beijing, China.

^jAlso at Nanjing Normal University, Nanjing, China.

^kAlso at The University of Iowa, Iowa City, Iowa, USA.

^lAlso at University of Chinese Academy of Sciences, Beijing, China.

^mAlso at Another institute or international laboratory covered by a cooperation agreement with CERN.

ⁿAlso at British University in Egypt, Cairo, Egypt.

^oAlso at Cairo University, Cairo, Egypt.

^pAlso at Purdue University, West Lafayette, Indiana, USA.

^qAlso at Université de Haute Alsace, Mulhouse, France.

- ^rAlso at Department of Physics, Tsinghua University, Beijing, China.
- ^sAlso at Erzincan Binali Yildirim University, Erzincan, Turkey.
- ^tAlso at University of Hamburg, Hamburg, Germany.
- ^uAlso at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.
- ^vAlso at Isfahan University of Technology, Isfahan, Iran.
- ^wAlso at Bergische University Wuppertal (BUW), Wuppertal, Germany.
- ^xAlso at Brandenburg University of Technology, Cottbus, Germany.
- ^yAlso at Forschungszentrum Jülich, Juelich, Germany.
- ^zAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.
- ^{aa}Also at Institute of Physics, University of Debrecen, Debrecen, Hungary.
- ^{bb}Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.
- ^{cc}Also at Universitatea Babeş-Bolyai—Facultatea de Fizica, Cluj-Napoca, Romania.
- ^{dd}Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.
- ^{ee}Also at Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary.
- ^{ff}Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary.
- ^{gg}Also at Faculty of Informatics, University of Debrecen, Debrecen, Hungary.
- ^{hh}Also at Punjab Agricultural University, Ludhiana, India.
- ⁱⁱAlso at UPES—University of Petroleum and Energy Studies, Dehradun, India.
- ^{jj}Also at University of Visva-Bharati, Santiniketan, India.
- ^{kk}Also at University of Hyderabad, Hyderabad, India.
- ^{ll}Also at Indian Institute of Science (IISc), Bangalore, India.
- ^{mm}Also at Indian Institute of Technology (IIT), Mumbai, India.
- ⁿⁿAlso at IIT Bhubaneswar, Bhubaneswar, India.
- ^{oo}Also at Institute of Physics, Bhubaneswar, India.
- ^{pp}Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.
- ^{qq}Also at Department of Physics, Isfahan University of Technology, Isfahan, Iran.
- ^{rr}Also at Sharif University of Technology, Tehran, Iran.
- ^{ss}Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.
- ^{tt}Also at Helwan University, Cairo, Egypt.
- ^{uu}Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.
- ^{vv}Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.
- ^{ww}Also at Scuola Superiore Meridionale, Università di Napoli “Federico II,” Napoli, Italy.
- ^{xx}Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.
- ^{yy}Also at Università di Napoli “Federico II,” Napoli, Italy.
- ^{zz}Also at Ain Shams University, Cairo, Egypt.
- ^{aaa}Also at Consiglio Nazionale delle Ricerche—Istituto Officina dei Materiali, Perugia, Italy.
- ^{bbb}Also at Riga Technical University, Riga, Latvia.
- ^{ccc}Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.
- ^{ddd}Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.
- ^{eee}Also at IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France.
- ^{fff}Also at Faculty of Physics, University of Belgrade, Belgrade, Serbia.
- ^{ggg}Also at Trincomalee Campus, Eastern University, Nilaveli, Sri Lanka.
- ^{hhh}Also at Saegis Campus, Nugegoda, Sri Lanka.
- ⁱⁱⁱAlso at INFN Sezione di Pavia, Università di Pavia, Pavia, Italy.
- ^{jjj}Also at National and Kapodistrian University of Athens, Athens, Greece.
- ^{kkk}Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.
- ^{lll}Also at Universität Zürich, Zurich, Switzerland.
- ^{mmm}Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
- ⁿⁿⁿAlso at Laboratoire d’Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France.
- ^{ooo}Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.
- ^{ppp}Also at Konya Technical University, Konya, Turkey.
- ^{qqq}Also at Izmir Bakircay University, Izmir, Turkey.
- ^{rrr}Also at Adiyaman University, Adiyaman, Turkey.
- ^{sss}Also at Istanbul Gedik University, Istanbul, Turkey.
- ^{ttt}Also at Necmettin Erbakan University, Konya, Turkey.
- ^{uuu}Also at Bozok Universitetesi Rektörlüğü, Yozgat, Turkey.
- ^{vvv}Also at Marmara University, Istanbul, Turkey.
- ^{www}Also at Milli Savunma University, Istanbul, Turkey.
- ^{xxx}Also at Kafkas University, Kars, Turkey.
- ^{yyy}Also at Istanbul University—Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.

- ^{zzz}Also at Ozyegin University, Istanbul, Turkey.
- ^{aaaa}Also at Vrije Universiteit Brussel, Brussel, Belgium.
- ^{bbbb}Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{cccc}Also at University of Bristol, Bristol, United Kingdom.
- ^{dddd}Also at IPPP Durham University, Durham, United Kingdom.
- ^{eeee}Also at Monash University, Faculty of Science, Clayton, Australia.
- ^{ffff}Also at Università di Torino, Torino, Italy.
- ^{gggg}Also at Bethel University, St. Paul, Minnesota, USA.
- ^{hhhh}Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.
- ⁱⁱⁱⁱAlso at California Institute of Technology, Pasadena, California, USA.
- ^{jjjj}Also at United States Naval Academy, Annapolis, Maryland, USA.
- ^{kkkk}Also at University of Florida, Gainesville, Florida, USA.
- ^{llll}Also at Bingol University, Bingol, Turkey.
- ^{mmmm}Also at Georgian Technical University, Tbilisi, Georgia.
- ⁿⁿⁿⁿAlso at Sinop University, Sinop, Turkey.
- ^{oooo}Also at Erciyes University, Kayseri, Turkey.
- ^{pppp}Also at Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE)—Fudan University, Shanghai, China.
- ^{qqqq}Also at Texas A&M University at Qatar, Doha, Qatar.
- ^{rrrr}Also at Kyungpook National University, Daegu, Korea.
- ^{ssss}Also at Yerevan Physics Institute, Yerevan, Armenia.
- ^{tttt}Also at Imperial College, London, United Kingdom.
- ^{uuuu}Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.