Search for *b*-hadron decays to long-lived particles in the CMS endcap muon detectors

A. Hayrapetyan *et al.*[*]

(CMS Collaboration)

A search for long-lived particles originating from the decay of *b* hadrons produced in proton-proton collisions with a center-of-mass energy of 13 TeV at the LHC is presented. The analysis is performed on a dataset recorded in 2018, corresponding to an integrated luminosity of 41.6 fb^{-1}. Interactions of the long-lived particles in the CMS endcap muon system would create hadronic or electromagnetic showers, producing clusters of detector hits. Selected events contain at least one such high-multiplicity cluster in the muon endcaps and require the presence of a displaced muon. The most stringent upper limits to date on the branching fraction $\mathcal{B}(B \to K\Phi)$, where the long-lived particle Φ decays to a pair of hadrons, are obtained for Φ masses of 0.3–3.0 GeV and Φ mean proper decay lengths in the range of 1–500 cm.

I. INTRODUCTION

Long-lived particles (LLPs) are predicted by many theoretical models that address shortcomings of the standard model (SM) of particle physics. These include supersymmetric (SUSY) models such as minisplit SUSY [1,2], gauge-mediated SUSY breaking [3], *R*-parity-violating SUSY [4,5], and stealth SUSY [6,7]; models addressing the hierarchy problem such as neutral naturalness [8–11] and hidden valleys [12,13]; models addressing dark matter [14–18] and the matter-antimatter asymmetry of the Universe [19]; and models that generate neutrino masses [20,21]. In particular, so-called minimal versions of the aforementioned models, which extend the SM via a single new particle that may be a scalar, pseudoscalar, fermion, or vector state, are receiving increasing interest [22].

A common feature of the minimal models that introduce a new scalar particle (Φ) is that this new particle mixes kinetically with the SM Higgs boson. Through this mixing, the production cross sections and decay rates of the new scalar particle mirror those of the Higgs boson at a different mass. If Φ has a mass smaller than that of a *B* meson, it will be copiously produced in *B*-meson decays [23]. The new scalar particle is also neutral under SM gauge interactions and can have a measurable lifetime [24]. The sensitivity of the CERN LHC experiments to such models has previously been studied [25,26]. Searches for long-lived scalar

particles produced in the decay of a *B* meson have been performed by the CHARM [27], Belle [28], *BABAR* [29], and LHCb [30,31] Collaborations, primarily targeting final states where the scalar particle decays into a pair of leptons. In particular, the LHCb search in the dimuon final state provides the most stringent overall bounds.

Figure 1 (left) illustrates Φ production through *B*-meson pair production at the LHC. One of the *B* mesons decays to the muon that will be used for the initial event selection, while the other *B* meson produces the Φ. The *b* quark in this *B* meson undergoes a flavor-changing interaction, as illustrated in Fig. 1 (right). A virtual top quark provides the coupling to the scalar LLP Φ while the *b* quark is transformed into an *s* quark, which forms the kaon in Fig. 1 (left). In the scenario where $m_K \lesssim m_\Phi \lesssim m_B$, where m_K (m_B) is the mass of the kaon (*B* meson), this Φ production mode


FIG. 1. Example Feynman diagram for the production of a pair of *B* mesons, where one *B* meson decays to a muon, neutrino, and another hadron labeled *X*, while the other *B* meson decays to a kaon and the LLP Φ (left). Penguin diagram displaying the flavor-changing interaction which changes the flavor of the *b* quark to an *s* quark, producing the Φ particle (right). The interaction proceeds via a virtual top quark, denoted by the cross, which undergoes a chirality flip, denoted by the outward-pointing arrows on either side of the cross in the diagram.

[*]Full author list given at the end of the article.

dominates [23,32]. The LLP decays predominantly into a pair of pions or kaons, which, depending on the LLP's lifetime, may induce particle showers in different detector systems at the LHC experiments. Decays to charged pions and kaons will induce hadronic showers while decays to neutral pions, which subsequently decay to a pair of photons, will induce electromagnetic showers. Although the description of the LLP production process above focuses on B-meson production, the LLP and the shower signature may be created by any b hadron generically, so the rest of this paper will use the term b hadron and the symbol B to refer to the particle producing the LLP regardless of the b-hadron species.

In this paper, we present a search for LLPs produced in b-hadron decays that generate hadronic and electromagnetic showers in the endcap muon detectors of the CMS experiment. This search uses the unique B parking dataset [33] of proton-proton (pp) collisions at $\sqrt{s} = 13$ TeV, which was collected in 2018 and corresponds to an integrated luminosity of 41.6 fb^{-1}.

The search uses the muon detector shower (MDS) signature, defined as a cluster of reconstructed hits in the CMS muon system, which has previously been used by CMS to search for pair-produced LLPs decaying to hadrons [34–36]. Because of the large amount of shielding provided by the steel return yoke of the CMS magnet, this signature yields very low levels of background from SM processes occurring within the bulk of the detector. Showers are induced by the interaction of decay products with the steel absorbing layers, however these showers will be suppressed when the steel layer is very thick. Such cases, in which a smaller fraction of the energy is deposited in the muon system, are denoted as ones with a diminished or low energy response. This is especially relevant for electromagnetic showers involving photons and electrons.

In this paper, Sec. II gives a brief description of the CMS detector. Section III provides an overview of the datasets and simulated samples used to obtain the paper result. Section IV describes how collision events are reconstructed and how the MDS cluster signature, jets, muons, and other particle candidates and physical quantities are defined. The description of the strategy used for this search as well as the definition of the physics objects selections are provided in Sec. V. The estimation of the background is described in Sec. VI, and the treatment of systematic uncertainties is given in Sec. VII. Results of this search and a summary of the paper are provided in Secs. VIII and IX, respectively.

The tabulated results for this paper along with signal efficiencies for the signal models considered can be found in the associated HEPData record [37].

II. THE CMS DETECTOR

The CMS apparatus [38,39] is a multipurpose, nearly hermetic detector, designed to trigger on [40–42] and identify electrons, muons, photons, and (charged and neutral) hadrons [43–45]. Its central feature is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter, and a brass and scintillator hadron calorimeter, each composed of a barrel and two endcap sections. Forward calorimeters extend the pseudorapidity (η) coverage provided by the barrel and endcap detectors. Muons are reconstructed using gas-ionization detectors embedded in the steel flux-return yoke outside the solenoid using three technologies: drift tubes (DTs) in the barrel, cathode strip chambers (CSCs) in the endcaps, and resistive-plate chambers (RPCs) in the barrel and endcaps. More detailed descriptions of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, can be found in Refs. [38,39].

The CMS muon detector system is an essential component of this search. In the barrel region, the DTs are organized into four concentric cylindrical layers, called stations, separated by layers of the steel magnetic return yoke. Starting from the innermost, the muon barrel stations are labeled MB1, MB2, MB3, and MB4. The DTs cover the region $|\eta| < 1.2$. The DTs are chambers filled with gas, each with an anode wire at its center and cathodes arranged on the walls. When a charged particle enters the tube, it ionizes the gas, liberating electrons that drift toward the anode at a constant velocity known as the drift velocity. The position of the particle is obtained in the R-ϕ and R-θ planes (where R is radial, ϕ is azimuthal angle in radians, and θ is polar angle) using the known position of the individual DT cells and the distance from the anode to the point at which the particle enters the cell. The CSCs are installed in the muon endcap and are arranged into four stations labeled ME1, ME2, ME3, and ME4. The CSCs are positioned in a series of concentric rings around the beamline at each station. Each station is separated into two rings in the radial direction except for the first station, which has three rings. These ring subsections are labeled ME$N/n$ for ring N and subsection n. The CSCs have alternating layers of anode wires and cathode strips, arranged orthogonally. When a charged particle ionizes the gas, electrons move toward the wires while their motion induces image charges on the strips, providing two positional coordinates, in the R-ϕ plane, for the charged particle while the final coordinate along the z-axis is given by the location of the CSC chamber itself. When combining the information from the signals in both the anode wires and the cathode strips, the spatial and time coordinates of the hit can be determined with the resolutions of 400–500 μm and 5 ns, respectively [44,46]. The CSCs cover the range $0.9 < |\eta| < 2.4$. Additional information on the DTs and CSCs can be found in Ref. [47].

The RPCs are constructed with two parallel plates of highly resistive Bakelite, coated with a conductive paint to provide an anode and a cathode. When a charged particle

interacts with the gas in the chamber, it ionizes the gas triggering an avalanche of electrons. The resulting charge buildup is collected at the anode and cathode plates. The timing resolution of the RPCs is approximately 3 ns, allowing for the unambiguous assignment of hits to the appropriate bunch crossing [48]. The RPCs are attached to one or more sides of the CSC and DT layers and cover the range of $|\eta| < 1.9$. The RPCs in the endcap are labeled RE$N/n$ for ring N and subsection n, similar to the CSCs. In most stations, the RPCs are installed just behind the corresponding CSC station except for the RPCs in ring 2, which are installed just in front of the CSCs in that ring. In the barrel region, RPCs are installed in front and behind the DT stations, except for the outermost layer where RPCs are only located in front of the DT stations, and are labeled RBM where M is the station number from 1 to 4. Additional details on the RPCs can be found in Refs. [38,48].

Events of interest are selected using a two-tiered trigger system. The first level, composed of custom hardware processors, uses information from the calorimeters and muon detectors to select events at a rate of around 100 kHz within a fixed latency of about 4 μs [41]. The second level, known as the high-level trigger, consists of a farm of processors running a version of the full event reconstruction software optimized for fast processing and reduces the event rate to a few kilohertz before data storage [40,42].

III. DATA AND SIMULATED SAMPLES

A novel method has been devised to record and process the data with the purpose of collecting a large sample of $b\bar{b}$ events. The B parking dataset was collected using a set of high-rate triggers that require the presence of a single displaced muon. Here "displaced" refers to the measure of the significance of the transverse impact parameter IP$_{\mathrm{sig}}$ of the track used to reconstruct the muon. Depending on the running conditions, the minimum thresholds used on the transverse momentum (p_T) of the muon ranged from 7 to 12 GeV and on IP$_{\mathrm{sig}}$ ranged from 3 to 6. Such nonzero IP$_{\mathrm{sig}}$ values are characteristic of displaced muons from $b \to \mu X$ decays because of the relatively long lifetime of b hadrons. Since b hadrons are predominantly produced in pairs at the LHC, applying the trigger requirements to the decay of one of the b hadrons allows us to save a large number of unbiased decays of the other b hadron. The result is a highly pure sample of $\sim 10 \times 10^9$ unbiased b-hadron decays. The resulting purity—the ratio of the number of $b\bar{b}$ pairs to the number of pp collisions recorded by the trigger system—in this data sample is measured in simulation and ranges from 59% to 92% depending on the choice of muon parameters used in the trigger definition [33].

The B parking dataset, though originally produced to study lepton flavor universality, provides a unique opportunity to search for LLPs. In this investigation the LLP is assumed to be uncharged. Since a neutral LLP does not interact directly in the detector, one must develop a trigger strategy that exploits other indirect features to select events containing the LLP and its decay. Hence, without the presence of a dedicated trigger, searches for LLPs in CMS have relied on the use of triggers requiring large missing transverse momentum (p_T^{miss}) or associated production with another particle, such as a high-p_T lepton. This indirect trigger strategy generally leads to lower selection efficiencies for LLPs compared to the B parking strategy used in this work. For example, the B parking trigger strategy provides approximately a 10% higher signal efficiency than a trigger strategy based on p_T^{miss} for the model and signature described in this paper.

Several simulated samples are produced to model the $B \to K\Phi$ process. Samples are generated for B-meson pair production, where $B \to \mu\nu_\mu X$ for one of the B mesons and $B \to K\Phi$ for the other, assuming five different Φ mass values, $m_\Phi = 0.3, 0.5, 1.0, 2.0$ and 3.0 GeV. The samples are generated inclusively, containing decays of B^+, B^-, and neutral B mesons, in proportion to cross sections derived independently from the B parking data. In simulation, the Φ particle is modeled to decay exclusively via hadronic modes, producing either quark-antiquark pairs or mesons or baryons directly. For each sample, the mean proper decay length of Φ varies in the range $1 < c\tau < 500$ cm. For each unique m_Φ and decay mode (hadronic or electromagnetic shower), samples are generated at two values of $c\tau$: one chosen to yield the highest expected signal acceptance in the muon system for the given m_Φ, and another, an order of magnitude larger. Additional signal hypotheses at other $c\tau$ values are derived by reweighting the distribution of the proper decay length. The pp collision and hadronization process is generated with PYTHIA 8.230 [49], using the underlying event tune CP5 [50], and the NNPDF3.1 parton distribution functions at next-to-next-to-leading order with the strong coupling constant $\alpha_S(m_Z) = 0.118$, where m_Z denotes the Z-boson mass [51]. The decays of B mesons are generated using EVTGEN 1.30 [52]. The detector response is simulated using a detailed description of the CMS detector based on GEANT4 [53]. In our simulation, the Φ particle is implemented as a stable, noninteracting neutral state until it decays, ensuring that only its decay products interact with the detector. The branching fractions for the decay of the light scalar particle Φ were determined following the work in Refs. [25,54]. Further details can be found in Ref. [55].

IV. EVENT RECONSTRUCTION

The global event reconstruction (also called particle-flow event reconstruction [56]) aims to reconstruct and identify each individual particle in an event, with an optimized combination of all subdetector information. In this process, the identification of the particle type (photon, electron, muon, charged or neutral hadron) plays an important role in the determination of the particle direction and energy.

FIG. 2. Display of a candidate signal event in the *B* parking dataset. The display shows the hits (magenta points) in the muon endcap system that form the MDS cluster opposite the muon (red line), which is used to select the event online. Muon system chambers that recorded hits from a muon are shown as red rectangles.

The primary vertex is taken to be the vertex corresponding to the hardest scattering in the event, evaluated using tracking information alone, as described in Sec. 9.4.1 of Ref. [57].

Muons (e.g., from *b*-hadron semileptonic decays) are identified as tracks in the central tracker consistent with either a track or several hits in the muon system and associated with calorimeter deposits compatible with the muon hypothesis. The energy of muons is obtained from the corresponding track momentum. Muons are measured in the range $|\eta| < 2.4$. The single-muon trigger efficiency exceeds 90% over the full η range, and the efficiency to reconstruct and identify muons is greater than 96%. Matching muons to tracks measured in the silicon tracker results in a relative p_T resolution of 1% in the barrel and 3% in the endcaps for muons with $p_T < 100$ GeV [44].

For each event, hadronic jets are clustered from the reconstructed particles using the infrared- and collinear-safe anti-k_T algorithm [58,59] with a distance parameter of 0.4. Jet momentum is determined as the vectorial sum of all particle momenta in the jet and is found from simulation to be, on average, within 5%–10% of the true momentum over the whole p_T spectrum and detector acceptance. Additional pp interactions within the same or nearby bunch crossings are known as pileup interactions. Pileup can contribute additional tracks and calorimetric energy depositions to the jet momentum. To mitigate this effect, charged particles identified to be originating from pileup vertices are discarded and an offset correction is applied to account for remaining contributions [60]. Jet energy corrections are derived from simulation to bring the measured response of jets to that of particle level jets on average. *In situ* measurements of the momentum balance in dijet, photon + jet, *Z* + jet, and multijet events are used to account for any residual

differences in the jet energy scale between data and simulation [61]. The jet energy resolution amounts typically to 15%–20% at 30 GeV and 10% at 100 GeV [61]. Additional selection criteria are applied to each jet to remove jets potentially dominated by anomalous contributions from various subdetector components or reconstruction failures [62]. Hadronic jets can produce particle showers in the muon detectors similar to those of signal processes and must be accounted for separately, as discussed in Sec. VI.

The vector $\vec{p}_T^{\,\text{miss}}$ is computed as the negative vector p_T sum of all the reconstructed particles in an event [63]. The $\vec{p}_T^{\,\text{miss}}$ is modified to account for corrections to the energy scale of the reconstructed jets in the event.

The hadronic and electromagnetic decays of hadrons produced by the Φ particle provide the MDS signature used in this analysis. Clusters are composite objects constructed from the reconstructed hits in the CSCs. Clusters may be formed within a single CSC module or span multiple modules located at different positions along the beam axis but occupying the same η–ϕ region. Clustering of the hits in the muon system is achieved using the density-based spatial clustering of applications with noise (dbscan) algorithm [64]. The clustering parameter $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$ is required to be less than 0.2 to group hits or groups of hits into clusters. Cluster-level quantities, such as the η and ϕ coordinates of a cluster, are computed based on the average position of the hits in Cartesian coordinates used to construct the cluster object. To suppress the background from muons traversing the detector, we apply a minimum threshold of 50 hits within a candidate cluster because a minimum ionizing muon is expected to produce approximately 24 hits in the CSCs [34,35]. Figure 2 depicts a candidate signal event from the *B* parking dataset.

The muon used to select the event online is shown with a red line. Opposite the muon is a set of hits, illustrated as magenta points, in the CSCs spanning multiple stations of the endcap detector, forming the MDS cluster.

V. SEARCH STRATEGY AND SELECTIONS

There are two main classes of background for this analysis. The first, the uncorrelated background, originates from prompt particles that produce a shower in the muon system. This background is composed of events containing muon bremsstrahlung radiation, particles originating from adjacent bunch crossings, and particles originating from secondary interactions within the detector. This background is largely mitigated through the use of physics object selections and vetoes. The other source of background, the jet-induced background, is due to long-lived SM particles decaying to jets, including SM decays of the *b* hadron, such as $B \to \mu\nu_\mu X$ and $B \to KX$. These jets are referred to as punch-through jets—jets produced in the bulk of the CMS detector, but not stopped by the outer steel layer. In this scenario, these jets may produce a signal-like cluster in the muon system. This jet-induced background is irreducible because it shares features with the signal process. To account for the jet-induced background, a "misidentification rate" estimate was developed to measure its contribution in the signal region (SR).

Events are selected based on the presence of a displaced muon, as described in Sec. III. Muon candidates in this analysis are required to have $p_T > 7$ GeV and $|\eta| < 1.5$ to satisfy the trigger requirements. Additionally, the track associated with the muon candidate must contain at least five hits in the strip tracking layer and at least one hit within the pixel tracking layer and the track must be matched to at least one segment in the muon system. A segment is a localized muon track candidate reconstructed from hits within the muon system that correlate with the trajectory of a muon [65]. The muon candidate must also have a longitudinal impact parameter $|d_z| < 20$ cm and a transverse impact parameter $|d_{xy}| < 0.3$ cm as measured from the primary vertex. These requirements are chosen to be consistent with the production of muons from the decays of *b* hadrons [56]. Events are also required to have a cluster in the CSCs. A number of geometric selections are applied to reject clusters created by punch-through jets. This is most prevalent in the first layers of the muon system, just after the first steel layer. Clusters are vetoed if they contain any hits in either the ME1/1 or ME1/2 rings of the CSC system (ME11/12 veto). An additional veto is applied on clusters matched to RE1/2 chambers. This selection will be referred to as the RE1 veto. The RE1 veto is applied to remove punch-through jets causing clusters in the CSCs that are not suppressed by the ME11/12 veto. In addition, to suppress clusters caused by muon bremsstrahlung in the region $0.8 < |\eta| < 1.2$, where the muons traverse the barrel DT stations and shower in ME1/3 or ME2/2, we veto clusters

that are matched to DT segments in the first DT station (MB1) within $\Delta R < 0.4$ or are matched to the RPC hits in the first barrel RPC station (RB1) within $\Delta R < 0.4$. These are respectively referred to as the MB1 segment and RB1 vetoes. We veto clusters with $|\eta| > 1.9$ to account for cases where a muon is not reconstructed successfully. In this case, a shower produced by the misreconstructed muon may appear as an MDS and would not be rejected by other vetoes. Finally, energetic muons may undergo the bremsstrahlung process and create electromagnetic showers in the CSCs. To mitigate this muon bremsstrahlung background, we veto clusters matched to a muon with $p_T > 20$ GeV within $\Delta R < 0.5$ (muon bremsstrahlung veto).

We also apply a cluster identification algorithm for clusters in the region of $|\eta| < 1.9$. In earlier results using the MDS signature, it was found that clusters from the uncorrelated background occur more frequently at large values of $|\eta|$, where reconstruction inefficiencies become more prevalent, reducing the effectiveness of the muon bremsstrahlung veto [34–36]. This algorithm places stricter $|\eta|$ requirements on the cluster when it is closer to the primary interaction point or if the cluster occupies only one station ($N_{\text{stations}} = 1$). The requirements on $|\eta|$ are as follows:

(i) $|\eta| < 1.9$ if $N_{\text{stations}} > 1$,

(ii) $|\eta| < 1.8$ if $N_{\text{stations}} = 1$ and the cluster is in station 4,

(iii) $|\eta| < 1.6$ if $N_{\text{stations}} = 1$ and the cluster is in station 3,

(iv) $|\eta| < 1.7$ if $N_{\text{stations}} = 1$ and the cluster is in station 2, and

(v) $|\eta| < 1.1$ if $N_{\text{stations}} = 1$ and the cluster is in station 1 because of an implicit selection from the ME1/1 or ME1/2 vetoes.

In order to study the distribution of this variable before signal selections are applied, we use a sample of background-enriched data. The background-enriched data are the sample of data after applying the event-level selections and cluster vetoes described above. The distribution of t_{cluster} is shown for both the signal and the background-enriched data in Fig. 3. The signal peaks sharply near 0 ns, whereas the background-enriched data also contain contributions from events occurring in adjacent bunch crossings, known as out-of-time (OOT) pileup. These contributions appear as bumps in the background-enriched data, most prominently at t_{cluster} values corresponding to the 25 ns spacing of bunch crossings. There is a slight asymmetry in the signal t_{cluster} distribution due to slow moving LLPs, a phenomenon which is enhanced as the mass of the LLP gets larger. For a cluster to be considered in time (IT), the corresponding t_{cluster} is required to be within the range of $-5 < t_{\text{cluster}} < 12.5$ ns. The cluster time spread (σ_t) is defined as $\sigma_t = \sqrt{\sum_i (t_i - \bar{t})^2 / N}$, where t_i is the time of the *i*th hit recorded in the CSC strip layers, $\bar{t}$ is the average time for all hits matched to a cluster, and N is the total

FIG. 3. Distribution of t_{cluster} for the signal and the background-enriched data. The distributions are normalized to unity and overflows are not included. To enhance the visibility of fluctuations away from the peak, the background-enriched data distribution has been scaled by a factor of 10.

number of hits. A restriction of $\sigma_t < 20$ ns is applied to avoid clusters which contain hits from multiple bunch crossings. The "IT sample" is the collection of events passing all of the above vetoes as well as the cluster time requirements, while the "OOT sample" consists of those passing all of the above vetoes but not the cluster time requirement. After applying the cluster-level selections above, we attain signal efficiency of approximately 10%–15% depending on the signal model and a background rejection factor of nearly 2000.

We construct two observables to help distinguish clusters consistent with the signal versus clusters consistent with background processes. The first of these variables is the cluster size, the number of reconstructed hits comprising the cluster, denoted N_{hits}. The distributions of N_{hits} for the background-enriched data and various signal hypotheses are shown in Fig. 4 (upper). The second observable measures the location of the cluster with respect to the trigger muon, that is, the difference in the ϕ coordinates of the cluster and the muon, $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$. The distributions of $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$ for the background-enriched data and various signal samples are shown in Fig. 4 (lower), where a lower bound on the $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$ axis at 1.0 has been applied to reduce the population of clusters that overlap with muons. Selections on the observables N_{hits} and $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$ are made in order to distinguish signal from background events. Signal events generally have a broad N_{hits} distribution, extending to relatively large values, while SM background processes exhibit a sharply falling distribution. For $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$, the signal

FIG. 4. Distributions of the CSC cluster size N_{hits} (upper) and $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$ (lower), shown for various signal samples and the background-enriched data. The distributions are normalized to unity and overflows are not included.

exhibits a peak at π, whereas the background distribution is more uniform. The signal is expected to be produced opposite the triggering muon while the background may be produced anywhere with respect to the triggering muon.

VI. BACKGROUND ESTIMATION

The total background is estimated in two steps. First, we estimate the expected contribution of the jet-induced background by measuring the rate at which a jet is misidentified as a signal cluster and applying that misidentification rate to

the full B parking dataset. Then, data control samples are used to estimate the size of the uncorrelated background after applying the selections described in the previous section. To predict the contribution from the uncorrelated background, we use the "ABCD" method, which requires two variables that discriminate between signal and background and are independent of one another for the background [66]. The yields used when making the ABCD prediction reflect the number of events after taking into account the number of jets misidentified as signal clusters.

The ABCD plane is constructed using N_{hits} and $\Delta\phi(\text{cluster}, \mu_{trigger})$ as the two observables and is shown in Fig. 5. The SR is defined as the upper right quadrant where $N_{hits} > 310$ and $\Delta\phi(\text{cluster}, \mu_{trigger}) > 2.2$. To determine the definitions of the A (signal), B, C, and D regions, we optimized the signal-to-background ratio in the SR. The expected number of background events in the SR N_A can be obtained as $N_A = N_B N_C / N_D$, where N_B, N_C, and N_D are the corresponding expected background yields in the B, C, and D regions, respectively. Further, any potential signal contributions in regions B, C, and D are taken into account through a simultaneous fit of all four regions, where the signal yields in each region are derived independent from simulation but scaled by a common signal strength parameter.

In contrast to the uncorrelated background, the jet-induced background is expected to be correlated in N_{hits} and $\Delta\phi(\text{cluster}, \mu_{trigger})$. These jets mostly arise from SM decays of the b hadrons, which are expected to be produced antialigned with the trigger muon. The size of the correlated contribution to the total background depends on the proportion of jets that create a shower in the muon system, which is estimated using events enriched in SM jets entering the muon system, provided by a sample of $W + \text{jets}$. The background is then subtracted from the yields in regions B, C, and D.

The $W + \text{jets}$ sample is derived from additional datasets collected in 2016–2018 using triggers requiring a single muon, a single electron, or a single photon. We select events containing jets with $p_T > 20$ and $p_T^{miss} > 30$ GeV. Each event is required to contain at least one isolated lepton (electron or muon) satisfying tight identification criteria. Jets matched to the isolated, identified lepton are vetoed. The efficiency with which a jet matches an MDS cluster within $\Delta R(\text{jet}, \text{cluster}) < 0.4$ is then measured. Clusters are required to pass the same vetoes and selections as in the SR. The misidentification rate is measured as a function of jet p_T and minimum cluster size and then applied to the population of jets in the B parking dataset. It was found that, on average, between approximately 4.7 and 100 million jets are needed to produce a single misidentified signal-like cluster, depending on the jet p_T. The measured jet-induced background caused by SM jets producing clusters in the muon system was found to be 156^{+31}_{-22}(stat). The listed uncertainty reflects the propagation

FIG. 5. The two-dimensional distribution of the N_{hits} versus $\Delta\phi(\text{cluster}, \mu_{trigger})$ for data in the OOT region.

of statistical uncertainties from both the finite $W + \text{jets}$ sample used to measure the misidentification rate and the finite B parking dataset to which this rate is applied for the background estimate.

To validate the misidentification rate estimation procedure for the jet-induced background, we construct two nonindependent validation samples in N_{hits} and $\Delta\phi(\text{cluster}, \mu_{trigger})$ space and confirm that the ABCD prediction holds when accounting for the additional background source. We perform this validation in a data region orthogonal to the signal enhanced bin, using regions in the N_{hits}, $\Delta\phi(\text{cluster}, \mu_{trigger})$ space that fail the SR selection on $\Delta\phi(\text{cluster}, \mu_{trigger})$, i.e., the validation regions are subsets of regions B and D as shown in Fig. 5. We define two different validation samples that test the accuracy of the jet-induced background prediction in two ranges of extrapolation in the $\Delta\phi(\text{cluster}, \mu_{trigger})$ distribution.

For validation sample 1, only events in the band $1.5 < \Delta\phi(\text{cluster}, \mu_{trigger}) < 2.2$ are considered. Then, the thresholds $\Delta\phi(\text{cluster}, \mu_{trigger}) = 1.9$ and $N_{hits} = 310$ are used to define the boundaries between alternative ABCD regions. With validation sample 1, we test the jet-induced background prediction extrapolating from the 1.5–1.9 to the 1.9–2.2 regions in $\Delta\phi(\text{cluster}, \mu_{trigger})$. Similarly, for validation sample 2, only events in the band $1.0 < \Delta\phi(\text{cluster}, \mu_{trigger}) < 2.2$ are considered, and $\Delta\phi(\text{cluster}, \mu_{trigger}) = 1.5$ and $N_{hits} = 310$ define the boundaries between alternative ABCD regions. With validation sample 2, we test the jet-induced background prediction extrapolating from the 1.0–1.5 to the 1.5–2.2 regions in $\Delta\phi(\text{cluster}, \mu_{trigger})$.

The jet-induced background (based on the misidentification rate method) and uncorrelated background (based on the ABCD method) are estimated in region A of each validation sample. These estimates are combined to produce the total background estimate and compared with the

observed number of events in data. In validation sample 1, 20^{+5}_{-4} (14^{+3}_{-2}) total (jet-induced) background events are expected and 18 events are observed; while in validation sample 2, 36^{+10}_{-9} (27^{+6}_{-4}) background events are expected and 40 events are observed.

To validate the performance of the ABCD method used to estimate the size of the uncorrelated background, an OOT sample is defined that targets events arising from pileup interactions from neighboring pp bunch crossings. The OOT validation sample is constructed by inverting the selection on the t_{cluster} variable, while retaining the same selections on all other variables. The jet-induced background is not present in the OOT validation sample. The ABCD prediction is carried out using the OOT validation sample in the same way as the IT sample. When performing the validation, we predict 94.6 ± 8.6 background events in the OOT sample, region A and observe 95 events. Figure 5 displays the two-dimensional distribution of N_{hits} and $\Delta\phi(\text{cluster}, \mu_{\text{trigger}})$ for data in the OOT validation sample, illustrating their independence for background events.

VII. SYSTEMATIC UNCERTAINTIES

Both the jet-induced and the uncorrelated background estimates have statistical uncertainties based on the measured event yields used in both the misidentification rate and ABCD methods. Because of the validation presented in the previous section, no additional systematic uncertainty in the background estimation method is assessed.

A summary of the systematic uncertainties affecting the signal CSC clusters and their sources can be found in Table I. The signal yield is affected by the uncertainty in the integrated luminosity, estimated as 2.5% by a dedicated analysis [67]. All uncertainties listed in this section are expressed as percentages relative to the signal efficiency. The signal yield is also affected by the uncertainty in the cross section. The cross section for $B^{\pm}$ production is experimentally measured by the CMS experiment (Ref. [68]) and the inclusive cross section used in this analysis is extrapolated from that measurement based on the known fragmentation values [69]. We propagated a 15% uncertainty from that measurement as a systematic uncertainty for our signal normalization. When requiring the presence of a muon, a correction factor, referred to as the muon ID scale factor, is applied to account for the differences between the simulated and actual detector response when reconstructing muons. This factor affects the signal efficiency and its uncertainty is propagated to the signal yield (0.6%). Finally, the systematic uncertainty from the limited size of the simulated signal sample is in the range 13%–26%.

To assess the systematic uncertainties from potential mismodeling in the simulated signal efficiency of the various cluster-level vetoes, a study was performed using both simulated and recorded samples of $Z \to \mu\mu$ events, where one of the muons underwent bremsstrahlung radiation

TABLE I. Summary of the systematic uncertainties in the signal yield expectations in the A, B, C, and D regions for CSC clusters.

Source	Uncertainty (%)
Integrated luminosity	2.5
Cross section	15
Muon ID scale factor	0.6
Simulated signal sample size	13–26
ME11/12 veto	2.2
RB1 veto	2.6
RE1 veto	0.7
MB1 segment veto	1.1
Muon bremsstrahlung veto	0.5
Cluster size correction	2.8
Cluster time	0.3
Cluster time spread	7.8
Total	22.0–31.5

and produced a cluster in the muon system. The recorded $Z \to \mu\mu$ events were selected online with a trigger requiring at least one muon with $p_{\text{T}} > 27$ GeV. Subsequently, muons were required off-line to have $p_{\text{T}} > 50$ GeV for both the simulated and recorded samples. Each event for both simulated and recorded samples was required to contain a pair of oppositely charged muons with the invariant mass greater than 120 GeV; this requirement on mass was chosen to enhance the rate of muon bremsstrahlung. The tag and probe method [70] was then used to create a sample of clusters similar to the ones used in the analysis. The tag (probe) muons were required to pass the tight (loose) muon identification requirements in both the simulated and recorded samples. The clusters in both simulation and data were required to have a minimum of 50 hits, to match the minimum size requirement used when constructing clusters in the CSCs. Probe muons were required to match to an MDS cluster with $\Delta R < 0.4$. Additionally, in the case of the simulated sample, the probe muon was required to match to a generated muon with $\Delta R < 0.4$. Each veto was applied in the $Z \to \mu\mu$ data sample and the $Z \to \mu\mu$ simulated sample. The ratio of the number of events that passed the tag and probe selections where the probe muon matched an MDS cluster to the number of events passing the tag and probe selections alone defined the cluster efficiency. The relative difference of the cluster efficiency between data and simulation after applying the various vetoes to MDS clusters was taken as the corresponding systematic uncertainty. For the ME11/12, RB1, RE1, MB1 segment, and muon bremsstrahlung vetoes, we measured relative differences of 2.2%, 2.6%, 0.7%, 1.1%, and 0.5%, respectively. The cluster size distribution falls exponentially and exhibits a shape disagreement between simulation and data, with the distribution for data falling off more rapidly. To account for this, a correction factor was applied that shifted the distribution in simulation to the left, improving the agreement in

TABLE II. Summary of the observed event yields and estimated uncorrelated and jet-induced backgrounds in the A (SR), B, C, and D regions. The corresponding statistical uncertainties in the estimates are shown.

	B	C	D	A (SR)
Jet-induced background	41^{+10}_{-7}	16130^{+240}_{-230}	5701^{+93}_{-91}	156^{+31}_{-22}
Uncorrelated background	19 ± 10	42600 ± 1200	51340 ± 490	16 ± 8
Total background	60^{+14}_{-12}	58800 ± 1300	57000 ± 500	172^{+32}_{-23}
Observed events	60	58760	57043	181

the tail region, where signal is expected to be found. This corrective factor affected the signal efficiency and its uncertainty was propagated to the signal yield (2.8%). Finally, the uncertainties in the cluster time selection and the requirement on the cluster time spread were estimated using the same procedure as for the cluster-level vetoes and were measured to be 0.3% and 7.8%, respectively. The uncertainties described in this paragraph have been measured independently in each of the regions defined by the ABCD method used in the previous section. Ultimately, as expected, the size of the uncertainty does not vary much between the different ABCD regions so a representative value is chosen and applied to the signal approximation in all regions for each systematic uncertainty.

VIII. RESULTS

The number of observed events, estimated uncorrelated background, and the estimated jet-induced background for regions B, C, D, and A (SR) are listed in Table II, along with their corresponding statistical uncertainties.

We observe no significant deviations from the standard model expectation, and we proceed to set 95% confidence level (CL) upper limits on the branching fraction for the decay of *b* hadrons to an LLP, $\mathcal{B}(B \to K\Phi)$. Limits are expressed in terms of the inclusive branching fraction $\mathcal{B}(B \to K\Phi)$, and thus do not depend the decay final state of the LLP. This approach separates the production process from the subsequent decay, allowing the results to be reinterpreted in other models by applying the appropriate model-dependent branching fraction. We follow the LHC CL_s criterion [71,72] by using the profile likelihood ratio test statistic and the asymptotic formula [73] to evaluate the 95% CL observed and expected upper limits on Φ production and decay. Results are determined using the CMS statistical analysis tool COMBINE [74], which is based on the RooFit [75] and RooStats [76] frameworks.

Figure 6 presents the 95% CL expected and observed upper limits on $\mathcal{B}(B \to K\Phi)$ for signal models with $m_\Phi = 0.3$, 0.5, 1.0, 2.0, and 3.0 GeV, and where the LLP Φ decays to a pair of hadrons. The limits are shown as a function of the Φ mean proper decay length $c\tau$. Over most of the range, the upper limit set on $\mathcal{B}(B \to K\Phi)$ is of order 10^{-4}. The U-shaped form of the limit plots is caused by a variation in the acceptance efficiency, which is highest when the decay occurs within the muon system, and decreases for lower and higher values of $c\tau$. When the

FIG. 6. The 95% CL exclusion limits on $\mathcal{B}(B \to K\Phi)$, where the scalar LLP, Φ, decays to a pair of hadrons. Limits are presented for scalar masses $m_\Phi = 0.3$, 0.5, 1.0, 2.0, and 3.0 GeV as a function of the Φ mean proper decay length.

FIG. 7. The 95% CL exclusion limits on $\mathcal{B}(B \to K\Phi)$, where the scalar LLP, Φ, decays to a pair of hadrons for different masses and mean proper decay lengths.

value of $c\tau$ is low (<10 cm), most of the LLP decays occur before entering the muon system and are thus less likely to produce a large cluster. Similarly, when $c\tau$ is large ($>10^2$ cm), a larger fraction of LLPs leave the detector without creating a full cluster. The limits for the mass range from 0.3 to 3.0 GeV are interpolated based on the calculated values at the masses of 0.3, 0.5, 1.0, 2.0, and 3.0 GeV and are presented in Fig. 7. The sensitivity of the search is dominated by Φ decays producing hadronic showers. The contribution to the expected signal yield from Φ decays resulting in electromagnetic showers is minimal because of the substantially lower energy deposit compared to that from decays producing hadronic showers.

IX. SUMMARY

A search for a long-lived particle Φ produced from the decay of a bottom hadron and decaying to a pair of hadrons in the CMS endcap muon system has been carried out. The search uses the B parking dataset of proton-proton collisions at $\sqrt{s} = 13$ TeV collected by the CMS experiment in 2018 and corresponding to an integrated luminosity of 41.6 fb^{-1}. The dataset was collected using a set of high-rate triggers that require the presence of a single displaced muon. A strategy based on control samples in data has been developed to evaluate separately the uncorrelated background originating from prompt standard model particles that produce a shower in the muon system and the jet-induced background from long-lived standard model particles decaying to jets. The branching fraction $\mathcal{B}(B \to K\Phi)$ is constrained for five low-mass LLP signal hypotheses. The best sensitivity for measuring a limit on $\mathcal{B}(B \to K\Phi)$ for these models is observed in the range of 1–100 cm for the Φ mean proper decay length $c\tau$. The most sensitive $c\tau$ value monotonically increases with LLP mass. However, the best sensitivity is similar across all models, constraining $\mathcal{B}(B \to K\Phi)$ to be below 10^{-4} at 95% confidence level depending on the value of $c\tau$ for each of the signal models studied. Searches for scalar LLPs produced in the decay of bottom hadrons have been performed by the CHARM, Belle, *BABAR*, and LHCb Collaborations, with the LHCb search in the dimuon final state providing the most stringent overall bounds. Complementary to these efforts, the search in this paper targets hadronic decays of the LLP and yields the most stringent limits to date on the decay of a long-lived scalar particle to a pair of hadrons when the LLP is produced by a bottom hadron, particularly for long decay lengths.

ACKNOWLEDGMENTS

DATA AVAILABILITY

Release and preservation of data used by the CMS Collaboration as the basis for publications is guided by the CMS data preservation, re-use and open access policy [77].

[1] N. Arkani-Hamed, A. Gupta, D. E. Kaplan, N. Weiner, and T. Zorawski, Simply unnatural supersymmetry, arXiv:1212.6971.

[2] A. Arvanitaki, N. Craig, S. Dimopoulos, and G. Villadoro, Mini-split, J. High Energy Phys. 02 (2013) 126.

[3] G. F. Giudice and R. Rattazzi, Theories with gauge mediated supersymmetry breaking, Phys. Rep. **322**, 419 (1999).

[4] R. Barbier, C. Bérat, M. Besançon, M. Chemtob, A. Deandrea, E. Dudas, P. Fayet, S. Lavignac, G. Moreau, E. Perez, and Y. Sirois, *R*-parity violating supersymmetry, Phys. Rep. **420**, 1 (2005).

[5] C. Csaki, E. Kuflik, and T. Volansky, Dynamical *R*-parity violation, Phys. Rev. Lett. **112**, 131801 (2014).

[6] J. Fan, M. Reece, and J. T. Ruderman, Stealth supersymmetry, J. High Energy Phys. 11 (2011) 012.

[7] J. Fan, M. Reece, and J. T. Ruderman, A stealth supersymmetry sampler, J. High Energy Phys. 07 (2012) 196.

[8] Z. Chacko, H.-S. Goh, and R. Harnik, The twin Higgs: Natural electroweak breaking from mirror symmetry, Phys. Rev. Lett. **96**, 231802 (2006).

[9] G. Burdman, Z. Chacko, H.-S. Goh, and R. Harnik, Folded supersymmetry and the LEP paradox, J. High Energy Phys. 02 (2007) 009.

[10] H. Cai, H.-C. Cheng, and J. Terning, A quirky little Higgs model, J. High Energy Phys. 05 (2009) 045.

[11] Z. Chacko, D. Curtin, and C. B. Verhaaren, A quirky probe of neutral naturalness, Phys. Rev. D **94**, 011504 (2016).

[12] M. J. Strassler and K. M. Zurek, Echoes of a hidden valley at hadron colliders, Phys. Lett. B **651**, 374 (2007).

[13] M. J. Strassler and K. M. Zurek, Discovering the Higgs through highly-displaced vertices, Phys. Lett. B **661**, 263 (2008).

[14] M. Baumgart, C. Cheung, J. T. Ruderman, L.-T. Wang, and I. Yavin, Non-Abelian dark sectors and their collider signatures, J. High Energy Phys. 04 (2009) 014.

[15] D. E. Kaplan, M. A. Luty, and K. M. Zurek, Asymmetric dark matter, Phys. Rev. D **79**, 115016 (2009).

[16] Y. F. Chan, M. Low, D. E. Morrissey, and A. P. Spray, LHC signatures of a minimal supersymmetric hidden valley, J. High Energy Phys. 05 (2012) 155.

[17] K. R. Dienes and B. Thomas, Dynamical dark matter: I. Theoretical overview, Phys. Rev. D **85**, 083523 (2012).

[18] K. R. Dienes, S. Su, and B. Thomas, Distinguishing dynamical dark matter at the LHC, Phys. Rev. D **86**, 054008 (2012).

[19] Y. Cui and B. Shuve, Probing baryogenesis with displaced vertices at the LHC, J. High Energy Phys. 02 (2015) 049.

[20] J. C. Helo, M. Hirsch, and S. Kovalenko, Heavy neutrino searches at the LHC with displaced vertices, Phys. Rev. D **89**, 073005 (2014); **93**, 099902(E) (2016).

[21] B. Batell, M. Pospelov, and B. Shuve, Shedding light on neutrino masses with dark forces, J. High Energy Phys. 08 (2016) 052.

[22] G. Aielli *et al.*, Expression of interest for the CODEX-b detector, Eur. Phys. J. C **80**, 1177 (2020).

[23] B. Grinstein, L. J. Hall, and L. Randall, Do *B* meson decays exclude a light Higgs?, Phys. Lett. B **211**, 363 (1988).

[24] F. Bezrukov and D. Gorbunov, Light inflaton Hunter's guide, J. High Energy Phys. 05 (2010) 010.

[25] M. W. Winkler, Decay and detection of a light scalar boson mixing with the Higgs boson, Phys. Rev. D **99**, 015018 (2019).

[26] A. Fradette and M. Pospelov, BBN for the LHC: Constraints on lifetimes of the Higgs portal scalars, Phys. Rev. D **96**, 075033 (2017).

[27] F. Bergsma *et al.* (CHARM Collaboration), Search for axion like particle production in 400-GeV proton-copper interactions, Phys. Lett. **157B**, 458 (1985).

[28] H. J. Hyun *et al.* (Belle Collaboration), Search for a low mass particle decaying into $\mu^+\mu^-$ in $B^0 \to K^{*0}X$ and $B^0 \to \rho^0 X$ at Belle, Phys. Rev. Lett. **105**, 091801 (2010).

[29] J. P. Lees *et al.* (*BABAR* Collaboration), Search for long-lived particles in e^+e^- collisions, Phys. Rev. Lett. **114**, 171801 (2015).

[30] LHCb Collaboration, Search for long-lived scalar particles in $B^+ \to K^+ \chi(\mu^+\mu^-)$ decays, Phys. Rev. D **95,** 071101 (2017).

[31] LHCb Collaboration, Search for hidden-sector bosons in $B^0 \to K^{*0}\mu^+\mu^-$ decays, Phys. Rev. Lett. **115,** 161802 (2015).

[32] R. S. Willey and H. L. Yu, Neutral Higgs boson from decays of heavy flavored mesons, Phys. Rev. D **26,** 3086 (1982).

[33] CMS Collaboration, Enriching the physics program of the CMS experiment via data scouting and data parking, Phys. Rep. **1115,** 678 (2025).

[34] CMS Collaboration, Search for long-lived particles decaying in the CMS endcap muon detectors in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. Lett. **127,** 261804 (2021).

[35] CMS Collaboration, Search for long-lived particles decaying in the CMS muon detectors in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. D **110,** 032007 (2024).

[36] CMS Collaboration, Search for long-lived heavy neutral leptons decaying in the CMS muon detectors in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. D **110,** 012004 (2024).

[37] HEPData record for this analysis (2025), https://www.hepdata.net/record/ins2958479.

[38] CMS Collaboration, The CMS experiment at the CERN LHC, J. Instrum. **3,** S08004 (2008).

[39] CMS Collaboration, Development of the CMS detector for the CERN LHC run 3, J. Instrum. **19,** P05064 (2024).

[40] CMS Collaboration, The CMS trigger system, J. Instrum. **12,** P01020 (2017).

[41] CMS Collaboration, Performance of the CMS level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. Instrum. **15,** P10017 (2020).

[42] CMS Collaboration, Performance of the CMS high-level trigger during LHC run 2, J. Instrum. **19,** P11021 (2024).

[43] CMS Collaboration, Description and performance of track and primary-vertex reconstruction with the CMS tracker, J. Instrum. **9,** P10009 (2014).

[44] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, J. Instrum. **13,** P06015 (2018).

[45] CMS Collaboration, Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC, J. Instrum. **16,** P05014 (2021).

[46] CMS Collaboration, Performance of the CMS cathode strip chambers with cosmic rays, J. Instrum. **5,** T03018 (2010).

[47] CMS Collaboration, Performance of the CMS muon trigger system in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. Instrum. **16,** P07001 (2021).

[48] CMS Collaboration, The CMS muon project: Technical design report, CMS Technical Design Reports No. CMS-TDR-3, No. CERN-LHCC-97-032, 1997, https://cds.cern.ch/record/343814.

[49] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA 8.2, Comput. Phys. Commun. **191,** 159 (2015).

[50] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA 8 tunes from underlying-event measurements, Eur. Phys. J. C **80,** 4 (2020).

[51] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions from high-precision collider data, Eur. Phys. J. C **77,** 663 (2017).

[52] D. J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods Phys. Res., Sect. A **462,** 152 (2001).

[53] S. Agostinelli *et al.* (GEANT4 Collaboration), Geant4—a simulation toolkit, Nucl. Instrum. Methods Phys. Res., Sect. A **506,** 250 (2003).

[54] Y. Gershtein, S. Knapen, and D. Redigolo, Probing naturally light singlets with a displaced vertex trigger, Phys. Lett. B **823,** 136758 (2021).

[55] A. Mitridate, M. Papucci, C. W. Wang, C. Peña, and S. Xie, Energetic long-lived particles in the CMS muon chambers, Phys. Rev. D **108,** 055040 (2023).

[56] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, J. Instrum. **12,** P10003 (2017).

[57] CMS Collaboration, Technical proposal for the Phase-II upgrade of the Compact muon solenoid, CMS Technical Proposal, Reports No. CERN-LHCC-2015-010, No. CMS-TDR-15-02, 2015, http://cds.cern.ch/record/2020886.

[58] M. Cacciari, G. P. Salam, and G. Soyez, The anti-k_{T} jet clustering algorithm, J. High Energy Phys. 04 (2008) 063.

[59] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, Eur. Phys. J. C **72,** 1896 (2012).

[60] CMS Collaboration, Pileup mitigation at CMS in 13 TeV data, J. Instrum. **15,** P09018 (2020).

[61] CMS Collaboration, Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV, J. Instrum. **12,** P02014 (2017).

[62] CMS Collaboration, Missing transverse energy performance of the CMS detector, J. Instrum. **6,** P09001 (2011).

[63] CMS Collaboration, Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector, J. Instrum. **14,** P07004 (2019).

[64] M. Ester, H.-P. Kriegel, J. Sander, and X. Xu, A density-based algorithm for discovering clusters in large spatial databases with noise, in *Proceedings of the 2nd International Conference on Knowledge Discovery and Data Mining* (1996), p. 226, https://www.aaai.org/Papers/KDD/1996/KDD96-037.pdf.

[65] CMS Collaboration, CMS physics: Technical design report volume 1: Detector performance and software, CMS Technical Design Reports No. CERN-LHCC-2006-001, No. CMS-TDR-8-1, No. CERN-LHCC-2006-001, and No. CMS-TDR-8-1, 2006, https://cds.cern.ch/record/922757.

[66] G. Kasieczka, B. Nachman, M. D. Schwartz, and D. Shih, Automating the ABCD method with machine learning, Phys. Rev. D **103,** 035021 (2021).

[67] CMS Collaboration, CMS luminosity measurement for the 2018 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary, Report No. CMS-PAS-LUM-18-002, 2019, https://cds.cern.ch/record/2676164.

[68] CMS Collaboration, Search for long-lived heavy neutrinos in the decays of B mesons produced in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 06 (2024) 183.

[69] R. L. Workman *et al.* (Particle Data Group), Review of particle physics, Phys. Rev. D **110**, 030001 (2024).

[70] CMS Collaboration, Measurement of the inclusive *W* and *Z* production cross sections in *pp* collisions at $\sqrt{s} = 7$ TeV, J. High Energy Phys. 10 (2011) 132.

[71] T. Junk, Confidence level computation for combining searches with small statistics, Nucl. Instrum. Methods Phys. Res., Sect. A **434**, 435 (1999).

[72] A. L. Read, Presentation of search results: The CL_s technique, J. Phys. G **28**, 2693 (2002).

[73] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C **71**, 1554 (2011); **73**, 2501 (2013).

[74] CMS Collaboration, The CMS statistical analysis and combination tool: COMBINE, Comput. Software Big Sci. **8**, 19 (2024).

[75] W. Verkerke and D. P. Kirkby, The RooFit toolkit for data modeling, in *Proceedings of the 13th International Conference for Computing in High-Energy and Nuclear Physics (CHEP03)* (2003), [eConf C0303241, MOLT007], arXiv:physics/0306116.

[76] L. Moneta, K. Belasco, K. S. Cranmer, S. Kreiss, A. Lazzaro, D. Piparo, G. Schott, W. Verkerke, and M. Wolf, The RooStats project, in *Proceedings of the 13th International Workshop on Advanced Computing and Analysis Techinques in Physics Research (ACAT2010)*, edited by T. Speer, F. Boudjema, J. Lauret, A. Naumann, L. Teodorescu, and P. Uwer (SISSA, Trieste, Italy, 2010), p. 057; Proc. Sci., ACAT2010 (**2010**) 057.

[77] DataAvailability, CMS data availability statement, 10.7483/OPENDATA.CMS.1BNU.8V1W.

A. Hayrapetyan,[1] V. Makarenko,[1] A. Tumasyan,[1,b] W. Adam,[2] J. W. Andrejkovic,[2] L. Benato,[2] T. Bergauer,[2] M. Dragicevic,[2] C. Giordano,[2] P. S. Hussain,[2] M. Jeitler,[2,c] N. Krammer,[2] A. Li,[2] D. Liko,[2] M. Matthewman,[2] I. Mikulec,[2] J. Schieck,[2,c] R. Schöfbeck,[2,c] D. Schwarz,[2] M. Shooshtari,[2] M. Sonawane,[2] W. Waltenberger,[2] C.-E. Wulz,[2,c] T. Janssen,[3] H. Kwon,[3] D. Ocampo Henao,[3] T. Van Laer,[3] P. Van Mechelen,[3] J. Bierkens,[4] N. Breugelmans,[4] J. D'Hondt,[4] S. Dansana,[4] A. De Moor,[4] M. Delcourt,[4] F. Heyen,[4] Y. Hong,[4] P. Kashko,[4] S. Lowette,[4] I. Makarenko,[4] D. Müller,[4] J. Song,[4] S. Tavernier,[4] M. Tytgat,[4,d] G. P. Van Onsem,[4] S. Van Putte,[4] D. Vannerom,[4] B. Bilin,[5] B. Clerbaux,[5] A. K. Das,[5] I. De Bruyn,[5] G. De Lentdecker,[5] H. Evard,[5] L. Favart,[5] P. Gianneios,[5] A. Khalilzadeh,[5] F. A. Khan,[5] A. Malara,[5] M. A. Shahzad,[5] L. Thomas,[5] M. Vanden Bemden,[5] C. Vander Velde,[5] P. Vanlaer,[5] F. Zhang,[5] M. De Coen,[6] D. Dobur,[6] G. Gokbulut,[6] J. Knolle,[6] L. Lambrecht,[6] D. Marckx,[6] K. Skovpen,[6] N. Van Den Bossche,[6] J. van der Linden,[6] J. Vandenbroeck,[6] L. Wezenbeek,[6] S. Bein,[7] A. Benecke,[7] A. Bethani,[7] G. Bruno,[7] A. Cappati,[7] J. De Favereau De Jeneret,[7] C. Delaere,[7] A. Giammanco,[7] A. O. Guzel,[7] V. Lemaitre,[7] J. Lidrych,[7] P. Malek,[7] P. Mastrapasqua,[7] S. Turkcapar,[7] G. A. Alves,[8] M. Barroso Ferreira Filho,[8] E. Coelho,[8] C. Hensel,[8] T. Menezes De Oliveira,[8] C. Mora Herrera,[8,e] P. Rebello Teles,[8] M. Soeiro,[8] E. J. Tonelli Manganote,[8,f] A. Vilela Pereira,[8,e] W. L. Aldá Júnior,[9] H. Brandao Malbouisson,[9] W. Carvalho,[9] J. Chinellato,[9,g] M. Costa Reis,[9] E. M. Da Costa,[9] G. G. Da Silveira,[9,h] D. De Jesus Damiao,[9] S. Fonseca De Souza,[9] R. Gomes De Souza,[9] S. S. Jesus,[9] T. Laux Kuhn,[9,h] M. Macedo,[9] K. Mota Amarilo,[9] L. Mundim,[9] H. Nogima,[9] J. P. Pinheiro,[9] A. Santoro,[9] A. Sznajder,[9] M. Thiel,[9] F. Torres Da Silva De Araujo,[9,i] C. A. Bernardes,[10,h] T. R. Fernandez Perez Tomei,[10] E. M. Gregores,[10] B. Lopes Da Costa,[10] I. Maietto Silverio,[10] P. G. Mercadante,[10] S. F. Novaes,[10] B. Orzari,[10] Sandra S. Padula,[10] V. Scheurer,[10] A. Aleksandrov,[11] G. Antchev,[11] P. Danev,[11] R. Hadjiiska,[11] P. Iaydjiev,[11] M. Misheva,[11] M. Shopova,[11] G. Sultanov,[11] A. Dimitrov,[12] L. Litov,[12] B. Pavlov,[12] P. Petkov,[12] A. Petrov,[12] S. Keshri,[13] D. Laroze,[13] S. Thakur,[13] W. Brooks,[14] T. Cheng,[15] T. Javaid,[15] L. Wang,[15] L. Yuan,[15] Z. Hu,[16] Z. Liang,[16] J. Liu,[16] X. Wang,[16] G. M. Chen,[17,j] H. S. Chen,[17,j] M. Chen,[17,j] Y. Chen,[17] Q. Hou,[17] X. Hou,[17] F. Iemmi,[17] C. H. Jiang,[17] A. Kapoor,[17,k] H. Liao,[17] G. Liu,[17] Z.-A. Liu,[17,l] J. N. Song,[17,l] S. Song,[17] J. Tao,[17] C. Wang,[17,j] J. Wang,[17] H. Zhang,[17] J. Zhao,[17] A. Agapitos,[18] Y. Ban,[18] A. Carvalho Antunes De Oliveira,[18] S. Deng,[18] B. Guo,[18] Q. Guo,[18] C. Jiang,[18] A. Levin,[18] C. Li,[18] Q. Li,[18] Y. Mao,[18] S. Qian,[18] S. J. Qian,[18] X. Qin,[18] X. Sun,[18] D. Wang,[18] J. Wang,[18] H. Yang,[18] M. Zhang,[18] Y. Zhao,[18] C. Zhou,[18] S. Yang,[19] Z. You,[20] K. Jaffel,[21] N. Lu,[21] G. Bauer,[22,m,n] B. Li,[22,o] H. Wang,[22] K. Yi,[22,p] J. Zhang,[22] Y. Li,[23] Z. Lin,[24] C. Lu,[24] M. Xiao,[24,q] C. Avila,[25] D. A. Barbosa Trujillo,[25] A. Cabrera,[25] C. Florez,[25] J. Fraga,[25] J. A. Reyes Vega,[25] C. Rendón,[26] M. Rodriguez,[26] A. A. Ruales Barbosa,[26] J. D. Ruiz Alvarez,[26] N. Godinovic,[27] D. Lelas,[27] A. Sculac,[27] M. Kovac,[28] A. Petkovic,[28] T. Sculac,[28] P. Bargassa,[29] V. Brigljevic,[29] B. K. Chitroda,[29] D. Ferencek,[29] K. Jakovcic,[29] A. Starodumov,[29] T. Susa,[29] A. Attikis,[30] K. Christoforou,[30] A. Hadjiagapiou,[30] C. Leonidou,[30] C. Nicolaou,[30] L. Paizanos,[30] F. Ptochos,[30] P. A. Razis,[30] H. Rykaczewski,[30] H. Saka,[30] A. Stepennov,[30] M. Finger,[31,a] M. Finger Jr.,[31] E. Ayala,[32] E. Carrera Jarrin,[33] B. El-mahdy,[34,r] S. Khalil,[34,s] M. Abdullah Al-Mashad,[35] A. Hussein,[35] H. Mohammed,[35] K. Ehataht,[36] M. Kadastik,[36] T. Lange,[36] C. Nielsen,[36] J. Pata,[36] M. Raidal,[36] N. Seeba,[36] L. Tani,[36] A. Milieva,[37] K. Osterberg,[37] M. Voutilainen,[37] N. Bin Norjoharuddeen,[38] E. Brücken,[38] F. Garcia,[38] P. Inkaew,[38]

K. T. S. Kallonen,[38] R. Kumar Verma,[38] T. Lampén,[38] K. Lassila-Perini,[38] B. Lehtela,[38] S. Lehti,[38] T. Lindén,[38]
N. R. Mancilla Xinto,[38] M. Myllymäki,[38] M. m. Rantanen,[38] S. Saariokari,[38] N. T. Toikka,[38] J. Tuominiemi,[38]
H. Kirschenmann,[39] P. Luukka,[39] H. Petrow,[39] M. Besancon,[40] F. Couderc,[40] M. Dejardin,[40] D. Denegri,[40] P. Devouge,[40]
J. L. Faure,[40] F. Ferri,[40] P. Gaigne,[40] S. Ganjour,[40] P. Gras,[40] G. Hamel de Monchenault,[40] M. Kumar,[40] V. Lohezic,[40]
J. Malcles,[40] F. Orlandi,[40] L. Portales,[40] S. Ronchi,[40] M. Ö. Sahin,[40] A. Savoy-Navarro,[40,t] P. Simkina,[40] M. Titov,[40]
M. Tornago,[40] F. Beaudette,[41] G. Boldrini,[41] P. Busson,[41] C. Charlot,[41] M. Chiusi,[41] T. D. Cuisset,[41] F. Damas,[41]
O. Davignon,[41] A. De Wit,[41] T. Debnath,[41] I. T. Ehle,[41] B. A. Fontana Santos Alves,[41] S. Ghosh,[41] A. Gilbert,[41]
R. Granier de Cassagnac,[41] L. Kalipoliti,[41] M. Manoni,[41] M. Nguyen,[41] S. Obraztsov,[41] C. Ochando,[41] R. Salerno,[41]
J. B. Sauvan,[41] Y. Sirois,[41] G. Sokmen,[41] L. Urda Gómez,[41] A. Zabi,[41] A. Zghiche,[41] J.-L. Agram,[42,u] J. Andrea,[42]
D. Bloch,[42] J.-M. Brom,[42] E. C. Chabert,[42] C. Collard,[42] G. Coulon,[42] S. Falke,[42] U. Goerlach,[42] R. Haeberle,[42]
A.-C. Le Bihan,[42] M. Meena,[42] O. Poncet,[42] G. Saha,[42] P. Vaucelle,[42] A. Di Florio,[43] D. Amram,[44] S. Beauceron,[44]
B. Blancon,[44] G. Boudoul,[44] N. Chanon,[44] D. Contardo,[44] P. Depasse,[44] C. Dozen,[44,v] H. El Mamouni,[44] J. Fay,[44]
S. Gascon,[44] M. Gouzevitch,[44] C. Greenberg,[44] G. Grenier,[44] B. Ille,[44] E. Jourd'huy,[44] I. B. Laktineh,[44] M. Lethuillier,[44]
B. Massoteau,[44] L. Mirabito,[44] A. Purohit,[44] M. Vander Donckt,[44] J. Xiao,[44] I. Bagaturia,[45,w] I. Lomidze,[45]
Z. Tsamalaidze,[45,x] V. Botta,[46] S. Consuegra Rodríguez,[46] L. Feld,[46] K. Klein,[46] M. Lipinski,[46] D. Meuser,[46] P. Nattland,[46]
V. Oppenländer,[46] A. Pauls,[46] D. Pérez Adán,[46] N. Röwert,[46] M. Teroerde,[46] C. Daumann,[47] S. Diekmann,[47] A. Dodonova,[47]
N. Eich,[47] D. Eliseev,[47] F. Engelke,[47] J. Erdmann,[47] M. Erdmann,[47] B. Fischer,[47] T. Hebbeker,[47] K. Hoepfner,[47] F. Ivone,[47]
A. Jung,[47] N. Kumar,[47] M. y. Lee,[47] F. Mausolf,[47] M. Merschmeyer,[47] A. Meyer,[47] F. Nowotny,[47] A. Pozdnyakov,[47]
W. Redjeb,[47] H. Reithler,[47] U. Sarkar,[47] V. Sarkisovi,[47] A. Schmidt,[47] C. Seth,[47] A. Sharma,[47] J. L. Spah,[47] V. Vaulin,[47]
S. Zaleski,[47] M. R. Beckers,[48] C. Dziwok,[48] G. Flügge,[48] N. Hoeflich,[48] T. Kress,[48] A. Nowack,[48] O. Pooth,[48] A. Stahl,[48]
A. Zotz,[48] H. Aarup Petersen,[49] A. Abel,[49] M. Aldaya Martin,[49] J. Alimena,[49] S. Amoroso,[49] Y. An,[49] I. Andreev,[49]
J. Bach,[49] S. Baxter,[49] M. Bayatmakou,[49] H. Becerril Gonzalez,[49] O. Behnke,[49] A. Belvedere,[49] F. Blekman,[49,y]
K. Borras,[49,z] A. Campbell,[49] S. Chatterjee,[49] L. X. Coll Saravia,[49] G. Eckerlin,[49] D. Eckstein,[49] E. Gallo,[49,y] A. Geiser,[49]
V. Guglielmi,[49] M. Guthoff,[49] A. Hinzmann,[49] L. Jeppe,[49] M. Kasemann,[49] C. Kleinwort,[49] R. Kogler,[49] M. Komm,[49]
D. Krücker,[49] W. Lange,[49] D. Leyva Pernia,[49] K.-Y. Lin,[49] K. Lipka,[49,aa] W. Lohmann,[49,bb] J. Malvaso,[49] R. Mankel,[49]
I.-A. Melzer-Pellmann,[49] M. Mendizabal Morentin,[49] A. B. Meyer,[49] G. Milella,[49] K. Moral Figueroa,[49] A. Mussgiller,[49]
L. P. Nair,[49] J. Niedziela,[49] A. Nürnberg,[49] J. Park,[49] E. Ranken,[49] A. Raspereza,[49] D. Rastorguev,[49] L. Rygaard,[49]
M. Scham,[49,cc,z] S. Schnake,[49,z] P. Schütze,[49] C. Schwanenberger,[49,y] D. Selivanova,[49] K. Sharko,[49] M. Shchedrolosiev,[49]
D. Stafford,[49] M. Torkian,[49] F. Vazzoler,[49] A. Ventura Barroso,[49] R. Walsh,[49] D. Wang,[49] Q. Wang,[49] K. Wichmann,[49]
L. Wiens,[49,z] C. Wissing,[49] Y. Yang,[49] S. Zakharov,[49] A. Zimermmane Castro Santos,[49] A. Albrecht,[50]
A. R. Alves Andrade,[50] M. Antonello,[50] S. Bollweg,[50] M. Bonanomi,[50] K. El Morabit,[50] Y. Fischer,[50] M. Frahm,[50]
E. Garutti,[50] A. Grohsjean,[50] A. A. Guvenli,[50] J. Haller,[50] D. Hundhausen,[50] G. Kasieczka,[50] P. Keicher,[50] R. Klanner,[50]
W. Korcari,[50] T. Kramer,[50] C. c. Kuo,[50] F. Labe,[50] J. Lange,[50] A. Lobanov,[50] L. Moureaux,[50] M. Mrowietz,[50] A. Nigamova,[50]
K. Nikolopoulos,[50] Y. Nissan,[50] A. Paasch,[50] K. J. Pena Rodriguez,[50] N. Prouvost,[50] T. Quadfasel,[50] B. Raciti,[50] M. Rieger,[50]
D. Savoiu,[50] P. Schleper,[50] M. Schröder,[50] J. Schwandt,[50] M. Sommerhalder,[50] H. Stadie,[50] G. Steinbrück,[50] A. Tews,[50]
R. Ward,[50] B. Wiederspan,[50] M. Wolf,[50] S. Brommer,[51] E. Butz,[51] Y. M. Chen,[51] T. Chwalek,[51] A. Dierlamm,[51]
G. G. Dincer,[51] U. Elicabuk,[51] N. Faltermann,[51] M. Giffels,[51] A. Gottmann,[51] F. Hartmann,[51,dd] R. Hofsaess,[51] M. Horzela,[51]
U. Husemann,[51] J. Kieseler,[51] M. Klute,[51] R. Kunnilan Muhammed Rafeek,[51] O. Lavoryk,[51] J. M. Lawhorn,[51]
A. Lintuluoto,[51] S. Maier,[51] M. Mormile,[51] Th. Müller,[51] E. Pfeffer,[51] M. Presilla,[51] G. Quast,[51] K. Rabbertz,[51] B. Regnery,[51]
R. Schmieder,[51] N. Shadskiy,[51] I. Shvetsov,[51] H. J. Simonis,[51] L. Sowa,[51] L. Stockmeier,[51] K. Tauqeer,[51] M. Toms,[51]
B. Topko,[51] N. Trevisani,[51] C. Verstege,[51] T. Voigtländer,[51] R. F. Von Cube,[51] J. Von Den Driesch,[51] M. Wassmer,[51]
R. Wolf,[51] W. D. Zeuner,[51] X. Zuo,[51] G. Anagnostou,[52] G. Daskalakis,[52] A. Kyriakis,[52] G. Melachroinos,[53] Z. Painesis,[53]
I. Paraskevas,[53] N. Saoulidou,[53] K. Theofilatos,[53] E. Tziaferi,[53] E. Tzovara,[53] K. Vellidis,[53] I. Zisopoulos,[53]
T. Chatzistavrou,[54] G. Karapostoli,[54] K. Kousouris,[54] E. Siamarkou,[54] G. Tsipolitis,[54] I. Bestintzanos,[55] I. Evangelou,[55]
C. Foudas,[55] P. Katsoulis,[55] P. Kokkas,[55] P. G. Kosmoglou Kioseoglou,[55] N. Manthos,[55] I. Papadopoulos,[55] J. Strologas,[55]
D. Druzhkin,[56] C. Hajdu,[56] D. Horvath,[56,ee,ff] K. Márton,[56] A. J. Rádl,[56,gg] F. Sikler,[56] V. Veszpremi,[56] M. Csanád,[57]
K. Farkas,[57] A. Fehérkuti,[57,hh] M. M. A. Gadallah,[57,ii] Á. Kadlecsik,[57] M. León Coello,[57] G. Pásztor,[57] G. I. Veres,[57]
L. Olah,[58] B. Ujvari,[58] G. Bencze,[59] S. Czellar,[59] J. Molnar,[59] Z. Szillasi,[59] T. Csorgo,[60,hh] F. Nemes,[60,hh] T. Novak,[60]
I. Szanyi,[60,jj] S. Bansal,[61] S. B. Beri,[61] V. Bhatnagar,[61] G. Chaudhary,[61] S. Chauhan,[61] N. Dhingra,[61,kk] A. Kaur,[61] A. Kaur,[61]

H. Kaur,[61] M. Kaur,[61] S. Kumar,[61] T. Sheokand,[61] J. B. Singh,[61] A. Singla,[61] A. Bhardwaj,[62] A. Chhetri,[62] B. C. Choudhary,[62] A. Kumar,[62] A. Kumar,[62] M. Naimuddin,[62] S. Phor,[62] K. Ranjan,[62] M. K. Saini,[62] S. Acharya,[63,ll] B. Gomber,[63,ll] B. Sahu,[63,ll] S. Mukherjee,[64] S. Baradia,[65] S. Bhattacharya,[65] S. Das Gupta,[65] S. Dutta,[65] S. Dutta,[65] S. Sarkar,[65] M. M. Ameen,[66] P. K. Behera,[66] S. Chatterjee,[66] G. Dash,[66] A. Dattamunsi,[66] P. Jana,[66] P. Kalbhor,[66] S. Kamble,[66] J. R. Komaragiri,[66,mm] T. Mishra,[66] P. R. Pujahari,[66] A. K. Sikdar,[66] R. K. Singh,[66] P. Verma,[66] S. Verma,[66] A. Vijay,[66] B. K. Sirasva,[67] L. Bhatt,[68] S. Dugad,[68] G. B. Mohanty,[68] M. Shelake,[68] P. Suryadevara,[68] A. Bala,[69] S. Banerjee,[69] S. Barman,[69,nn] R. M. Chatterjee,[69] M. Guchait,[69] Sh. Jain,[69] A. Jaiswal,[69] B. M. Joshi,[69] S. Kumar,[69] M. Maity,[69,nn] G. Majumder,[69] K. Mazumdar,[69] S. Parolia,[69] R. Saxena,[69] A. Thachayath,[69] S. Bahinipati,[70,oo] D. Maity,[70,pp] P. Mal,[70] K. Naskar,[70,pp] A. Nayak,[70,pp] S. Nayak,[70] K. Pal,[70] R. Raturi,[70] P. Sadangi,[70] S. K. Swain,[70] S. Varghese,[70,pp] D. Vats,[70,pp] A. Alpana,[71] S. Dube,[71] P. Hazarika,[71] B. Kansal,[71] A. Laha,[71] R. Sharma,[71] S. Sharma,[71] K. Y. Vaish,[71] S. Ghosh,[72] H. Bakhshiansohi,[73,qq] A. Jafari,[73,rr] V. Sedighzadeh Dalavi,[73] M. Zeinali,[73,ss] S. Bashiri,[74] S. Chenarani,[74,tt] S. M. Etesami,[74] Y. Hosseini,[74] M. Khakzad,[74] E. Khazaie,[74] M. Mohammadi Najafabadi,[74] S. Tizchang,[74,uu] M. Felcini,[75] M. Grunewald,[75] M. Abbrescia,[76a,76b] M. Barbieri,[76a,76b] M. Buonsante,[76a,76b] A. Colaleo,[76a,76b] D. Creanza,[76a,76c] B. D'Anzi,[76a,76b] N. De Filippis,[76a,76c] M. De Palma,[76a,76b] W. Elmetenawee,[76a,76b,vv] N. Ferrara,[76a,76c] L. Fiore,[76a] L. Longo,[76a] M. Louka,[76a,76b] G. Maggi,[76a,76c] M. Maggi,[76a] I. Margjeka,[76a] V. Mastrapasqua,[76a,76b] S. My,[76a,76b] F. Nenna,[76a,76b] S. Nuzzo,[76a,76b] A. Pellecchia,[76a,76b] A. Pompili,[76a,76b] G. Pugliese,[76a,76c] R. Radogna,[76a,76b] D. Ramos,[76a] A. Ranieri,[76a] L. Silvestris,[76a] F. M. Simone,[76a,76c] Ü. Sözbilir,[76a] A. Stamerra,[76a,76b] D. Troiano,[76a,76b] R. Venditti,[76a,76b] P. Verwilligen,[76a] A. Zaza,[76a,76b] G. Abbiendi,[77a] C. Battilana,[77a,77b] D. Bonacorsi,[77a,77b] P. Capiluppi,[77a,77b] F. R. Cavallo,[77a] M. Cuffiani,[77a,77b] G. M. Dallavalle,[77a] T. Diotalevi,[77a,77b] F. Fabbri,[77a] A. Fanfani,[77a,77b] D. Fasanella,[77a] C. Grandi,[77a] L. Guiducci,[77a,77b] S. Lo Meo,[77a,ww] M. Lorusso,[77a,77b] L. Lunerti,[77a] S. Marcellini,[77a] G. Masetti,[77a] F. L. Navarria,[77a,77b] G. Paggi,[77a,77b] A. Perrotta,[77a] F. Primavera,[77a,77b] A. M. Rossi,[77a,77b] S. Rossi Tisbeni,[77a,77b] T. Rovelli,[77a,77b] G. P. Siroli,[77a,77b] S. Costa,[78a,78b,xx] A. Di Mattia,[78a] A. Lapertosa,[78a] R. Potenza,[78a,78b] A. Tricomi,[78a,78b,xx] J. Altork,[79a,79b] P. Assiouras,[79a] G. Barbagli,[79a] G. Bardelli,[79a] M. Bartolini,[79a,79b] A. Calandri,[79a,79b] B. Camaiani,[79a,79b] A. Cassese,[79a] R. Ceccarelli,[79a] V. Ciulli,[79a,79b] C. Civinini,[79a] R. D'Alessandro,[79a,79b] L. Damenti,[79a,79b] E. Focardi,[79a,79b] T. Kello,[79a] G. Latino,[79a,79b] P. Lenzi,[79a,79b] M. Lizzo,[79a] M. Meschini,[79a] S. Paoletti,[79a] A. Papanastassiou,[79a,79b] G. Sguazzoni,[79a] L. Viliani,[79a] L. Benussi,[80] S. Colafranceschi,[80,yy] S. Meola,[80,zz] D. Piccolo,[80] M. Alves Gallo Pereira,[81a] F. Ferro,[81a] E. Robutti,[81a] S. Tosi,[81a,81b] A. Benaglia,[82a] F. Brivio,[82a] V. Camagni,[82a,82b] F. Cetorelli,[82a,82b] F. De Guio,[82a,82b] M. E. Dinardo,[82a,82b] P. Dini,[82a] S. Gennai,[82a] R. Gerosa,[82a,82b] A. Ghezzi,[82a,82b] P. Govoni,[82a,82b] L. Guzzi,[82a] M. R. Kim,[82a] G. Lavizzari,[82a,82b] M. T. Lucchini,[82a,82b] M. Malberti,[82a] S. Malvezzi,[82a] A. Massironi,[82a] D. Menasce,[82a] L. Moroni,[82a] M. Paganoni,[82a,82b] S. Palluotto,[82a,82b] D. Pedrini,[82a] A. Perego,[82a,82b] B. S. Pinolini,[82a] G. Pizzati,[82a,82b] S. Ragazzi,[82a,82b] T. Tabarelli de Fatis,[82a,82b] S. Buontempo,[83a] C. Di Fraia,[83a,83b] F. Fabozzi,[83a,83c] L. Favilla,[83a,83d] A. O. M. Iorio,[83a,83b] L. Lista,[83a,83b,aaa] P. Paolucci,[83a,dd] B. Rossi,[83a] P. Azzi,[84a] N. Bacchetta,[84a,bbb] A. Bergnoli,[84a] D. Bisello,[84a,84b] P. Bortignon,[84a,84c] G. Bortolato,[84a,84b] A. C. M. Bulla,[84a,84c] P. Checchia,[84a] T. Dorigo,[84a,ccc] F. Gasparini,[84a,84b] U. Gasparini,[84a,84b] S. Giorgetti,[84a] E. Lusiani,[84a] M. Margoni,[84a,84b] A. T. Meneguzzo,[84a,84b] J. Pazzini,[84a,84b] P. Ronchese,[84a,84b] R. Rossin,[84a,84b] F. Simonetto,[84a,84b] M. Tosi,[84a,84b] A. Triossi,[84a,84b] S. Ventura,[84a] M. Zanetti,[84a,84b] P. Zotto,[84a,84b] A. Zucchetta,[84a,84b] A. Braghieri,[85a] S. Calzaferri,[85a] P. Montagna,[85a,85b] M. Pelliccioni,[85a] V. Re,[85a] C. Riccardi,[85a,85b] P. Salvini,[85a] I. Vai,[85a,85b] P. Vitulo,[85a,85b] S. Ajmal,[86a,86b] M. E. Ascioti,[86a,86b] G. M. Bilei,[86a] C. Carrivale,[86a,86b] D. Ciangottini,[86a,86b] L. Della Penna,[86a,86b] L. Fanò,[86a,86b] V. Mariani,[86a,86b] M. Menichelli,[86a] F. Moscatelli,[86a,ddd] A. Rossi,[86a,86b] A. Santocchia,[86a,86b] D. Spiga,[86a] T. Tedeschi,[86a,86b] C. Aimè,[87a,87b] C. A. Alexe,[87a,87c] P. Asenov,[87a,87b] P. Azzurri,[87a] G. Bagliesi,[87a] R. Bhattacharya,[87a] L. Bianchini,[87a,87b] T. Boccali,[87a] E. Bossini,[87a] D. Bruschini,[87a,87c] L. Calligaris,[87a,87b] R. Castaldi,[87a] F. Cattafesta,[87a,87c] M. A. Ciocci,[87a,87d] M. Cipriani,[87a,87b] R. Dell'Orso,[87a] S. Donato,[87a,87b] R. Forti,[87a,87b] A. Giassi,[87a] F. Ligabue,[87a,87c] A. C. Marini,[87a,87b] D. Matos Figueiredo,[87a] A. Messineo,[87a,87b] S. Mishra,[87a] V. K. Muraleedharan Nair Bindhu,[87a,87b] S. Nandan,[87a] F. Palla,[87a] M. Riggirello,[87a,87c] A. Rizzi,[87a,87b] G. Rolandi,[87a,87c] S. Roy Chowdhury,[87a,eee] T. Sarkar,[87a] A. Scribano,[87a] P. Solanki,[87a,87b] P. Spagnolo,[87a] F. Tenchini,[87a,87b] R. Tenchini,[87a] G. Tonelli,[87a,87d] N. Turini,[87a,87d] F. Vaselli,[87a,87c] A. Venturi,[87a] P. G. Verdini,[87a] P. Akrap,[88a,88b] C. Basile,[88a,88b] S. C. Behera,[88a] F. Cavallari,[88a] L. Cunqueiro Mendez,[88a,88b] F. De Riggi,[88a,88b] D. Del Re,[88a,88b] E. Di Marco,[88a] M. Diemoz,[88a] F. Errico,[88a] L. Frosina,[88a,88b] R. Gargiulo,[88a,88b] B. Harikrishnan,[88a,88b] F. Lombardi,[88a,88b] E. Longo,[88a,88b] L. Martikainen,[88a,88b] J. Mijuskovic,[88a,88b] G. Organtini,[88a,88b] N. Palmeri,[88a,88b] R. Paramatti,[88a,88b] C. Quaranta,[88a,88b] S. Rahatlou,[88a,88b] C. Rovelli,[88a] F. Santanastasio,[88a,88b] L. Soffi,[88a]

V. Vladimirov,[88a,88b] N. Amapane,[89a,89b] R. Arcidiacono,[89a,89c] S. Argiro,[89a,89b] M. Arneodo,[89a,89c] N. Bartosik,[89a,89c] R. Bellan,[89a,89b] A. Bellora,[89a,89b] C. Biino,[89a] C. Borca,[89a,89b] N. Cartiglia,[89a] M. Costa,[89a,89b] R. Covarelli,[89a,89b] N. Demaria,[89a] L. Finco,[89a] M. Grippo,[89a,89b] B. Kiani,[89a,89b] L. Lanteri,[89a,89b] F. Legger,[89a] F. Luongo,[89a,89b] C. Mariotti,[89a] S. Maselli,[89a] A. Mecca,[89a,89b] L. Menzio,[89a,89b] P. Meridiani,[89a] E. Migliore,[89a,89b] M. Monteno,[89a] M. M. Obertino,[89a,89b] G. Ortona,[89a] L. Pacher,[89a,89b] N. Pastrone,[89a] M. Ruspa,[89a,89c] F. Siviero,[89a,89b] V. Sola,[89a,89b] A. Solano,[89a,89b] A. Staiano,[89a] C. Tarricone,[89a,89b] D. Trocino,[89a] G. Umoret,[89a,89b] E. Vlasov,[89a,89b] R. White,[89a,89b] J. Babbar,[90a,90b] S. Belforte,[90a] V. Candelise,[90a,90b] M. Casarsa,[90a] F. Cossutti,[90a] K. De Leo,[90a] G. Della Ricca,[90a,90b] R. Delli Gatti,[90a,90b] S. Dogra,[91] J. Hong,[91] J. Kim,[91] T. Kim,[91] D. Lee,[91] H. Lee,[91] J. Lee,[91] S. W. Lee,[91] C. S. Moon,[91] Y. D. Oh,[91] S. Sekmen,[91] B. Tae,[91] Y. C. Yang,[91] M. S. Kim,[92] G. Bak,[93] P. Gwak,[93] H. Kim,[93] D. H. Moon,[93] J. Seo,[93] E. Asilar,[94] F. Carnevali,[94] J. Choi,[94,fff] T. J. Kim,[94] Y. Ryou,[94] S. Ha,[95] S. Han,[95] B. Hong,[95] J. Kim,[95] K. Lee,[95] K. S. Lee,[95] S. Lee,[95] J. Yoo,[95] J. Goh,[96] J. Shin,[96] S. Yang,[96] Y. Kang,[97] H. S. Kim,[97] Y. Kim,[97] S. Lee,[97] J. Almond,[98] J. H. Bhyun,[98] J. Choi,[98] J. Choi,[98] W. Jun,[98] H. Kim,[98] J. Kim,[98] T. Kim,[98] Y. Kim,[98] Y. W. Kim,[98] S. Ko,[98] H. Lee,[98] J. Lee,[98] J. Lee,[98] B. H. Oh,[98] S. B. Oh,[98] J. Shin,[98] U. K. Yang,[98] I. Yoon,[98] W. Jang,[99] D. Y. Kang,[99] D. Kim,[99] S. Kim,[99] B. Ko,[99] J. S. H. Lee,[99] Y. Lee,[99] I. C. Park,[99] Y. Roh,[99] I. J. Watson,[99] G. Cho,[100] K. Hwang,[100] B. Kim,[100] S. Kim,[100] K. Lee,[100] H. D. Yoo,[100] M. Choi,[101] Y. Lee,[101] I. Yu,[101] T. Beyrouthy,[102] Y. Gharbia,[102] F. Alazemi,[103] K. Dreimanis,[104] O. M. Eberlins,[104] A. Gaile,[104] C. Munoz Diaz,[104] D. Osite,[104] G. Pikurs,[104] R. Plese,[104] A. Potrebko,[104] M. Seidel,[104] D. Sidiropoulos Kontos,[104] N. R. Strautnieks,[105] M. Ambrozas,[106] A. Juodagalvis,[106] S. Nargelas,[106] A. Rinkevicius,[106] G. Tamulaitis,[106] I. Yusuff,[107,ggg] Z. Zolkapli,[107] J. F. Benitez,[108] A. Castaneda Hernandez,[108] A. Cota Rodriguez,[108] L. E. Cuevas Picos,[108] H. A. Encinas Acosta,[108] L. G. Gallegos Maríñez,[108] J. A. Murillo Quijada,[108] A. Sehrawat,[108] L. Valencia Palomo,[108] G. Ayala,[109] H. Castilla-Valdez,[109] H. Crotte Ledesma,[109] R. Lopez-Fernandez,[109] J. Mejia Guisao,[109] R. Reyes-Almanza,[109] A. Sánchez Hernández,[109] C. Oropeza Barrera,[110] D. L. Ramirez Guadarrama,[110] M. Ramírez García,[110] I. Bautista,[111] F. E. Neri Huerta,[111] I. Pedraza,[111] H. A. Salazar Ibarguen,[111] C. Uribe Estrada,[111] I. Bubanja,[112] N. Raicevic,[112] P. H. Butler,[113] A. Ahmad,[114] M. I. Asghar,[114] A. Awais,[114] M. I. M. Awan,[114] W. A. Khan,[114] V. Avati,[115] L. Forthomme,[115] L. Grzanka,[115] M. Malawski,[115] K. Piotrzkowski,[115] M. Bluj,[116] M. Górski,[116] M. Kazana,[116] M. Szleper,[116] P. Zalewski,[116] K. Bunkowski,[117] K. Doroba,[117] A. Kalinowski,[117] M. Konecki,[117] J. Krolikowski,[117] A. Muhammad,[117] P. Fokow,[118] K. Pozniak,[118] W. Zabolotny,[118] M. Araujo,[119] D. Bastos,[119] C. Beirão Da Cruz E Silva,[119] A. Boletti,[119] M. Bozzo,[119] T. Camporesi,[119] G. Da Molin,[119] M. Gallinaro,[119] J. Hollar,[119] N. Leonardo,[119] G. B. Marozzo,[119] A. Petrilli,[119] M. Pisano,[119] J. Seixas,[119] J. Varela,[119] J. W. Wulff,[119] P. Adzic,[120] L. Markovic,[120] P. Milenovic,[120] V. Milosevic,[120] D. Devetak,[121] M. Dordevic,[121] J. Milosevic,[121] L. Nadderd,[121] V. Rekovic,[121] M. Stojanovic,[121] M. Alcalde Martinez,[122] J. Alcaraz Maestre,[122] Cristina F. Bedoya,[122] J. A. Brochero Cifuentes,[122] Oliver M. Carretero,[122] M. Cepeda,[122] M. Cerrada,[122] N. Colino,[122] J. Cuchillo Ortega,[122] B. De La Cruz,[122] A. Delgado Peris,[122] A. Escalante Del Valle,[122] D. Fernández Del Val,[122] J. P. Fernández Ramos,[122] J. Flix,[122] M. C. Fouz,[122] M. Gonzalez Hernandez,[122] O. Gonzalez Lopez,[122] S. Goy Lopez,[122] J. M. Hernandez,[122] M. I. Josa,[122] J. Llorente Merino,[122] C. Martin Perez,[122] E. Martin Viscasillas,[122] D. Moran,[122] C. M. Morcillo Perez,[122] R. Paz Herrera,[122] C. Perez Dengra,[122] A. Pérez-Calero Yzquierdo,[122] J. Puerta Pelayo,[122] I. Redondo,[122] J. Vazquez Escobar,[122] J. F. de Trocóniz,[123] B. Alvarez Gonzalez,[124] J. Ayllon Torresano,[124] A. Cardini,[124] J. Cuevas,[124] J. Del Riego Badas,[124] D. Estrada Acevedo,[124] J. Fernandez Menendez,[124] S. Folgueras,[124] I. Gonzalez Caballero,[124] P. Leguina,[124] M. Obeso Menendez,[124] E. Palencia Cortezon,[124] J. Prado Pico,[124] A. Soto Rodríguez,[124] C. Vico Villalba,[124] P. Vischia,[124] S. Blanco Fernández,[125] I. J. Cabrillo,[125] A. Calderon,[125] J. Duarte Campderros,[125] M. Fernandez,[125] G. Gomez,[125] C. Lasaosa García,[125] R. Lopez Ruiz,[125] C. Martinez Rivero,[125] P. Martinez Ruiz del Arbol,[125] F. Matorras,[125] P. Matorras Cuevas,[125] E. Navarrete Ramos,[125] J. Piedra Gomez,[125] C. Quintana San Emeterio,[125] L. Scodellaro,[125] I. Vila,[125] R. Vilar Cortabitarte,[125] J. M. Vizan Garcia,[125] B. Kailasapathy,[126,hhh] D. D. C. Wickramarathna,[126] W. G. D. Dharmaratna,[127,iii] K. Liyanage,[127] N. Perera,[127] D. Abbaneo,[128] C. Amendola,[128] R. Ardino,[128] E. Auffray,[128] J. Baechler,[128] D. Barney,[128] M. Bianco,[128] A. Bocci,[128] L. Borgonovi,[128] C. Botta,[128] A. Bragagnolo,[128] C. E. Brown,[128] C. Caillol,[128] G. Cerminara,[128] P. Connor,[128] D. d'Enterria,[128] A. Dabrowski,[128] A. David,[128] A. De Roeck,[128] M. M. Defranchis,[128] M. Deile,[128] M. Dobson,[128] P. J. Fernández Manteca,[128] W. Funk,[128] A. Gaddi,[128] S. Giani,[128] D. Gigi,[128] K. Gill,[128] F. Glege,[128] M. Glowacki,[128] A. Gruber,[128] J. Hegeman,[128] J. K. Heikkilä,[128] B. Huber,[128] V. Innocente,[128] T. James,[128] P. Janot,[128] O. Kaluzinska,[128] O. Karacheban,[128,bb] G. Karathanasis,[128] S. Laurila,[128] P. Lecoq,[128] C. Lourenço,[128] A.-M. Lyon,[128] M. Magherini,[128] L. Malgeri,[128] M. Mannelli,[128] A. Mehta,[128] F. Meijers,[128]

J. A. Merlin,[128] S. Mersi,[128] E. Meschi,[128] M. Migliorini,[128] F. Monti,[128] F. Moortgat,[128] M. Mulders,[128] M. Musich,[128] I. Neutelings,[128] S. Orfanelli,[128] F. Pantaleo,[128] M. Pari,[128] G. Petrucciani,[128] A. Pfeiffer,[128] M. Pierini,[128] M. Pitt,[128] H. Qu,[128] D. Rabady,[128] A. Reimers,[128] B. Ribeiro Lopes,[128] F. Riti,[128] P. Rosado,[128] M. Rovere,[128] H. Sakulin,[128] R. Salvatico,[128] S. Sanchez Cruz,[128] S. Scarfi,[128] M. Selvaggi,[128] A. Sharma,[128] K. Shchelina,[128] P. Silva,[128] P. Sphicas,[128,jjj] A. G. Stahl Leiton,[128] A. Steen,[128] S. Summers,[128] D. Treille,[128] P. Tropea,[128] E. Vernazza,[128] J. Wanczyk,[128,kkk] J. Wang,[128] S. Wuchterl,[128] M. Zarucki,[128] P. Zehetner,[128] P. Zejdl,[128] G. Zevi Della Porta,[128] T. Bevilacqua,[129,lll] L. Caminada,[129,lll] W. Erdmann,[129] R. Horisberger,[129] Q. Ingram,[129] H. C. Kaestli,[129] D. Kotlinski,[129] C. Lange,[129] U. Langenegger,[129] M. Missiroli,[129,lll] L. Noehte,[129,lll] T. Rohe,[129] A. Samalan,[129] T. K. Aarrestad,[130] M. Backhaus,[130] G. Bonomelli,[130] C. Cazzaniga,[130] K. Datta,[130] P. De Bryas Dexmiers D'archiacchiac,[130,kkk] A. De Cosa,[130] G. Dissertori,[130] M. Dittmar,[130] M. Donegà,[130] F. Eble,[130] K. Gedia,[130] F. Glessgen,[130] C. Grab,[130] N. Härringer,[130] T. G. Harte,[130] W. Lustermann,[130] M. Malucchi,[130] R. A. Manzoni,[130] M. Marchegiani,[130] L. Marchese,[130] A. Mascellani,[130,kkk] F. Nessi-Tedaldi,[130] F. Pauss,[130] V. Perovic,[130] B. Ristic,[130] R. Seidita,[130] J. Steggemann,[130,kkk] A. Tarabini,[130] D. Valsecchi,[130] R. Wallny,[130] C. Amsler,[131,mmm] P. Bärtschi,[131] F. Bilandzija,[131] M. F. Canelli,[131] G. Celotto,[131] K. Cormier,[131] M. Huwiler,[131] W. Jin,[131] A. Jofrehei,[131] B. Kilminster,[131] T. H. Kwok,[131] S. Leontsinis,[131] V. Lukashenko,[131] A. Macchiolo,[131] F. Meng,[131] J. Motta,[131] P. Robmann,[131] M. Senger,[131] E. Shokr,[131] F. Stäger,[131] R. Tramontano,[131] D. Bhowmik,[132] C. M. Kuo,[132] P. K. Rout,[132] S. Taj,[132] P. C. Tiwari,[132,mm] L. Ceard,[133] K. F. Chen,[133] Z. g. Chen,[133] A. De Iorio,[133] W.-S. Hou,[133] T. h. Hsu,[133] Y. w. Kao,[133] S. Karmakar,[133] G. Kole,[133] Y. y. Li,[133] R.-S. Lu,[133] E. Paganis,[133] X. f. Su,[133] J. Thomas-Wilsker,[133] L. s. Tsai,[133] D. Tsionou,[133] H. y. Wu,[133] E. Yazgan,[133] C. Asawatangtrakuldee,[134] N. Srimanobhas,[134] Y. Maghrbi,[135] D. Agyel,[136] F. Dolek,[136] I. Dumanoglu,[136,nnn] Y. Guler,[136,ooo] E. Gurpinar Guler,[136,ooo] C. Isik,[136] O. Kara,[136] A. Kayis Topaksu,[136] Y. Komurcu,[136] G. Onengut,[136] K. Ozdemir,[136,ppp] B. Tali,[136,qqq] U. G. Tok,[136] E. Uslan,[136] I. S. Zorbakir,[136] M. Yalvac,[137,rrr] B. Akgun,[138] I. O. Atakisi,[138,sss] E. Gülmez,[138] M. Kaya,[138,ttt] O. Kaya,[138,uuu] M. A. Sarkisla,[138,vvv] S. Tekten,[138,www] A. Cakir,[139] K. Cankocak,[139,nnn,xxx] S. Sen,[139,yyy] O. Aydilek,[140,zzz] B. Hacisahinoglu,[140] I. Hos,[140,aaaa] B. Kaynak,[140] S. Ozkorucuklu,[140] O. Potok,[140] H. Sert,[140] C. Simsek,[140] C. Zorbilmez,[140] S. Cerci,[141] B. Isildak,[141,bbbb] E. Simsek,[141] D. Sunar Cerci,[141] T. Yetkin,[141,v] A. Boyaryntsev,[142] O. Dadazhanova,[142] B. Grynyov,[142] L. Levchuk,[143] J. J. Brooke,[144] A. Bundock,[144] F. Bury,[144] E. Clement,[144] D. Cussans,[144] D. Dharmender,[144] H. Flacher,[144] J. Goldstein,[144] H. F. Heath,[144] M.-L. Holmberg,[144] L. Kreczko,[144] S. Paramesvaran,[144] L. Robertshaw,[144] M. S. Sanjrani,[144,qq] J. Segal,[144] V. J. Smith,[144] A. H. Ball,[145] K. W. Bell,[145] A. Belyaev,[145,cccc] C. Brew,[145] R. M. Brown,[145] D. J. A. Cockerill,[145] A. Elliot,[145] K. V. Ellis,[145] J. Gajownik,[145] K. Harder,[145] S. Harper,[145] J. Linacre,[145] K. Manolopoulos,[145] M. Moallemi,[145] D. M. Newbold,[145] E. Olaiya,[145] D. Petyt,[145] T. Reis,[145] A. R. Sahasransu,[145] G. Salvi,[145] T. Schuh,[145] C. H. Shepherd-Themistocleous,[145] I. R. Tomalin,[145] K. C. Whalen,[145] T. Williams,[145] I. Andreou,[146] R. Bainbridge,[146] P. Bloch,[146] O. Buchmuller,[146] C. A. Carrillo Montoya,[146] D. Colling,[146] J. S. Dancu,[146] I. Das,[146] P. Dauncey,[146] G. Davies,[146] M. Della Negra,[146] S. Fayer,[146] G. Fedi,[146] G. Hall,[146] H. R. Hoorani,[146] A. Howard,[146] G. Iles,[146] C. R. Knight,[146] P. Krueper,[146] J. Langford,[146] K. H. Law,[146] J. León Holgado,[146] E. Leutgeb,[146] L. Lyons,[146] A.-M. Magnan,[146] B. Maier,[146] S. Mallios,[146] A. Mastronikolis,[146] M. Mieskolainen,[146] J. Nash,[146,dddd] M. Pesaresi,[146] P. B. Pradeep,[146] B. C. Radburn-Smith,[146] A. Richards,[146] A. Rose,[146] L. Russell,[146] K. Savva,[146] C. Seez,[146] R. Shukla,[146] A. Tapper,[146] K. Uchida,[146] G. P. Uttley,[146] T. Virdee,[146,dd] M. Vojinovic,[146] N. Wardle,[146] D. Winterbottom,[146] J. E. Cole,[147] A. Khan,[147] P. Kyberd,[147] I. D. Reid,[147] S. Abdullin,[148] A. Brinkerhoff,[148] E. Collins,[148] M. R. Darwish,[148] J. Dittmann,[148] K. Hatakeyama,[148] V. Hegde,[148] J. Hiltbrand,[148] B. McMaster,[148] J. Samudio,[148] S. Sawant,[148] C. Sutantawibul,[148] J. Wilson,[148] J. M. Hogan,[149,eeee] R. Bartek,[150] A. Dominguez,[150] S. Raj,[150] A. E. Simsek,[150] S. S. Yu,[150] B. Bam,[151] A. Buchot Perraguin,[151] S. Campbell,[151] R. Chudasama,[151] S. I. Cooper,[151] C. Crovella,[151] G. Fidalgo,[151] S. V. Gleyzer,[151] A. Khukhunaishvili,[151] K. Matchev,[151] E. Pearson,[151] C. U. Perez,[151] P. Rumerio,[151,ffff] E. Usai,[151] R. Yi,[151] S. Cholak,[152] G. De Castro,[152] Z. Demiragli,[152] C. Erice,[152] C. Fangmeier,[152] C. Fernandez Madrazo,[152] E. Fontanesi,[152] J. Fulcher,[152] F. Golf,[152] S. Jeon,[152] J. O'Cain,[152] I. Reed,[152] J. Rohlf,[152] K. Salyer,[152] D. Sperka,[152] D. Spitzbart,[152] I. Suarez,[152] A. Tsatsos,[152] E. Wurtz,[152] A. G. Zecchinelli,[152] G. Barone,[153] G. Benelli,[153] D. Cutts,[153] S. Ellis,[153] L. Gouskos,[153] M. Hadley,[153] U. Heintz,[153] K. W. Ho,[153] T. Kwon,[153] G. Landsberg,[153] K. T. Lau,[153] J. Luo,[153] S. Mondal,[153] J. Roloff,[153] T. Russell,[153] S. Sagir,[153,gggg] X. Shen,[153] M. Stamenkovic,[153] N. Venkatasubramanian,[153] S. Abbott,[154] B. Barton,[154] R. Breedon,[154] H. Cai,[154] M. Calderon De La Barca Sanchez,[154] M. Chertok,[154] M. Citron,[154] J. Conway,[154] P. T. Cox,[154] R. Erbacher,[154] O. Kukral,[154] G. Mocellin,[154] S. Ostrom,[154] I. Salazar Segovia,[154] W. Wei,[154] S. Yoo,[154] K. Adamidis,[155] M. Bachtis,[155] D. Campos,[155] R. Cousins,[155] A. Datta,[155] G. Flores Avila,[155] J. Hauser,[155] M. Ignatenko,[155]

M. A. Iqbal,[155] T. Lam,[155] Y. f. Lo,[155] E. Manca,[155] A. Nunez Del Prado,[155] D. Saltzberg,[155] V. Valuev,[155] R. Clare,[156] J. W. Gary,[156] G. Hanson,[156] A. Aportela,[157] A. Arora,[157] J. G. Branson,[157] S. Cittolin,[157] S. Cooperstein,[157] D. Diaz,[157] J. Duarte,[157] L. Giannini,[157] Y. Gu,[157] J. Guiang,[157] V. Krutelyov,[157] R. Lee,[157] J. Letts,[157] H. Li,[157] M. Masciovecchio,[157] F. Mokhtar,[157] S. Mukherjee,[157] M. Pieri,[157] D. Primosch,[157] M. Quinnan,[157] V. Sharma,[157] M. Tadel,[157] E. Vourliotis,[157] F. Würthwein,[157] A. Yagil,[157] Z. Zhao,[157] A. Barzdukas,[158] L. Brennan,[158] C. Campagnari,[158] S. Carron Montero,[158,hhhh] K. Downham,[158] C. Grieco,[158] M. M. Hussain,[158] J. Incandela,[158] M. W. K. Lai,[158] A. J. Li,[158] P. Masterson,[158] J. Richman,[158] S. N. Santpur,[158] U. Sarica,[158] R. Schmitz,[158] F. Setti,[158] J. Sheplock,[158] D. Stuart,[158] T. Á. Vámi,[158] X. Yan,[158] D. Zhang,[158] A. Albert,[159] S. Bhattacharya,[159] A. Bornheim,[159] O. Cerri,[159] R. Kansal,[159] J. Mao,[159] H. B. Newman,[159] G. Reales Gutiérrez,[159] T. Sievert,[159] M. Spiropulu,[159] J. R. Vlimant,[159] R. A. Wynne,[159] S. Xie,[159] J. Alison,[160] S. An,[160] M. Cremonesi,[160] V. Dutta,[160] E. Y. Ertorer,[160] T. Ferguson,[160] T. A. Gómez Espinosa,[160] A. Harilal,[160] A. Kallil Tharayil,[160] M. Kanemura,[160] C. Liu,[160] P. Meiring,[160] T. Mudholkar,[160] S. Murthy,[160] P. Palit,[160] K. Park,[160] M. Paulini,[160] A. Roberts,[160] A. Sanchez,[160] W. Terrill,[160] J. P. Cumalat,[161] W. T. Ford,[161] A. Hart,[161] A. Hassani,[161] S. Kwan,[161] J. Pearkes,[161] C. Savard,[161] N. Schonbeck,[161] K. Stenson,[161] K. A. Ulmer,[161] S. R. Wagner,[161] N. Zipper,[161] D. Zuolo,[161] J. Alexander,[162] X. Chen,[162] D. J. Cranshaw,[162] J. Dickinson,[162] J. Fan,[162] X. Fan,[162] J. Grassi,[162] S. Hogan,[162] P. Kotamnives,[162] J. Monroy,[162] G. Niendorf,[162] M. Oshiro,[162] J. R. Patterson,[162] M. Reid,[162] A. Ryd,[162] J. Thom,[162] P. Wittich,[162] R. Zou,[162] L. Zygala,[162] M. Albrow,[163] M. Alyari,[163] O. Amram,[163] G. Apollinari,[163] A. Apresyan,[163] L. A. T. Bauerdick,[163] D. Berry,[163] J. Berryhill,[163] P. C. Bhat,[163] K. Burkett,[163] J. N. Butler,[163] A. Canepa,[163] G. B. Cerati,[163] H. W. K. Cheung,[163] F. Chlebana,[163] C. Cosby,[163] G. Cummings,[163] I. Dutta,[163] V. D. Elvira,[163] J. Freeman,[163] A. Gandrakota,[163] Z. Gecse,[163] L. Gray,[163] D. Green,[163] A. Grummer,[163] S. Grünendahl,[163] D. Guerrero,[163] O. Gutsche,[163] R. M. Harris,[163] T. C. Herwig,[163] J. Hirschauer,[163] B. Jayatilaka,[163] S. Jindariani,[163] M. Johnson,[163] U. Joshi,[163] T. Klijnsma,[163] B. Klima,[163] K. H. M. Kwok,[163] S. Lammel,[163] C. Lee,[163] D. Lincoln,[163] R. Lipton,[163] T. Liu,[163] K. Maeshima,[163] D. Mason,[163] P. McBride,[163] P. Merkel,[163] S. Mrenna,[163] S. Nahn,[163] J. Ngadiuba,[163] D. Noonan,[163] S. Norberg,[163] V. Papadimitriou,[163] N. Pastika,[163] K. Pedro,[163] C. Pena,[163,iiii] C. E. Perez Lara,[163] F. Ravera,[163] A. Reinsvold Hall,[163,jjjj] L. Ristori,[163] M. Safdari,[163] E. Sexton-Kennedy,[163] N. Smith,[163] A. Soha,[163] L. Spiegel,[163] S. Stoynev,[163] J. Strait,[163] L. Taylor,[163] S. Tkaczyk,[163] N. V. Tran,[163] L. Uplegger,[163] E. W. Vaandering,[163] C. Wang,[163] I. Zoi,[163] C. Aruta,[164] P. Avery,[164] D. Bourilkov,[164] P. Chang,[164] V. Cherepanov,[164] R. D. Field,[164] C. Huh,[164] E. Koenig,[164] M. Kolosova,[164] J. Konigsberg,[164] A. Korytov,[164] N. Menendez,[164] G. Mitselmakher,[164] K. Mohrman,[164] A. Muthirakalayil Madhu,[164] N. Rawal,[164] S. Rosenzweig,[164] V. Sulimov,[164] Y. Takahashi,[164] J. Wang,[164] T. Adams,[165] A. Al Kadhim,[165] A. Askew,[165] S. Bower,[165] R. Hashmi,[165] R. S. Kim,[165] T. Kolberg,[165] G. Martinez,[165] M. Mazza,[165] H. Prosper,[165] P. R. Prova,[165] M. Wulansatiti,[165] R. Yohay,[165] B. Alsufyani,[166] S. Butalla,[166] S. Das,[166] M. Hohlmann,[166] M. Lavinsky,[166] E. Yanes,[166] M. R. Adams,[167] N. Barnett,[167] A. Baty,[167] C. Bennett,[167] R. Cavanaugh,[167] R. Escobar Franco,[167] O. Evdokimov,[167] C. E. Gerber,[167] H. Gupta,[167] M. Hawksworth,[167] A. Hingrajiya,[167] D. J. Hofman,[167] J. h. Lee,[167] D. S. Lemos,[167] C. Mills,[167] S. Nanda,[167] G. Nigmatkulov,[167] B. Ozek,[167] T. Phan,[167] D. Pilipovic,[167] R. Pradhan,[167] E. Prifti,[167] P. Roy,[167] T. Roy,[167] N. Singh,[167] M. B. Tonjes,[167] N. Varelas,[167] M. A. Wadud,[167] J. Yoo,[167] M. Alhusseini,[168] D. Blend,[168] K. Dilsiz,[168,kkkk] O. K. Köseyan,[168] A. Mestvirishvili,[168,llll] O. Neogi,[168] H. Ogul,[168,mmmm] Y. Onel,[168] A. Penzo,[168] C. Snyder,[168] E. Tiras,[168,nnnn] B. Blumenfeld,[169] J. Davis,[169] A. V. Gritsan,[169] L. Kang,[169] S. Kyriacou,[169] P. Maksimovic,[169] M. Roguljic,[169] S. Sekhar,[169] M. V. Srivastav,[169] M. Swartz,[169] A. Abreu,[170] L. F. Alcerro Alcerro,[170] J. Anguiano,[170] S. Arteaga Escatel,[170] P. Baringer,[170] A. Bean,[170] Z. Flowers,[170] D. Grove,[170] J. King,[170] G. Krintiras,[170] M. Lazarovits,[170] C. Le Mahieu,[170] J. Marquez,[170] M. Murray,[170] M. Nickel,[170] S. Popescu,[170,oooo] C. Rogan,[170] C. Royon,[170] S. Rudrabhatla,[170] S. Sanders,[170] C. Smith,[170] G. Wilson,[170] B. Allmond,[171] N. Islam,[171] A. Ivanov,[171] K. Kaadze,[171] Y. Maravin,[171] J. Natoli,[171] G. G. Reddy,[171] D. Roy,[171] G. Sorrentino,[171] A. Baden,[172] A. Belloni,[172] A. Bistany-riebman,[172] S. C. Eno,[172] N. J. Hadley,[172] S. Jabeen,[172] R. G. Kellogg,[172] T. Koeth,[172] B. Kronheim,[172] S. Lascio,[172] P. Major,[172] A. C. Mignerey,[172] C. Palmer,[172] C. Papageorgakis,[172] M. M. Paranjpe,[172] E. Popova,[172,pppp] A. Shevelev,[172] L. Zhang,[172] C. Baldenegro Barrera,[173] J. Bendavid,[173] H. Bossi,[173] S. Bright-Thonney,[173] I. A. Cali,[173] Y. c. Chen,[173] P. c. Chou,[173] M. D'Alfonso,[173] J. Eysermans,[173] C. Freer,[173] G. Gomez-Ceballos,[173] M. Goncharov,[173] G. Grosso,[173] P. Harris,[173] D. Hoang,[173] G. M. Innocenti,[173] D. Kovalskyi,[173] J. Krupa,[173] L. Lavezzo,[173] Y.-J. Lee,[173] K. Long,[173] C. Mcginn,[173] A. Novak,[173] M. I. Park,[173] C. Paus,[173] C. Reissel,[173] C. Roland,[173] G. Roland,[173] S. Rothman,[173] T. a. Sheng,[173] G. S. F. Stephans,[173] D. Walter,[173] Z. Wang,[173] B. Wyslouch,[173] T. J. Yang,[173] B. Crossman,[174] W. J. Jackson,[174] C. Kapsiak,[174] M. Krohn,[174] D. Mahon,[174] J. Mans,[174] B. Marzocchi,[174] R. Rusack,[174] O. Sancar,[174]

R. Saradhy,[174] N. Strobbe,[174] K. Bloom,[175] D. R. Claes,[175] G. Haza,[175] J. Hossain,[175] C. Joo,[175] I. Kravchenko,[175]
A. Rohilla,[175] J. E. Siado,[175] W. Tabb,[175] A. Vagnerini,[175] A. Wightman,[175] F. Yan,[175] H. Bandyopadhyay,[176] L. Hay,[176]
H. w. Hsia,[176] I. Iashvili,[176] A. Kalogeropoulos,[176] A. Kharchilava,[176] A. Mandal,[176] M. Morris,[176] D. Nguyen,[176]
S. Rappoccio,[176] H. Rejeb Sfar,[176] A. Williams,[176] P. Young,[176] D. Yu,[176] G. Alverson,[177] E. Barberis,[177] J. Bonilla,[177]
B. Bylsma,[177] M. Campana,[177] J. Dervan,[177] Y. Haddad,[177] Y. Han,[177] I. Israr,[177] A. Krishna,[177] M. Lu,[177] N. Manganelli,[177]
R. Mccarthy,[177] D. M. Morse,[177] T. Orimoto,[177] A. Parker,[177] L. Skinnari,[177] C. S. Thoreson,[177] E. Tsai,[177] D. Wood,[177]
S. Dittmer,[178] K. A. Hahn,[178] Y. Liu,[178] M. Mcginnis,[178] Y. Miao,[178] D. G. Monk,[178] M. H. Schmitt,[178] A. Taliercio,[178]
M. Velasco,[178] J. Wang,[178] G. Agarwal,[179] R. Band,[179] R. Bucci,[179] S. Castells,[179] A. Das,[179] A. Ehnis,[179] R. Goldouzian,[179]
M. Hildreth,[179] K. Hurtado Anampa,[179] T. Ivanov,[179] C. Jessop,[179] A. Karneyeu,[179] K. Lannon,[179] J. Lawrence,[179]
N. Loukas,[179] L. Lutton,[179] J. Mariano,[179] N. Marinelli,[179] I. Mcalister,[179] T. McCauley,[179] C. Mcgrady,[179] C. Moore,[179]
Y. Musienko,[179,pppp] H. Nelson,[179] M. Osherson,[179] A. Piccinelli,[179] R. Ruchti,[179] A. Townsend,[179] Y. Wan,[179] M. Wayne,[179]
H. Yockey,[179] A. Basnet,[180] M. Carrigan,[180] R. De Los Santos,[180] L. S. Durkin,[180] C. Hill,[180] M. Joyce,[180]
M. Nunez Ornelas,[180] D. A. Wenzl,[180] B. L. Winer,[180] B. R. Yates,[180] H. Bouchamaoui,[181] K. Coldham,[181] P. Das,[181]
G. Dezoort,[181] P. Elmer,[181] A. Frankenthal,[181] M. Galli,[181] B. Greenberg,[181] N. Haubrich,[181] K. Kennedy,[181] G. Kopp,[181]
Y. Lai,[181] D. Lange,[181] A. Loeliger,[181] D. Marlow,[181] I. Ojalvo,[181] J. Olsen,[181] F. Simpson,[181] D. Stickland,[181] C. Tully,[181]
S. Malik,[182] R. Sharma,[182] S. Chandra,[183] R. Chawla,[183] A. Gu,[183] L. Gutay,[183] M. Jones,[183] A. W. Jung,[183] D. Kondratyev,[183]
M. Liu,[183] G. Negro,[183] N. Neumeister,[183] G. Paspalaki,[183] S. Piperov,[183] N. R. Saha,[183] J. F. Schulte,[183] F. Wang,[183]
A. Wildridge,[183] W. Xie,[183] Y. Yao,[183] Y. Zhong,[183] N. Parashar,[184] A. Pathak,[184] E. Shumka,[184] D. Acosta,[185] A. Agrawal,[185]
C. Arbour,[185] T. Carnahan,[185] K. M. Ecklund,[185] S. Freed,[185] P. Gardner,[185] F. J. M. Geurts,[185] T. Huang,[185]
I. Krommydas,[185] N. Lewis,[185] W. Li,[185] J. Lin,[185] O. Miguel Colin,[185] B. P. Padley,[185] R. Redjimi,[185] J. Rotter,[185]
E. Yigitbasi,[185] Y. Zhang,[185] O. Bessidskaia Bylund,[186] A. Bodek,[186] P. de Barbaro,[186,a] R. Demina,[186] A. Garcia-Bellido,[186]
H. S. Hare,[186] O. Hindrichs,[186] N. Parmar,[186] P. Parygin,[186,pppp] H. Seo,[186] R. Taus,[186] B. Chiarito,[187] J. P. Chou,[187]
S. V. Clark,[187] S. Donnelly,[187] D. Gadkari,[187] Y. Gershtein,[187] E. Halkiadakis,[187] M. Heindl,[187] C. Houghton,[187]
D. Jaroslawski,[187] A. Kobert,[187] S. Konstantinou,[187] I. Laflotte,[187] A. Lath,[187] J. Martins,[187] B. Rand,[187] J. Reichert,[187]
P. Saha,[187] S. Salur,[187] S. Schnetzer,[187] S. Somalwar,[187] R. Stone,[187] S. A. Thayil,[187] S. Thomas,[187] J. Vora,[187] D. Ally,[188]
A. G. Delannoy,[188] S. Fiorendi,[188] J. Harris,[188] S. Higginbotham,[188] T. Holmes,[188] A. R. Kanuganti,[188] N. Karunarathna,[188]
J. Lawless,[188] L. Lee,[188] E. Nibigira,[188] B. Skipworth,[188] S. Spanier,[188] D. Aebi,[189] M. Ahmad,[189] T. Akhter,[189]
K. Androsov,[189] A. Bolshov,[189] O. Bouhali,[189,qqqq] A. Cagnotta,[189] V. D'Amante,[189] R. Eusebi,[189] P. Flanagan,[189]
J. Gilmore,[189] Y. Guo,[189] T. Kamon,[189] S. Luo,[189] R. Mueller,[189] A. Safonov,[189] N. Akchurin,[190] J. Damgov,[190] Y. Feng,[190]
N. Gogate,[190] Y. Kazhykarim,[190] K. Lamichhane,[190] S. W. Lee,[190] C. Madrid,[190] A. Mankel,[190] T. Peltola,[190] I. Volobouev,[190]
E. Appelt,[191] Y. Chen,[191] S. Greene,[191] A. Gurrola,[191] W. Johns,[191] R. Kunnawalkam Elayavalli,[191] A. Melo,[191]
D. Rathjens,[191] F. Romeo,[191] P. Sheldon,[191] S. Tuo,[191] J. Velkovska,[191] J. Viinikainen,[191] J. Zhang,[191] B. Cardwell,[192]
H. Chung,[192] B. Cox,[192] J. Hakala,[192] R. Hirosky,[192] M. Jose,[192] A. Ledovskoy,[192] C. Mantilla,[192] C. Neu,[192]
C. Ramón Álvarez,[192] S. Bhattacharya,[193] P. E. Karchin,[193] A. Aravind,[194] S. Banerjee,[194] K. Black,[194] T. Bose,[194]
E. Chavez,[194] S. Dasu,[194] P. Everaerts,[194] C. Galloni,[194] H. He,[194] M. Herndon,[194] A. Herve,[194] C. K. Koraka,[194] S. Lomte,[194]
R. Loveless,[194] A. Mallampalli,[194] A. Mohammadi,[194] S. Mondal,[194] T. Nelson,[194] G. Parida,[194] L. Pétré,[194] D. Pinna,[194]
A. Savin,[194] V. Shang,[194] V. Sharma,[194] W. H. Smith,[194] D. Teague,[194] H. F. Tsoi,[194] W. Vetens,[194] A. Warden,[194]
S. Afanasiev,[195] V. Alexakhin,[195] Yu. Andreev,[195] T. Aushev,[195] D. Budkouski,[195] R. Chistov,[195,pppp] M. Danilov,[195,pppp]
T. Dimova,[195,pppp] A. Ershov,[195,pppp] S. Gninenko,[195] I. Gorbunov,[195] A. Gribushin,[195,pppp] A. Kamenev,[195] V. Karjavine,[195]
M. Kirsanov,[195] V. Klyukhin,[195,pppp] O. Kodolova,[195,rrrr,pppp] V. Korenkov,[195] A. Kozyrev,[195,pppp] N. Krasnikov,[195]
A. Lanev,[195] A. Malakhov,[195] V. Matveev,[195,pppp] A. Nikitenko,[195,ssss,rrrr] V. Palichik,[195] V. Perelygin,[195]
S. Petrushanko,[195,pppp] S. Polikarpov,[195,pppp] O. Radchenko,[195,pppp] M. Savina,[195] V. Shalaev,[195] S. Shmatov,[195] S. Shulha,[195]
Y. Skovpen,[195,pppp] V. Smirnov,[195] O. Teryaev,[195] I. Tlisova,[195,pppp] A. Toropin,[195] N. Voytishin,[195] B. S. Yuldashev,[195,a,tttt]
A. Zarubin,[195] I. Zhizhin,[195] L. Dudko,[196] K. Ivanov,[196] V. Kim,[196,pppp] V. Murzin,[196] V. Oreshkin,[196] D. Sosnov,[196]
E. Boos,[196] V. Bunichev,[196] M. Dubinin,[196,iiii] V. Savrin,[196] and A. Snigirev[196]

(CMS Collaboration)

[1]*Yerevan Physics Institute, Yerevan, Armenia*
[2]*Institut für Hochenergiephysik, Vienna, Austria*
[3]*Universiteit Antwerpen, Antwerpen, Belgium*
[4]*Vrije Universiteit Brussel, Brussel, Belgium*
[5]*Université Libre de Bruxelles, Bruxelles, Belgium*
[6]*Ghent University, Ghent, Belgium*
[7]*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*
[8]*Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil*
[9]*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*
[10]*Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil*
[11]*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*
[12]*University of Sofia, Sofia, Bulgaria*
[13]*Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile*
[14]*Universidad Tecnica Federico Santa Maria, Valparaiso, Chile*
[15]*Beihang University, Beijing, China*
[16]*Department of Physics, Tsinghua University, Beijing, China*
[17]*Institute of High Energy Physics, Beijing, China*
[18]*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*
[19]*State Key Laboratory of Nuclear Physics and Technology, Institute of Quantum Matter, South China Normal University, Guangzhou, China*
[20]*Sun Yat-Sen University, Guangzhou, China*
[21]*University of Science and Technology of China, Hefei, China*
[22]*Nanjing Normal University, Nanjing, China*
[23]*Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE)—Fudan University, Shanghai, China*
[24]*Zhejiang University, Hangzhou, Zhejiang, China*
[25]*Universidad de Los Andes, Bogota, Colombia*
[26]*Universidad de Antioquia, Medellin, Colombia*
[27]*University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
[28]*University of Split, Faculty of Science, Split, Croatia*
[29]*Institute Rudjer Boskovic, Zagreb, Croatia*
[30]*University of Cyprus, Nicosia, Cyprus*
[31]*Charles University, Prague, Czech Republic*
[32]*Escuela Politecnica Nacional, Quito, Ecuador*
[33]*Universidad San Francisco de Quito, Quito, Ecuador*
[34]*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
[35]*Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt*
[36]*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
[37]*Department of Physics, University of Helsinki, Helsinki, Finland*
[38]*Helsinki Institute of Physics, Helsinki, Finland*
[39]*Lappeenranta-Lahti University of Technology, Lappeenranta, Finland*
[40]*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
[41]*Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France*
[42]*Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France*
[43]*Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France*
[44]*Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France*
[45]*Georgian Technical University, Tbilisi, Georgia*
[46]*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
[47]*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
[48]*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
[49]*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
[50]*University of Hamburg, Hamburg, Germany*
[51]*Karlsruher Institut fuer Technologie, Karlsruhe, Germany*
[52]*Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*

[53]National and Kapodistrian University of Athens, Athens, Greece
[54]National Technical University of Athens, Athens, Greece
[55]University of Ioánnina, Ioánnina, Greece
[56]HUN-REN Wigner Research Centre for Physics, Budapest, Hungary
[57]MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary
[58]Faculty of Informatics, University of Debrecen, Debrecen, Hungary
[59]HUN-REN ATOMKI—Institute of Nuclear Research, Debrecen, Hungary
[60]Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary
[61]Panjab University, Chandigarh, India
[62]University of Delhi, Delhi, India
[63]University of Hyderabad, Hyderabad, India
[64]Indian Institute of Technology Kanpur, Kanpur, India
[65]Saha Institute of Nuclear Physics, HBNI, Kolkata, India
[66]Indian Institute of Technology Madras, Madras, India
[67]IISER Mohali, India, Mohali, India
[68]Tata Institute of Fundamental Research-A, Mumbai, India
[69]Tata Institute of Fundamental Research-B, Mumbai, India
[70]National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India
[71]Indian Institute of Science Education and Research (IISER), Pune, India
[72]Indian Institute of Technology Hyderabad, Telangana, India
[73]Isfahan University of Technology, Isfahan, Iran
[74]Institute for Research in Fundamental Sciences (IPM), Tehran, Iran
[75]University College Dublin, Dublin, Ireland
[76a]INFN Sezione di Bari, Bari, Italy
[76b]Università di Bari, Bari, Italy
[76c]Politecnico di Bari, Bari, Italy
[77a]INFN Sezione di Bologna, Bologna, Italy
[77b]Università di Bologna, Bologna, Italy
[78a]INFN Sezione di Catania, Catania, Italy
[78b]Università di Catania, Catania, Italy
[79a]INFN Sezione di Firenze, Firenze, Italy
[79b]Università di Firenze, Firenze, Italy
[80]INFN Laboratori Nazionali di Frascati, Frascati, Italy
[81a]INFN Sezione di Genova, Genova, Italy
[81b]Università di Genova, Genova, Italy
[82a]INFN Sezione di Milano-Bicocca, Milano, Italy
[82b]Università di Milano-Bicocca, Milano, Italy
[83a]INFN Sezione di Napoli, Napoli, Italy
[83b]Università di Napoli 'Federico II', Napoli, Italy
[83c]Università della Basilicata, Potenza, Italy
[83d]Scuola Superiore Meridionale (SSM), Napoli, Italy
[84a]INFN Sezione di Padova, Padova, Italy
[84b]Università di Padova, Padova, Italy
[84c]Universita degli Studi di Cagliari, Cagliari, Italy
[85a]INFN Sezione di Pavia, Pavia, Italy
[85b]Università di Pavia, Pavia, Italy
[86a]INFN Sezione di Perugia, Perugia, Italy
[86b]Università di Perugia, Perugia, Italy
[87a]INFN Sezione di Pisa, Pisa, Italy
[87b]Università di Pisa, Pisa, Italy
[87c]Scuola Normale Superiore di Pisa, Pisa, Italy
[87d]Università di Siena, Siena, Italy
[88a]INFN Sezione di Roma, Roma, Italy
[88b]Sapienza Università di Roma, Roma, Italy
[89a]INFN Sezione di Torino, Torino, Italy
[89b]Università di Torino, Torino, Italy
[89c]Università del Piemonte Orientale, Novara, Italy
[90a]INFN Sezione di Trieste, Trieste, Italy

[90b]*Università di Trieste, Trieste, Italy*

[91]*Kyungpook National University, Daegu, Korea*

[92]*Department of Mathematics and Physics—GWNU, Gangneung, Korea*

[93]*Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea*

[94]*Hanyang University, Seoul, Korea*

[95]*Korea University, Seoul, Korea*

[96]*Kyung Hee University, Department of Physics, Seoul, Korea*

[97]*Sejong University, Seoul, Korea*

[98]*Seoul National University, Seoul, Korea*

[99]*University of Seoul, Seoul, Korea*

[100]*Yonsei University, Department of Physics, Seoul, Korea*

[101]*Sungkyunkwan University, Suwon, Korea*

[102]*College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait*

[103]*Kuwait University—College of Science—Department of Physics, Safat, Kuwait*

[104]*Riga Technical University, Riga, Latvia*

[105]*University of Latvia (LU), Riga, Latvia*

[106]*Vilnius University, Vilnius, Lithuania*

[107]*National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia*

[108]*Universidad de Sonora (UNISON), Hermosillo, Mexico*

[109]*Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico*

[110]*Universidad Iberoamericana, Mexico City, Mexico*

[111]*Benemerita Universidad Autonoma de Puebla, Puebla, Mexico*

[112]*University of Montenegro, Podgorica, Montenegro*

[113]*University of Canterbury, Christchurch, New Zealand*

[114]*National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan*

[115]*AGH University of Krakow, Krakow, Poland*

[116]*National Centre for Nuclear Research, Swierk, Poland*

[117]*Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland*

[118]*Warsaw University of Technology, Warsaw, Poland*

[119]*Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal*

[120]*Faculty of Physics, University of Belgrade, Belgrade, Serbia*

[121]*VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia*

[122]*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*

[123]*Universidad Autónoma de Madrid, Madrid, Spain*

[124]*Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain*

[125]*Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*

[126]*University of Colombo, Colombo, Sri Lanka*

[127]*University of Ruhuna, Department of Physics, Matara, Sri Lanka*

[128]*CERN, European Organization for Nuclear Research, Geneva, Switzerland*

[129]*PSI Center for Neutron and Muon Sciences, Villigen, Switzerland*

[130]*ETH Zurich—Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland*

[131]*Universität Zürich, Zurich, Switzerland*

[132]*National Central University, Chung-Li, Taiwan*

[133]*National Taiwan University (NTU), Taipei, Taiwan*

[134]*High Energy Physics Research Unit, Department of Physics, Faculty of Science, Chulalongkorn University, Bangkok, Thailand*

[135]*Tunis El Manar University, Tunis, Tunisia*

[136]*Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey*

[137]*Middle East Technical University, Physics Department, Ankara, Turkey*

[138]*Bogazici University, Istanbul, Turkey*

[139]*Istanbul Technical University, Istanbul, Turkey*

[140]*Istanbul University, Istanbul, Turkey*

[141]*Yildiz Technical University, Istanbul, Turkey*

[142]*Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine*

[143]*National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine*

[144]*University of Bristol, Bristol, United Kingdom*

[145]*Rutherford Appleton Laboratory, Didcot, United Kingdom*

[146]*Imperial College, London, United Kingdom*

[147]Brunel University, Uxbridge, United Kingdom
[148]Baylor University, Waco, Texas, USA
[149]Bethel University, St. Paul, Minnesota, USA
[150]Catholic University of America, Washington, DC, USA
[151]The University of Alabama, Tuscaloosa, Alabama, USA
[152]Boston University, Boston, Massachusetts, USA
[153]Brown University, Providence, Rhode Island, USA
[154]University of California, Davis, Davis, California, USA
[155]University of California, Los Angeles, California, USA
[156]University of California, Riverside, Riverside, California, USA
[157]University of California, San Diego, La Jolla, California, USA
[158]University of California, Santa Barbara—Department of Physics, Santa Barbara, California, USA
[159]California Institute of Technology, Pasadena, California, USA
[160]Carnegie Mellon University, Pittsburgh, Pennsylvania, USA
[161]University of Colorado Boulder, Boulder, Colorado, USA
[162]Cornell University, Ithaca, New York, USA
[163]Fermi National Accelerator Laboratory, Batavia, Illinois, USA
[164]University of Florida, Gainesville, Florida, USA
[165]Florida State University, Tallahassee, Florida, USA
[166]Florida Institute of Technology, Melbourne, Florida, USA
[167]University of Illinois Chicago, Chicago, Illinois, USA
[168]The University of Iowa, Iowa City, Iowa, USA
[169]Johns Hopkins University, Baltimore, Maryland, USA
[170]The University of Kansas, Lawrence, Kansas, USA
[171]Kansas State University, Manhattan, Kansas, USA
[172]University of Maryland, College Park, Maryland, USA
[173]Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
[174]University of Minnesota, Minneapolis, Minnesota, USA
[175]University of Nebraska-Lincoln, Lincoln, Nebraska, USA
[176]State University of New York at Buffalo, Buffalo, New York, USA
[177]Northeastern University, Boston, Massachusetts, USA
[178]Northwestern University, Evanston, Illinois, USA
[179]University of Notre Dame, Notre Dame, Indiana, USA
[180]The Ohio State University, Columbus, Ohio, USA
[181]Princeton University, Princeton, New Jersey, USA
[182]University of Puerto Rico, Mayaguez, Puerto Rico, USA
[183]Purdue University, West Lafayette, Indiana, USA
[184]Purdue University Northwest, Hammond, Indiana, USA
[185]Rice University, Houston, Texas, USA
[186]University of Rochester, Rochester, New York, USA
[187]Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA
[188]University of Tennessee, Knoxville, Tennessee, USA
[189]Texas A&M University, College Station, Texas, USA
[190]Texas Tech University, Lubbock, Texas, USA
[191]Vanderbilt University, Nashville, Tennessee, USA
[192]University of Virginia, Charlottesville, Virginia, USA
[193]Wayne State University, Detroit, Michigan, USA
[194]University of Wisconsin—Madison, Madison, Wisconsin, USA
[195]An institute or international laboratory covered by a cooperation agreement with CERN
[196]An institute formerly covered by a cooperation agreement with CERN

[a]Deceased.
[b]Also at Yerevan State University, Yerevan, Armenia.
[c]Also at TU Wien, Vienna, Austria.
[d]Also at Ghent University, Ghent, Belgium.
[e]Also at Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil.
[f]Also at FACAMP—Faculdades de Campinas, Sao Paulo, Brazil.
[g]Also at Universidade Estadual de Campinas, Campinas, Brazil.
[h]Also at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.
[i]Also at The University of the State of Amazonas, Manaus, Brazil.

[j]Also at University of Chinese Academy of Sciences, Beijing, China.

[k]Also at China Center of Advanced Science and Technology, Beijing, China.

[l]Also at University of Chinese Academy of Sciences, Beijing, China.

[m]Also at School of Physics, Zhengzhou University, Zhengzhou, China.

[n]Also at Henan Normal University, Xinxiang, China.

[o]Also at University of Shanghai for Science and Technology, Shanghai, China.

[p]Also at The University of Iowa, Iowa City, Iowa, USA.

[q]Also at Center for High Energy Physics, Peking University, Beijing, China.

[r]Also at Cairo University, Cairo, Egypt.

[s]Also at Zewail City of Science and Technology, Zewail, Egypt.

[t]Also at Purdue University, West Lafayette, Indiana, USA.

[u]Also at Université de Haute Alsace, Mulhouse, France.

[v]Also at Istinye University, Istanbul, Turkey.

[w]Also at Ilia State University, Tbilisi, Georgia.

[x]Also at Another institute or international laboratory covered by a cooperation agreement with CERN.

[y]Also at University of Hamburg, Hamburg, Germany.

[z]Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.

[aa]Also at Bergische University Wuppertal (BUW), Wuppertal, Germany.

[bb]Also at Brandenburg University of Technology, Cottbus, Germany.

[cc]Also at Forschungszentrum Jülich, Juelich, Germany.

[dd]Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

[ee]Also at HUN-REN ATOMKI—Institute of Nuclear Research, Debrecen, Hungary.

[ff]Also at Universitatea Babes-Bolyai—Facultatea de Fizica, Cluj-Napoca, Romania.

[gg]Also at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary.

[hh]Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary.

[ii]Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.

[jj]Also at The University of Kansas, Lawrence, Kansas, USA.

[kk]Also at Punjab Agricultural University, Ludhiana, India.

[ll]Also at University of Hyderabad, Hyderabad, India.

[mm]Also at Indian Institute of Science (IISc), Bangalore, India.

[nn]Also at University of Visva-Bharati, Santiniketan, India.

[oo]Also at IIT Bhubaneswar, Bhubaneswar, India.

[pp]Also at Institute of Physics, Bhubaneswar, India.

[qq]Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.

[rr]Also at Isfahan University of Technology, Isfahan, Iran.

[ss]Also at Sharif University of Technology, Tehran, Iran.

[tt]Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.

[uu]Also at Department of Physics, Faculty of Science, Arak University, ARAK, Iran.

[vv]Also at Helwan University, Cairo, Egypt.

[ww]Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.

[xx]Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.

[yy]Also at James Madison University, Harrisonburg, N/A, USA.

[zz]Also at Università degli Studi Guglielmo Marconi, Roma, Italy.

[aaa]Also at Scuola Superiore Meridionale, Università di Napoli "Federico II," Napoli, Italy.

[bbb]Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.

[ccc]Also at Lulea University of Technology, Lulea, Sweden.

[ddd]Also at Consiglio Nazionale delle Ricerche—Istituto Officina dei Materiali, Perugia, Italy.

[eee]Also at UPES—University of Petroleum and Energy Studies, Dehradun, India.

[fff]Also at Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France.

[ggg]Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.

[hhh]Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka.

[iii]Also at Saegis Campus, Nugegoda, Sri Lanka.

[jjj]Also at National and Kapodistrian University of Athens, Athens, Greece.

[kkk]Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.

[lll]Also at Universität Zürich, Zurich, Switzerland.

[mmm]Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.

[nnn]Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.

[ooo]Also at Konya Technical University, Konya, Turkey.

[ppp]Also at Izmir Bakircay University, Izmir, Turkey.

[qqq]Also at Adiyaman University, Adiyaman, Turkey.

[rrr]Also at Bozok Universitesi Rektörlügü, Yozgat, Turkey.

[sss]Also at Istanbul Sabahattin Zaim University, Istanbul, Turkey.

[ttt]Also at Marmara University, Istanbul, Turkey.

[uuu]Also at Milli Savunma University, Istanbul, Turkey.

[vvv]Also at Informatics and Information Security Research Center, Gebze/Kocaeli, Turkey.

[www]Also at Kafkas University, Kars, Turkey.

[xxx]Also at Istanbul Okan University, Istanbul, Turkey.

[yyy]Also at Hacettepe University, Ankara, Turkey.

[zzz]Also at Erzincan Binali Yildirim University, Erzincan, Turkey.

[aaaa]Also at Istanbul University—Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.

[bbbb]Also at Yildiz Technical University, Istanbul, Turkey.

[cccc]Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.

[dddd]Also at Monash University, Faculty of Science, Clayton, Australia.

[eeee]Also at Bethel University, St. Paul, Minnesota, USA.

[ffff]Also at Università di Torino, Torino, Italy.

[gggg]Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.

[hhhh]Also at California Lutheran University, Thousand Oaks, California, USA.

[iiii]Also at California Institute of Technology, Pasadena, California, USA.

[jjjj]Also at United States Naval Academy, Annapolis, Maryland, USA.

[kkkk]Also at Bingol University, Bingol, Turkey.

[llll]Also at Georgian Technical University, Tbilisi, Georgia.

[mmmm]Also at Sinop University, Sinop, Turkey.

[nnnn]Also at Erciyes University, Kayseri, Turkey.

[oooo]Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania.

[pppp]Also at Another institute formerly covered by a cooperation agreement with CERN.

[qqqq]Also at Hamad Bin Khalifa University (HBKU), Doha, Qatar.

[rrrr]Also at Yerevan Physics Institute, Yerevan, Armenia.

[ssss]Also at Imperial College, London, United Kingdom.

[tttt]Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.