

KfK 3102  
Februar 1981

# **Thermalhydraulic Experiments with a Cluster of 19 Rods Roughened by a Novel Type of Roughness**

K. Rehme  
Institut für Neutronenphysik und Reaktortechnik  
Projekt Schneller Brüter

**Kernforschungszentrum Karlsruhe**



KERNFORSCHUNGSZENTRUM KARLSRUHE

Institut für Neutronenphysik und Reaktortechnik  
Projekt Schneller Brüter

KfK 3102

Thermalhydraulic Experiments with a Cluster of 19 Rods Roughened by a  
Novel Type of Roughness

K. Rehme

Kernforschungszentrum Karlsruhe GmbH, Karlsruhe

Als Manuskript vervielfältigt  
Für diesen Bericht behalten wir uns alle Rechte vor

Kernforschungszentrum Karlsruhe GmbH  
ISSN 0303-4003

## Thermalhydraulic Experiments with a Cluster of 19 Rods Roughened by a Novel Type of Roughness

### Abstract

Distributions of temperature and pressure were measured on a cluster of 19 electrically heated tubes. 400 thermocouples were used for temperature measurements. The tubes were partly roughened by a novel type of roughness with a thermal performance superior to that of transverse ribs. The experiments both with helium and nitrogen as coolants covered a range of Reynolds numbers between 450 and  $1.8 \times 10^5$ . The maximum linear rod power achieved was  $43 \text{ kWm}^{-1}$ , the maximum measured wall temperature 1271 K (998 °C). The report contains the description of the test section together with all tabulated results.

## Thermohydraulische Untersuchungen an einem 19-Stabbündel mit einer neuartigen Rauigkeit

### Zusammenfassung

Im Heliumversuchsstand wurden an einem Bündel aus 19 elektrisch beheizten Rohren Temperatur- und Druckverteilungen gemessen. 400 Thermoelemente wurden zur Temperaturmessung verwendet. Die Rohre waren teilweise mit einer neuartigen Rauigkeit versehen, deren Wärmeübertragungseigenschaften denen von Querrippen überlegen sind. Die Versuche mit Helium und Stickstoff als Kühlgas erstreckten sich über einen Reynoldszahlbereich von 450 bis  $1.8 \times 10^5$ . Die maximale lineare Stableistung betrug  $43 \text{ kWm}^{-1}$ , die maximale gemessene Wandtemperatur 1271K (998 °C). Der Bericht enthält die Beschreibung der Teststrecke sowie alle tabellierten Versuchsergebnisse.

## 1. Introduction

Experiments on the pressure drop and heat transfer of single rods roughened by a new roughness geometry (3D) had shown the thermal performance of this type of artificial roughness to be superior to that of transverse ribs /1,2,3,4/. Therefore, a rod cluster was designed to test this excellent performance in the High Pressure Helium Rig (HPHR). This cluster consisted of 19 rods arranged in a hexagonal array. The surfaces of the electrically heated rods were partly roughened by this new type of roughness. The main purpose of this investigation was to obtain detailed axial and circumferential distributions of wall temperatures, both of the heated rods and the unheated wrapper tube. Such data, together with experimental results of the axial pressure distribution, can be used to check the methods of transformation /5,6,7,8/ and calibrate the SAGAPO code /9/.

## 2. Experimental Setup

### 2.1 Test Section

The test section consists of 19 tubes of  $D=8.0$  mm O.D. (stainless steel No. 1.4981). The tubes are arranged in a triangular array with a pitch of  $p=12$  mm; the pitch-to-diameter ratio accordingly is  $P/D=1.5$  (Fig.1). The distance between the centers of the outer row of rods and the wall of the wrapper is  $a=6.4$  mm. Therefore, the wall-to-diameter ratio is  $W/D=1.3$ . The blocking triangles with a base angle of 30 deg have a height of  $h_p=2.3$  mm.

The values of  $a$  and  $h_B$  were chosen after advance calculations with the SGAPO code /9/ under the assumption of uniform wall temperatures in the different subchannels of the cluster at the end of the heated part of the test section /10/.

The axial subdivision of the test section is shown in Fig.2. The inlet nozzle of  $l_B=13$  mm is not included in Fig.2. The overall length of the test section is  $L=1113$  mm. This length is made up of the inlet nozzle mentioned above, the first unheated part of  $l_1=285$  mm (copper), a short heated smooth length of  $l_2=95$  mm, the heated roughened part of  $l_3=695$  mm and, finally, another unheated length of  $l_4=25$  mm. The roughness is of a three-dimensional type shown in Fig.3, with an average height of  $h_R=0.196$  mm. It was cut into the outer surfaces of the stainless steel tubes. The mean volumetric diameter of the roughened part of the rods is  $D_{Vol}=7.674$  mm.

The tubes are heated by direct current. Two groups of 9 and 10 tubes, respectively, connected in parallel were connected in series. The group of 9 tubes consists of rods 4-12 (Fig.20), the group of 10 tubes of rods 1-3 and 13-19, respectively. To obtain uniform power distribution, the 9 tubes had wall thicknesses of  $s=0.73$  mm, the 10 tubes  $s=0.6$  mm. Table 1 shows the main geometrical parameters of the roughened part of the tubes.

The wrapper tube (stainless steel Nr. 1.4550) is made up of two parts. The inner part constitutes the wrapper profile (Fig.4) and fits into an outer tube. Both parts are split for easy dismantling. The inner part is made up of  $2 \times 8$  pieces, because of the fabrication process (electro-chemical), which does not allow axial lengths in excess of 200 mm (Fig.5). The shells of the inner part are slotted for the spacer grids.

5 spacer grids are used to fix the heater tubes inside the wrapper. The grids are fabricated by spark erosion. They are 14 mm long and the standoff insulators are made of ceramics to insulate the tubes heated directly (Fig.6). To reduce the pressure drop of the spacer grids, the leading edges and the trailing edges of the grids are rounded (Fig.7) by an electro-chemical process. Fig.8 shows one of the spacer grids together with one half of the wrapper tube. The halves of the wrapper tube are screwed together and sealed by a well-defined sealing lid (Fig.8). Orientation of the standoff insulators was mirror inverted for the different spacer grids. The orientation is shown schematically in Fig.9. The blockage ratios in the subchannels are given in Table 2 for the smooth and the roughened parts, respectively.

At the end of the heated section of the rod bundle a special grid was used, which was equipped with 15 thermocouples to measure fluid temperatures in different subchannels (Fig.10). The test section is shown in Fig. 11 und 12. Fig.11 shows the assembly with smooth dummy rods. Fig.12 shows the outside of the test section, with some of the tubes for pressure measurement and the thermocouples, respectively. Some of the positions of the thermocouples in the wrapper tube are also visible. A full view of the test section together with its upper part is shown in Fig.13. The upper part consists of the inlet section, the electrical connections, the pressure tubes, and movable plates for the thermocouple connections.

The parts of the test section mentioned above were fabricated by KWU, Erlangen. The rough surface was machined by the Bischoff Company, Dietlingen. The tubes were equipped with thermocouples at the Central Workshop of KfK. Fig.14 shows the rod bundle equipped with thermocouples. A detail is shown in Fig.15: the unheated part made of copper (top) followed by the heated smooth part with one spacer grid and the roughened parts of the tubes. The special grid equipped with thermocouples is shown in Fig.16.

The tubes are electrically connected by flexible copper strips at the ends of the test sections. These copper strips are interconnected by a short-circuit ring (Fig.17).

Fig.18 is a photograph of the details at the inlet of the test section with the insulated thermocouples and the electrical connections. The top of the test section with all the instrumentation completed is shown in Fig.19. The main data of the test section are given in Table 9.

## 2.2 Instrumentation

Each of the 19 tubes was equipped with 14 thermocouples (NiCr/Ni) of 0.36 mm outer diameter with insulated junctions (thermocouples No.1-266). The axial distribution of thermocouples is shown in Fig.20, the circumferential distribution in Fig.21. Seven main planes perpendicular to the axis of the rod bundle were equipped with thermocouples. Moreover, thermocouples were installed in the inlet section of the smooth part, near the spacer in the smooth part, in the transition from smooth to rough, and near one spacer in the rough part of the test section. The thermocouples were fixed in the tube wall inside holes made by spark erosion at an angle of 30 degrees relative to the tube axis. The distance between the junction and the metal sheath was measured from X-ray photographs (Fig.22). This distance varied between 0.25 and 0.66 mm; the average distance was 0.5 mm. This means that the average location of thermocouples is on a radius of  $r_T=3.66$  mm, 0.34 mm from the tip of the roughness and the outer diameter of the tubes, respectively, in the smooth part.

Besides these 266 thermocouples inside the tube walls, 108 thermocouples of 0.5 mm outer diameter with insulated junctions were used to measure the temperature distribution in the wrapper in nine planes. Their axial and circumferential distributions are given in

Fig.20 and 21, respectively (thermocouples No. 267-374).

The average position of these thermocouples is 1.0 mm behind the wrapper wall. At the end of the heated rough part, one special spacer grid was used with 15 thermocouples (0.36 mm O.D.) to measure the gas temperatures in different subchannels of the cluster. Their axial position (thermocouples No. 375-389) is 12.5 mm upstream of the inlet front of the special spacer grid ( $x=1062.5$  mm).

The inlet and outlet temperatures of the gas were measured by six thermocouples (0.5 mm O.D.) each. The thermovoltages of all thermocouples were measured against the room temperature, except for three thermocouples used for measurement of the inlet temperature, whose thermovoltages were measured against the ice point (thermocouples No.50,396,397 in the tables of the experimental results). The room temperature was calculated as the average difference between the thermocouples against the ice point and those against room temperature (thermocouple No.97,398,399). Fig.23 shows some of the thermocouples at the inlet, Fig.24 those of the outlet. The axial and circumferential distributions of the inlet and outlet temperatures are shown in Fig.25 and 26, respectively.

The sheaths of the thermocouples were used to measure the voltage and, in this way, the power distribution along all heated tubes. 91 thermocouples were used for this purpose. Table 4 displays the connections between the thermocouple numbers and those of the readings in the tables of the experimental results. The readings of the voltage distribution are numbered 407-497.

The voltages of the 401 thermocouples, of the 91 thermocouple sheaths to measure the voltage drop along the tubes together with the temperatures at the flow measuring orifice plates (TC No. 400 and 401), and the measurements of the overall voltage (403) and current (402) were tape recorded on a data logger. The mass flow rate through

the cluster was measured by different devices, i.e., Venturi tubes, orifices and a quarter-circle orifice covering the range between  $2 \times 10^{-3}$  and  $1.2 \text{ kg s}^{-1}$ . The pressure drop along the test section was measured by eight pressure taps in the wrapper. The axial distribution of the pressure taps is shown in Fig.20. The absolute pressure was measured for pressure tap 1.

### 2.3 Range of Measurements

The measurements were performed in the High Temperature Helium Loop with both helium and nitrogen as coolants. A layer of 70 mm of Kerlane ( $k=0.079 \text{ Wm}^{-1}\text{K}^{-1}$  at  $400 \text{ }^\circ\text{C}$  and  $k=0.110 \text{ Wm}^{-1}\text{K}^{-1}$  at  $600 \text{ }^\circ\text{C}$ ) was used to insulate the test section against heat losses (Fig.27). The Reynolds numbers covered by the experiments ranged from  $Re=450$  to  $Re=1.84 \times 10^5$ . Pressure drop measurements were performed for  $Re > 880$ . 89 isothermal and 106 runs with uniform heating were performed. The maximum heating power was  $Q_{\max}=500 \text{ kW}$ , i.e., a linear rod power of  $\dot{q}=333 \text{ Wcm}^{-1}$  or a heat flux of  $\ddot{q}=138 \text{ Wcm}^{-2}$ . The maximum wall temperature measured was  $1018 \text{ K}$  ( $745^\circ\text{C}$ ). Due to fabrication tolerances, the power distribution was not quite uniform. The maximum power variations were  $+6.8\%$  (rod 3) and  $-3.2\%$  (rod 18) about the average. Typical data of the measurements are shown in Table 5.

In addition to the experiments with uniform power distribution, 93 runs were performed with a skewed power distribution. For this purpose, three tubes (rods 1-3) were cut off from the power supply, which resulted in two parallel groups of nine and seven rods, respectively, which were connected in series (Fig. 28).

This resulted in a power distribution of 2.23:1.0:0.

The maximum linear rod power achieved was  $q=432 \text{ Wcm}^{-1}$ , the maximum measured temperature  $1271 \text{ K}$  ( $998 \text{ }^\circ\text{C}$ ). In all experiments, the test section showed excellent performance, except for the runs at a very

high temperature (8.7.1980), in which rod No.17 had no power generation, due to a faulty electrical connection at the downstream end of the test section for runs 15-20.

### 3. Results

#### 3.1 Power Distribution

The power distribution across the cluster can be calculated from the measured distribution of the voltage drop. The results of calculated power distributions are given in Table 6 for two typical cases, one case with uniform heating (run 1, May 8, 1980) and the other for a power tilt (run 18, July 4, 1980). For the calculations, the resistance was assumed not to vary with temperature, and the aggregate resistance of the rods was assumed to be identical to that measured at 20°C. The resistances of the individual rods are given in Table 7 for the heated lengths.

It should be noted that power generation in the smooth heated sections of the tubes is less than in the roughened ones. This is due to the lower resistance in the smooth sections, since the wall thickness is larger than in the roughened section. The ratio of heat generation was calculated from the measured voltage drops to be

$$\frac{\dot{q}_{\text{smooth}}}{\dot{q}_{\text{rough}}} = 0.704 \quad (1)$$

The average linear rod power in the roughened part can be calculated with Eq.(1) as

$$(\dot{q}_{av})_r = \frac{Q_{ges}}{19(L_R + 0.704 L_S)} \quad (2)$$

for cases of uniform heating with  $L_R=69.5$  cm as the roughened heated length and  $L_R=9.5$  cm as the smooth heated length.

For cases of a skewed power distribution we obtain

$$(\dot{q}_{av})_r = \frac{Q_{ges}}{16(L_R + 0.704 L_S)} \quad (3)$$

For more precise calculation the temperature dependence of the resistance must be taken into account. Moreover, the low heat generation in the "unheated" copper parts of the test section should be considered. From measurements of the resistance of the copper part we found as average values:

1) Resistance between the electrical connections of the tubes and the start of the heated length

$R=0.41$  m  $\Omega$  for rods 1-3 and 13-19,

and

$R=0.64$  m  $\Omega$  for rods 4-12.

2) Resistance between the end of the heated length and the short-circuit ring,

$R=0.2$  m  $\Omega$ .

### 3.2 Friction Factors

The bulk friction factors of the roughend part of the rod bundle are calculated from the pressure drop between pressure taps 3 and 5 (Fig.20) as

$$\lambda = \frac{\frac{\Delta p_{35}}{\Delta L_{35}} - \left(\frac{\dot{m}}{F_{vol}}\right)^2 \left[\frac{1}{\rho_5} - \frac{1}{\rho_3}\right]}{\left(\frac{\dot{m}}{F_{vol}}\right)^2 \left[\frac{1}{\rho_5 + \rho_3}\right] \frac{1}{D_{h_{vol}}}} \quad (4)$$

with the pressure loss due to expansion taken into account. The friction factors are based on the volumetric hydraulic diameter,

$$D_{h_{vol}} = 9.493 \text{ mm}, \quad (5)$$

and the cross section of the cluster based on the volumetric diameter of the rods,

$$F_{vol} = 1569.2 \text{ mm}^2 \quad (6)$$

The friction factors are plotted in Fig. 29 versus the Reynolds number,

$$Re = \frac{4 \dot{m}}{\mu U} \quad (7)$$

for the isothermal runs and the non-isothermal runs at a maximum wall temperature of about 700 °C. The friction factors of the isothermal runs are almost constant for  $Re > 9 \times 10^3$ . The friction factors of the non-isothermal runs are lower than those of the isothermal runs and nearly constant for  $Re > 10^4$ . For  $Re < 3 \times 10^3$  (transition to laminar flow), the non-isothermal friction factors are higher than the

isothermal ones. In this region, the Reynolds number evaluated with the kinematic viscosity at the wall temperature is more useful in correlating the data.

It is possible to calculate the transformed friction factor for the rough surface from the bulk friction factors by applying a method developed by Lyall /11/.

For a Reynolds number of  $Re=5 \times 10^4$ , the bulk friction factor is  $\lambda=0.085$ . With the ratio of rough to smooth surface in the cluster of

$$\frac{U_R}{U_S} = 2.28$$

we find, from Fig.4 of Lyall's paper,

$$\lambda_1 = 0.1111.$$

Applying Maubach's geometry factors /12/ for annuli, and assuming an equivalent annulus for the control subchannels of the cluster, we can write

$$\sqrt{\frac{8}{\lambda_1}} = 2.5 \ln \frac{L}{h_R} + R(h^+) - G \quad (8)$$

to find the roughness parameter  $R(h^+)$ .

With

$$L = \frac{P}{2} \sqrt{\frac{2\sqrt{3}}{\pi}} - \frac{D_{vol}}{2} \quad (9)$$

and  $P = 12 \text{ mm}$   
 $D_{vol} = 7.674 \text{ mm}$   
 $L = 2.463 \text{ mm}$

and with  $h_R = 0.196 \text{ mm}$

$$\frac{h_R}{L} = 0.07956$$

We can write

$$G = \frac{3.75 + 1.25\gamma}{1 + \gamma} \quad (10)$$

with

$$\gamma = \frac{D_{vol}/2 + L}{D_{vol}/2} \quad (11)$$

For  $\gamma = 1.6419$   
 $G = 2.196$

and, finally,

$$R(h^+) = \sqrt{\frac{8}{\lambda_1}} + G - 2.5 \ln 12.569$$

$$R(h^+) = 4.35.$$

From single-pin tests of the roughness used in the cluster it was found /3, test section Nr.6/,

$$R(h^+) = 2.572 + \frac{3.0976}{h_W + 0.111}$$

This correlation was also used for some first comparisons between experimental results and calculated data by SAGAPO /13/.

With

$$h^+ = \frac{h_R}{D_h} \sqrt{\frac{\lambda}{8}} \text{Re} = 121.6 \quad (12)$$

we get

$$R(h^+) = 4.39$$

This value is in excellent agreement with the value found by the Lyall/Maubach method.

### 3.3 Drag Coefficient of the Spacer

Fig.30 shows the drag coefficients of the spacer grid calculated for the pressure drop measurements between pressure taps 2 and 3:

$$\zeta = \frac{\Delta P_{23} (\rho_2 + \rho_3)}{\left( \frac{\dot{m}}{F_{vol}} \right)^2} - \lambda \frac{L_{23}}{D_h} - (\rho_2 + \rho_3) \left( \frac{1}{\rho_3} - \frac{1}{\rho_2} \right) \quad (13)$$

For  $\text{Re} > 10^4$ , the results of the isothermal and non-isothermal runs agree. For lower Reynolds numbers, the data of the isothermal runs are always higher than those of the non-isothermal runs. It is interesting to note that the drag coefficient is almost constant in the region between  $\text{Re} = 4 \times 10^3$  and  $5.5 \times 10^3$  for the isothermal runs. The same trend was observed in the measurements of the 12-rod bundle /14/.

### 3.4 Temperature Distributions

As an example some of the temperature distributions measured are plotted in Fig.31 for a run with helium at an average Reynolds number of  $Re=6.17 \cdot 10^4$  (run 1, May 8, 1980). Conditions at the inlet of the test section were these: pressure, 40 bar; temperature, 190°C. At a mass flow rate of  $\dot{m}=0.33$  kg/s, a power of  $Q=500$  kW was generated in the tube.

Fig.31a shows the temperatures measured at the central tube (rod 10). Due to the slight variations in the power generation of the neighboring tubes and the different positions of the thermocouples, (at each axial level, one thermocouple faces the gap between two subchannels, the other one being situated in the middle of a subchannel), the temperatures measured differ slightly. The maximum difference at the end of the cluster is  $T=20.5$  K. A straight line was drawn through the measured temperatures. The same line is also included in the other graphs. Fig. 31b shows the temperatures measured in the tubes of the first row of rods around the central tubes. All temperatures shown are measured by thermocouples facing the central tubes. Again, the slight temperature variation is due to the different circumferential positions of the thermocouples and the different levels of power generation in the different tubes. As an average, the same temperature distribution is measured as in the central tube. Of course, the temperatures are slightly higher close to the transition from a smooth to a rough surface. The effect of the spacer grid on the temperature distribution is evident; there is a temperature drop of approx. 35 K.

The wall temperatures measured in the wall subchannels are plotted in Fig.31c. In the rough part of the cluster, the average temperature distribution is close to that of the central tube. However, the temperatures of tube 3, which had a power generation 7% above average, are the highest. In the smooth part of the cluster and the transition to rough, there is pronounced scattering of temperatures.

This is due to the onset of heating, a spacer grid in the smooth part and the end of the smooth part and start of the rough part. Fig.32 shows the temperatures measured in this region for two rods (4 and 7), which were almost at the same power (rod 4, 0.7% below average, rod 7, 0.4% above average). There is a strong temperature increase at the onset of heating followed by a temperature drop of about 80 K due to the spacer grid. The temperature drop caused by a spacer is higher for a smooth surface than for a roughened one /15/. Downstream of the spacer grid, the temperature increases again and there is another temperature drop of about 65 K at the beginning of the rough surface.

The temperatures measured in the corner channels are plotted in Fig.31d. In general, the temperature distribution in the corner channels is higher than in the central tube. Especially rods 3 and 1 have higher temperatures, since they are at higher powers.

#### 4. Conclusions

Experiments with the 19-rod bundle partly roughened by a novel type of roughness furnished detailed data of the distributions of pressure and temperature by means of large numbers of thermocouples installed in the cluster.

The cluster was operated up to measured surface temperatures of almost 1000 °C and showed excellent performance during the investigation. The experimental results are most useful for comparison with results calculated by computer codes, e.g., SAGAPO, and for calibrating the codes.

Acknowledgments:

The author would like to express his gratitude to Messrs. J. Marek, E. Mensinger, A. Roth, G. Wörner and H. Zimmermann for their co-operation in preparing the test section and running the experiments.

References

- /1/ M. Dalle Donne and E. Meerwald,  
Heat transfer from rough surfaces, latest results,  
2nd Heat Transfer Specialists Meeting, Windscale, paper 11  
(1972)
- /2/ M. Dalle Donne and L. Meyer,  
Experimental heat transfer and pressure drops of rods with  
three-dimensional roughness in annuli, 3rd Heat Transfer  
Specialists Meeting, Petten, paper 7 (1975)
- /3/ M. Dalle Donne and L. Meyer,  
Heat transfer and pressure drop at single rods with three  
dimensional ribs, 6th Heat Transfer Specialists Meeting,  
Berkeley (1980)
- /4/ L. Meyer,  
The velocity distribution and pressure loss at three-dimensional  
roughnesses, 6th Heat Transfer Specialists Meeting, Berkeley  
(1980)
- /5/ L. Meyer and K. Rehme,  
Heat transfer and pressure drop measurements with roughened  
single pins cooled by various gases, 6th Heat Transfer  
Specialists Meeting, Berkeley (1980), cf. Report KfK 2980 (1980)
- /6/ M. Dalle Donne and L. Meyer,  
Turbulent convective heat transfer from rough surfaces with  
two-dimensional rectangular ribs, Int. J. Heat Mass Transfer 20,  
pp.583-620 (1977)

- /7/ R.J. Firth,  
A method for analyzing heat transfer and pressure drop data  
obtained from partially roughened annular channels, 5th Heat  
Transfer Specialists Meeting, Würenlingen (1979)
- /8/ M. Hudina,  
Evaluation of heat transfer performances of rough surfaces from  
experimental investigations in annular channels, Int. J. Heat  
Mass Transfer 22, pp.1381-1392 (1979)
- /9/ A. Martelli,  
SAGAPO-2, An improved version of SAGAPO code for the thermofluid-  
dynamic analysis of gas cooled fuel element bundles, Report  
KfK 2663 (1978)
- /10/ K. Rehme,  
unpublished results
- /11/ H.G. Lyall,  
A graphical presentation of the Warburton and Pirie method of  
transforming rough surface single-pin and cluster pressure drop  
data, Report RD/B/N 3083, C.E.G.B., Berkeley (1974)
- /12/ K. Maubach,  
Friction laws for turbulent flow, Chemie-Ing.-Technik 42 (15),  
pp.995-1004 (1970) (in German)
- /13/ S. Cevolani, M. Dalle Donne and K. Rehme,  
Thermohydraulics of a cluster of 19 rods roughened by a  
three-dimensional roughness (first results), 6th Heat Transfer  
Specialists Meeting, Berkeley (1980).

- /14/ S. Cevolani and K. Rehme,  
Forced convection heat transfer in a rod bundle of 12 rods,  
5th Heat Transfer Specialists Meeting, Würenlingen (1979)
- /15/ M.A. Hassan and K.Rehme,  
Heat transfer near spacer grids in gas-cooled rod bundles,  
6th Heat Transfer Specialists Meeting, Berkeley (1980),cf.  
Nuclear Technology (in the press).

Nomenclature

a	m	distance
D	m	outer tube diameter
$D_h$	m	hydraulic diameter
F	$m^2$	cross section
$h_R$	m	height of roughness
$h_B$	m	height of blocking triangle
$h^+$	-	non-dimensional height of roughness
$h_w$	-	non-dimensional height of roughness evaluated with the kinematic viscosity at wall temperature
k	$Wm^{-1}s^{-1}$	thermal conductivity
l	m	length
L	m	length
m	$kgs^{-1}$	mass flow rate
P	-	tube pitch
Q	W	heating power
q	$Wcm^{-1}$	linear rod power
q	$Wcm^{-2}$	heat flux
R	$\Omega$	resistance
$R(h^+)$	-	roughness parameter of velocity profile
$r_v$	m	inner radius of rough tube
$r_T$	m	radius of thermocouple location
s	m	thickness of tube walls
T	K	temperature
U	m	wetted perimeter
W	m	tube diameter plus distance between tube and wrapper
Re	-	Reynolds number
$\gamma$	-	ratio of radii
$\epsilon$	-	blockage ratio due to spacer grid
$\lambda$	-	friction factor
$\zeta$	-	drag coefficient of spacer
$\rho$	$kgm^{-3}$	density
$\mu$	$kgm^{-1}s^{-1}$	viscosity

Subscripts

R	rough
S	smooth
l	transformed
vol	volumetric

h (mm)	p (mm)	b (mm)	e (mm)	g (mm)	r <sub>v</sub> (mm)	r <sub>T</sub> (mm)	r <sub>i</sub> (mm)
0.196	0.75	0.25	0.62	0.40	3.837	3.497	$\frac{3.40}{3.27}$

Table 1: Geometric parameters of the rough tubes used in the 19-rod bundle

	smooth	rough
corner channel without standoff	0	0
corner channel with standoff	.3074	.2978
wall channel with 1/2 standoff	.1447	.1398
wall channel with 1 standoff	.2321	.2243
central channel	.3126	.3006
total bundle	.2605	.2510

Table 2: Blockage ratios in the spacer region.

O.D. of smooth tubes	(mm) 8.0
O.D. of rough tubes	(mm) 8.0
volumetric diameter, rough	(mm) 7.674
tube pitch	(mm) 12.0
distance from wrapper wall to center of external tubes	(mm) 6.4
height of blocking triangle	(mm) 2.3
base angle of blocking triangle	(deg) 30
outer diameter of wrapper tube	(mm) 125
outer diameter of insulation	(mm) 265
total length	(mm) 1113

Lengths of axial sections:

smooth unheated (copper)	(mm) 285 from inlet
smooth heated	(mm) 95
rough heated	(mm) 695
rough unheated	(mm) 5
smooth unheated	(mm) 20

Roughness:

type: three-dimensional height	(mm) 0.196
--------------------------------	------------

Spacers:

number of spacers	5
width of spacers	(mm) 14.2
distance to middle of spacers from inlet	
$S_1$	(mm) 87.1
$S_2$	(mm) 336.9
$S_3$	(mm) 586.9
$S_4$	(mm) 836.9
$S_5$	(mm) 1095.9

Instrumented spacer

width	(mm) 10
distance to middle of spacer from inlet	(mm) 1080

Table 3: Main data of the cluster.

Material properties:

thermal conductivity  $k = 0.007805 + 1.5823 \cdot 10^{-5} T$   
T (K)  
k (KW m<sup>-1</sup> K<sup>-1</sup>)

thermal expansion steel  $\beta = 12.89 \cdot 10^{-6} + 0.993 \cdot 10^{-8} T$   
 $- 0.488 \cdot 10^{-11} T^2$   
T (K);  $\beta$  (K<sup>-1</sup>)

copper  $\beta = 14.83 \cdot 10^{-6} + 0.667 \cdot 10^{-8} T$

Table 3: Main data of the cluster (contd.).

Thermocouple No. recorded	Sheath of thermocouple No.	Thermocouple No. recorded	Sheath of thermocouple No.
407	48	453	86
408	59	454	87
409	71	455	88
410	91	456	90
411	103	457	92
412	113	458	99
413	127	459	100
414	141	460	101
415	159	461	113
416	55	462	156
417	69	463	171
418	83	464	183
419	98	465	197
420	111	466	211
421	125	467	225
422	140	468	239
423	153	469	240
424	167	470	241
425	13	471	242
426	27	472	244
427	41	473	245
428	181	474	247
429	195	475	248
430	209	476	252
431	223	477	7
432	237	478	21
433	251	479	35
434	265	480	53
435	3	481	63
436	16	482	75
437	31	483	95
438	173	484	107
439	185	485	120
440	199	486	131
441	213	487	145
442	227	488	163
443	245	489	177
444	255	490	189
445	2	491	203
446	15	492	219
447	29	493	233
448	43	494	249
449	44	495	261
450	46	496	-
451	47	497	-
452	57		

Table 4: Connections between measurements of voltage and thermo-  
couples.

Isothermal experiments

Nr.	Date	Gas	Number of runs	Reynolds number
1I	28.5.1980	He	17	$1.98 \times 10^4$ - $1.03 \times 10^5$
2I	29.5.1980	He	13	9520 - $3.20 \times 10^4$
3I	2.6.1980	He	22	1070 - 9900
4I	2.7.1980	He	20	1320 - 9710
5I	20.5.1980	N <sub>2</sub>	17	$3.70 \times 10^4$ - $1.84 \times 10^5$

Non-isothermal experiments

Nr.	Date	Gas	Number of runs	Reynolds number	Power (KW)	max.wall temperature (C)
<u>(a) Uniform heating</u>						
1U	5.5.1980	He	14	$1.01 \times 10^4$ - $3.86 \times 10^4$	51 - 185	483
2U	7.5.1980	He	16	$1.49 \times 10^4$ - $7.26 \times 10^4$	75 - 311	465
3U	8.5.1980	He	18	$1.10 \times 10^4$ - $6.17 \times 10^4$	99 - 499	744
4U	9.5.1980	He	27	460 - $2.66 \times 10^4$	8.2 - 232	732
5U	10.6.1980	He	17	880 - 5680	13 - 49	723
6U	19.5.1980	N <sub>2</sub>	14	$2.48 \times 10^4$ - $1.02 \times 10^5$	50 - 178	735
<u>(b) Power tilt</u>						
1T	3.7.1980	He	21	460 - 6690	5 - 30	740
2T	4.7.1980	He	18	$1.28 \times 10^4$ - $7.50 \times 10^4$	66 - 320	740
3T	4.7.1980	He	18	$1.22 \times 10^4$ - $6.81 \times 10^4$	77 - 324	923
4T	7.7.1980	He	8	6330 - $1.28 \times 10^4$	25 - 54	713
5T	7.7.1980	He	8	5930 - $1.23 \times 10^4$	35 - 65	869
6T	8.7.1980	He	20	430 - 5960	7.4 - 39	997

Table 5: Range of experiments.

Rod No.	Uniform heating $\left(\frac{\dot{q}}{\dot{q}_{av}}\right)_r$	Power tilt $\left(\frac{\dot{q}}{\dot{q}_{av}}\right)_r$
1	1.0090	-
2	1.0335	-
3	1.0679	-
4	1.0027	0.6828
5	0.9740	0.6253
6	0.9968	0.6399
7	1.0146	0.6513
8	1.0126	0.6500
9	0.9929	0.6374
10	0.9834	0.6313
11	0.9834	0.6313
12	1.0027	0.6437
13	0.9812	1.4515
14	0.9903	1.4650
15	0.9812	1.4515
16	1.0012	1.4810
17	0.9827	1.4537
18	0.9679	1.4318
19	1.0219	1.5117
Run	1, 8.5.1980	18, 4.7.1980

Table 6: Typical power distributions.

Rod Nr.	Electric resistance ( $\Omega$ )
1	0.0635
2	0.0620
3	0.0600
4	0.051
5	0.0525
6	0.0513
7	0.0514
8	0.0504
9	0.0515
10	0.0520
11	0.0520
12	0.0510
13	0.0653
14	0.0647
15	0.0653
16	0.0640
17	0.0652
18	0.0662
19	0.0627

Table 7: Resistances of tubes (measured at T=20 C).

1. Isothermal measurements

Date: 28.5.1980 (1I)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>
1	39.143	102.3	396.50
2	38.983	101.5	358.91
3	38.863	101.7	322.95
4	38.753	102.1	288.11
5	38.663	101.4	258.49
6	38.553	100.9	232.62
7	38.463	101.4	209.06
8	38.413	101.0	189.23
9	38.223	100.8	177.50
10	38.143	100.4	162.36
11	38.043	100.1	143.89
12	38.033	99.9	129.86
13	38.013	100.2	115.96
14	37.243	100.1	103.94
15	37.173	101.4	93.076
16	37.113	100.7	83.387
17	37.073	101.2	76.034

Date: 29.5.1980 (2I)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>
1	7.267	74.57	116.84
2	7.241	75.35	105.77
3	7.215	74.80	94.817
4	7.195	74.68	84.697
5	7.167	72.97	81.401
6	7.172	74.61	73.772
7	7.165	74.55	65.931
8	7.157	74.85	59.293
9	7.147	74.65	52.924
10	7.138	74.61	47.464
11	7.131	75.01	42.755
12	7.143	74.80	38.389
13	7.144	74.74	34.746

Table 8: Detailed data of the measurements.

Date: 2.6.1980 (3I)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>
1	7.327	49.30	34.342
2	7.331	50.94	32.808
3	7.333	51.24	30.050
4	7.334	51.83	26.675
5	7.334	52.28	24.187
6	7.261	52.67	21.528
7	7.259	52.13	19.213
8	7.257	51.69	17.294
9	7.251	51.25	15.556
10	7.216	53.65	14.338
11	7.209	54.32	12.479
12	7.202	53.39	11.166
13	7.197	52.70	10.006
14	7.192	52.13	9.0218
15	7.186	53.16	8.0479
16	7.179	50.96	7.3123
17	7.174	50.61	6.5080
18	7.167	49.71	5.7891
19	7.163	48.53	5.1371
20	7.159	48.49	4.6012
21	7.153	47.84	4.1880
22	7.147	47.73	3.7201

Date: 2.7.1980 (4I)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>
1	7.211	51.88	33.868
2	7.208	51.75	32.121
3	7.207	51.86	29.433
4	7.205	51.71	26.739
5	7.200	51.52	24.017
6	7.197	51.51	21.466
7	7.195	50.62	19.356
8	7.195	50.79	17.366
9	7.190	50.49	15.571
10	7.188	49.99	14.084
11	7.164	50.53	12.556
12	7.163	48.85	11.147
13	7.160	48.96	10.026
14	7.160	48.10	8.9983
15	7.160	47.95	8.0731
16	7.159	47.07	7.3130
17	7.159	47.12	6.4954
18	7.156	46.43	5.8380
19	7.152	45.94	5.1308
20	7.148	45.32	4.5627

Table 8: (Contd.)

Date: 20.5.1980 (5I)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>
1	14.140	99.04	634.12
2	14.253	100.8	572.48
3	14.325	103.4	515.65
4	14.331	105.2	463.28
5	14.298	105.0	413.14
6	14.266	104.6	372.13
7	14.236	105.0	333.32
8	14.241	104.4	301.92
9	14.330	107.2	289.13
10	14.289	106.4	264.27
11	14.173	106.7	240.96
12	14.154	105.7	217.16
13	14.132	105.2	193.74
14	14.113	104.6	173.59
15	14.116	103.5	157.33
16	14.113	103.6	141.35
17	14.107	102.3	128.24

Table 8: (Contd.)

2. Non-isothermal measurements: uniform power

Date: 5.5.1980 (1U)

Run Nr.	$P_E$ bar	$T_E$ C	$\dot{m}$ $gs^{-1}$	U V	I A
1	13.886	109.1	175.01	51.93	3562
2	13.674	108.3	157.16	48.90	3364
3	13.611	107.9	140.75	46.67	3209
4	13.536	108.6	127.11	44.35	3055
5	13.493	107.9	114.95	42.65	2931
6	13.495	107.0	108.05	41.22	2833
7	13.483	107.2	98.632	39.51	2716
8	13.436	106.8	88.067	37.39	2576
9	13.467	109.6	78.927	35.51	2446
10	13.477	109.6	70.892	33.71	2319
11	13.434	113.6	63.315	31.73	2190
12	13.396	114.4	56.671	30.44	2086
13	13.376	113.5	51.169	28.74	1971
14	13.359	114.3	46.360	27.14	1868.6

Date: 7.5.1980 (2U)

Run Nr.	$P_E$ bar	$T_E$ C	$\dot{m}$ $gs^{-1}$	U V	I A
1	37.791	152.9	342.81	67.94	4571
2	37.711	151.9	307.40	64.73	4362
3	37.461	151.6	270.61	61.55	4143
4	37.381	150.6	243.06	58.94	3965
5	37.321	152.0	218.12	55.56	3746
6	37.291	151.7	194.88	53.26	3587
7	37.411	154.5	177.62	50.88	3425
8	37.241	153.5	167.45	49.34	3324
9	37.231	153.6	152.43	47.10	3176
10	37.161	154.4	136.12	44.80	3019
11	37.131	155.6	122.81	42.84	2888
12	37.101	156.2	109.48	40.80	2748
13	37.071	156.3	98.215	38.80	2616
14	37.081	156.7	88.610	36.72	2476
15	36.971	155.8	79.553	34.79	2349
16	36.931	156.9	72.022	33.33	2253

Table 8: (Contd.)

Date: 8.5.1980 (3U)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>	U V	I A
1	39.979	189.8	326.62	89.37	5585
2	39.759	188.3	298.30	85.95	5371
3	39.649	188.6	267.38	81.50	5102
4	39.559	191.2	239.13	77.41	4848
5	39.409	189.3	214.91	72.96	4582
6	39.339	192.0	192.44	69.77	4379
7	39.329	190.5	176.29	66.81	4192
8	39.209	191.6	164.72	64.05	4029
9	39.189	192.0	149.61	61.18	3852
10	39.179	194.8	133.31	58.20	3667
11	39.159	194.1	121.23	55.89	3514
12	39.109	196.9	107.99	51.98	3332
13	39.039	196.1	97.213	50.60	3183
14	38.939	196.8	87.085	48.02	3014
15	38.869	197.4	78.642	45.47	2862
16	38.839	198.4	71.764	43.36	2734
17	38.789	197.0	65.345	41.83	2637
18	38.769	198.6	59.350	39.70	2504

Date: 9.5.1980 (4U)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>	U V	I A
1	8.9323	98.33	130.71	59.99	3861
2	8.8403	95.06	118.84	57.62	3712
3	8.8023	94.66	107.11	55.12	3546
4	8.7493	95.42	96.337	52.45	3378
5	8.7473	94.50	91.234	50.79	3273
6	8.7293	97.99	82.595	48.62	3130
7	8.6993	99.41	73.577	46.01	2962
8	8.5583	100.3	66.261	43.58	2814
9	8.5943	103.3	59.042	41.12	2653
10	8.5703	104.4	52.789	38.88	2511
11	8.5243	104.8	47.445	37.48	2404
12	8.5033	105.4	42.794	34.13	2206
13	8.4843	107.0	38.582	32.17	2092
14	8.4763	106.2	35.749	31.12	2018
15	8.4683	108.9	32.499	29.49	1906
16	8.4353	110.4	29.093	27.72	1794.1
17	8.4253	111.3	26.192	26.21	1692.6
18	8.4223	111.5	21.105	24.07	1546.9
19	8.4193	113.1	17.064	21.85	1406.5
20	8.4903	115.5	13.906	20.41	1304.6
21	8.4333	116.7	11.191	18.90	1209.8
22	8.4523	118.3	8.9128	17.71	1137.9
23	8.4613	115.6	7.1344	16.49	1050.6
24	8.4643	114.5	5.6021	15.04	969.5
25	8.4943	113.3	4.5685	14.21	908.2
26	8.5533	113.6	3.4183	13.27	844.9
27	8.6123	113.3	2.4799	11.33	726.8

Table 8: (Contd.)

Date: 10.6.1980 (5U)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	m gs <sup>-1</sup>	U V	I A
1	7.5359	93.84	27.488	27.46	1778.0
2	7.5269	96.54	24.515	25.90	1669.5
3	7.5259	98.73	21.218	24.48	1573.5
4	7.5389	96.78	19.285	23.40	1497.5
5	7.5339	99.08	17.233	22.64	1452.5
6	7.5329	97.53	15.529	21.82	1398.6
7	7.5519	98.15	13.954	20.94	1346.3
8	7.5759	112.4	12.721	19.55	1255.0
9	7.5779	113.4	11.277	19.03	1215.8
10	7.6059	114.7	10.098	18.05	1162.9
11	7.6189	116.7	9.1539	17.49	1120.8
12	7.6269	114.7	8.1882	16.97	1088.3
13	7.6309	110.9	7.5211	16.61	1060.7
14	7.6279	105.7	6.7308	15.04	976.9
15	7.6129	115.0	5.9400	15.01	964.1
16	7.6099	104.7	5.3414	14.78	944.3
17	7.6069	113.2	4.6460	14.04	903.9

Date: 19.5.1980 (6U)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	m gs <sup>-1</sup>	U V	I A
1	13.661	113.7	469.13	53.22	3344
2	13.641	115.3	411.74	49.97	3142
3	13.589	117.1	368.28	47.28	2974
4	13.516	118.6	326.70	44.91	2822
5	13.521	119.8	295.55	42.78	2689
6	13.491	121.2	276.78	41.53	2611
7	13.447	121.8	251.83	39.80	2501
8	13.435	123.4	224.39	37.61	2366
9	13.332	126.6	202.83	35.88	2253
10	13.313	126.8	181.90	33.96	2137
11	13.282	127.2	163.17	32.41	2040
12	13.278	127.8	147.00	30.79	1935
13	13.254	130.1	131.32	29.34	1850
14	13.250	129.8	118.73	28.22	1777.1

Table 8: (Contd.)

3. Power tilt measurements

Date: 3.7.1980 (1T)

Run Nr.	$P_E$ bar	$T_E$ C	$\dot{m}$ $gs^{-1}$	U V	I A
1	7.2449	75.06	28.948	23.56	1281.6
2	7.2489	77.19	26.408	22.48	1223.1
3	7.2499	78.24	23.789	21.56	1167.3
4	7.2439	79.43	21.258	20.75	1119.3
5	7.2419	80.65	19.068	19.44	1055.4
6	7.2459	80.59	17.117	19.13	1026.4
7	7.2509	82.16	15.287	18.48	987.7
8	7.2609	80.33	13.8972	17.95	956.4
9	7.3129	86.71	12.361	17.10	913.1
10	7.3199	87.81	11.029	16.32	869.5
11	7.3219	85.47	9.9868	16.16	859.0
12	7.3239	86.03	8.9942	15.32	819.3
13	7.3239	85.69	8.0331	14.73	786.1
14	7.3289	85.52	7.3270	14.17	758.3
15	7.3399	83.84	6.5027	13.33	715.2
16	7.3439	84.96	5.7925	13.49	718.5
17	7.3489	83.90	5.1732	12.68	680.6
18	7.3559	83.48	4.5516	12.49	663.7
19	7.3689	84.00	4.1520	11.66	625.7
20	7.3719	79.32	3.0999	10.82	580.4
21	7.3669	80.24	2.2188	9.67	518

Date: 4.7.1980 (2T)

Run Nr.	$P_E$ bar	$T_E$ C	$\dot{m}$ $gs^{-1}$	U V	I A
1	40.444	146.9	352.84	77.92	4102
2	40.234	146.3	318.02	73.98	3897
3	39.804	144.2	279.39	69.68	3677
4	39.744	145.1	250.86	66.60	3512
5	39.564	145.5	224.70	63.49	3345
6	39.534	145.8	202.56	60.40	3186
7	39.354	144.1	183.98	57.84	3053
8	39.134	146.6	170.85	56.31	2963
9	39.084	147.2	156.64	53.78	2833
10	38.894	149.5	139.10	50.97	2686
11	38.984	149.3	125.06	48.63	2567
12	38.914	149.6	111.95	46.05	2429
13	38.814	150.1	100.74	44.10	2326
14	38.684	150.1	90.346	41.77	2203
15	38.654	149.7	81.465	39.84	2098
16	38.594	150.0	73.959	38.22	2012
17	38.354	149.3	67.541	36.87	1939
18	38.284	150.5	61.598	35.27	1857.4

Table 8: (Contd.)

Date: 7.7.1980 (3T)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>	U V	I A
1	39.844	167.1	61.153	38.64	1982
2	39.864	168.4	66.696	40.43	2070
3	39.894	170.7	71.959	41.55	2121
4	39.914	174.7	79.769	43.61	2225
5	39.784	175.7	89.133	46.19	2357
6	39.724	175.9	99.398	48.36	2468
7	39.804	175.8	110.46	50.86	2591
8	39.834	178.9	123.16	43.46	2725
9	39.784	176.9	136.65	55.75	2842
10	39.804	178.4	153.36	60.01	3039
11	39.794	177.8	167.83	61.01	3106
12	40.044	177.0	177.34	63.15	3215
13	39.974	178.5	196.53	66.15	3363
14	39.984	179.1	219.66	69.20	3522
15	40.064	178.9	243.90	72.42	3684
16	40.104	180.5	271.07	76.03	3876
17	40.154	180.6	304.14	79.79	4060
18	39.954	178.3	338.88	83.59	4256

Date: 7.7.1980 (4T)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>	U V	I A
1	8.2266	88.87	55.920	31.29	1715.9
2	8.2196	91.27	50.108	29.50	1617.1
3	8.1946	90.93	45.194	27.88	1530.6
4	8.1796	91.72	40.469	26.44	1449.1
5	8.1666	92.18	36.724	25.27	1384.0
6	8.1796	92.73	33.924	24.08	1325.8
7	8.1636	93.28	30.942	23.02	1261.0
8	8.1356	94.15	27.608	21.52	1181.1

Date: 7.7.1980 (5T)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	$\dot{m}$ gs <sup>-1</sup>	U V	I A
1	8.3086	102.4	56.401	35.21	1866.6
2	8.3156	102.6	50.478	33.40	1766.3
3	8.2816	104.1	45.272	31.72	1677.7
4	8.2836	104.7	40.531	29.88	1579.6
5	8.2876	105.1	32.530	28.36	1499.6
6	8.2736	105.2	34.105	28.40	1484.8
7	8.2706	107.8	30.964	27.05	1416.7
8	8.2646	108.7	27.713	25.98	1351.6

Table 8: (Contd.)

Date: 8.7.1980 (6T)

Run Nr.	P <sub>E</sub> bar	T <sub>E</sub> C	m gs <sup>-1</sup>	U V	I A
1	7.5909	96.63	27.973	27.46	1412.3
2	7.6019	98.21	24.719	26.20	1341.4
3	7.5999	100.5	21.725	25.15	1281.0
4	7.6229	102.5	19.178	23.97	1220.7
5	7.6449	102.8	17.275	23.27	1178.3
6	7.6549	103.7	15.535	22.41	1133.6
7	7.6609	104.9	14.114	21.80	1102.6
8	7.7189	107.3	12.613	20.97	1060.3
9	7.7299	111.2	11.346	20.53	1021.8
10	7.7359	111.6	10.233	19.97	992.0
11	7.7379	115.6	9.1861	19.27	959.6
12	7.7379	112.3	8.2573	18.64	930.5
13	7.7479	111.9	7.4654	18.34	904.8
14	7.7579	111.8	6.6408	17.66	871.0
15	7.7639	112.6	5.9070	17.74	785.0
16	7.7749	113.6	5.2440	16.90	750.1
17	7.7809	112.8	4.6424	16.20	635.0
18	7.7689	113.7	4.1913	15.49	613.8
19	7.7619	110.1	3.1827	14.64	571.4
20	7.7509	105.3	2.2758	13.70	537.1

Table 8: (Contd.)

Explanation of tabulated data

DATUM: Date

VERSUCH NR.: Run Nr.

RAUMTEMPERATUR: Room temperature

DURCHSATZ (KG/S): Mass flow rate ( $\text{kg s}^{-1}$ )

EL. ENERGIE (KW): Electrical power (kW)

WAERMEENERGIE (KW): Thermal power (kW)

WAERMEBILANZ (O/O): Heat balance (%)

REYNOLDSZAHL E-04: Reynolds number multiplied by  $10^{-4}$

DRUCKVERLUST ( $\text{N/M}^{**2}$ ): Pressure drop ( $\text{Nm}^{-2}=\text{Pa}$ )

measured between pressure tap 1 ( $x=310$  mm) and the  
respective position ( $x=1060.0$  mm,  $560.0$  mm ...)

EINTR. DRUCK (BAR): Absolute pressure at pressure tap 1 ( $x=310$  mm)

EINTR. TEMP. GRAD C: Temperature at the inlet (deg C)

TE NR : Number of thermocouple

TE NR : 1-266 thermocouples in the tubes, same numbers  
as in Fig.20,

except: NR.50: gas inlet temperature  
NR.97: gas inlet temperature

TE NR : 267-374 thermocouples in the wrapper tube, same  
numbers as in Fig.21

TE NR : 375-389 thermocouples in the special spacer  
to measure gas temperatures in subchannels,  
same numbers as in Fig.20

TE NR : 390-395 gas outlet temperature, same numbers  
as in Fig. 24

TE NR : 396-399 gas inlet temperature, same numbers as  
in Fig. 23

TE NR : 400-401 thermocouples at orifice plate

TE NR : 402 current (amperes)

TE NR : 403 voltage drop (volts) at test section

TE NR : 404 voltage drop (volts) outside pressure  
vessel

TE NR : 405-406 -----

TE NR : 407-495 voltage (volts) measured at the heated  
tubes, connections between TE NR and  
thermocouple numbers in Table 4

TE NR : 496-497 -----

R NR.: Rod number, meaningful for TE NR 1-266 and TE NR 407-495  
AX POS (MM): axial position of the thermocouples, measured from  
the inlet (mm), shown in Fig.20

RAD POS (GRD): circumferential position of the thermocouples, as  
shown in Fig.21

T GRAD C: TE NR 1-401: temperatures in deg C  
TE NR 402: Ampere  
TE NR 403-495: Volt

Comments:

- Some of the thermocouples are defective, as can be noticed from the data. The temperatures are also given for the isothermal runs, which provides some information on the accuracy of the thermocouple readings.

- The electrical power is calculated as

$$Q_{el} = U \cdot I$$

- The thermal power is calculated by

$$Q_g = \dot{m} (c_p T_A - c_p T_E)$$

with the gas outlet temperature

$$T_A = \frac{1}{6} (T_{390} + T_{391} + T_{392} + T_{393} + T_{394} + T_{395})$$

and the gas inlet temperature

$$T_E = \frac{1}{4} (T_{50} + T_{97} + T_{396} + T_{397}) .$$

- The heat balance is calculated as

$$WB = \frac{Q_g - Q_{el}}{Q_{el}} \cdot 100$$

A bad heat balance does not necessarily mean high heat losses, since there was no mixing chamber at the outlet and, therefore, the outlet temperature is rather uncertain. Especially for low Reynolds numbers, the scatter between the measured values of the outlet temperature is high.

- The Reynolds number is calculated as

$$\text{Re} = \frac{4 \cdot \dot{m}}{U \cdot \mu}$$

The viscosity is calculated for the absolute pressure at pressure tap 1 (x=310 mm) and the average temperature between inlet and outlet

$$T_m = \frac{1}{2} (T_E + T_A) .$$

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	23.2	22.6	23.0	23.4	24.2	24.5	24.9	24.3	25.0	24.5	26.7	27.1	26.7	24.8	28.0	27.7
DURCHSATZ (KG/S)	0.3965	0.3589	0.3230	0.2881	0.2585	0.2326	0.2091	0.1892	0.1775	0.1624	0.1439	0.1299	0.1160	0.1039	0.0931	0.0834
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	10.320	9.354	8.417	7.507	6.735	6.065	5.448	4.938	4.633	4.244	3.755	3.390	3.028	2.718	2.426	2.177
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	55790.	44807.	36241.	28939.	24017.	19334.	15656.	12768.	10931.	9173.	7264.	5918.	4791.	3918.	3165.	2562.
BIS X= 560.0(MM)	15570.	12935.	10459.	8394.	6781.	5481.	4454.	3662.	3139.	2647.	2108.	1687.	1357.	1191.	973.	801.
BIS X= 624.0(MM)	24762.	20359.	16605.	13219.	10781.	8630.	7057.	5689.	4924.	4108.	3287.	2671.	2191.	1777.	1455.	1160.
BIS X= 717.0(MM)	30288.	24893.	20264.	16128.	13127.	10511.	8575.	6934.	5986.	5000.	3998.	3255.	2659.	2161.	1766.	1411.
BIS X= 810.0(MM)	35765.	29377.	23904.	19035.	15455.	12367.	10086.	8161.	7036.	5868.	4693.	3815.	3110.	2530.	2066.	1651.
BIS X= 874.0(MM)	44684.	36739.	29860.	23790.	19294.	15454.	12585.	10213.	8777.	7319.	5859.	4769.	3873.	3159.	2578.	2068.
BIS X= 967.0(MM)	49857.	40914.	33537.	26719.	21661.	17333.	14093.	11461.	9845.	8217.	6556.	5330.	4325.	3532.	2875.	2305.
EINTR.DRUCK (BARI)	39.14	38.98	38.86	38.75	38.66	38.55	38.46	38.41	38.22	38.14	38.04	38.03	38.01	37.24	37.17	37.11
EINTR.TEMP. GRADC	102.3	101.5	101.7	102.1	101.4	100.9	101.4	101.0	100.8	100.4	100.1	99.9	100.2	100.1	101.4	100.7

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	103.0	101.9	101.9	101.7	102.8	102.4	101.2	101.5	101.0	100.3	101.8	101.4	100.7	99.8	104.2	102.0
2	1	348.1	330	102.4	101.2	101.0	101.1	102.0	101.6	100.8	100.8	100.1	99.7	101.2	100.6	100.3	99.2	103.5	101.8
3	1	388.1	150	102.7	101.6	101.9	101.5	102.5	101.7	100.5	101.1	99.7	99.8	101.0	100.4	99.3	98.3	103.1	101.4
4	1	388.1	330	102.3	101.4	101.4	101.4	102.2	101.9	100.8	100.8	99.9	99.7	100.8	100.9	100.2	99.1	103.4	102.0
5	1	487.7	255	102.9	101.9	101.5	101.5	102.0	101.9	101.2	101.2	99.8	100.3	100.5	101.0	100.2	99.1	103.8	101.8
6	1	487.7	120	102.9	101.4	101.5	101.1	102.0	101.6	100.9	100.5	99.5	100.0	100.2	100.2	100.2	99.3	103.3	101.5
7	1	738.0	150	103.1	101.5	101.5	101.4	102.0	101.5	101.4	101.2	99.8	100.4	100.8	100.6	100.6	99.1	103.5	101.6
8	1	738.0	330	103.3	102.1	101.7	101.8	102.0	101.7	101.8	101.2	99.5	100.0	100.9	101.3	100.5	99.6	103.6	102.3
9	1	795.4	120	103.3	101.9	101.5	101.9	101.7	101.4	101.4	100.9	99.4	100.0	101.2	101.1	100.3	99.1	103.8	102.2
10	1	795.4	255	103.4	102.2	102.3	102.1	102.7	102.4	102.3	101.8	100.1	100.2	101.5	101.6	100.9	99.7	103.8	102.4
11	1	987.0	150	103.3	101.8	101.8	101.8	102.2	101.8	101.8	101.5	99.9	100.0	101.4	100.9	100.6	99.4	103.5	101.8
12	1	987.0	330	103.0	101.8	101.8	101.5	102.3	101.8	101.6	101.3	99.6	99.5	101.2	101.0	100.8	99.7	103.4	102.0
13	1	1046.6	120	103.0	101.7	101.7	101.7	102.3	101.7	101.6	101.1	99.6	99.2	101.3	101.0	100.5	99.4	103.6	101.8
14	1	1046.6	255	103.2	101.7	101.6	101.9	102.0	101.6	101.6	100.9	99.6	99.2	101.1	100.9	100.4	99.4	103.3	101.7
15	2	358.5	0	103.1	101.6	101.5	101.6	116.4	254.5	100.8	100.9	99.2	99.2	102.0	101.0	99.5	99.1	104.0	101.5
16	2	388.0	0	102.9	101.7	101.4	101.8	101.6	101.0	100.9	100.5	99.2	99.2	101.9	100.8	99.5	98.9	103.9	101.5
17	2	388.3	210	103.2	102.1	101.6	101.8	101.8	100.9	100.7	100.7	99.6	99.6	101.5	101.3	99.4	98.4	103.7	101.2
18	2	398.0	0	102.9	101.5	101.6	101.3	101.8	101.0	100.8	99.9	99.5	99.4	101.8	101.0	99.5	98.7	103.6	101.2
19	2	488.1	30	102.3	101.4	101.4	101.1	101.8	100.9	101.0	100.1	99.6	99.3	101.8	101.3	99.6	98.9	103.5	101.2
20	2	488.1	165	102.8	102.4	102.1	101.8	101.8	101.6	101.7	100.6	100.0	99.7	101.8	102.4	99.8	98.5	103.3	101.2
21	2	738.0	0	103.0	102.1	101.9	101.8	101.9	101.5	101.5	100.5	99.8	99.6	101.6	101.6	99.9	98.8	103.5	101.3
22	2	738.0	210	103.3	101.9	102.2	101.6	101.9	101.9	101.1	100.1	99.7	99.5	101.1	102.2	100.4	99.0	102.9	101.4
23	2	797.8	30	102.9	101.7	102.0	101.5	101.7	101.8	101.2	100.5	99.8	99.2	101.2	102.1	100.5	99.4	103.3	101.9
24	2	797.8	165	103.1	101.9	102.3	101.8	101.6	101.7	101.1	100.9	100.5	99.5	101.4	102.5	99.9	99.0	102.7	101.3
25	2	987.2	0	102.8	101.4	101.9	101.4	101.3	101.6	100.9	100.5	100.0	99.1	101.0	101.9	100.0	99.1	102.9	101.5
26	2	987.2	210	103.0	101.7	101.9	101.8	101.6	102.0	101.2	100.8	100.3	99.4	101.0	102.3	100.1	99.0	102.7	101.3
27	2	1049.0	30	102.7	101.4	101.7	101.3	101.4	101.7	101.1	100.4	100.1	99.3	101.0	102.0	100.3	99.4	103.0	101.8
28	2	1049.0	165	102.7	101.4	101.7	101.6	101.7	101.8	101.4	100.5	100.0	99.9	101.2	102.3	100.4	99.6	102.9	101.6
29	3	294.0	30	102.9	101.4	102.0	101.7	102.3	101.9	101.7	100.9	101.2	100.4	101.2	102.5	100.8	100.2	103.2	101.9
30	3	303.7	330	103.3	101.8	102.7	102.2	102.8	102.5	102.4	101.3	101.5	100.5	100.9	102.3	100.9	100.3	103.0	102.0
31	3	388.7	15	103.2	101.8	102.2	101.9	102.9	102.4	102.1	101.0	101.5	100.5	101.5	102.3	101.2	100.4	103.3	102.1
32	3	388.7	255	103.2	101.9	102.6	102.1	102.7	102.4	101.8	100.9	101.4	100.1	101.3	101.8	100.8	100.8	103.1	101.6
33	3	488.5	60	103.3	101.9	102.4	102.1	102.8	102.2	101.9	101.0	101.1	100.5	101.5	101.9	101.1	100.6	103.6	102.2
34	3	488.5	150	103.2	102.4	102.6	102.2	102.7	101.9	102.4	101.0	101.5	100.8	101.8	102.4	101.2	100.7	103.8	102.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
35	3 738.5 15	103.2	102.0	102.0	101.9	102.4	101.7	102.0	100.8	100.8	100.1	101.3	101.7	100.7	100.1	103.4	102.3
36	3 738.5 255	101.6	101.6	102.0	101.5	102.1	101.8	101.9	100.7	100.7	100.1	101.0	101.2	100.7	99.8	103.5	102.1
37	3 798.5 60	103.1	101.7	101.9	101.7	102.1	101.7	102.0	100.5	100.8	100.0	101.4	101.6	101.1	100.2	103.7	102.6
38	3 798.5 150	103.4	101.9	102.0	101.7	101.9	102.0	102.2	100.6	101.3	100.4	101.5	101.8	101.3	100.4	104.1	102.7
39	3 988.5 15	102.7	101.4	101.5	101.3	101.6	101.6	101.8	100.4	100.7	99.8	101.3	101.4	100.9	100.0	103.6	102.4
40	3 988.5 255	103.2	102.1	102.0	101.8	102.2	102.3	102.2	100.7	100.9	100.0	100.8	101.1	100.6	99.5	103.5	102.0
41	31049.0 60	103.0	102.0	102.0	101.9	102.3	102.1	102.1	100.7	100.8	100.2	101.3	101.6	100.9	99.9	103.6	102.3
42	31049.0 150	103.1	102.0	102.1	102.0	102.5	102.4	102.3	100.7	101.2	100.5	101.6	101.9	100.9	100.0	104.0	102.3
43	4 293.9 300	102.2	101.1	101.2	101.1	101.4	101.0	101.2	100.1	98.8	98.8	99.9	100.4	99.8	99.3	102.8	101.5
44	4 303.7 300	102.4	101.1	101.2	101.2	101.4	101.1	101.2	100.2	98.9	98.5	100.0	100.3	99.7	99.1	102.8	101.4
45	4 339.0 300	102.6	101.2	100.9	101.2	101.4	101.3	101.2	100.2	98.8	98.4	100.4	100.5	100.3	99.3	103.1	101.8
46	4 348.4 300	102.2	101.5	101.0	101.0	101.3	101.3	100.8	100.0	98.9	98.3	100.3	100.2	100.2	99.0	102.9	101.4
47	4 375.1 300	103.4	85.5	221.3	206.3	96.6	203.9	97.0	80.8	234.7	76.8	193.2	104.2	65.2	258.9	244.8	57.2
48	4 389.0 45	102.0	101.1	101.2	101.5	101.5	101.5	101.3	100.2	99.5	98.9	101.0	101.1	100.2	99.6	103.6	101.9
49	4 389.0 210	102.4	101.0	101.2	100.5	101.5	101.4	101.1	100.5	99.5	99.0	100.6	100.9	100.5	99.6	103.0	102.5
50	4 408.8 300	103.4	101.2	102.1	102.5	101.4	101.0	102.1	101.5	100.8	99.3	100.2	98.3	98.4	99.6	101.6	100.4
51	4 418.6 300	102.7	101.8	101.4	101.4	101.8	101.7	101.6	100.8	99.7	99.1	101.0	100.9	100.7	99.4	102.8	102.2
52	4 428.7 300	102.7	101.5	101.6	101.4	101.7	101.4	101.6	100.7	99.5	99.2	101.0	101.2	100.5	99.7	102.7	102.2
53	4 739.2 45	102.8	101.6	101.6	101.5	101.7	101.4	101.5	100.4	99.6	99.3	101.1	101.0	100.5	99.6	102.8	102.0
54	4 739.2 210	103.0	101.5	101.9	101.6	101.8	101.6	101.6	100.6	99.9	99.8	101.2	101.1	100.7	99.7	102.9	102.1
55	4 989.5 45	103.1	101.6	101.9	101.5	101.9	101.5	101.5	100.6	99.7	99.7	101.3	101.1	100.6	99.7	103.2	102.1
56	4 989.5 210	103.0	101.7	102.0	101.7	102.2	101.6	101.8	101.0	99.9	100.0	101.4	101.7	100.8	100.0	103.2	102.5
57	5 369.5 195	102.5	101.2	101.4	101.6	101.6	101.6	101.6	100.0	100.2	100.5	101.8	101.5	99.9	99.0	102.9	101.4
58	5 369.5 300	102.2	101.3	101.4	100.8	101.3	101.4	101.3	99.7	99.9	100.3	101.6	101.4	100.2	99.3	102.7	101.3
59	5 389.0 30	102.1	101.1	101.5	100.9	101.7	101.6	101.3	100.2	100.0	100.8	102.1	102.0	100.2	99.6	103.3	101.1
60	5 389.0 150	103.3	101.5	102.1	101.8	102.5	102.4	102.0	101.1	100.9	100.9	102.5	102.6	99.9	100.1	103.4	101.3
61	5 549.0 195	103.0	101.5	102.3	101.9	102.7	102.3	101.9	101.0	100.7	100.9	102.8	102.8	100.2	100.4	103.4	101.6
62	5 549.0 300	102.7	101.5	102.0	101.9	102.2	101.9	101.4	101.1	100.1	100.4	102.3	102.3	100.5	100.3	102.6	101.6
63	5 738.7 30	102.7	101.2	101.6	101.6	101.7	102.0	101.5	100.7	100.1	100.6	102.1	102.4	100.6	100.2	102.5	101.5
64	5 738.7 150	102.9	101.6	102.2	101.8	102.2	102.5	102.1	101.1	100.4	101.1	102.1	102.9	100.9	101.0	102.7	101.6
65	5 809.2 120	102.9	101.7	102.2	101.6	102.4	102.2	102.1	101.1	100.5	101.1	101.8	103.1	100.9	101.1	102.5	101.6
66	5 819.0 180	359.8	29.9	311.1	89.8	163.7	*****	166.0	27.0	80.7	361.3	*****	131.3	367.1	*****	64.3	366.2
67	5 929.4 195	102.9	101.4	101.7	101.1	102.3	102.0	101.4	100.4	100.5	100.7	101.6	102.4	100.7	101.0	102.6	101.8
68	5 929.4 300	102.9	101.6	101.6	101.4	102.3	102.0	101.2	100.3	100.3	100.5	101.3	102.2	100.7	100.8	102.4	102.0
69	5 989.0 30	102.7	101.2	101.2	101.0	101.8	101.9	100.9	100.2	99.8	100.3	101.0	102.2	100.3	100.6	102.1	101.6
70	5 989.0 150	103.1	101.6	101.7	101.5	102.3	102.4	101.5	101.0	100.6	100.6	101.7	102.6	100.7	100.9	102.4	101.6
71	6 388.6 225	103.1	102.2	102.3	101.6	102.9	102.9	102.0	101.2	101.2	101.3	102.3	103.7	100.4	101.2	102.6	101.2
72	6 388.6 300	103.1	101.6	101.8	101.2	102.5	102.7	101.7	100.7	101.1	100.9	102.2	103.1	100.3	101.2	102.4	101.2
73	6 488.5 30	102.3	101.7	101.5	100.9	101.8	101.8	100.8	99.8	100.8	100.4	101.9	102.4	99.9	101.0	102.2	100.9
74	6 488.5 150	103.4	101.8	101.5	101.5	102.0	102.2	101.6	100.5	101.4	101.2	102.6	102.7	100.7	*****	*****	71.3
75	6 739.4 225	103.4	101.9	102.0	101.4	102.3	102.2	101.8	100.8	101.5	101.0	102.7	102.7	100.5	101.5	103.1	101.5
76	6 739.4 300	103.1	101.5	101.7	101.0	101.6	101.6	101.2	100.4	101.2	100.6	102.3	102.0	99.8	101.2	102.6	100.9
77	6 798.8 30	102.1	101.0	101.3	100.4	101.1	101.1	100.7	99.7	100.5	100.3	101.8	101.1	99.4	100.9	102.0	100.4
78	6 798.8 30	102.4	101.5	101.8	100.7	101.3	101.4	100.9	100.4	101.3	101.3	102.6	102.0	100.3	101.6	103.1	101.5
79	6 829.0 180	102.7	101.3	101.5	102.7	101.3	101.5	101.2	100.5	100.9	101.3	102.6	101.9	100.3	101.6	103.0	101.4
80	6 839.0 240	102.5	101.2	101.5	101.0	101.5	101.7	261.8	208.1	250.3	*****	*****	372.6	127.9	101.0	371.0	127.5
81	6 988.8 225	102.9	101.9	102.0	98.2	103.2	100.2	39.9	343.4	232.3	*****	283.4	92.5	*****	92.7	*****	101.7
82	6 988.8 300	185.5	96.9	235.5	122.1	204.4	186.6	73.3	424.1	-165.0	*****	117.5	*****	72.5	188.5	*****	*****
83	61049.0 30	102.7	101.8	101.5	101.4	101.7	101.4	101.1	100.4	100.3	100.5	102.2	101.0	100.2	101.1	102.2	101.2
84	61049.0 150	65.4	70.4	30.3	60.3	58.4	33.6	74.3	38.8	53.5	36.8	91.6	*****	87.6	26.0	36.9	47.9
85	7 339.0 150	103.2	101.9	101.9	101.9	102.2	102.3	102.1	101.1	101.7	101.1	103.1	102.7	101.7	102.2	103.9	102.8
86	7 349.0 150	103.5	102.8	102.7	102.5	102.9	102.8	102.6	101.8	102.2	101.7	103.3	102.9	102.3	102.4	104.3	103.1
87	7 359.0 150	104.1	102.9	103.1	103.0	103.3	103.1	103.1	102.1	102.6	102.2	103.8	103.2	102.6	102.8	104.6	103.3
88	7 369.0 165	103.6	102.6	102.8	102.1	102.8	102.6	102.7	101.4	102.2	101.5	103.3	102.7	102.3	102.3	104.2	102.9
89	7 369.0 330	103.6	102.9	102.8	102.1	102.7	102.1	102.7	101.6	102.5	101.7	103.5	102.5	102.3	102.7	104.3	103.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
90	7 379.0	150	103.7	102.7	103.0	102.6	103.4	102.7	103.3	101.8	102.5	101.8	103.2	102.9	102.7	102.1	104.3	102.9
91	7 398.9	150	103.5	102.7	102.9	102.7	102.9	102.8	103.5	101.9	102.6	101.7	103.3	102.6	102.5	102.1	104.4	103.0
92	7 408.6	150	103.1	102.3	101.8	101.7	102.7	101.9	102.5	101.5	101.9	101.4	102.9	102.1	101.9	101.7	103.7	102.5
93	7 489.4	165	103.1	102.3	102.0	102.0	102.2	102.3	102.8	101.1	102.2	101.3	102.7	102.2	102.0	101.8	103.7	102.7
94	7 489.4	330	103.4	102.2	102.6	101.7	102.5	101.5	102.9	101.3	102.0	101.4	102.3	102.1	102.0	101.9	103.5	102.6
95	7 799.0	165	103.3	102.7	102.5	102.1	102.7	102.1	103.0	101.6	102.0	101.5	102.7	102.4	102.2	101.9	104.0	103.1
96	7 799.0	330	103.3	102.6	102.3	102.2	102.6	102.1	102.9	101.7	102.1	101.3	102.2	101.8	101.7	101.7	103.6	102.4
97	71049.0	165	102.5	101.0	101.8	102.3	101.1	102.9	102.0	101.5	101.5	101.7	98.9	99.5	100.4	100.9	101.2	100.3
98	71049.0	330	103.1	102.4	102.3	102.2	102.6	102.3	102.6	101.8	102.0	101.4	102.0	101.9	101.6	101.6	103.6	102.5
99	8 294.6	210	102.0	100.8	101.1	100.8	101.3	100.9	101.1	100.0	99.3	98.7	100.0	100.7	100.3	99.3	102.7	101.4
100	8 304.2	270	102.1	100.9	101.0	101.0	101.3	101.0	101.1	99.9	98.8	98.2	99.5	100.1	99.6	97.8	101.1	100.0
101	8 368.7	135	102.7	101.5	101.8	101.8	102.1	101.8	308.9	*****	200.0	98.8	100.1	114.6	*****	98.5	101.1	100.9
102	8 368.7	255	102.4	101.2	101.4	101.4	101.6	101.2	100.9	100.5	99.0	98.4	99.5	100.5	100.2	98.3	101.2	100.8
103	8 389.1	30	103.0	101.6	102.3	102.1	102.4	101.7	101.2	100.7	99.5	99.3	100.1	101.2	101.1	98.7	101.6	101.2
104	8 389.1	300	102.1	101.1	101.6	101.5	101.6	101.2	101.2	100.4	99.0	98.7	99.8	100.5	100.6	98.8	101.4	100.9
105	8 549.0	135	103.0	101.9	101.8	101.8	102.6	102.0	102.0	101.5	99.8	99.0	100.2	101.2	101.5	99.7	102.2	101.2
106	8 549.0	255	102.5	101.7	101.7	102.1	102.6	102.1	101.7	101.1	99.7	98.9	100.3	101.3	101.4	99.6	102.2	101.4
107	8 739.0	30	102.5	101.5	101.7	101.6	102.1	101.6	101.2	100.8	99.7	99.0	100.2	101.1	100.9	99.5	101.9	101.0
108	8 739.0	300	102.8	101.8	102.1	102.2	102.6	102.3	101.9	101.4	100.4	99.6	100.9	101.9	101.8	99.9	102.4	101.8
109	8 929.0	135	103.0	101.9	102.0	102.2	102.6	102.1	102.0	101.3	99.9	99.3	100.7	101.7	101.5	99.7	102.4	101.7
110	8 929.0	255	103.1	102.2	102.3	102.4	102.6	102.5	102.1	101.4	100.1	99.3	100.8	101.5	101.3	99.2	101.8	101.3
111	8 988.8	30	103.1	102.1	102.1	102.1	102.6	102.3	101.9	101.2	99.9	99.1	100.6	101.2	100.8	99.2	101.7	101.0
112	8 988.8	300	103.2	102.3	102.2	102.3	102.7	102.2	102.0	101.3	100.1	99.4	100.8	101.4	101.1	99.3	102.1	101.5
113	9 369.4	105	103.7	102.7	103.0	102.9	103.7	103.2	102.8	102.3	101.7	100.4	102.0	102.2	101.9	100.0	103.0	102.1
114	9 369.4	180	98.6	97.6	96.7	96.3	96.6	94.2	94.2	92.6	91.6	91.6	93.2	93.9	94.5	92.1	94.4	95.7
115	9 389.0	30	103.0	102.1	102.4	102.4	102.2	102.5	102.0	100.7	100.6	99.6	101.4	66.6	84.4	*****	74.3	29.9
116	9 389.0	270	103.4	102.4	102.4	102.7	102.8	102.6	102.3	101.8	101.0	99.8	101.6	102.0	102.0	100.3	102.4	101.7
117	9 549.0	105	103.2	102.6	102.7	102.7	102.9	102.9	102.9	101.9	101.4	99.5	102.1	102.0	102.3	100.4	102.7	102.1
118	9 549.0	180	103.6	102.6	103.0	102.6	103.2	102.9	103.0	101.8	101.2	100.1	101.7	101.9	102.7	100.1	102.6	102.3
119	9 739.2	30	103.3	102.2	102.4	102.3	102.3	102.4	102.5	101.5	100.6	99.7	101.0	101.4	102.0	100.3	102.1	102.0
120	9 739.2	270	104.0	103.0	103.2	103.1	103.3	102.9	102.9	102.1	100.8	100.0	101.1	101.9	102.0	99.0	101.6	101.3
121	9 909.0	60	104.0	102.9	103.2	102.9	103.5	103.1	102.9	102.3	100.9	100.4	101.6	101.9	102.4	99.9	102.1	101.8
122	9 919.0	120	104.2	103.0	103.0	103.1	103.7	103.3	103.1	102.4	101.2	100.7	102.0	102.2	102.7	99.8	102.8	102.3
123	9 929.0	105	104.0	102.9	103.1	103.0	103.7	103.3	103.0	102.4	101.1	100.7	102.0	102.2	102.9	99.9	103.1	102.4
124	9 929.0	180	103.5	102.6	102.9	102.6	103.3	102.9	102.0	102.2	101.1	100.6	101.8	102.1	102.6	99.5	102.9	102.3
125	9 988.8	30	103.4	102.3	102.4	102.1	102.9	102.6	102.3	101.8	100.6	100.1	101.2	101.5	101.8	99.8	102.1	101.7
126	9 988.8	270	103.6	102.7	103.0	102.9	103.7	103.0	102.8	102.4	101.1	100.8	101.8	102.6	102.3	99.7	103.0	102.7
127	10 489.3	90	103.9	102.8	103.1	102.8	103.5	103.5	103.5	102.4	101.5	101.9	102.0	102.2	102.3	100.6	103.1	102.5
128	10 489.3	300	104.4	103.0	103.3	103.2	103.6	103.8	103.8	102.5	101.7	101.6	102.4	102.4	102.5	100.3	102.7	103.0
129	10 549.0	60	104.4	102.8	103.1	103.0	103.2	103.7	103.2	102.4	101.8	101.1	101.7	102.2	101.9	100.7	102.8	102.6
130	10 549.0	210	104.1	102.7	103.4	103.5	103.7	104.1	103.6	102.4	102.2	101.3	102.2	102.9	102.2	99.0	102.7	102.6
131	10 739.0	180	104.1	102.6	103.2	103.3	103.3	103.6	103.0	102.4	102.0	101.2	102.0	102.5	102.1	99.6	102.6	102.6
132	10 739.0	330	103.7	102.7	103.0	103.2	103.4	103.4	102.9	102.2	101.6	100.5	101.5	102.0	101.4	99.8	102.1	102.0
133	10 799.0	90	103.7	102.9	103.2	103.0	103.5	103.8	103.2	102.7	102.1	100.9	101.7	102.1	101.9	100.6	102.5	102.3
134	10 799.0	300	103.8	102.9	103.1	103.1	103.7	103.7	103.1	102.4	102.1	100.9	102.2	102.4	102.0	100.0	102.8	102.6
135	10 929.0	60	103.7	102.8	103.2	102.9	103.7	103.6	102.9	102.1	102.2	100.9	102.0	102.2	101.8	100.8	102.7	102.3
136	10 929.0	210	103.7	102.7	103.1	103.2	103.9	103.4	103.0	102.1	102.5	101.5	102.9	102.9	102.6	100.5	103.7	103.3
137	10 989.0	180	103.8	102.7	103.0	102.9	103.5	103.0	102.8	102.0	102.0	101.2	102.3	102.6	102.5	100.7	103.5	103.3
138	10 989.0	330	103.7	102.8	103.0	102.9	103.5	103.0	103.1	102.0	101.6	101.0	102.3	102.4	102.2	100.9	103.4	103.2
139	101049.0	90	103.6	102.7	103.1	102.8	103.3	103.1	103.0	102.1	101.6	101.2	102.4	102.4	102.0	101.2	103.4	103.0
140	101049.0	300	103.4	102.8	103.2	102.7	103.1	102.9	102.7	101.8	101.2	100.8	102.2	102.2	101.6	100.0	102.5	102.3
141	11 389.0	60	103.2	102.9	103.3	102.8	103.4	102.8	102.6	101.8	101.9	101.4	103.3	102.8	102.0	101.3	103.4	102.3
142	11 389.0	315	103.4	102.8	103.0	102.8	103.0	102.8	102.5	101.2	101.9	101.2	103.2	102.6	101.3	101.2	103.0	102.3
143	11 489.0	150	103.5	102.9	103.1	102.8	103.5	103.0	103.0	101.7	102.2	101.9	103.5	103.2	102.5	101.7	104.1	103.4
144	11 489.0	270	103.5	103.0	103.2	103.2	103.0	103.0	102.9	102.2	101.9	102.0	103.5	102.8	102.3	101.3	103.4	103.1

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	103.9	102.9	102.9	102.7	102.8	103.2	103.0	102.2	101.6	101.5	103.3	102.5	102.2	101.7	103.3	102.9
146	11	738.9	315	103.7	102.8	103.3	102.9	103.3	103.2	103.0	102.6	102.1	101.8	103.5	102.7	102.1	101.6	103.1	103.0
147	11	799.6	150	103.4	102.8	102.7	102.6	103.0	102.8	102.7	102.4	102.2	101.6	103.3	102.6	102.2	101.7	103.3	103.0
148	11	799.6	270	103.5	102.8	102.8	102.8	103.3	103.0	102.9	102.5	102.6	101.8	103.4	102.8	102.3	101.5	103.3	103.0
149	11	849.3	240	103.5	102.6	103.1	102.6	103.5	103.1	102.8	102.6	102.7	102.0	103.3	102.8	102.4	101.4	103.4	103.2
150	11	859.8	300	103.3	102.8	103.0	102.6	103.2	102.5	102.6	101.9	102.2	101.2	102.5	102.1	101.5	100.3	102.1	101.7
151	11	989.3	60	103.3	102.6	103.2	102.4	103.1	102.7	102.5	101.8	102.2	101.3	102.4	102.2	101.5	101.0	102.5	102.0
152	11	989.3	315	103.0	102.7	103.0	102.3	102.6	102.7	102.4	101.8	102.2	101.3	102.2	102.2	101.5	100.8	102.4	102.0
153	11	1049.2	150	103.2	102.8	102.9	102.8	103.2	102.8	102.7	101.7	102.3	101.6	102.3	102.3	101.8	101.2	103.0	102.6
154	11	1049.2	270	103.1	102.4	102.9	102.7	103.1	102.9	102.7	101.6	102.6	101.9	102.5	102.5	102.0	101.3	103.0	102.6
155	12	359.9	30	103.2	102.5	102.9	102.6	103.0	102.6	102.8	101.9	102.5	101.9	103.0	103.0	102.6	102.0	103.9	103.4
156	12	370.0	15	103.3	102.7	103.1	102.6	102.9	102.7	102.8	101.8	102.7	102.1	103.1	103.0	102.9	102.0	103.9	103.4
157	12	370.0	240	120.6	124.5	105.3	142.2	104.9	147.3	85.4	49.9	58.2	45.1	82.5	77.7	80.9	37.1	46.4	138.4
158	12	379.2	90	102.9	102.3	102.8	102.2	102.4	102.4	102.3	101.6	102.5	102.0	103.1	103.2	102.9	101.8	104.1	103.6
159	12	489.0	90	102.6	102.6	102.9	102.2	102.4	102.8	102.5	101.6	102.7	102.1	103.2	103.3	102.9	101.8	104.0	103.5
160	12	489.0	270	102.6	101.8	102.3	101.5	102.1	102.2	101.9	101.4	102.2	101.3	102.6	102.4	101.9	100.9	102.4	102.0
161	12	548.9	15	103.0	102.4	102.6	102.1	102.8	102.7	102.7	101.3	102.4	101.7	102.5	102.6	101.9	101.2	103.0	102.3
162	12	548.9	240	103.1	102.1	102.7	102.1	102.7	102.6	102.5	101.5	102.3	101.6	102.5	102.9	102.1	101.4	103.3	102.4
163	12	799.3	90	102.9	102.2	102.6	102.0	102.7	102.4	102.3	101.4	101.9	101.4	102.3	102.5	102.0	101.2	103.2	102.5
164	12	799.3	270	102.7	102.0	102.9	101.8	102.5	102.5	102.2	101.5	102.3	101.6	102.5	102.7	102.1	101.4	103.3	102.5
165	12	929.3	15	102.5	102.0	102.9	101.8	102.5	102.5	102.0	101.5	102.3	101.7	102.4	102.6	101.9	101.5	103.3	102.5
166	12	928.4	240	102.4	102.1	102.8	101.7	102.4	102.6	102.4	101.7	102.5	101.9	102.7	102.7	102.1	101.6	103.4	102.9
167	12	1049.5	90	102.8	102.1	102.7	102.0	102.8	102.8	102.5	101.7	102.0	101.8	102.7	102.6	102.0	101.5	103.5	102.9
168	12	1049.5	270	102.5	102.0	102.6	101.6	102.7	102.4	102.3	101.6	102.2	101.8	102.6	102.4	101.8	101.5	103.3	102.5
169	13	338.8	60	103.5	102.8	102.9	102.9	103.4	103.1	102.9	102.1	101.6	100.6	102.4	102.8	102.0	100.1	104.0	103.0
170	13	349.0	60	103.3	102.4	102.7	102.3	102.8	102.7	102.6	101.7	100.8	99.6	101.7	102.2	101.5	98.9	102.8	101.7
171	13	368.9	90	104.4	102.8	103.1	103.1	103.5	103.3	103.1	102.6	101.1	100.4	102.2	103.0	102.3	99.4	103.7	102.2
172	13	368.9	240	104.0	102.9	102.9	102.8	103.4	102.9	102.9	102.3	100.5	100.0	102.0	102.5	102.0	99.3	103.5	102.3
173	13	388.5	45	104.1	102.9	103.1	103.1	103.5	102.8	103.0	102.7	101.1	100.3	102.8	102.3	101.8	100.5	104.0	102.6
174	13	388.5	270	103.7	102.7	102.7	102.8	103.2	102.7	102.9	101.9	101.0	100.0	102.5	102.6	102.1	99.7	103.7	102.6
175	13	549.0	90	103.2	102.8	102.7	102.6	103.1	102.8	103.1	101.9	101.0	100.9	102.9	102.9	102.4	100.3	104.2	131.8
176	13	549.0	240	104.2	103.2	103.2	103.5	103.9	103.6	103.7	102.8	101.7	101.1	103.2	103.6	103.0	100.2	104.3	103.3
177	13	738.7	45	103.7	102.7	103.0	103.2	103.3	103.1	103.3	102.5	40.7	85.9	102.4	88.5	102.2	*****	*****	102.7
178	13	738.7	270	104.1	105.1	103.2	103.5	104.0	103.6	103.8	102.9	101.5	100.8	102.9	103.5	102.9	100.3	104.2	103.3
179	13	929.3	90	104.0	102.8	103.1	103.3	103.9	103.2	103.6	102.7	101.5	100.9	103.1	103.5	103.1	100.3	104.4	103.3
180	13	929.3	240	103.7	102.7	103.0	103.0	103.5	103.0	103.1	102.3	101.2	100.2	102.4	102.7	102.3	99.3	103.3	102.3
181	13	989.2	45	103.5	102.7	102.8	102.8	103.1	102.5	102.5	101.9	100.6	99.7	101.8	102.2	102.1	99.1	103.0	101.9
182	13	989.2	270	103.7	102.9	103.1	103.2	103.3	103.0	102.8	102.0	101.0	100.2	102.2	102.9	102.6	99.6	103.4	102.7
183	14	369.0	30	103.6	102.7	102.9	103.2	103.2	103.0	102.9	102.1	101.6	100.6	102.8	103.3	103.6	100.8	103.8	102.9
184	14	369.0	270	103.8	102.9	103.0	103.6	103.6	103.4	103.2	102.6	101.8	100.9	103.0	103.8	103.6	101.0	104.0	103.3
185	14	488.9	75	103.7	103.2	103.2	103.3	104.0	103.7	103.1	102.9	102.4	102.0	103.4	104.0	104.0	101.1	104.3	103.2
186	14	488.9	180	104.1	103.2	103.0	103.4	103.7	103.5	103.3	102.5	102.3	101.8	103.7	104.4	103.9	101.2	104.6	103.5
187	14	548.8	30	104.1	103.3	103.4	103.3	104.0	103.6	103.3	102.7	102.2	101.4	103.7	104.4	104.0	100.6	104.3	103.0
188	14	548.8	270	104.2	103.5	103.6	103.4	104.0	104.0	103.6	102.9	102.5	101.3	104.0	104.5	103.9	101.1	104.7	103.5
189	14	799.2	75	103.4	102.8	103.0	102.7	103.4	103.0	102.9	101.9	101.7	100.9	103.1	103.5	103.0	100.2	103.6	102.6
190	14	799.2	180	103.5	102.6	103.2	102.7	103.4	103.1	102.7	102.2	101.8	100.8	102.9	103.3	102.8	100.0	103.6	102.6
191	14	890.2	0	103.4	102.8	102.9	102.5	103.3	103.0	102.7	102.1	101.4	100.0	102.5	102.9	102.5	99.4	103.0	102.0
192	14	899.8	60	103.3	102.6	102.8	102.5	103.2	103.0	102.9	102.2	101.8	100.6	103.0	103.4	102.7	99.7	103.5	102.4
193	14	929.5	30	102.9	101.9	101.9	101.9	102.3	102.3	102.0	101.3	101.1	100.1	102.3	102.4	102.0	99.7	102.8	101.7
194	14	929.5	270	103.6	102.7	103.0	102.8	103.3	103.1	103.2	102.6	102.1	101.2	103.2	103.7	103.0	100.9	104.0	103.2
195	14	1049.2	75	103.9	102.8	103.0	103.0	103.2	103.3	103.3	102.3	101.9	101.2	103.3	103.4	102.9	100.7	103.9	102.9
196	14	1049.2	180	104.0	102.9	103.1	103.2	103.5	103.7	103.6	102.7	102.4	101.7	103.6	104.0	103.4	101.2	104.5	103.6
197	15	369.1	150	103.2	102.4	102.6	102.3	102.8	102.9	102.8	101.9	101.7	101.3	103.2	103.1	102.8	100.8	104.0	102.9
198	15	369.1	270	104.1	102.8	102.0	103.2	103.5	103.8	103.5	102.9	102.2	101.9	103.6	103.6	103.3	101.1	104.3	103.3
199	15	488.6	60	104.1	102.8	102.9	103.1	103.7	103.3	103.4	102.8	102.4	101.7	103.7	103.1	102.7	101.0	103.5	102.8

TE R AX RAD T  
 NR NR. PCS PDS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
200	15 488.6 345	103.5	102.7	103.1	102.6	103.3	102.8	102.4	102.4	101.9	101.1	103.0	102.7	101.5	99.6	102.2	101.6
201	15 549.6 150	103.3	102.7	102.9	102.7	103.1	102.8	102.8	102.3	102.1	101.1	103.0	103.1	102.3	99.7	103.0	102.2
202	15 549.6 270	103.8	102.6	103.0	103.2	103.4	103.2	102.6	102.6	102.2	101.2	103.0	103.5	102.5	99.7	102.8	102.2
203	15 799.6 60	102.8	101.7	101.9	102.1	102.1	102.2	101.5	101.5	101.1	100.3	102.1	102.4	101.3	98.9	102.0	101.4
204	15 799.6 345	103.3	102.4	102.7	102.6	103.0	102.9	102.4	101.8	101.7	100.6	102.2	102.7	101.4	98.8	102.0	101.4
205	15 869.0 0	103.4	102.5	102.8	102.7	102.8	103.0	102.4	102.1	101.8	100.5	102.3	102.9	101.5	99.0	102.1	101.6
206	15 879.0 300	222.0	154.6	250.9	263.2	211.9	198.9	196.0	180.7	351.2	195.4	200.4	216.7	48.4	*****	67.0	32.5
207	15 929.2 150	103.4	102.7	103.0	102.8	103.0	102.8	103.0	102.3	102.4	101.0	102.8	103.2	102.5	100.1	103.1	102.4
208	15 929.2 270	103.5	102.8	103.0	102.9	103.4	103.1	103.2	102.5	102.3	100.9	102.8	103.3	102.4	99.9	103.0	102.4
209	151049.1 60	103.1	102.0	102.2	102.3	102.3	102.4	102.5	101.9	101.5	100.0	102.1	102.4	101.5	99.2	102.1	101.4
210	151049.1 345	103.2	102.1	102.3	102.3	102.7	102.7	102.7	102.0	101.5	99.9	102.0	102.5	101.5	99.2	102.1	101.5
211	16 368.5 150	103.5	102.8	102.8	102.9	103.2	103.0	103.1	102.3	102.0	100.9	102.4	103.1	102.4	100.1	102.8	102.3
212	16 368.5 285	103.8	102.7	103.0	102.8	103.6	103.1	103.2	102.6	102.2	100.7	102.6	103.3	102.6	100.3	102.9	102.3
213	16 418.6 210	103.6	102.5	102.8	102.6	102.9	102.8	103.1	102.4	102.1	101.4	102.8	103.4	102.7	100.7	103.2	102.7
214	16 428.5 210	103.6	102.6	103.2	103.0	103.6	103.0	103.4	102.5	102.3	101.5	102.5	103.7	103.0	100.8	103.5	102.9
215	16 488.5 120	103.4	102.6	102.8	102.9	103.2	103.1	103.3	102.4	102.1	101.4	102.6	103.7	102.5	100.8	103.5	102.8
216	16 488.5 330	103.2	102.4	102.2	102.7	103.1	102.8	103.1	102.2	101.8	101.0	102.1	103.3	101.5	100.0	102.6	101.8
217	16 548.6 150	103.6	102.8	103.1	102.9	103.2	103.3	103.0	102.4	101.8	101.3	102.4	103.2	102.4	100.5	103.1	102.5
218	16 548.6 285	103.6	102.7	102.9	103.2	103.6	103.6	103.6	102.3	102.2	101.8	102.6	103.7	102.7	100.5	103.1	102.4
219	16 798.9 120	103.7	102.8	102.9	102.8	103.1	103.0	103.0	102.0	102.2	101.7	102.6	103.1	102.3	100.4	103.2	102.5
220	16 798.9 330	103.2	102.0	102.1	102.1	102.4	102.8	102.6	101.7	101.5	100.8	102.4	103.1	101.9	99.7	102.7	101.9
221	16 929.0 150	103.1	102.0	102.1	102.0	102.4	102.6	102.4	101.6	101.3	100.6	102.2	102.7	101.9	99.8	102.8	102.0
222	16 929.0 285	103.8	102.7	103.0	103.2	103.3	103.6	103.2	102.1	102.0	101.3	102.8	103.6	102.7	100.3	103.6	102.4
223	161049.0 120	103.2	102.2	102.2	102.3	102.5	102.8	102.5	101.4	101.0	100.4	102.0	102.6	101.6	99.5	102.6	101.6
224	161049.0 330	103.9	102.8	103.1	103.1	103.3	103.7	103.4	102.1	101.9	101.2	102.8	103.4	102.2	100.3	103.4	102.1
225	17 368.7 30	104.6	103.3	103.4	103.5	104.0	103.9	103.9	102.8	102.2	101.7	103.2	103.9	103.3	101.2	104.3	103.1
226	17 368.7 210	103.7	102.6	103.1	103.1	103.3	103.2	103.4	102.3	101.9	101.3	102.8	103.2	102.7	100.5	103.6	102.7
227	17 388.4 0	103.6	102.9	103.0	103.1	103.1	102.9	103.4	102.0	102.0	101.2	102.1	102.7	102.1	99.9	103.5	102.5
228	17 388.4 135	103.4	102.6	103.0	103.1	103.5	103.2	103.6	102.2	102.2	101.5	102.9	103.6	103.1	100.8	104.1	103.0
229	17 418.8 150	103.6	102.8	103.2	103.0	103.6	103.2	103.4	102.5	102.2	101.4	102.9	103.4	103.1	100.6	104.0	102.9
230	17 428.8 210	104.2	103.1	103.3	103.3	103.9	103.6	103.5	102.7	102.0	101.4	103.0	103.3	103.1	100.7	103.9	102.7
231	17 549.0 30	104.1	103.1	103.3	103.2	103.8	103.4	103.1	102.8	101.9	101.2	103.3	103.1	103.2	101.0	104.1	102.6
232	17 549.0 210	104.1	103.1	103.5	103.6	104.1	103.6	103.4	102.8	102.2	101.7	103.5	103.4	103.4	100.9	104.2	103.0
233	17 739.2 0	104.4	103.1	103.6	103.5	104.3	103.7	103.1	102.7	101.9	101.6	103.3	103.2	103.3	100.7	104.3	103.0
234	17 739.2 135	103.5	102.7	103.1	102.8	103.3	103.1	102.6	102.2	101.6	101.0	102.7	102.9	102.6	100.4	103.7	102.5
235	17 928.9 30	104.1	103.1	103.5	103.6	104.1	103.8	102.9	102.6	102.0	101.4	103.3	103.3	103.1	101.2	104.2	102.9
236	17 928.9 210	104.3	103.3	103.7	103.3	104.3	103.9	103.2	102.8	102.2	101.7	103.4	103.5	103.2	101.4	104.2	103.1
237	17 989.1 0	103.6	102.9	103.1	102.9	103.7	103.2	102.9	102.2	101.6	100.8	102.6	102.7	102.2	100.1	103.3	102.2
238	17 989.1 135	103.5	102.8	103.1	102.8	103.5	103.2	103.0	102.1	101.7	101.1	102.8	103.0	102.5	100.3	103.5	102.4
239	18 294.0 0	104.2	103.2	103.8	103.4	104.3	104.1	103.5	102.9	102.4	101.9	103.9	103.7	103.4	101.4	104.0	103.4
240	18 304.0 0	104.1	102.9	103.3	103.1	104.0	103.4	103.2	102.7	102.2	101.5	103.2	103.3	103.0	100.8	103.5	103.1
241	18 359.2 0	103.2	102.4	102.6	102.5	103.2	102.8	102.7	102.2	101.6	101.0	102.6	102.7	102.5	100.2	103.1	102.5
242	18 369.1 90	103.8	102.8	103.3	103.1	104.0	103.5	103.1	102.4	102.1	101.6	103.3	103.4	103.2	101.0	103.9	102.9
243	18 369.1 285	103.5	102.5	102.8	102.7	103.5	103.2	102.5	102.2	101.7	101.0	103.0	103.2	102.8	100.8	103.5	102.6
244	18 378.9 0	104.1	102.8	103.2	103.2	104.1	103.9	102.8	102.8	102.3	101.5	103.2	103.7	103.4	101.2	103.7	102.8
245	18 389.1 90	104.4	103.3	103.0	103.4	104.0	103.8	103.1	102.6	102.6	101.8	103.7	104.2	103.8	101.9	103.9	103.2
246	18 389.1 285	103.5	102.7	102.6	102.9	103.7	103.5	102.4	102.0	102.1	101.0	103.2	103.6	103.2	101.0	103.5	102.6
247	18 409.2 0	103.7	102.8	102.9	103.1	103.8	103.5	102.5	101.9	102.2	101.2	103.1	103.6	102.7	101.0	103.3	102.7
248	18 429.3 0	104.0	103.1	103.3	103.3	104.0	103.5	102.8	102.4	102.3	101.5	103.7	104.0	102.8	101.7	103.7	103.0
249	18 549.5 90	104.3	103.3	103.1	103.3	104.2	103.6	102.7	102.7	102.4	101.5	103.8	104.0	102.9	101.7	103.9	102.7
250	18 549.5 285	103.2	102.5	102.6	102.6	103.1	102.7	102.5	102.0	101.6	100.6	102.7	103.0	102.2	100.7	103.3	102.3
251	18 930.2 90	103.3	102.4	102.3	102.3	103.0	102.5	102.3	101.8	101.5	100.7	102.7	103.1	102.2	100.7	103.2	102.2
252	18 930.2 285	103.9	102.9	103.1	103.1	103.5	103.1	102.6	102.3	101.7	101.0	103.1	103.4	102.6	101.3	103.6	102.6
253	19 369.0 180	103.3	102.1	102.2	102.0	102.5	102.5	102.5	102.9	101.4	101.0	102.5	103.0	102.2	100.2	102.8	102.2
254	19 369.0 270	103.3	102.3	102.2	102.3	102.7	102.7	102.5	101.9	101.9	101.4	102.9	103.3	102.4	100.4	102.9	102.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
255 19 398.5 90	102.9	102.2	102.3	101.8	102.8	102.6	102.2	101.8	101.8	101.2	102.7	103.0	102.4	100.3	103.0	102.1
256 19 408.4 150	103.3	102.2	102.1	102.1	102.6	102.7	102.5	102.0	101.8	101.1	102.7	103.0	102.6	100.4	103.2	102.4
257 19 488.5 15	103.3	102.5	102.6	102.5	102.9	102.8	102.7	102.2	102.1	101.4	102.9	103.2	102.6	100.6	103.1	102.2
258 19 488.5 135	103.3	102.3	102.6	102.3	103.0	102.7	102.6	102.0	102.1	101.4	102.9	103.4	102.8	100.5	103.2	102.6
259 19 548.8 180	103.2	102.4	102.6	102.5	102.8	103.0	102.9	101.8	102.2	101.4	102.9	103.5	102.9	100.4	103.0	102.6
260 19 548.8 270	102.8	101.9	101.9	101.6	102.4	102.2	102.2	101.5	101.3	100.7	102.1	102.5	102.1	99.8	102.5	101.9
261 19 798.4 15	102.8	102.0	101.6	101.5	102.1	102.0	102.1	101.1	101.3	100.7	102.0	102.4	102.0	99.9	102.2	101.5
262 19 798.4 135	102.9	102.0	101.9	101.7	102.4	102.1	102.2	101.2	101.2	100.7	102.1	102.6	102.1	99.9	102.6	101.8
263 19 928.5 180	103.0	101.9	101.8	101.7	102.3	102.0	102.1	101.3	101.2	100.7	102.2	102.6	102.1	99.8	102.5	101.8
264 19 928.5 270	103.2	102.1	156.7	232.5	147.0	227.0	141.9	101.5	101.3	101.1	102.3	103.0	101.7	100.1	102.7	102.1
265 191048.7 15	23.6	23.0	23.4	23.7	24.6	24.8	25.2	24.7	25.3	24.8	27.1	27.5	27.1	25.2	28.4	28.1
266 191048.7 135	103.1	102.0	102.1	101.9	102.5	102.1	102.2	101.1	101.3	100.7	102.1	102.5	101.9	99.7	102.6	101.9
267 21 370.0 150	103.9	102.8	102.9	102.9	103.3	103.1	103.0	102.2	101.7	101.0	102.8	103.3	102.8	100.6	103.5	102.9
268 21 370.0 144	104.0	102.8	102.9	103.0	103.3	103.0	103.0	102.1	101.9	101.1	102.8	103.3	102.8	100.4	103.5	102.8
269 21 370.0 126	103.6	102.6	102.7	102.8	103.1	102.7	102.7	101.8	101.5	100.7	102.5	102.9	102.5	100.1	103.1	102.5
270 21 370.0 120	103.4	102.3	102.2	102.1	102.6	102.3	102.2	101.4	100.9	100.2	102.1	102.4	102.1	99.8	102.9	102.2
271 21 370.0 30	103.3	102.3	102.2	102.1	102.6	102.2	102.1	101.2	100.4	100.0	101.9	101.6	101.0	99.0	101.8	101.0
272 21 370.0 26	103.3	102.2	102.3	102.1	102.6	102.1	102.2	101.2	100.5	100.0	102.0	101.5	101.1	99.0	101.7	100.9
273 21 370.0 7	103.2	102.2	102.2	102.1	102.6	102.1	102.1	101.0	100.3	99.7	101.9	101.2	101.0	98.6	101.5	100.7
274 21 370.0 0	103.1	102.1	102.2	102.1	102.5	102.1	102.0	101.0	100.2	99.7	101.7	101.1	100.9	98.7	101.4	100.7
275 21 370.0 210	104.0	102.9	103.0	102.9	103.3	103.0	102.8	102.0	101.2	100.4	102.2	102.7	102.3	99.8	102.8	102.2
276 21 370.0 206	104.0	102.9	103.0	103.0	103.4	103.0	102.9	102.1	101.4	100.3	102.3	102.9	102.4	100.0	103.1	102.5
277 21 370.0 187	104.1	103.0	103.2	103.2	103.5	103.2	103.1	102.4	101.8	100.8	102.8	103.3	102.9	100.4	103.5	102.8
278 21 370.0 180	103.7	102.6	102.8	102.8	103.1	102.9	102.8	102.0	101.4	100.3	102.4	102.9	102.5	100.0	103.1	102.5
279 22 390.0 30	103.2	102.5	102.6	102.4	102.7	102.5	102.4	101.4	100.6	99.9	102.0	101.7	101.1	98.9	101.8	101.0
280 22 390.0 26	103.1	102.1	102.3	101.9	102.4	102.0	102.0	100.9	100.2	99.5	101.7	101.2	100.7	98.6	101.4	100.7
281 22 390.0 7	103.1	102.1	102.2	101.8	102.1	101.9	101.8	100.8	100.1	99.7	101.6	101.0	100.6	98.4	101.3	100.6
282 22 390.0 0	103.0	102.0	102.2	101.7	102.2	102.0	101.8	100.7	100.0	99.3	101.6	101.0	100.7	98.4	101.3	100.6
283 22 390.0 330	102.7	101.6	101.7	101.5	101.9	101.7	101.6	100.5	99.6	98.9	101.1	100.8	100.4	98.3	101.1	100.6
284 22 390.0 324	102.7	101.6	101.7	101.5	101.7	101.6	101.4	100.3	99.5	98.6	100.9	100.7	100.3	98.1	101.0	100.3
285 22 390.0 306	102.8	101.7	101.8	101.5	101.9	101.6	101.5	100.4	99.4	98.5	100.9	100.8	100.3	98.1	101.0	100.4
286 22 390.0 300	103.1	102.0	102.0	101.7	102.1	101.9	101.7	100.6	99.5	98.6	101.0	101.0	100.6	98.3	101.2	100.7
287 22 390.0 210	103.9	102.8	103.0	102.9	103.3	103.1	103.0	102.1	101.3	100.4	102.2	102.6	102.1	99.6	102.6	102.0
288 22 390.0 206	103.8	102.8	103.0	102.9	103.4	103.0	103.0	102.1	101.4	100.4	102.4	102.8	102.3	99.8	102.9	102.2
289 22 390.0 187	103.7	102.7	103.0	102.8	103.2	103.0	102.9	102.0	101.4	100.4	102.3	102.8	102.3	99.8	102.8	102.2
290 22 390.0 180	103.3	102.3	102.4	102.2	102.7	102.6	102.5	101.6	101.0	100.1	102.1	102.5	102.1	99.9	102.9	102.3
291 23 490.0 180	103.3	102.6	102.7	102.6	102.9	102.8	102.7	101.8	101.3	100.5	102.4	102.8	102.2	100.0	103.1	102.5
292 23 490.0 173	103.2	102.5	102.7	102.6	102.9	102.8	102.7	101.8	101.5	100.5	102.4	102.8	102.3	100.0	103.1	102.5
293 23 490.0 156	103.2	102.4	102.5	102.4	102.7	102.6	102.5	101.6	101.2	100.4	102.2	102.6	102.0	99.7	102.8	102.2
294 23 490.0 150	103.2	102.4	102.5	102.3	102.7	102.5	102.4	101.5	101.0	100.3	102.1	102.4	101.9	99.6	102.6	102.0
295 23 490.0 60	103.2	102.0	102.2	102.0	102.4	102.3	102.3	101.2	100.9	100.1	102.0	102.1	101.4	99.4	102.1	101.4
296 23 490.0 54	103.2	102.1	102.3	102.1	102.5	102.4	102.4	101.3	101.0	100.1	102.1	102.1	101.2	99.3	102.0	101.2
297 23 490.0 34	103.2	102.1	102.3	102.1	102.6	102.3	102.3	101.3	100.8	99.9	101.9	101.9	101.0	99.1	101.8	101.0
298 23 490.0 30	103.3	102.1	102.4	102.2	102.6	102.4	102.3	101.2	100.7	99.9	101.8	101.7	100.9	99.0	101.7	100.9
299 23 490.0 0	103.1	101.9	102.0	101.9	102.4	101.9	102.1	101.0	100.2	99.2	101.4	101.3	100.4	98.8	101.3	100.5
300 23 490.0 353	102.0	100.7	101.0	100.8	101.3	100.9	101.0	99.9	99.1	98.3	100.4	100.4	99.5	98.3	100.8	100.1
301 23 490.0 336	101.6	100.2	100.4	100.2	100.7	100.3	100.3	99.3	98.5	97.7	99.9	99.9	99.1	97.9	100.6	99.9
302 23 490.0 330	101.7	100.3	100.6	100.4	100.7	100.5	100.4	99.5	98.5	97.7	99.9	100.0	99.4	98.0	100.8	100.1
303 24 550.0 180	102.7	101.7	101.8	101.8	102.2	102.0	102.0	101.1	100.7	99.9	101.9	102.2	101.7	99.7	102.8	102.1
304 24 550.0 173	103.0	101.9	102.0	102.0	102.3	102.2	102.1	101.3	100.9	100.2	102.0	102.4	101.9	99.9	102.9	102.4
305 24 550.0 156	103.0	102.0	102.1	102.1	102.4	102.2	102.1	101.3	101.0	100.2	102.0	102.4	101.9	99.8	102.9	102.3
306 24 550.0 150	103.2	102.2	102.2	102.2	102.6	102.4	102.3	101.5	101.1	100.4	102.1	102.6	102.0	99.9	103.0	102.4
307 24 550.0 0	102.8	101.6	101.8	101.6	101.9	101.6	101.6	100.7	99.8	98.9	101.1	100.9	100.2	98.8	101.3	100.6
308 24 550.0 353	102.8	101.6	101.8	101.6	101.8	101.5	101.4	100.5	99.5	98.5	100.8	100.7	100.1	98.7	101.2	100.5
309 24 550.0 336	102.5	101.4	101.5	101.3	101.5	101.2	101.1	100.1	99.0	98.2	100.4	100.4	99.8	98.3	101.0	100.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
310	24	550.0	330	102.2	101.0	101.2	101.1	101.4	101.1	101.0	100.0	98.9	98.1	100.3	100.4	99.8	98.3	101.1	100.5
311	24	550.0	240	103.2	102.1	102.1	102.1	102.5	102.3	102.1	101.3	100.2	99.4	101.4	101.8	101.4	99.3	102.3	101.6
312	24	550.0	234	103.3	102.2	102.3	102.3	102.6	102.3	102.2	101.3	100.4	99.5	101.5	101.9	101.4	99.3	102.4	101.6
313	24	550.0	216	103.1	102.4	102.5	102.4	102.8	102.6	102.5	101.6	100.7	100.0	101.9	102.2	101.8	99.7	102.8	102.1
314	24	550.0	210	103.2	102.6	102.6	102.6	102.9	102.8	102.7	101.8	100.9	100.2	102.1	102.6	102.1	100.0	103.0	102.4
315	25	740.0	150	103.2	102.1	102.1	102.0	102.3	102.2	102.1	101.4	100.9	100.2	102.1	102.4	101.8	99.7	102.8	102.2
316	25	740.0	144	103.4	102.2	102.4	102.2	102.6	102.5	102.4	101.6	101.3	100.5	102.5	102.7	102.1	100.1	103.1	102.5
317	25	740.0	126	103.4	102.2	102.4	102.2	102.6	102.5	102.4	101.7	101.4	100.5	102.5	102.6	102.0	100.1	103.0	102.4
318	25	740.0	120	103.2	102.3	102.4	102.3	102.7	102.5	102.3	101.6	101.3	100.4	102.4	102.5	101.9	100.0	102.9	102.2
319	25	740.0	30	103.4	102.3	102.5	102.4	102.8	102.6	102.4	101.6	100.8	100.1	102.0	101.7	101.0	99.5	102.1	101.3
320	25	740.0	26	102.8	101.7	101.9	101.8	102.3	102.0	101.8	100.9	100.2	99.3	101.3	101.1	100.3	98.9	101.5	100.8
321	25	740.0	7	102.6	101.6	101.7	101.7	102.2	101.7	101.6	100.8	99.8	98.9	101.0	100.8	100.0	98.7	101.2	100.5
322	25	740.0	0	102.4	101.5	101.5	101.6	102.0	101.6	101.5	100.6	99.6	98.9	100.9	100.8	100.1	98.7	101.4	100.7
323	25	740.0	210	103.2	102.2	102.3	102.1	102.5	102.3	102.1	101.4	100.6	99.9	101.8	102.1	101.5	99.6	102.6	102.0
324	25	740.0	206	103.2	102.4	102.5	102.4	102.8	102.6	102.5	101.7	101.1	100.3	102.1	102.6	102.0	100.0	103.0	102.4
325	25	740.0	187	103.2	102.4	102.5	102.5	102.8	102.7	102.6	101.8	101.3	100.6	102.4	102.8	102.2	100.1	103.2	102.6
326	25	740.0	180	103.4	102.4	102.7	102.5	102.8	102.7	102.6	101.8	101.4	100.6	102.5	102.8	102.3	100.1	103.2	102.6
327	26	800.0	30	103.2	102.2	102.3	102.2	102.7	102.3	102.3	101.2	100.6	100.1	101.7	101.8	100.9	99.5	102.2	101.4
328	26	800.0	26	103.3	102.3	102.4	102.3	102.7	102.4	102.3	101.2	100.6	100.0	101.7	101.8	100.9	99.4	102.1	101.4
329	26	800.0	7	103.1	102.1	102.1	102.1	102.6	102.2	102.1	101.1	100.2	99.7	101.2	101.6	100.6	99.1	101.8	101.0
330	26	800.0	0	102.3	101.4	101.3	101.3	101.8	101.3	101.3	100.2	99.4	98.9	100.4	100.8	99.8	98.3	101.1	100.5
331	26	800.0	330	102.2	101.3	101.2	101.3	101.8	101.4	101.2	100.2	99.2	98.6	100.3	100.7	100.0	98.4	101.3	100.7
332	26	800.0	324	102.3	101.4	101.4	101.3	101.8	101.4	101.2	100.2	99.1	98.5	100.2	100.8	100.0	98.4	101.3	100.7
333	26	800.0	306	102.6	101.7	101.7	101.6	102.2	101.8	101.6	100.6	99.4	98.9	100.6	101.1	100.4	98.7	101.7	100.9
334	26	800.0	300	102.8	101.9	101.9	101.8	102.3	101.9	101.7	100.8	99.5	99.0	100.7	101.2	100.5	98.7	101.7	101.0
335	26	800.0	210	103.2	102.3	102.5	102.4	102.8	102.7	102.6	101.7	101.0	100.3	102.2	102.5	102.0	99.9	102.9	102.3
336	26	800.0	206	103.4	102.5	102.6	102.5	102.9	102.8	102.7	101.8	101.2	100.4	102.3	102.6	102.2	99.9	103.0	102.3
337	26	800.0	187	103.5	102.6	102.8	102.7	103.1	103.0	102.9	102.1	101.5	100.8	102.7	103.0	102.5	100.3	103.3	102.7
338	26	800.0	180	103.5	102.6	102.9	102.7	103.2	103.1	103.0	102.2	101.7	101.0	102.8	103.1	102.7	100.4	103.5	102.9
339	27	930.0	180	103.5	102.8	103.0	102.9	103.4	103.1	103.0	102.1	101.6	101.0	102.5	103.0	102.4	100.2	103.2	102.6
340	27	930.0	173	103.0	102.1	102.1	102.1	102.6	102.3	102.2	101.3	100.8	100.2	101.8	102.2	101.6	99.5	102.5	101.9
341	27	930.0	156	102.9	102.0	102.1	102.0	102.6	102.2	102.1	101.2	100.8	100.2	101.8	102.2	101.5	99.4	102.5	101.9
342	27	930.0	150	103.1	102.1	102.3	102.1	102.7	102.3	102.2	101.4	100.9	100.4	101.9	102.2	101.6	99.5	102.6	101.9
343	27	930.0	60	101.5	100.4	101.1	100.7	101.7	101.4	101.4	100.4	100.3	99.6	101.0	101.5	100.6	98.9	101.5	100.8
344	27	930.0	54	101.7	100.6	101.2	100.9	101.9	101.6	101.5	100.5	100.3	99.7	101.1	101.6	100.6	98.9	101.5	100.7
345	27	930.0	34	102.4	101.2	101.7	101.4	102.2	102.0	101.9	100.9	100.5	99.8	101.4	101.8	100.9	99.3	101.9	101.1
346	27	930.0	30	102.3	101.1	101.5	101.3	102.0	101.7	101.7	100.7	100.2	99.5	101.2	101.6	100.7	99.0	101.7	100.9
347	27	930.0	0	102.9	101.6	101.7	101.5	102.1	101.8	101.8	100.6	100.0	99.2	100.9	101.6	100.5	98.9	101.5	100.9
348	27	930.0	353	76.2	77.0	73.8	75.2	74.8	73.8	73.6	73.5	69.0	69.2	73.0	75.4	76.5	78.5	80.3	81.8
349	27	930.0	336	102.5	101.0	101.5	101.4	101.9	101.8	101.6	100.6	99.8	99.2	100.8	101.4	100.5	98.8	101.5	100.9
350	27	930.0	330	102.2	100.7	101.0	100.9	101.3	101.0	101.0	100.0	99.0	98.3	100.1	100.6	99.7	98.2	101.0	100.4
351	28	990.0	180	103.2	102.2	102.3	102.2	102.7	102.4	102.4	101.5	101.0	100.5	102.0	102.3	101.8	99.7	102.8	102.2
352	28	990.0	173	103.3	102.4	102.5	102.4	102.9	102.6	102.5	101.6	101.1	100.5	102.1	102.4	101.9	99.6	102.7	102.1
353	28	990.0	156	103.4	102.4	102.6	102.4	102.9	102.6	102.5	101.6	101.1	100.5	102.1	102.5	101.8	99.6	102.5	102.0
354	28	990.0	150	103.2	102.5	102.7	102.6	103.1	102.8	102.7	101.8	101.4	100.8	102.4	102.7	102.0	99.8	102.8	102.2
355	28	990.0	0	102.1	100.9	101.2	101.1	101.6	101.3	101.4	100.4	99.7	99.0	100.6	101.3	100.1	98.6	101.1	100.5
356	28	990.0	353	101.9	100.8	101.1	100.9	101.5	101.2	101.3	100.3	99.5	98.8	100.5	101.1	99.9	98.4	100.9	100.3
357	28	990.0	336	101.8	100.6	100.9	100.7	101.4	101.2	101.2	100.2	99.2	98.7	100.4	100.9	99.9	98.3	100.9	100.4
358	28	990.0	330	101.6	100.4	100.7	100.5	101.3	101.0	101.0	100.0	99.1	98.5	100.2	100.6	99.9	98.1	100.8	100.2
359	28	990.0	240	103.6	102.7	103.1	103.0	103.5	103.1	103.0	102.1	101.2	100.6	102.3	102.5	102.0	99.7	102.7	102.1
360	28	990.0	234	103.3	102.3	102.4	102.3	102.8	102.4	102.3	101.4	100.5	99.8	101.5	101.7	101.2	98.8	101.9	101.3
361	28	990.0	216	103.3	102.4	102.5	102.4	102.9	102.6	102.5	101.6	100.8	100.2	101.8	102.1	101.5	99.1	102.2	101.6
362	28	990.0	210	103.4	102.7	102.9	102.8	103.2	103.0	102.9	102.1	101.2	100.6	102.2	102.5	102.0	99.6	102.6	102.0
363	29	1050.0	150	102.6	101.4	101.5	101.2	102.0	101.8	101.7	100.9	100.6	100.0	101.6	102.0	101.3	99.1	102.0	101.4
364	29	1050.0	144	103.0	101.8	101.9	101.7	102.3	102.1	102.1	101.3	101.0	100.3	101.9	102.2	101.6	99.4	102.3	101.6

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	103.2	101.9	102.0	101.6	102.3	102.2	102.2	101.3	101.1	100.3	101.9	102.4	101.5	99.5	102.2	101.6
366	291050.0	120	102.3	101.1	101.3	100.9	101.9	101.6	101.7	100.8	100.7	100.0	101.6	102.0	101.2	99.2	102.0	101.3
367	291050.0	30	103.3	102.0	102.0	101.6	102.2	102.0	101.8	100.8	100.4	99.5	101.2	101.6	100.6	99.0	101.6	100.9
368	291050.0	26	102.9	101.6	101.6	101.3	101.8	101.6	101.5	100.5	100.1	99.2	101.0	101.3	100.2	98.8	101.2	100.6
369	291050.0	7	102.2	100.9	101.0	100.8	101.5	101.2	101.2	100.2	99.6	98.8	100.6	101.0	99.9	98.4	100.8	100.2
370	291050.0	0	101.8	100.5	100.6	100.4	101.1	100.9	100.8	99.8	99.2	98.3	100.1	100.5	99.5	98.0	100.5	99.9
371	291050.0	210	102.2	101.0	101.2	100.7	101.8	101.6	101.5	100.7	100.1	99.5	101.1	101.4	101.0	98.5	101.6	101.1
372	291050.0	206	103.2	102.3	102.4	102.0	102.4	102.4	102.2	101.4	100.9	100.0	101.8	102.1	101.7	99.1	102.3	101.7
373	291050.0	187	102.8	101.6	101.8	103.6	96.5	89.3	104.8	101.9	100.6	106.5	146.4	89.8	136.2	98.9	102.0	101.4
374	291050.0	180	102.6	101.4	101.6	101.4	102.1	101.9	101.8	101.0	100.5	99.8	101.6	101.8	101.3	98.9	101.9	101.3
375	01075.0	6	102.6	101.5	101.4	101.4	101.9	101.2	101.3	100.4	99.6	98.3	100.4	100.1	99.7	98.4	100.3	99.7
376	01075.0	5	102.9	101.8	101.7	101.6	102.3	101.4	101.3	100.4	100.2	98.9	101.0	100.0	99.9	98.9	100.3	99.7
377	01075.0	4	102.9	102.0	102.2	101.9	102.5	102.1	101.7	100.8	99.5	98.8	100.6	100.7	100.5	98.3	100.8	100.3
378	01075.0	2	103.2	102.4	102.6	102.2	102.8	102.3	102.1	101.1	100.4	99.6	101.5	100.7	101.1	98.6	100.9	100.4
379	01075.0	1	103.1	102.5	102.7	102.3	103.0	102.7	102.1	101.2	101.0	100.3	102.0	100.5	101.4	99.1	101.0	100.4
380	01075.0	2	102.8	102.1	102.1	101.9	102.7	102.2	101.5	100.5	100.8	100.0	101.7	100.5	100.7	99.3	100.7	99.9
381	01075.0	4	103.1	102.5	102.2	102.1	102.9	102.3	101.8	100.9	101.1	100.3	102.0	101.3	101.1	99.7	101.6	100.9
382	01075.0	4	103.1	102.6	102.5	102.2	102.7	102.2	102.3	101.2	99.9	99.2	100.7	101.5	101.2	98.4	101.5	100.8
383	01075.0	1	103.2	102.8	102.3	102.3	102.9	102.3	102.5	101.0	100.3	99.7	101.0	101.1	101.2	98.7	101.4	100.7
384	01075.0	1	103.0	102.4	102.3	102.5	103.0	102.6	102.5	101.1	100.7	100.1	101.8	101.5	101.2	99.7	101.5	100.9
385	01075.0	4	103.0	102.5	102.4	102.2	103.0	102.4	102.3	101.2	100.8	100.2	102.1	101.9	101.5	99.8	102.0	101.4
386	01075.0	3	103.3	102.6	102.7	102.7	103.1	102.8	102.7	101.6	100.6	100.1	101.6	102.5	101.6	99.1	102.2	101.8
387	01075.0	3	103.3	102.8	102.5	102.6	102.9	102.8	102.4	101.1	101.0	100.3	102.4	102.6	102.2	99.8	102.4	101.8
388	01075.0	5	103.1	102.5	102.5	102.2	102.9	102.7	102.4	101.6	100.8	100.2	102.1	102.6	102.1	99.5	102.5	101.9
389	01075.0	6	103.0	102.4	102.4	102.1	102.8	102.6	102.3	101.5	100.8	100.2	102.1	102.5	101.9	99.7	102.5	101.9
390	01113.0	0	102.2	101.5	101.7	101.1	102.1	101.8	101.5	100.1	100.9	99.0	101.4	101.0	100.0	99.2	101.1	100.2
391	01113.0	0	102.5	101.8	101.7	101.3	102.2	102.0	101.9	100.7	101.0	99.6	101.8	101.6	100.6	99.7	101.7	100.7
392	01113.0	0	101.4	101.0	100.7	100.4	101.7	101.4	101.3	100.2	100.6	99.4	101.8	101.4	100.8	99.3	101.5	100.7
393	01113.0	0	102.3	101.7	101.6	101.4	102.5	102.4	102.3	101.1	101.3	100.1	102.3	102.3	101.8	99.4	102.3	101.7
394	01113.0	0	103.0	102.1	101.9	101.9	102.5	102.1	102.2	101.1	100.2	99.2	101.6	101.4	100.7	98.7	101.6	100.9
395	01113.0	0	103.2	102.1	102.0	101.9	102.6	102.1	101.8	101.0	100.2	99.1	101.4	101.0	100.4	99.1	101.6	100.8
396	0 0.0	0	102.9	102.9	102.6	102.8	102.8	101.9	101.8	101.8	101.8	101.5	101.9	101.9	102.4	102.6	102.9	102.2
397	0 0.0	0	100.5	100.9	100.1	100.9	100.2	99.6	99.7	99.4	99.3	99.0	99.3	99.9	99.7	97.4	99.9	99.8
398	0 0.0	0	100.9	102.3	100.4	100.8	100.2	100.1	100.1	99.5	99.1	98.2	100.7	99.3	100.1	97.7	100.1	100.6
399	0 0.0	0	103.4	101.8	102.7	103.1	103.1	101.5	101.5	101.8	101.3	99.9	101.8	101.3	100.0	100.9	103.2	101.6
400	0 0.0	0	108.2	107.1	107.3	107.3	107.5	107.7	108.1	107.5	107.6	105.4	109.0	109.9	109.5	106.9	110.1	109.7
401	0 0.0	0	108.1	107.1	107.2	107.3	107.9	107.7	108.1	107.4	107.4	105.2	108.7	109.7	109.2	106.6	109.8	109.5
402	0 0.0	0	0.5	0.4	0.2	0.3	0.4	0.3	0.3	0.5	0.3	0.3	0.4	0.4	0.3	0.4	0.4	0.4
403	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
404	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
405	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
406	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

DATUM 28. 5.80

11

VERSUCH NR. 17  
RAUMTEMPERATUR 28.0  
DURCHSATZ (KG/S) 0.0760  
EL. ENERGIE (KW) 0.0  
REYNOLDSZAHL\*E-04 1.584  
DRUCKVERLUST  
(N/M\*\*2)  
GES.X=1060.0(MM) 2112.  
BIS X= 560.0(MM) 672.  
BIS X= 624.0(MM) 1038.  
BIS X= 717.0(MM) 1249.  
BIS X= 810.0(MM) 1447.  
BIS X= 874.0(MM) 1798.  
BIS X= 967.0(MM) 1993.  
EINTR.DRUCK (BAR) 37.07  
EINTR.TEMP. GRADC 101.2

TE	R	AX	RAD	T
NR	NR.	POS	POS	
		(MM)	(GRD)	GRAD C
1	1	338.8	270	102.3
2	1	348.1	330	101.6
3	1	388.1	150	101.0
4	1	388.1	330	101.7
5	1	487.7	255	101.6
6	1	487.7	120	101.5
7	1	738.0	150	101.6
8	1	738.0	330	102.2
9	1	795.4	120	101.9
10	1	795.4	255	102.2
11	1	987.0	150	101.7
12	1	987.0	330	101.9
13	11046.6	120		101.8
14	11046.6	255		101.9
15	2	358.5	0	101.1
16	2	388.0	0	101.0
17	2	388.0	210	100.6
18	2	398.0	0	100.9
19	2	488.1	30	101.1
20	2	488.1	165	101.1
21	2	738.0	0	101.1
22	2	738.0	210	101.3
23	2	797.8	30	101.8
24	2	797.8	165	101.1
25	2	987.2	0	101.4
26	2	987.2	210	101.3
27	21049.0	30		101.7
28	21049.0	165		101.5
29	3	294.0	30	101.6
30	3	303.7	330	101.6
31	3	388.7	15	101.8
32	3	388.7	255	101.7
33	3	488.5	60	102.1
34	3	488.5	150	101.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR. 17  
 35 3 738.5 15 101.8  
 36 3 738.5 255 101.5  
 37 3 798.5 60 102.2  
 38 3 798.5 150 102.2  
 39 3 988.5 15 102.0  
 40 3 988.5 255 101.5  
 41 31049.0 60 102.0  
 42 31049.0 150 101.9  
 43 4 293.9 300 101.0  
 44 4 303.7 300 100.8  
 45 4 339.0 300 101.1  
 46 4 348.4 300 100.8  
 47 4 379.1 300 186.3  
 48 4 389.0 45 101.6  
 49 4 389.0 210 101.5  
 50 4 408.8 300 99.9  
 51 4 418.6 300 101.7  
 52 4 428.7 300 101.9  
 53 4 739.2 45 101.7  
 54 4 739.2 210 101.9  
 55 4 989.5 45 101.8  
 56 4 989.5 210 102.4  
 57 5 369.5 195 101.5  
 58 5 369.5 300 101.5  
 59 5 389.0 30 101.5  
 60 5 389.0 150 101.3  
 61 5 549.0 195 101.7  
 62 5 549.0 300 101.9  
 63 5 738.7 30 101.9  
 64 5 738.7 150 102.1  
 65 5 809.2 120 102.2  
 66 5 819.0 180 184.2  
 67 5 929.4 195 102.3  
 68 5 929.4 300 102.4  
 69 5 989.0 30 101.9  
 70 5 989.0 150 101.9  
 71 6 388.6 225 101.5  
 72 6 388.6 300 101.4  
 73 6 488.5 30 100.7  
 74 6 488.5 150 \*  
 75 6 739.4 225 101.4  
 76 6 739.4 300 100.9  
 77 6 798.8 30 100.5  
 78 6 798.8 30 101.4  
 79 6 829.0 180 101.4  
 80 6 839.0 240 134.4  
 81 6 988.8 225 101.7  
 82 6 988.8 300 193.3  
 83 61049.0 30 101.2  
 84 61049.0 150 67.3  
 85 7 339.0 150 102.6  
 86 7 349.0 150 103.1  
 87 7 359.0 150 103.5  
 88 7 369.0 165 102.9  
 89 7 369.0 330 102.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

11

VERSUCH NR. 17  
 90 7 379.0 150 102.5  
 91 7 398.9 150 102.6  
 92 7 408.6 150 102.4  
 93 7 489.4 165 102.3  
 94 7 489.4 330 102.0  
 95 7 799.0 165 102.5  
 96 7 799.0 330 101.8  
 97 71049.0 165 102.9  
 98 71049.0 330 102.0  
 99 8 294.6 210 101.2  
 100 8 304.2 270 99.8  
 101 8 368.7 135 100.4  
 102 8 368.7 255 100.3  
 103 8 389.1 30 100.9  
 104 8 389.1 300 100.8  
 105 8 549.0 135 101.2  
 106 8 549.0 255 101.2  
 107 8 739.0 30 100.8  
 108 8 739.0 300 101.4  
 109 8 929.0 135 101.4  
 110 8 929.0 255 101.0  
 111 8 988.8 30 100.9  
 112 8 988.8 300 101.3  
 113 9 369.4 105 101.6  
 114 9 369.4 180 96.3  
 115 9 389.0 30 \*\*\*\*\*  
 116 9 389.0 270 101.5  
 117 9 549.0 105 101.9  
 118 9 549.0 180 102.3  
 119 9 739.2 30 101.7  
 120 9 739.2 270 101.0  
 121 9 909.0 60 101.5  
 122 9 919.0 120 102.0  
 123 9 929.0 105 102.2  
 124 9 929.0 180 102.2  
 125 9 988.8 30 101.5  
 126 9 988.8 270 102.2  
 127 10 489.3 90 102.0  
 128 10 489.3 300 102.1  
 129 10 549.0 60 102.0  
 130 10 549.0 210 102.1  
 131 10 739.0 180 102.2  
 132 10 739.0 330 101.5  
 133 10 799.0 90 102.0  
 134 10 799.0 300 102.2  
 135 10 929.0 60 102.1  
 136 10 929.0 210 102.7  
 137 10 989.0 180 102.8  
 138 10 989.0 330 102.5  
 139 101049.0 90 102.5  
 140 101049.0 300 101.6  
 141 11 389.0 60 101.6  
 142 11 389.0 315 101.2  
 143 11 489.0 150 102.6  
 144 11 489.0 270 102.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

11

VERSUCH NR. 17  
 145 11 738.9 60 102.2  
 146 11 738.9 315 102.4  
 147 11 799.6 150 102.8  
 148 11 799.6 270 102.8  
 149 11 849.3 240 102.8  
 150 11 859.8 300 101.4  
 151 11 989.3 60 101.6  
 152 11 989.3 315 101.7  
 153 111049.2 150 102.1  
 154 111049.2 270 102.3  
 155 12 359.9 30 103.1  
 156 12 370.0 15 102.9  
 157 12 370.0 240 141.5  
 158 12 379.2 90 103.2  
 159 12 489.0 90 103.2  
 160 12 489.0 270 101.9  
 161 12 548.9 15 102.2  
 162\* 12 548.9 240 102.7  
 163 12 799.3 90 102.4  
 164 12 799.3 270 102.5  
 165 12 929.3 15 102.4  
 166 12 928.4 240 102.6  
 167 121049.5 90 102.6  
 168 121049.5 270 102.4  
 169 13 338.8 60 102.8  
 170 13 349.0 60 101.5  
 171 13 368.9 90 102.2  
 172 13 368.9 240 102.3  
 173 13 388.5 45 103.0  
 174 13 388.5 270 103.0  
 175 13 549.0 90 \*\*\*\*\*  
 176 13 549.0 240 103.3  
 177 13 738.7 45 117.4  
 178 13 738.7 270 103.0  
 179 13 929.3 90 103.2  
 180 13 929.3 240 102.1  
 181 13 989.2 45 102.0  
 182 13 989.2 270 102.5  
 183 14 369.0 30 103.1  
 184 14 369.0 270 103.0  
 185 14 488.9 75 103.6  
 186 14 488.9 180 103.9  
 187 14 548.8 30 103.5  
 188 14 548.8 270 103.8  
 189 14 799.2 75 103.1  
 190 14 799.2 180 103.0  
 191 14 890.2 0 102.5  
 192 14 899.8 60 103.0  
 193 14 929.5 30 102.5  
 194 14 929.5 270 103.4  
 195 141049.2 75 103.5  
 196 141049.2 180 103.9  
 197 15 369.1 150 103.1  
 198 15 369.1 270 103.5  
 199 15 488.6 60 103.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

11

VERSUCH NR. 17  
 200 15 488.6 345 101.8  
 201 15 549.6 150 102.5  
 202 15 549.6 270 102.3  
 203 15 799.6 60 101.3  
 204 15 799.6 345 101.1  
 205 15 869.0 0 101.4  
 206 15 879.0 300 \*\*\*\*\*  
 207 15 929.2 150 102.5  
 208 15 929.2 270 102.5  
 209 151049.1 60 101.3  
 210 151049.1 345 101.4  
 211 16 368.5 150 102.1  
 212 16 368.5 285 102.2  
 213 16 418.6 210 102.7  
 214 16 426.5 210 102.6  
 215 16 488.5 120 102.5  
 216 16 488.5 330 101.9  
 217 16 548.6 150 102.2  
 218 16 548.6 285 102.3  
 219 16 798.9 120 102.4  
 220 16 798.9 330 101.7  
 221 16 929.0 150 101.9  
 222 16 929.0 285 102.4  
 223 161049.0 120 101.5  
 224 161049.0 330 102.0  
 225 17 368.7 30 103.0  
 226 17 368.7 210 102.6  
 227 17 388.4 0 101.9  
 228 17 388.4 135 102.7  
 229 17 418.8 150 102.7  
 230 17 428.8 210 102.5  
 231 17 549.0 30 102.6  
 232 17 549.0 210 103.0  
 233 17 739.2 0 102.9  
 234 17 739.2 135 102.4  
 235 17 928.9 30 102.6  
 236 17 928.9 210 102.9  
 237 17 989.1 0 102.2  
 238 17 989.1 135 102.3  
 239 18 294.0 0 103.0  
 240 18 304.0 0 102.7  
 241 18 359.2 0 102.3  
 242 18 369.1 90 103.0  
 243 18 369.1 285 102.6  
 244 18 378.9 0 103.0  
 245 18 389.1 90 103.1  
 246 18 389.1 285 102.8  
 247 18 409.2 0 102.6  
 248 18 429.3 0 102.9  
 249 18 549.5 90 102.9  
 250 18 549.5 285 102.2  
 251 18 930.2 90 102.3  
 252 18 930.2 285 102.6  
 253 19 369.0 180 102.4  
 254 19 369.0 270 102.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

11

VERSUCH NR. 17  
 255 19 398.5 90 102.1  
 256 19 408.4 150 102.3  
 257 19 488.5 15 102.3  
 258 19 488.5 135 102.5  
 259 19 548.8 180 102.4  
 260 19 548.8 270 101.8  
 261 19 798.4 15 101.3  
 262 19 798.4 135 101.6  
 263 19 928.5 180 101.7  
 264 19 928.5 270 101.6  
 265 191048.7 15 28.4  
 266 191048.7 135 101.7  
 267 21 370.0 150 102.8  
 268 21 370.0 144 102.8  
 269 21 370.0 126 102.4  
 270 21 370.0 120 102.2  
 271 21 370.0 30 100.8  
 272 21 370.0 26 100.8  
 273 21 370.0 7 100.5  
 274 21 370.0 0 100.5  
 275 21 370.0 210 102.1  
 276 21 370.0 206 102.4  
 277 21 370.0 187 102.8  
 278 21 370.0 180 102.4  
 279 22 390.0 30 100.7  
 280 22 390.0 26 100.4  
 281 22 390.0 7 100.4  
 282 22 390.0 0 100.4  
 283 22 390.0 330 100.4  
 284 22 390.0 324 100.2  
 285 22 390.0 306 100.3  
 286 22 390.0 300 100.6  
 287 22 390.0 210 102.0  
 288 22 390.0 206 102.1  
 289 22 390.0 187 102.1  
 290 22 390.0 180 102.3  
 291 23 490.0 180 102.4  
 292 23 490.0 173 102.4  
 293 23 490.0 156 102.1  
 294 23 490.0 150 102.0  
 295 23 490.0 60 101.3  
 296 23 490.0 54 101.1  
 297 23 490.0 34 100.8  
 298 23 490.0 30 100.8  
 299 23 490.0 0 100.5  
 300 23 490.0 353 100.0  
 301 23 490.0 336 99.8  
 302 23 490.0 330 100.0  
 303 24 550.0 180 102.1  
 304 24 550.0 173 102.3  
 305 24 550.0 156 102.2  
 306 24 550.0 150 102.3  
 307 24 550.0 0 100.6  
 308 24 550.0 353 100.4  
 309 24 550.0 336 100.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

II

VERSUCH NR. 17  
 310 24 550.0 330 100.4  
 311 24 550.0 240 101.6  
 312 24 550.0 234 101.7  
 313 24 550.0 216 102.1  
 314 24 550.0 210 102.4  
 315 25 740.0 150 102.2  
 316 25 740.0 144 102.4  
 317 25 740.0 126 102.3  
 318 25 740.0 120 102.2  
 319 25 740.0 30 101.2  
 320 25 740.0 26 100.6  
 321 25 740.0 7 100.4  
 322 25 740.0 0 100.5  
 323 25 740.0 210 101.9  
 324 25 740.0 206 102.4  
 325 25 740.0 187 102.5  
 326 25 740.0 180 102.6  
 327 26 800.0 30 101.2  
 328 26 800.0 26 101.2  
 329 26 800.0 7 100.9  
 330 26 800.0 0 100.3  
 331 26 800.0 330 100.5  
 332 26 800.0 324 100.6  
 333 26 800.0 306 100.8  
 334 26 800.0 300 100.9  
 335 26 800.0 210 102.3  
 336 26 800.0 206 102.3  
 337 26 800.0 187 102.6  
 338 26 800.0 180 102.8  
 339 27 930.0 180 102.5  
 340 27 930.0 173 101.8  
 341 27 930.0 156 101.7  
 342 27 930.0 150 101.7  
 343 27 930.0 60 100.7  
 344 27 930.0 54 100.7  
 345 27 930.0 34 101.0  
 346 27 930.0 30 100.8  
 347 27 930.0 0 100.8  
 348 27 930.0 353 82.0  
 349 27 930.0 336 100.9  
 350 27 930.0 330 100.3  
 351 28 990.0 180 102.0  
 352 28 990.0 173 102.0  
 353 28 990.0 156 101.8  
 354 28 990.0 150 102.1  
 355 28 990.0 0 100.4  
 356 28 990.0 353 100.2  
 357 28 990.0 336 100.3  
 358 28 990.0 330 100.2  
 359 28 990.0 240 102.0  
 360 28 990.0 234 101.2  
 361 28 990.0 216 101.5  
 362 28 990.0 210 101.9  
 363 291050.0 150 101.4  
 364 291050.0 144 101.6

T E R A X R A D T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

11

VERSUCH NR.			17
365	291050.0	126	101.5
366	291050.0	120	101.3
367	291050.0	30	100.9
368	291050.0	26	100.4
369	291050.0	7	100.2
370	291050.0	0	99.8
371	291050.0	210	101.1
372	291050.0	206	101.6
373	291050.0	187	101.4
374	291050.0	180	101.3
375	01075.0	6	99.7
376	01075.0	5	99.5
377	01075.0	4	100.0
378	01075.0	2	100.1
379	01075.0	1	100.1
380	01075.0	2	99.7
381	01075.0	4	100.7
382	01075.0	4	100.7
383	01075.0	1	100.7
384	01075.0	1	100.9
385	01075.0	4	101.3
386	01075.0	3	101.7
387	01075.0	3	101.4
388	01075.0	5	101.8
389	01075.0	6	101.8
390	01113.0	0	100.1
391	01113.0	0	100.8
392	01113.0	0	100.8
393	01113.0	0	101.7
394	01113.0	0	100.7
395	01113.0	0	100.6
396	0 0.0	0	102.5
397	0 0.0	0	99.7
398	0 0.0	0	99.3
399	0 0.0	0	99.8
400	0 0.0	0	109.8
401	0 0.0	0	109.5
402	0 0.0	0	0.3
403	0 0.0	0	0.0
404	0 0.0	0	0.0
405	0 0.0	0	0.0
406	0 0.0	0	0.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13
RAUMTEMPERATUR	21.8	21.9	22.5	22.0	22.6	24.3	23.9	24.3	24.9	24.0	24.6	24.6	24.5
DURCHSATZ (KG/S)	0.1168	0.1058	0.0948	0.0857	0.0814	0.0738	0.0659	0.0593	0.0529	0.0475	0.0428	0.0384	0.0347
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	3.199	2.893	2.594	2.346	2.235	2.020	1.806	1.623	1.449	1.300	1.170	1.051	0.952
DRUCKVERLUST (N/M**2)													
GES.X=1060.0(MM)	24134.	19971.	16199.	13327.	11631.	9657.	7774.	6349.	5104.	4173.	3378.	2677.	2209.
BIS X= 560.0(MM)	6911.	5704.	4675.	3950.	3368.	2796.	2269.	1845.	1515.	1257.	1041.	785.	658.
BIS X= 624.0(MM)	10854.	9044.	7311.	6058.	5244.	4392.	3548.	2935.	2319.	1913.	1566.	1244.	1036.
BIS X= 717.0(MM)	13183.	10967.	8867.	7338.	6363.	5320.	4295.	3545.	2810.	2309.	1887.	1504.	1249.
BIS X= 810.0(MM)	15464.	12842.	10386.	8580.	7445.	6220.	5016.	4132.	3282.	2693.	2196.	1753.	1455.
BIS X= 874.0(MM)	19438.	16099.	13021.	10744.	9332.	7777.	6282.	5170.	4118.	3373.	2749.	2205.	1828.
BIS X= 967.0(MM)	21752.	18015.	14564.	12008.	10445.	8705.	7012.	5754.	4587.	3757.	3059.	2452.	2028.
EINTR.DRUCK (BAR)	7.27	7.24	7.21	7.19	7.17	7.17	7.16	7.16	7.15	7.14	7.13	7.14	7.14
EINTR.TEMP. GRADC	74.6	75.4	74.8	74.7	73.0	74.6	74.6	74.8	74.7	74.6	75.0	74.8	74.7

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	75.3	74.6	75.7	74.6	73.4	75.8	74.7	75.0	75.7	74.5	75.4	75.3	75.0
2	1	348.1	330	75.0	74.3	75.4	74.2	73.0	75.5	74.3	74.7	75.4	74.2	75.1	74.9	74.8
3	1	388.1	150	75.1	74.3	74.9	74.0	72.8	74.9	74.2	74.5	75.1	74.0	75.0	74.9	74.7
4	1	388.1	330	74.9	74.5	75.2	74.2	73.0	75.5	74.3	74.7	75.4	74.2	75.1	75.1	74.9
5	1	487.7	255	75.2	74.8	75.1	74.1	72.7	75.1	74.2	74.6	75.1	74.1	75.2	75.1	75.0
6	1	487.7	120	74.9	74.7	75.0	74.0	72.7	75.2	74.2	74.7	75.2	74.1	75.1	75.0	74.8
7	1	738.0	150	189.8	*****	33.6	75.9	180.1	*****	222.7	107.9	174.5	74.3	122.3	*****	112.5
8	1	738.0	330	74.9	74.8	75.2	74.3	73.1	75.3	74.3	74.9	75.4	74.4	75.5	75.5	75.3
9	1	795.4	120	74.9	74.8	74.9	74.0	73.0	75.3	74.2	74.7	75.2	74.2	75.5	75.6	75.4
10	1	795.4	255	75.3	75.3	75.4	74.6	73.5	75.2	74.3	75.2	75.7	74.7	75.5	75.3	75.1
11	1	987.0	150	74.9	74.9	75.1	74.1	73.1	75.3	74.4	74.8	75.3	74.2	75.1	75.0	74.8
12	1	987.0	330	74.8	74.8	75.1	74.3	73.2	75.3	74.4	74.8	75.4	74.3	75.2	75.2	75.0
13	1	1046.6	120	74.7	74.8	74.9	74.1	73.0	75.0	74.3	74.7	75.2	74.2	75.2	75.2	74.9
14	1	1046.6	255	74.7	74.9	75.0	74.2	73.0	74.9	74.2	74.7	75.2	74.2	75.1	75.1	74.9
15	2	358.5	0	74.7	75.2	75.1	74.1	72.9	75.6	74.5	74.9	75.4	74.3	75.3	75.4	75.2
16	2	388.0	0	74.5	75.1	75.2	74.2	72.9	75.4	74.3	74.7	75.3	74.2	75.3	75.3	75.2
17	2	388.0	210	74.2	74.8	75.2	73.8	72.6	75.2	74.1	74.4	75.0	74.0	75.1	75.1	74.9
18	2	398.0	0	74.2	74.7	75.2	74.0	72.8	75.4	74.2	74.6	75.2	74.2	75.2	75.3	75.2
19	2	488.1	30	74.0	74.6	75.1	73.7	72.7	75.2	74.1	74.5	75.1	74.2	75.3	75.3	75.2
20	2	488.1	165	74.6	75.3	75.8	74.1	73.0	75.3	74.3	74.8	75.2	74.3	75.2	75.1	75.0
21	2	738.0	0	74.5	75.1	75.4	74.1	73.0	75.5	74.3	74.7	75.3	74.2	75.0	75.0	74.8
22	2	738.0	210	74.7	75.3	75.6	74.0	72.9	75.5	74.2	74.7	75.2	74.2	75.1	75.1	74.8
23	2	797.8	30	74.5	75.1	75.5	74.2	73.2	75.5	74.5	74.9	75.4	74.4	75.3	75.3	75.1
24	2	797.8	165	74.6	75.1	75.7	74.0	72.9	75.5	74.3	74.7	75.0	74.3	75.2	75.1	74.9
25	2	987.2	0	74.4	74.7	75.4	74.1	72.9	75.4	74.2	74.7	75.2	74.2	75.2	75.2	75.0
26	2	987.2	210	74.4	74.6	75.5	73.9	72.7	75.0	74.1	74.5	74.8	74.1	75.0	75.1	74.9
27	2	21049.0	30	74.4	74.5	75.3	74.0	72.8	75.1	74.1	74.6	75.1	74.2	75.2	75.3	75.1
28	2	21049.0	165	74.4	74.3	75.3	73.8	72.7	75.0	74.0	74.5	74.9	74.3	75.3	75.3	75.1
29	3	294.0	30	74.7	74.5	75.4	74.3	73.2	75.1	74.5	75.1	75.6	74.8	75.7	75.8	75.7
30	3	303.7	330	74.9	74.8	75.7	74.8	73.7	75.7	74.9	75.4	75.8	75.0	75.7	75.7	75.5
31	3	388.7	15	74.8	74.9	75.6	74.9	73.7	76.0	74.9	75.4	75.8	75.0	75.7	75.7	75.5
32	3	388.7	255	74.4	74.6	75.4	74.6	73.4	75.3	74.7	75.1	75.7	74.9	75.5	75.4	75.3
33	3	488.5	60	74.7	74.9	75.6	74.8	73.6	75.4	74.9	75.3	75.9	74.9	75.7	75.7	75.5
34	3	488.5	150	74.9	75.0	75.6	74.8	73.6	75.7	74.9	75.3	75.9	74.9	75.7	75.7	75.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13
35	3 738.5 15	74.6	74.6	75.3	74.4	73.3	75.4	74.6	75.0	75.5	74.6	75.5	75.6	75.4
36	3 738.5 255	74.6	74.5	75.1	74.3	73.2	75.2	74.8	74.8	75.4	74.5	75.3	75.3	75.2
37	3 798.5 60	74.6	74.6	75.3	74.4	73.3	75.3	74.5	75.0	75.5	74.6	75.5	75.6	75.5
38	3 798.5 150	74.6	74.5	75.1	74.3	73.3	75.3	74.6	75.0	75.5	74.7	75.7	75.7	75.6
39	3 988.5 15	74.0	73.9	74.6	73.9	73.1	75.1	74.3	74.7	75.3	74.6	75.8	75.9	75.8
40	3 988.5 255	74.7	74.5	75.1	74.3	73.4	75.8	74.6	75.0	75.6	74.7	75.3	75.2	75.0
41	31049.0 60	74.7	74.7	75.4	74.6	73.6	75.6	74.8	75.2	75.7	74.7	75.4	75.4	75.3
42	31049.0 150	74.7	74.7	75.4	74.6	73.5	75.5	74.8	75.2	75.7	74.8	75.5	75.5	75.3
43	4 293.9 300	74.4	74.5	74.8	74.1	72.9	75.2	74.2	74.7	75.2	74.5	74.8	74.7	74.5
44	4 303.7 300	74.4	74.4	74.8	74.1	72.9	75.0	74.3	74.8	75.2	74.4	74.8	74.7	74.4
45	4 339.0 300	74.3	74.3	74.7	74.0	72.8	75.0	74.1	74.6	75.1	74.4	74.9	74.8	74.6
46	4 348.4 300	74.4	74.3	74.6	74.0	72.8	75.0	74.1	74.6	75.1	74.3	74.7	74.7	74.5
47	4 379.1 300	55.9	37.6	89.3	139.9	128.7	112.7	57.1	121.1	43.9	38.6	93.9	124.2	82.3
48	4 389.0 45	74.7	74.4	74.3	73.6	72.6	74.9	73.9	74.4	74.9	74.3	74.8	74.8	74.6
49	4 389.0 210	74.4	74.4	74.3	73.7	72.6	74.8	73.9	74.5	74.9	74.3	74.8	74.9	74.7
50	4 408.8 300	74.5	76.3	74.7	74.9	73.9	75.6	74.3	74.9	74.8	74.6	75.5	75.3	75.2
51	4 418.6 300	74.4	74.8	74.9	74.2	73.0	75.3	74.3	74.9	75.4	74.6	75.0	74.9	74.6
52	4 428.7 300	74.4	74.9	75.0	74.2	73.1	75.4	74.4	74.8	75.3	74.6	75.0	75.0	74.7
53	4 739.2 45	74.3	74.8	74.9	74.1	72.9	75.1	74.2	74.7	75.2	74.5	74.9	74.9	74.6
54	4 739.2 210	74.6	74.8	74.9	74.2	73.0	74.9	74.3	74.8	75.3	74.6	75.0	74.9	74.7
55	4 989.5 45	74.6	74.7	74.8	74.1	72.9	74.9	74.2	74.8	75.3	74.5	75.1	75.0	74.8
56	4 989.5 210	74.9	74.8	75.0	74.2	73.0	75.1	74.3	74.8	75.3	74.7	75.2	75.1	74.9
57	5 369.5 195	74.5	74.5	74.4	73.5	72.5	74.9	73.7	74.2	74.5	74.2	74.9	74.9	74.7
58	5 369.5 300	74.6	74.5	74.5	73.6	72.5	75.2	73.8	74.3	74.6	74.3	74.9	74.9	74.8
59	5 389.0 30	74.6	74.2	74.2	73.6	72.5	75.2	73.7	74.3	74.6	74.4	75.1	75.1	75.0
60	5 389.0 150	74.6	74.7	74.4	74.4	72.8	75.2	74.0	74.5	74.8	74.5	75.0	74.9	74.7
61	5 549.0 195	74.7	74.8	74.5	74.4	72.8	75.1	74.0	74.6	74.9	74.6	75.0	74.9	74.7
62	5 549.0 300	74.4	74.5	74.5	74.4	72.7	75.2	74.0	74.5	74.9	74.6	75.0	74.9	74.6
63	5 738.7 30	74.2	74.4	74.5	74.4	72.7	75.2	73.9	74.5	74.8	74.5	74.9	74.8	74.6
64	5 738.7 150	74.2	74.5	74.5	74.5	72.7	75.1	74.0	74.6	74.9	74.6	74.9	74.8	74.7
65	5 809.2 120	74.0	74.4	74.6	74.6	72.8	75.2	74.0	74.6	74.8	74.6	75.0	75.0	74.9
66	5 819.0 180	69.7	193.7	308.3	392.7	190.1	161.8	289.0	390.2	168.3	*****	99.6	312.5	*****
67	5 929.4 195	73.7	73.9	74.1	74.0	72.4	74.4	73.7	74.2	74.6	74.3	74.7	74.7	74.6
68	5 929.4 300	74.1	74.2	74.5	74.4	72.8	75.0	74.0	74.6	74.9	74.6	75.1	75.1	75.0
69	5 989.0 30	74.0	74.0	74.3	74.3	72.7	75.0	73.9	74.4	74.8	74.4	75.1	75.1	75.0
70	5 989.0 150	74.4	74.4	74.7	74.8	73.0	75.0	74.3	74.7	75.1	74.5	74.9	74.9	74.6
71	6 388.6 225	74.8	74.2	74.3	74.9	72.6	75.1	74.0	74.5	74.9	74.6	75.0	75.0	74.8
72	6 388.6 300	75.0	74.0	74.3	74.9	72.7	75.3	74.0	74.6	75.0	74.7	75.1	75.1	75.0
73	6 488.5 30	74.6	73.8	74.2	74.5	72.4	74.9	73.9	74.4	74.8	74.4	74.8	74.7	74.7
74	6 488.5 150	74.6	74.1	74.5	74.8	72.8	74.9	74.2	74.6	75.1	74.6	75.1	75.1	75.1
75	6 739.4 225	74.7	74.1	74.6	74.8	72.8	74.9	74.2	74.6	75.0	74.7	75.2	75.1	75.0
76	6 739.4 300	74.2	73.8	74.2	74.6	72.5	74.9	73.9	74.4	74.8	74.5	75.0	75.0	75.0
77	6 798.8 30	73.8	73.5	73.9	74.2	72.1	74.5	73.6	74.0	74.5	74.0	74.6	74.7	74.7
78	6 798.8 30	74.5	74.1	74.6	74.7	72.9	75.0	74.3	74.7	75.1	74.6	75.2	75.3	75.2
79	6 829.0 180	74.5	74.1	74.4	74.6	72.6	74.8	74.1	74.5	75.0	74.6	75.1	75.1	75.1
80	6 839.0 240	74.7	74.3	74.8	74.8	72.7	74.9	74.1	74.5	74.9	74.5	74.9	74.9	74.6
81	6 988.8 225	*****	*****	*****	*****	*****	*****	*****	*****	40.3	34.2	93.8	54.6	*****
82	6 988.8 300	*****	65.3	*****	*****	*****	*****	*****	*****	*****	*****	144.3	78.6	*****
83	61049.0 30	74.7	74.5	74.7	74.7	72.6	75.0	74.0	74.5	75.1	74.5	75.0	75.0	74.9
84	61049.0 150	82.8	67.2	60.2	24.6	57.7	37.6	73.7	81.3	61.8	86.8	75.0	74.9	74.8
85	7 339.0 150	74.9	74.9	75.3	75.0	73.3	75.2	74.6	75.0	75.6	74.9	75.4	75.4	75.3
86	7 349.0 150	75.3	75.2	75.6	75.2	73.5	75.5	74.9	75.3	75.8	75.1	75.7	75.6	75.5
87	7 359.0 150	75.6	75.6	75.7	75.4	73.8	75.8	75.1	75.6	75.0	75.4	76.0	76.0	75.8
88	7 369.0 165	75.2	75.2	75.4	75.0	73.5	75.8	74.8	75.2	75.7	75.1	75.6	75.5	75.4
89	7 369.0 330	75.2	75.3	75.3	74.9	73.4	75.5	74.9	75.3	75.8	75.2	75.8	75.7	75.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	
90	7 379.0	150 75.5	75.6	75.8	75.4	73.7	75.2	75.1	75.4	75.9	75.2	75.5	75.4	75.1
91	7 398.9	150 75.4	75.6	75.7	75.3	73.7	75.6	75.1	75.5	76.0	75.3	75.6	75.5	75.3
92	7 408.6	150 *****	*****	27.2	*****	73.3	75.3	74.7	75.1	75.6	74.9	75.3	75.3	74.9
93	7 489.4	165 75.0	75.1	75.1	74.8	73.3	75.2	74.6	75.0	75.5	74.9	75.4	75.3	75.1
94	7 489.4	330 75.4	75.4	75.4	75.2	73.6	75.5	74.9	75.3	75.8	75.2	75.5	75.4	75.2
95	7 799.0	165 75.3	75.3	75.5	75.1	73.5	75.4	74.8	75.2	75.7	75.0	75.4	75.4	75.2
96	7 799.0	330 75.1	75.3	75.2	75.0	73.3	75.1	74.7	75.1	75.7	75.0	75.5	75.4	75.2
97	71049.0	165 74.1	75.3	74.2	74.5	72.0	74.3	74.1	74.8	73.9	74.4	75.0	75.0	74.9
98	71049.0	330 74.8	75.0	74.9	74.7	73.0	75.0	74.5	74.9	75.4	74.8	75.4	75.3	75.1
99	8 294.6	210 74.1	74.2	74.4	73.9	72.4	74.4	73.9	74.3	74.9	74.2	74.8	74.7	74.6
100	8 304.2	270 74.4	74.8	75.1	74.6	73.0	74.9	74.2	74.6	75.1	74.2	74.2	73.9	73.5
101	8 368.7	135 74.5	75.3	75.4	74.9	73.0	74.8	74.3	74.6	75.1	74.2	74.3	74.0	73.6
102	8 368.7	255 74.5	74.8	75.3	74.8	72.8	74.5	74.1	74.5	75.0	74.1	74.3	74.1	73.7
103	8 389.1	30 74.9	75.4	75.8	75.1	73.3	75.0	74.5	74.9	75.4	74.6	74.7	74.4	74.0
104	8 389.1	300 74.3	74.8	75.2	74.6	73.0	74.8	74.2	74.6	75.2	74.3	74.5	74.3	74.0
105	8 549.0	135 74.7	75.1	75.4	74.8	73.5	74.9	74.5	74.9	75.5	74.4	74.7	74.4	74.1
106	8 549.0	255 74.7	75.0	75.4	74.8	73.3	74.8	74.5	75.0	75.5	74.5	74.7	74.4	74.1
107	8 739.0	30 74.6	74.9	75.2	74.7	73.3	75.0	74.4	74.9	75.4	74.2	74.5	74.3	74.0
108	8 739.0	300 74.9	75.1	75.5	74.9	73.5	75.1	74.7	75.1	75.7	74.6	74.8	74.5	74.2
109	8 929.0	135 74.8	75.0	75.5	74.9	73.5	75.1	74.7	75.1	75.6	74.6	74.9	74.7	74.2
110	8 929.0	255 74.9	75.0	75.5	75.0	73.4	75.1	74.6	75.1	75.5	74.6	74.7	74.5	74.0
111	8 988.8	30 74.8	74.9	75.3	74.8	73.3	75.0	74.6	75.0	75.5	74.6	74.6	74.4	74.0
112	8 988.8	300 74.9	74.9	75.4	74.9	73.5	75.0	74.6	75.0	75.6	74.5	74.5	74.4	74.1
113	9 369.4	105 75.5	75.3	75.6	75.4	73.6	75.5	74.9	75.4	75.9	75.3	75.4	75.1	74.6
114	9 369.4	180 71.5	71.7	72.5	72.0	71.0	72.9	71.0	71.1	71.3	70.4	72.9	72.9	72.4
115	9 389.0	30 74.7	74.6	75.0	75.1	73.0	75.1	74.5	75.0	75.5	75.0	75.1	74.8	74.4
116	9 389.0	270 74.8	74.7	75.3	75.0	73.3	75.3	74.9	75.4	75.8	75.2	75.2	75.0	74.5
117	9 549.0	105 74.8	74.9	75.1	75.0	73.3	75.3	74.9	75.3	75.7	75.2	75.2	75.0	74.7
118	9 549.0	180 75.0	75.1	75.3	74.9	73.4	75.3	75.1	75.5	75.9	75.4	75.3	75.1	74.4
119	9 736.2	30 74.6	75.0	75.0	75.0	73.2	75.1	74.8	75.2	75.6	75.1	75.1	74.9	74.5
120	9 739.2	270 75.2	75.5	75.8	75.2	73.7	75.4	75.3	75.6	76.0	75.2	74.9	74.6	74.1
121	9 909.0	60 75.1	75.5	75.5	75.3	73.6	75.4	75.2	75.6	75.9	75.3	75.1	74.8	74.2
122	9 919.0	120 75.4	75.7	75.8	75.4	73.8	75.6	75.3	75.8	76.2	75.4	75.1	74.9	74.3
123	9 929.0	105 75.3	75.7	75.8	75.4	73.8	75.6	75.4	75.8	76.2	75.4	75.3	75.1	74.5
124	9 929.0	180 75.1	75.3	75.5	75.0	73.5	75.3	75.1	75.5	75.9	75.2	75.2	74.9	74.4
125	9 988.8	30 74.8	75.1	75.2	75.1	73.3	75.1	74.8	75.2	75.6	75.1	75.1	74.9	74.3
126	9 988.8	270 75.4	75.6	76.0	75.3	73.9	75.6	75.4	75.8	76.1	75.4	75.3	75.1	74.7
127	10 489.3	90 75.3	75.8	75.6	75.4	74.2	75.6	75.2	75.6	75.8	75.3	75.4	75.3	74.9
128	10 489.3	300 75.2	75.8	75.6	75.5	74.1	75.5	75.3	75.8	75.9	75.4	75.6	75.3	74.9
129	10 549.0	60 75.2	75.8	75.5	75.6	74.0	75.5	75.2	75.7	75.7	75.1	75.4	75.2	74.9
130	10 549.0	210 75.4	75.8	75.8	75.4	74.3	75.7	75.4	75.9	76.0	75.1	75.2	74.9	74.6
131	10 739.0	180 75.5	75.9	76.0	75.5	74.4	75.9	75.5	76.0	76.1	75.4	75.4	75.1	74.6
132	10 739.0	330 75.3	75.5	75.5	75.5	74.0	75.5	75.2	75.8	75.9	75.3	75.3	75.0	74.5
133	10 799.0	90 75.3	75.5	75.6	75.7	74.0	75.7	75.2	75.9	75.9	75.4	75.4	75.1	74.7
134	10 799.0	300 75.2	75.4	75.7	75.7	74.0	75.8	75.3	75.9	76.0	75.3	75.4	75.2	74.7
135	10 929.0	60 75.0	75.2	75.5	75.7	73.9	75.6	75.2	75.9	75.9	75.3	75.5	75.5	74.5
136	10 929.0	210 75.3	75.5	75.9	75.7	74.2	76.0	75.5	76.1	76.1	75.4	75.6	75.4	75.0
137	10 989.0	180 75.4	75.6	76.0	75.7	74.2	76.1	75.5	76.2	76.3	75.6	75.8	75.5	75.1
138	10 989.0	330 75.3	75.3	75.7	75.7	74.0	75.8	75.3	75.9	76.1	75.6	75.8	75.5	75.1
139	101049.0	90 75.3	75.3	75.7	75.9	74.1	75.9	75.3	75.9	76.1	75.5	75.7	75.5	75.1
140	101049.0	300 75.2	75.2	75.7	75.6	73.9	75.7	75.2	75.7	75.9	75.2	75.2	74.9	74.5
141	11 389.0	60 75.4	75.6	76.0	75.8	74.2	76.1	75.4	75.9	76.0	75.4	75.6	75.4	74.9
142	11 389.0	315 75.0	75.3	75.8	75.7	74.0	75.8	75.2	75.4	75.8	75.2	75.4	75.1	74.8
143	11 489.0	150 75.4	75.7	76.2	75.9	74.4	76.1	75.5	76.0	76.1	75.5	75.7	75.5	75.1
144	11 489.0	270 75.3	75.4	75.9	75.6	74.2	75.9	75.4	75.5	75.9	75.4	75.6	75.4	75.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

21

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13
145 11 738.9 60	75.3	75.5	75.9	75.8	74.2	76.0	75.4	75.9	76.1	75.6	75.9	75.6	75.5
146 11 738.9 315	75.4	75.4	75.8	75.8	74.1	76.0	75.4	75.8	76.1	75.6	75.8	75.6	75.1
147 11 799.6 150	75.4	75.4	75.9	75.7	74.1	75.9	75.4	75.8	76.1	75.5	75.8	75.6	75.2
148 11 799.6 270	75.6	75.4	75.8	75.7	74.2	75.9	75.3	75.8	76.1	75.5	75.7	75.5	75.0
149 11 849.3 240	75.5	75.4	75.9	75.7	74.2	76.0	75.4	75.9	76.1	75.6	75.8	75.6	75.2
150 11 859.8 300	75.2	75.0	75.6	75.5	73.8	75.5	74.9	75.3	75.6	74.9	75.2	74.9	74.4
151 11 989.3 60	75.2	75.2	75.7	75.7	74.0	75.7	75.1	75.5	75.9	75.2	75.4	75.2	74.8
152 11 989.3 315	75.1	75.0	75.6	75.6	73.9	75.5	75.1	75.5	75.8	75.0	75.3	75.1	74.7
153 111049.2 150	75.3	75.3	75.8	75.7	74.0	75.8	75.3	75.7	76.0	75.2	75.6	75.4	75.0
154 111049.2 270	75.2	75.2	75.7	75.6	74.0	75.8	75.3	75.7	76.0	75.2	75.7	75.4	75.0
155 12 359.9 30	75.5	75.6	76.2	75.8	74.5	76.2	75.6	76.1	76.4	75.5	76.0	75.8	75.5
156 12 370.0 15	75.5	75.6	76.2	75.9	74.6	76.3	75.6	76.1	76.4	75.5	76.1	75.9	75.6
157 12 370.0 240	73.2	58.5	82.7	84.8	94.0	37.0	38.6	55.5	93.2	54.4	96.1	90.9	97.4
158 12 379.2 90	75.5	75.6	76.1	75.8	74.4	76.1	75.6	76.1	76.4	75.5	76.0	75.9	75.0
159 12 489.0 90	75.5	75.6	76.2	75.8	74.5	76.0	75.7	76.1	76.4	75.5	76.0	76.0	75.6
160 12 489.0 270	75.2	75.2	75.8	75.5	74.0	75.5	75.1	75.5	75.7	74.8	75.2	75.0	74.7
161 12 548.9 15	75.2	75.3	75.9	75.6	74.1	75.8	75.3	75.7	76.0	74.9	75.5	75.3	75.0
162 12 548.9 240	75.3	75.4	75.9	75.6	74.1	75.8	75.3	75.6	75.9	75.0	75.6	75.4	75.2
163 12 799.3 90	75.1	75.2	75.8	75.5	73.9	75.6	75.1	75.5	75.9	75.0	75.6	75.4	75.1
164 12 799.3 270	75.2	75.3	75.8	75.6	74.0	75.6	75.2	75.7	75.9	75.1	75.7	75.5	75.2
165 12 929.3 15	75.2	75.3	75.8	75.7	74.0	75.6	75.3	75.7	76.1	75.2	75.8	75.6	75.4
166 12 928.4 240	75.2	75.3	75.8	75.7	74.0	75.6	75.3	75.8	76.1	75.2	75.8	75.7	75.4
167 121049.5 90	75.2	75.4	75.9	75.7	74.1	75.9	75.5	75.9	76.3	75.3	75.9	75.9	75.6
168 121049.5 270	75.1	75.2	75.7	75.6	73.9	75.6	75.3	75.8	76.1	75.1	75.8	75.7	75.3
169 13 338.8 60	75.0	75.1	75.6	75.0	73.7	75.5	75.1	75.8	76.2	75.3	75.6	75.3	74.9
170 13 349.0 60	74.7	74.8	75.5	74.7	73.2	75.0	74.6	75.2	75.6	74.7	74.8	74.6	74.1
171 13 368.9 90	75.2	75.1	75.8	75.1	73.6	75.4	74.9	75.5	75.9	75.0	75.2	75.0	74.5
172 13 368.9 240	75.2	75.2	75.7	75.1	73.6	75.4	74.9	75.4	75.9	75.0	75.2	75.0	74.6
173 13 388.5 45	75.2	75.3	75.7	75.4	73.7	75.7	75.1	75.7	76.1	75.4	75.6	75.4	75.0
174 13 388.5 270	75.2	75.2	75.7	75.2	73.6	75.4	75.1	75.5	76.0	75.3	75.5	75.3	74.9
175 13 549.0 90	74.8	75.2	75.5	75.0	73.6	75.4	75.2	75.5	76.0	75.2	75.4	75.2	74.9
176 13 549.0 240	75.5	75.7	76.1	75.4	74.0	75.9	75.5	75.8	76.4	75.5	75.8	75.5	75.2
177 13 738.7 45	75.2	75.5	75.7	75.1	73.8	75.6	75.4	75.8	76.2	75.5	75.6	75.4	75.0
178 13 738.7 270	75.5	75.7	76.1	75.4	74.0	75.8	75.5	76.0	76.4	75.6	75.8	75.6	75.2
179 13 929.3 90	75.4	75.7	75.9	75.4	74.1	75.8	75.6	76.0	76.4	75.6	75.8	75.5	75.2
180 13 929.3 240	75.2	75.4	75.7	75.0	73.6	75.3	74.9	75.3	75.8	74.7	75.0	74.8	74.4
181 13 989.2 45	75.1	75.2	75.5	74.8	73.5	75.2	74.8	75.3	75.6	74.8	75.0	74.8	74.4
182 13 989.2 270	75.2	75.4	75.7	75.0	73.5	75.2	74.9	75.3	75.8	74.9	75.3	75.1	74.7
183 14 369.0 30	75.4	75.5	75.7	74.9	73.8	75.5	75.2	75.6	76.0	75.2	75.1	75.0	74.6
184 14 369.0 270	75.5	75.6	75.8	75.0	73.9	75.7	75.4	75.7	76.3	75.4	75.4	75.3	75.0
185 14 488.9 75	75.8	75.9	76.0	75.2	74.2	76.0	75.6	76.0	76.4	75.6	75.5	75.3	75.0
186 14 488.9 180	75.7	75.9	76.2	75.3	74.4	76.1	75.8	76.1	76.7	75.7	75.7	75.5	75.2
187 14 548.8 30	75.8	76.0	76.3	75.1	74.3	76.0	75.6	76.0	76.5	75.6	75.5	75.4	75.0
188 14 548.8 270	75.8	76.1	76.4	75.3	74.3	76.1	75.8	76.2	76.7	75.8	75.8	75.5	75.2
189 14 799.2 75	75.4	75.6	75.7	74.8	73.8	75.6	75.1	75.6	76.0	75.3	75.3	75.1	74.8
190 14 799.2 180	75.5	75.6	76.1	75.0	73.7	74.9	75.0	75.5	75.9	75.0	75.1	74.9	74.5
191 14 890.2 0	75.3	75.4	75.5	74.7	73.4	74.9	74.8	75.3	75.7	75.0	75.0	74.8	74.5
192 14 895.8 60	75.2	75.4	75.4	74.7	73.5	75.1	74.9	75.3	75.7	75.0	75.1	74.9	74.6
193 14 929.5 30	74.8	74.9	75.1	74.4	73.1	74.9	74.6	75.0	75.4	74.7	74.9	74.7	74.4
194 14 929.5 270	75.4	75.6	75.9	75.0	73.9	75.7	75.3	75.8	76.2	75.3	75.3	75.2	74.8
195 141049.2 75	75.4	75.5	75.7	74.9	73.8	75.7	75.2	75.7	76.1	75.3	75.4	75.2	74.9
196 141049.2 180	75.7	75.8	76.1	75.3	74.1	75.8	75.5	76.0	76.4	75.6	75.7	75.5	75.2
197 15 369.1 150	75.1	75.3	75.5	74.8	73.7	75.0	75.0	75.4	75.8	75.0	75.3	75.1	74.8
198 15 369.1 270	75.6	75.6	75.9	75.1	74.1	75.3	75.4	75.8	76.2	75.4	75.6	75.4	75.0
199 15 488.6 60	75.4	75.5	75.8	75.0	73.9	75.5	75.0	75.5	75.9	75.3	75.5	75.3	75.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	
200	15 488.6 345	75.3	75.3	75.9	74.9	73.7	75.1	74.5	75.0	75.3	74.6	74.5	74.3	73.9
201	15 549.6 150	75.4	75.5	76.0	75.1	73.9	75.1	75.0	75.3	75.7	74.7	74.5	74.2	73.8
202	15 549.6 270	75.6	75.7	76.1	75.1	74.1	75.4	75.0	75.5	75.8	74.8	74.6	74.3	73.8
203	15 799.6 60	74.9	74.8	75.3	74.5	73.4	74.8	74.2	74.6	74.9	74.1	74.1	73.8	73.4
204	15 799.6 345	75.4	75.2	75.6	74.8	73.7	74.9	74.5	74.9	75.2	74.4	74.4	74.0	73.6
205	15 869.0 0	75.4	75.1	75.7	74.9	73.7	75.1	74.6	74.9	75.3	74.5	74.5	74.2	73.7
206	15 879.0 300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
207	15 929.2 150	75.7	75.5	76.1	75.3	74.1	75.4	75.2	75.5	75.9	74.8	74.8	74.6	74.2
208	15 929.2 270	75.8	75.4	76.1	75.3	74.1	75.4	75.1	75.5	75.8	74.7	74.7	74.4	74.0
209	151049.1 60	75.3	74.9	75.5	74.8	73.7	75.0	74.5	75.0	75.3	74.4	74.5	74.2	73.8
210	151049.1 345	75.3	74.8	75.4	74.7	73.7	75.0	74.6	75.0	75.4	74.6	74.6	74.3	73.9
211	16 368.5 150	75.6	75.5	76.1	75.4	74.2	75.6	75.2	75.5	75.9	75.0	75.0	74.7	74.4
212	16 368.5 285	75.7	75.6	76.0	75.3	74.2	75.8	75.1	75.4	75.7	75.0	75.1	74.8	74.4
213	16 418.6 210	75.7	75.8	76.2	75.5	74.3	75.6	75.3	75.6	76.0	75.0	75.2	74.9	74.6
214	16 428.5 210	75.8	75.8	76.3	75.5	74.4	75.9	75.4	75.7	76.0	75.0	75.0	74.8	74.5
215	16 488.5 120	75.7	75.8	76.3	75.5	74.4	75.9	75.4	75.7	76.0	75.0	75.2	74.9	74.5
216	16 488.5 330	75.5	75.6	75.8	75.0	74.1	75.4	74.9	75.2	75.6	74.8	74.9	74.7	74.3
217	16 548.6 150	75.7	75.8	75.8	75.5	74.4	75.8	75.4	75.7	76.0	75.1	75.3	75.0	74.6
218	16 548.6 285	75.8	75.9	76.1	75.4	74.4	75.6	75.3	75.7	76.0	75.3	75.3	75.0	74.7
219	16 798.9 120	75.7	75.8	76.2	75.5	74.4	75.6	75.4	75.7	76.1	75.1	75.3	75.2	74.9
220	16 798.9 330	75.2	75.3	75.6	74.9	74.0	75.1	74.8	75.1	75.5	74.6	74.8	74.7	74.3
221	16 929.0 150	75.1	75.2	75.7	75.0	73.8	75.0	74.8	75.2	75.5	74.6	74.7	74.5	74.1
222	16 929.0 285	75.7	75.8	76.1	75.4	74.3	75.7	75.3	75.6	75.9	75.1	75.2	74.9	74.5
223	161049.0 120	75.1	75.2	75.7	75.0	73.9	75.3	74.9	75.2	75.6	74.6	74.9	74.7	74.2
224	161049.0 330	75.7	75.8	76.1	75.4	74.3	75.6	75.3	75.7	75.9	75.3	75.3	75.0	74.7
225	17 368.7 30	76.0	76.2	76.6	75.8	74.3	76.3	75.7	76.3	76.7	75.4	75.8	75.5	75.1
226	17 368.7 210	75.6	75.8	76.2	75.5	74.2	75.7	75.4	75.9	76.3	74.9	75.5	75.3	74.9
227	17 388.4 0	75.5	75.7	76.1	75.4	74.1	75.8	75.4	75.9	76.4	75.0	75.3	75.1	74.7
228	17 388.4 135	75.7	75.8	76.3	75.6	74.2	75.9	75.5	75.9	76.5	75.2	75.5	75.2	74.8
229	17 418.8 150	75.7	75.8	76.2	75.5	74.2	75.9	75.5	75.9	76.4	75.2	75.5	75.2	74.8
230	17 428.8 210	75.8	76.0	76.4	75.7	74.2	75.9	75.5	75.9	76.3	75.1	75.5	75.1	74.8
231	17 549.0 30	75.8	75.9	76.4	75.7	74.2	76.0	75.6	76.0	76.4	75.3	75.6	75.2	74.9
232	17 549.0 210	76.0	76.1	76.6	75.8	74.4	76.1	75.7	76.0	76.5	75.2	75.4	75.2	74.7
233	17 739.2 0	75.9	76.0	76.5	75.7	74.3	76.1	75.6	76.0	76.5	75.3	75.5	75.2	74.8
234	17 739.2 135	75.5	75.7	76.1	75.4	73.9	75.8	75.3	75.7	76.1	75.0	75.2	75.0	74.6
235	17 928.9 30	75.9	76.0	76.5	75.7	74.3	76.1	75.7	76.1	76.5	75.4	75.6	75.3	74.9
236	17 928.9 210	76.0	76.1	76.7	75.9	74.3	76.2	75.8	76.1	76.5	75.4	75.7	75.5	75.1
237	17 989.1 0	75.6	75.6	76.2	75.4	74.0	75.9	75.4	75.8	76.2	75.1	75.3	75.0	74.6
238	17 989.1 135	75.6	75.6	76.2	75.4	74.0	75.9	75.4	75.8	76.2	75.1	75.3	75.0	74.6
239	18 294.0 0	76.2	76.2	76.7	76.0	74.4	76.4	76.0	76.5	76.7	75.6	75.8	75.5	75.0
240	18 304.0 0	76.0	76.0	76.6	75.8	74.0	76.1	75.6	76.0	76.4	75.2	75.4	75.1	74.7
241	18 359.2 0	75.5	75.5	76.1	75.3	73.6	75.7	75.2	75.7	75.5	74.6	75.0	74.7	74.4
242	18 369.1 90	76.0	76.0	76.6	75.7	74.2	76.1	75.7	76.0	76.3	75.1	75.2	75.0	74.6
243	18 369.1 285	75.6	75.7	76.2	75.4	73.8	75.8	75.4	75.9	76.2	75.0	75.2	75.0	74.6
244	18 378.9 0	75.9	76.0	76.5	75.7	74.1	76.1	75.7	76.1	76.4	75.3	75.6	75.2	74.8
245	18 389.1 90	76.2	76.2	76.7	75.9	74.4	76.1	76.0	76.2	76.7	75.3	75.7	75.4	75.0
246	18 389.1 285	75.7	75.8	76.3	75.5	74.0	75.7	75.6	75.9	76.4	75.1	75.3	75.0	74.7
247	18 409.2 0	75.5	75.8	76.3	75.4	73.9	76.0	75.6	75.9	76.4	75.1	75.3	75.0	74.7
248	18 429.3 0	75.9	76.1	76.7	75.7	74.2	76.2	75.9	76.2	76.6	75.4	75.6	75.2	74.8
249	18 549.5 90	75.8	76.1	76.6	75.8	74.5	76.4	75.9	76.2	76.6	75.4	75.7	75.4	74.9
250	18 549.5 285	75.4	75.6	76.1	75.3	73.7	75.5	75.3	75.6	76.0	74.7	74.9	74.7	74.4
251	18 930.2 90	75.3	75.5	76.1	75.1	73.7	75.4	75.1	75.4	75.8	74.6	74.9	74.7	74.4
252	18 930.2 285	75.7	75.8	76.4	75.5	74.0	75.9	75.5	75.8	76.2	75.0	75.2	75.0	74.6
253	19 369.0 180	75.4	75.5	76.1	75.2	74.0	75.7	75.1	75.5	75.9	74.7	75.2	74.9	74.6
254	19 369.0 270	75.3	75.6	76.0	75.2	74.0	75.7	75.3	75.6	75.9	74.7	75.2	75.0	74.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13			
255	19	398.5	90	75.3	75.6	76.1	75.2	74.1	75.8	75.3	75.6	75.9	74.7	75.1	74.9	74.7
256	19	408.4	150	75.4	75.6	76.2	75.3	74.2	75.6	75.4	75.7	76.1	74.9	75.4	75.1	74.8
257	19	488.5	15	75.4	75.5	76.1	75.1	75.1	75.5	75.3	75.6	75.8	74.8	75.3	75.0	74.8
258	19	488.5	135	75.4	75.6	76.2	75.3	74.1	75.7	75.4	75.7	76.1	74.9	75.4	75.1	74.8
259	19	548.8	180	75.5	75.6	76.1	75.2	74.0	75.6	75.4	75.7	76.0	74.9	75.3	75.1	74.8
260	19	548.8	270	75.2	75.3	75.8	75.1	73.7	75.4	75.0	75.2	75.6	74.4	74.8	74.6	74.3
261	19	798.4	15	75.2	75.5	75.8	74.9	73.7	75.2	74.9	75.1	75.5	74.4	74.8	74.7	74.4
262	19	798.4	135	75.1	75.3	75.8	75.0	73.6	75.0	74.8	75.1	75.5	74.3	74.8	74.7	74.4
263	19	928.5	180	75.0	75.2	75.7	74.9	73.6	74.7	74.8	75.1	75.5	74.4	74.8	74.6	74.3
264	19	928.5	270	75.3	75.5	76.0	75.2	73.9	75.4	75.1	75.5	76.7	74.8	75.1	74.9	74.6
265	19	1048.7	15	22.0	22.2	22.7	22.3	22.9	*****	24.2	24.7	25.2	*****	24.9	24.9	24.7
266	19	1048.7	135	75.2	75.4	75.8	75.1	73.8	75.5	75.1	75.4	75.8	74.4	75.0	74.9	74.6
267	21	370.0	150	75.6	75.8	76.3	75.7	74.2	75.9	75.5	75.9	76.3	75.2	75.7	75.4	75.1
268	21	370.0	144	75.6	75.8	76.3	75.6	74.2	75.9	75.5	75.9	76.3	75.1	75.6	75.4	75.0
269	21	370.0	126	75.5	75.7	76.2	75.6	74.2	75.9	75.5	75.8	76.2	75.1	75.4	75.2	74.9
270	21	370.0	120	75.3	75.4	75.9	75.2	73.7	75.4	75.0	75.3	75.7	74.6	75.0	74.8	74.4
271	21	370.0	30	74.8	75.0	75.5	74.9	73.7	75.1	74.6	75.1	75.5	74.5	75.1	74.9	74.6
272	21	370.0	26	74.8	75.1	75.5	74.8	73.8	75.2	74.7	75.1	75.5	74.6	75.2	75.0	74.7
273	21	370.0	7	74.8	75.1	75.5	74.8	73.8	75.2	74.7	75.1	75.6	74.6	75.2	75.1	74.7
274	21	370.0	0	74.8	75.1	75.4	74.7	73.9	75.2	74.7	75.0	75.5	74.6	75.2	75.0	74.8
275	21	370.0	210	75.5	75.6	76.1	75.4	73.8	75.6	75.2	75.6	76.0	75.0	75.4	75.1	74.8
276	21	370.0	206	75.5	75.7	76.3	75.5	73.8	75.7	75.3	75.8	76.2	74.6	75.4	75.2	74.9
277	21	370.0	187	75.9	76.0	76.5	75.9	74.2	76.0	75.7	76.0	76.5	75.1	75.6	75.4	75.1
278	21	370.0	180	75.5	75.7	76.2	75.5	73.9	75.7	75.4	75.8	76.2	74.7	75.3	75.1	74.7
279	22	390.0	30	74.9	75.2	75.7	75.0	74.0	75.4	74.9	75.2	75.7	74.7	75.3	75.1	74.8
280	22	390.0	26	74.7	74.9	75.3	74.7	73.6	74.9	74.3	74.7	75.2	74.3	74.9	74.8	74.4
281	22	390.0	7	74.7	74.9	75.3	74.5	73.6	74.9	74.3	74.7	75.2	74.3	74.9	74.8	74.5
282	22	390.0	0	74.7	74.9	75.3	74.5	73.7	74.9	74.4	74.8	75.2	74.4	75.0	74.9	74.6
283	22	390.0	330	74.5	74.8	75.3	74.5	73.6	75.0	74.4	74.8	75.3	74.1	74.9	74.8	74.4
284	22	390.0	324	74.6	74.7	75.1	74.5	73.5	74.9	74.3	74.8	75.2	74.3	74.8	74.7	74.4
285	22	390.0	306	74.6	74.9	75.2	74.5	73.7	74.9	74.4	74.8	75.2	74.4	74.9	74.7	74.4
286	22	390.0	300	74.7	74.9	75.3	74.5	73.6	74.9	74.3	74.7	75.1	74.4	75.1	74.8	74.5
287	22	390.0	210	75.4	75.5	76.0	75.4	73.8	75.5	75.2	75.6	76.0	74.9	75.3	75.0	74.6
288	22	390.0	206	75.4	75.5	76.0	75.3	73.7	75.5	75.2	75.6	76.0	74.9	75.2	74.9	74.6
289	22	390.0	187	75.4	75.6	76.1	75.4	73.7	75.6	75.2	75.6	76.0	74.9	75.2	74.9	74.5
290	22	390.0	180	75.1	75.2	75.7	75.0	73.4	75.1	74.7	75.2	75.6	74.5	74.9	74.7	74.4
291	23	490.0	180	75.0	75.1	75.6	74.8	73.4	74.9	74.6	75.0	75.5	74.4	75.1	74.9	74.6
292	23	490.0	173	75.2	75.2	75.7	75.0	73.5	75.2	74.8	75.2	75.7	74.6	75.1	75.0	74.7
293	23	490.0	156	75.1	75.2	75.8	75.0	73.5	75.2	74.8	75.2	75.6	74.5	75.1	74.9	74.6
294	23	490.0	150	75.0	75.1	75.7	75.0	73.5	75.1	74.7	75.2	75.5	74.3	75.1	74.9	74.6
295	23	490.0	60	74.8	75.1	75.6	74.7	73.7	74.9	74.6	75.0	75.4	74.7	75.1	75.0	74.7
296	23	490.0	54	74.9	75.1	75.6	74.8	73.7	75.0	74.7	75.1	75.5	74.5	75.1	74.9	74.6
297	23	490.0	34	74.8	75.0	75.6	74.8	73.7	75.1	74.7	75.0	75.4	74.3	75.1	74.9	74.6
298	23	490.0	30	74.7	75.0	75.4	74.7	73.6	75.0	74.6	74.9	75.4	74.4	75.1	74.9	74.5
299	23	490.0	0	74.7	75.0	75.4	74.6	73.7	74.9	74.4	74.8	75.2	74.4	75.0	74.8	74.5
300	23	490.0	353	73.8	74.2	74.5	73.5	72.6	73.7	73.4	73.8	74.2	73.3	73.8	73.7	73.4
301	23	490.0	336	73.7	73.9	74.3	73.4	72.4	73.5	73.2	73.6	74.1	73.0	73.7	73.6	73.2
302	23	490.0	330	73.5	73.8	74.2	73.2	72.3	73.5	73.1	73.6	74.0	72.9	73.8	73.7	73.4
303	24	550.0	180	74.2	74.4	74.8	73.8	72.6	73.9	73.7	74.2	74.7	73.6	74.4	74.2	73.9
304	24	550.0	173	74.5	74.6	75.0	74.2	72.8	74.3	74.0	74.5	74.9	73.8	74.5	74.4	74.0
305	24	550.0	156	74.7	74.8	75.2	74.4	73.0	74.6	74.3	74.7	75.2	73.3	74.6	74.5	74.2
306	24	550.0	150	74.8	75.0	75.4	74.6	73.3	74.9	74.6	75.0	75.4	74.4	74.9	74.8	74.5
307	24	550.0	0	74.3	74.5	75.1	74.0	73.3	74.5	74.1	74.5	74.9	73.6	74.6	74.5	74.2
308	24	550.0	353	74.4	74.7	75.3	74.2	73.4	74.5	74.1	74.5	74.9	74.1	74.6	74.3	74.0
309	24	550.0	336	74.3	74.6	75.1	74.2	73.2	74.5	74.1	74.5	74.9	73.8	74.4	74.2	73.9

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13			
310	24	550.0	330	74.0	74.3	74.8	73.9	73.0	74.3	73.9	74.3	74.8	73.7	74.4	74.2	73.9
311	24	550.0	240	74.7	74.8	75.2	74.2	73.1	74.5	74.2	74.7	75.1	74.0	74.5	74.4	74.0
312	24	550.0	234	74.5	74.7	75.1	74.2	73.0	74.6	74.2	74.6	75.1	74.0	74.5	74.3	74.0
313	24	550.0	216	74.8	74.9	75.3	74.5	73.2	74.8	74.5	74.9	75.4	74.4	74.8	74.6	74.3
314	24	550.0	210	74.9	75.0	75.4	74.6	73.3	74.8	74.5	75.0	75.4	74.4	74.9	74.7	74.4
315	25	740.0	150	74.9	75.0	75.4	74.7	73.4	74.9	74.6	75.1	75.5	74.4	74.8	74.7	74.4
316	25	740.0	144	75.0	75.2	75.7	74.9	73.6	75.2	74.9	75.2	75.7	74.6	75.0	74.9	74.5
317	25	740.0	126	75.0	75.2	75.7	74.9	73.7	75.2	74.9	75.3	75.7	74.2	75.1	74.9	74.6
318	25	740.0	120	75.1	75.3	75.8	75.0	73.8	75.2	74.8	75.3	75.7	74.3	75.1	74.9	74.6
319	25	740.0	30	74.7	75.0	75.6	74.6	73.8	75.2	74.7	75.0	75.5	74.5	75.2	75.0	74.7
320	25	740.0	26	74.2	74.5	75.1	74.0	73.2	74.6	74.1	74.5	74.9	74.0	74.5	74.4	74.1
321	25	740.0	7	74.1	74.5	75.0	73.9	73.2	74.4	74.0	74.3	74.8	73.6	74.5	74.3	74.0
322	25	740.0	0	74.1	74.4	74.9	73.9	73.1	74.4	74.0	74.3	74.8	73.6	74.5	74.4	74.0
323	25	740.0	210	74.6	74.8	75.3	74.2	73.1	74.4	74.2	74.8	75.2	74.2	74.7	74.6	74.2
324	25	740.0	206	74.9	75.1	75.6	74.7	73.3	74.8	74.6	75.1	75.5	74.4	74.9	74.8	74.4
325	25	740.0	187	75.0	75.2	75.6	74.9	73.4	75.0	74.8	75.2	75.7	74.5	74.9	74.8	74.4
326	25	740.0	180	75.1	75.2	75.7	75.0	73.5	75.4	75.0	75.3	75.7	74.7	75.0	74.8	74.5
327	26	800.0	30	74.6	74.9	75.5	74.5	73.7	75.1	74.7	75.0	75.5	74.4	75.1	75.0	74.7
328	26	800.0	26	74.6	75.1	75.6	74.6	73.8	75.2	74.8	75.1	75.6	74.6	75.2	75.1	74.8
329	26	800.0	7	74.5	75.0	75.4	74.4	73.8	75.0	74.6	75.0	75.5	74.6	75.1	74.9	74.6
330	26	800.0	0	74.0	74.5	74.9	73.9	73.1	74.3	73.9	74.3	74.7	73.8	74.3	74.1	73.8
331	26	800.0	330	74.1	74.4	74.9	73.9	73.1	74.3	73.9	74.3	74.8	73.8	74.4	74.2	73.8
332	26	800.0	324	74.1	74.5	74.9	74.0	73.1	74.5	74.0	74.4	74.9	74.0	74.5	74.2	74.0
333	26	800.0	306	74.2	74.5	75.0	74.1	73.2	74.7	74.1	74.6	75.0	74.1	74.6	74.5	74.2
334	26	800.0	300	74.4	74.7	75.1	74.2	73.3	74.8	74.3	74.7	75.1	74.2	74.7	74.6	74.2
335	26	800.0	210	75.1	75.2	75.7	75.0	73.5	75.1	74.9	75.2	75.7	74.6	74.9	74.8	74.5
336	26	800.0	206	75.2	75.3	75.8	75.0	73.6	75.2	75.0	75.4	75.8	74.7	75.1	74.9	74.5
337	26	800.0	187	75.3	75.4	76.0	75.3	73.7	75.5	75.2	74.8	53.0	56.1	50.7	49.9	67.4
338	26	800.0	180	75.3	75.5	76.1	75.3	73.8	75.5	75.2	75.6	76.0	75.0	75.3	75.1	74.8
339	27	930.0	180	75.3	75.4	76.0	75.3	73.8	75.4	75.2	75.6	75.9	74.9	75.4	75.2	74.9
340	27	930.0	173	74.7	74.8	75.3	74.5	73.0	74.5	74.2	74.6	75.0	74.0	74.4	74.3	74.0
341	27	930.0	156	74.7	74.8	75.3	74.5	73.1	74.5	74.3	74.7	75.1	74.0	74.6	74.4	74.1
342	27	930.0	150	74.7	74.9	75.3	74.6	73.2	74.7	74.4	74.7	75.1	74.2	74.7	74.6	74.2
343	27	930.0	60	74.2	74.5	75.0	74.2	73.2	74.4	74.2	74.5	75.0	73.9	74.5	74.4	74.1
344	27	930.0	54	74.2	74.5	75.0	74.2	73.3	74.6	74.2	74.6	75.1	74.1	74.6	74.5	74.3
345	27	930.0	34	74.6	74.9	75.4	74.6	73.6	75.0	74.6	75.0	75.5	74.5	75.0	74.9	74.6
346	27	930.0	30	74.3	74.6	75.1	74.3	73.5	74.8	74.4	74.7	75.2	74.2	74.8	74.7	74.4
347	27	930.0	0	74.6	74.8	75.3	74.6	73.7	74.9	74.6	75.0	76.7	74.5	75.0	74.9	74.6
348	27	930.0	353	67.5	67.8	68.9	69.0	63.3	64.7	67.9	69.9	71.0	69.0	62.8	58.9	56.3
349	27	930.0	336	74.6	74.9	75.3	74.6	73.7	75.0	74.6	75.0	75.6	74.5	75.0	74.9	74.5
350	27	930.0	330	74.2	74.4	74.8	74.0	73.0	74.2	73.9	74.2	74.7	73.7	74.1	74.0	73.6
351	28	990.0	180	74.9	75.0	75.5	74.7	73.2	75.1	74.5	74.9	75.2	74.2	74.7	74.5	74.2
352	28	990.0	173	74.8	75.1	75.5	74.8	73.3	74.9	74.6	74.9	75.2	74.3	74.8	74.6	74.3
353	28	990.0	156	74.9	75.1	75.6	74.8	73.4	74.9	74.6	74.9	75.3	74.4	74.9	74.8	74.4
354	28	990.0	150	74.9	75.1	75.6	74.9	73.6	75.0	74.7	75.0	75.3	74.5	75.0	74.9	74.5
355	28	990.0	0	74.2	74.5	74.9	74.2	73.4	74.6	74.2	74.6	75.0	74.1	74.7	74.5	74.2
356	28	990.0	353	74.2	74.5	74.9	74.2	73.4	74.5	74.1	74.5	75.0	74.0	74.6	74.5	74.1
357	28	990.0	336	74.1	74.5	74.9	74.2	73.3	74.5	74.1	74.5	74.9	74.0	74.5	74.4	74.1
358	28	990.0	330	74.1	74.5	74.9	74.2	73.2	74.4	74.1	74.5	74.8	73.9	74.5	74.3	74.1
359	28	990.0	240	75.2	75.4	75.8	75.2	73.7	75.1	74.9	75.3	75.7	74.8	75.3	75.1	74.8
360	28	990.0	234	74.7	74.9	75.3	74.5	73.0	74.5	74.2	74.6	75.0	74.0	74.5	74.3	73.9
361	28	990.0	216	74.8	74.9	75.4	74.6	73.1	74.6	74.3	74.7	75.1	74.2	74.6	74.5	74.1
362	28	990.0	210	75.0	75.2	75.6	74.9	73.4	74.9	74.7	75.0	75.3	74.7	74.9	74.7	74.4
363	29	1050.0	150	74.6	74.9	75.4	74.7	73.3	74.7	74.5	74.9	75.3	74.1	74.6	74.5	74.1
364	29	1050.0	144	74.8	75.1	75.6	74.9	73.5	74.8	74.6	75.0	75.4	74.2	74.7	74.6	74.2

TE R AX RAD T  
NR NR. POS POS  
{MM} {GRD}GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13			
365	291050.0	126	75.1	75.3	75.8	75.1	73.7	75.0	74.9	75.2	75.6	74.0	74.9	74.8	74.4	
366	291050.0	120	74.6	74.9	75.4	74.7	73.4	74.7	74.4	74.8	75.2	74.0	74.5	74.4	74.1	
367	291050.0	30	74.7	75.0	75.4	74.7	73.7	74.8	74.4	74.9	75.3	74.4	74.9	74.8	74.4	
368	291050.0	26	74.6	74.8	75.3	74.6	73.6	74.7	74.4	74.8	75.2	74.2	74.7	74.6	74.2	
369	291050.0	7	74.3	74.6	75.1	74.4	73.4	74.7	74.2	74.5	75.0	74.0	74.5	74.4	74.0	
370	291050.0	0	74.1	74.3	74.8	74.1	73.1	74.3	73.9	74.3	74.7	73.7	74.2	74.0	73.7	
371	291050.0	210	74.6	74.8	75.3	74.6	73.0	74.4	74.3	74.7	75.0	73.8	74.3	74.1	73.8	
372	291050.0	206	75.1	75.2	75.7	75.0	73.4	74.9	74.7	75.1	75.5	74.3	74.7	74.5	74.2	
373	291050.0	187	74.7	74.9	75.4	74.7	73.1	74.7	74.3	74.8	74.8	73.8	74.4	74.2	73.9	
374	291050.0	180	74.7	74.9	75.4	74.6	73.0	74.6	74.3	74.6	75.1	73.9	74.3	74.2	73.8	
375	01075.0	6	74.3	74.4	75.2	74.5	73.3	74.2	73.8	74.2	74.5	73.8	74.2	73.9	73.6	
376	01075.0	5	74.2	74.5	75.4	74.7	73.6	74.2	74.0	74.3	74.6	74.0	74.3	74.1	73.7	
377	01075.0	4	74.6	74.8	75.4	74.6	73.3	74.3	74.1	74.5	74.8	74.1	74.3	74.1	73.6	
378	01075.0	2	74.7	75.0	75.7	74.9	73.5	74.1	74.1	74.5	74.8	74.3	74.2	74.0	73.6	
379	01075.0	1	74.7	74.9	75.8	75.1	73.5	74.4	74.1	74.5	74.7	74.3	74.3	74.1	73.7	
380	01075.0	2	74.4	74.6	75.5	74.8	73.4	74.3	73.8	74.3	74.5	74.0	74.1	73.9	73.4	
381	01075.0	4	74.7	74.9	75.7	74.9	73.6	74.7	74.3	74.7	75.0	74.2	74.5	74.3	73.9	
382	01075.0	4	74.9	74.8	75.5	74.7	73.2	74.5	74.3	74.7	75.1	74.2	74.3	74.1	73.7	
383	01075.0	1	75.2	74.9	75.7	74.9	73.0	74.6	74.4	74.8	75.2	74.2	74.3	73.9	73.5	
384	01075.0	1	75.1	75.0	75.8	75.0	73.3	74.6	74.2	74.5	74.9	74.1	74.3	73.9	73.5	
385	01075.0	4	75.0	75.2	75.8	75.1	73.6	74.9	74.5	74.8	75.1	74.3	74.6	74.3	74.0	
386	01075.0	3	75.4	75.5	75.9	75.1	73.2	74.9	74.8	75.3	75.7	74.7	74.7	74.5	74.1	
387	01075.0	3	75.4	75.6	76.0	75.2	73.6	74.9	74.7	75.1	75.3	74.4	74.6	74.3	74.0	
388	01075.0	5	75.2	75.4	75.8	75.0	73.3	74.9	74.7	75.0	75.4	74.3	74.6	74.4	74.1	
389	01075.0	6	75.1	75.2	75.7	74.9	73.4	74.7	74.4	74.8	75.2	74.3	74.6	74.4	74.1	
390	01113.0	0	74.4	74.7	75.3	74.6	73.2	74.1	73.9	74.1	74.5	74.0	74.1	73.9	73.5	
391	01113.0	0	74.7	75.1	75.6	74.8	73.5	74.6	74.3	74.6	75.0	74.3	74.6	74.4	74.1	
392	01113.0	0	74.4	74.8	75.4	74.5	73.0	74.2	74.0	74.3	74.6	73.8	74.2	74.0	73.7	
393	01113.0	0	75.1	75.4	75.8	75.0	73.4	75.0	74.7	74.9	75.4	74.4	74.7	74.5	74.2	
394	01113.0	0	74.6	75.0	75.5	74.7	73.2	74.5	74.1	74.4	74.9	74.3	74.5	74.3	73.9	
395	01113.0	0	74.5	75.0	75.4	74.7	73.5	74.3	74.0	74.4	74.9	74.2	74.6	74.4	74.1	
396	0	0.0	0	76.2	76.4	76.6	76.4	75.1	76.1	76.1	76.2	76.1	75.8	75.8	75.6	75.2
397	0	0.0	0	73.5	73.4	73.7	72.9	70.9	72.4	73.7	73.5	73.8	73.7	73.7	73.4	73.6
398	0	0.0	0	74.3	74.9	74.6	74.5	73.7	74.1	74.0	74.5	74.2	74.1	74.1	73.3	73.5
399	0	0.0	0	75.7	75.8	76.2	75.2	74.2	75.7	75.9	75.4	76.5	75.5	75.9	75.9	75.7
400	0	0.0	0	80.3	80.3	80.7	79.8	78.8	80.7	81.0	81.6	82.2	81.2	81.6	81.8	81.9
401	0	0.0	0	80.3	80.2	80.7	79.8	78.7	80.5	80.9	81.5	82.1	81.1	81.6	81.8	82.0
402	0	0.0	0	0.0	0.0	0.0	0.0	0.2	-1.4	0.2	0.1	0.2	0.0	0.2	0.1	0.1
403	0	0.0	0	0.0	0.0	0.0	0.0	0.0	-0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
404	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
405	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
406	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

DATUM

2. 6.80

31

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	20.0	19.7	18.0	21.5	19.8	21.0	22.7	22.3	23.0	24.3	25.7	25.9	26.1	25.3	28.3	25.7
DURCHSATZ (KG/S)	0.0343	0.0328	0.0301	0.0267	0.0242	0.0215	0.0192	0.0173	0.0156	0.0143	0.0125	0.0112	0.0100	0.0090	0.0080	0.0073
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	0.990	0.942	0.864	0.763	0.693	0.616	0.549	0.495	0.445	0.409	0.355	0.318	0.285	0.258	0.229	0.209
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	1978.	1831.	1526.	1223.	1001.	812.	638.	512.	395.	320.	245.	202.	167.	139.	118.	99.
BIS X= 560.0(MM)	614.	562.	479.	392.	321.	272.	220.	181.	149.	122.	101.	87.	77.	68.	60.	54.
BIS X= 624.0(MM)	960.	879.	747.	608.	502.	424.	343.	278.	230.	188.	152.	131.	114.	100.	90.	79.
BIS X= 717.0(MM)	1139.	1044.	887.	714.	591.	491.	397.	317.	260.	215.	172.	147.	125.	110.	96.	85.
BIS X= 810.0(MM)	1318.	1205.	1028.	822.	677.	560.	449.	361.	293.	239.	191.	163.	139.	120.	107.	94.
BIS X= 874.0(MM)	1655.	1515.	1284.	1040.	850.	701.	562.	452.	367.	298.	237.	199.	170.	147.	128.	112.
BIS X= 967.0(MM)	1855.	1696.	1433.	1157.	950.	779.	625.	500.	407.	330.	261.	222.	189.	163.	142.	124.
EINTR.DRUCK (BAR)	7.33	7.33	7.33	7.33	7.33	7.26	7.26	7.26	7.25	7.22	7.21	7.20	7.20	7.19	7.19	7.18
EINTR.TEMP. GRADC	49.3	50.9	51.2	51.8	52.3	52.7	52.1	51.7	51.3	53.7	54.3	53.4	52.7	52.1	53.2	51.0

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	48.5	50.1	49.0	52.9	51.0	52.4	53.8	52.9	52.9	54.9	55.5	55.0	54.5	53.3	55.6	52.2
2	1	348.1	330	47.9	49.6	48.7	52.7	50.9	52.3	53.6	52.8	52.8	54.7	55.4	54.9	54.5	53.3	55.7	52.3
3	1	388.1	150	48.3	49.6	48.6	52.7	50.6	52.1	53.5	52.5	52.5	54.8	55.3	54.8	54.4	53.2	55.4	52.1
4	1	388.1	330	47.9	49.5	48.7	52.7	50.8	52.3	53.6	52.7	52.8	54.8	55.5	55.0	54.7	53.5	55.9	52.5
5	1	487.7	255	48.3	49.6	48.7	52.7	50.5	52.1	53.4	52.5	52.6	54.8	55.5	55.0	54.7	53.6	55.9	52.6
6	1	487.7	120	47.8	49.4	48.5	52.5	50.7	52.1	53.5	52.6	52.8	54.8	55.6	55.2	54.9	53.8	56.2	52.8
7	1	738.0	150	*****	102.1	108.8	*****	121.3	*****	48.2	61.6	*****	64.1	*****	*****	*****	115.4	102.5	*****
8	1	738.0	330	47.0	48.7	48.0	52.1	50.5	52.0	53.5	52.8	53.1	54.9	56.0	55.7	55.5	54.5	57.0	53.7
9	1	795.4	120	47.5	49.1	48.1	52.2	50.3	51.8	53.3	52.5	52.8	54.8	55.9	55.5	55.3	54.3	56.7	53.5
10	1	795.4	255	47.7	49.3	48.4	52.6	50.8	52.3	53.8	53.0	53.2	54.7	55.8	55.5	55.3	54.3	56.8	53.5
11	1	987.0	150	47.6	49.2	48.3	52.3	50.6	52.0	53.5	52.7	53.0	54.6	55.7	55.4	55.2	54.2	56.6	53.3
12	1	987.0	330	46.4	48.2	47.6	51.7	50.4	52.0	53.5	52.8	53.2	54.6	55.8	55.6	55.5	54.4	57.0	53.8
13	1	1046.6	120	47.2	48.7	48.0	52.0	50.4	52.0	53.4	52.7	53.0	54.7	55.8	55.5	55.4	54.4	56.8	53.6
14	1	1046.6	255	46.9	48.5	47.8	51.8	50.3	51.9	53.4	52.8	53.0	54.7	55.8	55.6	55.5	54.5	57.0	53.8
15	2	358.5	0	48.3	49.5	48.6	52.4	50.5	51.9	53.3	52.3	52.6	54.8	55.4	54.8	54.5	53.7	55.6	52.4
16	2	388.0	0	48.1	49.3	48.5	52.4	50.5	51.9	53.3	52.5	52.6	54.7	55.5	54.9	54.6	53.8	55.8	52.5
17	2	388.0	210	48.1	49.1	48.3	52.0	50.0	51.5	53.0	52.2	52.2	54.6	55.3	54.6	54.4	53.7	55.4	52.2
18	2	398.0	0	47.8	49.1	48.2	52.0	50.2	51.7	53.2	52.4	52.4	54.7	55.5	54.9	54.6	53.9	55.8	52.5
19	2	488.1	30	47.5	48.7	47.8	51.7	50.0	51.5	53.1	52.3	52.3	54.6	55.4	54.9	54.7	53.8	55.9	52.7
20	2	488.1	165	48.2	49.1	48.1	52.0	50.3	51.6	53.0	52.4	52.3	54.4	55.2	54.6	54.4	53.6	55.5	52.2
21	2	738.0	0	47.9	49.1	48.3	52.0	50.3	51.8	53.2	52.4	52.6	54.5	55.3	54.9	54.8	53.9	56.0	52.8
22	2	738.0	210	48.2	49.0	48.1	52.0	50.3	51.6	53.1	52.4	52.6	54.5	55.4	54.9	54.8	53.9	56.0	52.8
23	2	797.8	30	47.0	48.5	47.8	51.8	50.2	51.7	53.3	52.5	52.7	54.5	55.5	55.2	55.1	54.2	56.5	53.2
24	2	797.8	165	47.7	48.9	48.0	51.9	50.2	51.5	53.1	52.3	52.5	54.6	55.4	55.0	54.9	54.0	56.2	52.9
25	2	987.2	0	46.5	48.1	47.4	51.4	50.0	51.6	53.2	52.5	52.8	54.6	55.7	55.4	55.4	54.5	56.8	53.6
26	2	987.2	210	47.4	48.7	47.7	51.7	50.0	51.5	53.0	52.3	52.5	54.6	55.5	55.1	55.0	54.2	56.4	53.2
27	2	21049.0	30	46.3	47.8	47.2	51.2	49.8	51.4	53.1	52.3	52.7	54.6	55.6	55.4	55.4	54.6	56.9	53.8
28	2	21049.0	165	47.2	48.4	47.6	51.2	49.9	51.4	53.0	52.1	52.5	54.7	55.5	55.2	55.2	54.3	56.6	53.4
29	3	294.0	30	48.5	49.6	48.7	52.5	50.6	51.9	53.7	52.5	52.8	54.9	55.5	55.0	54.8	54.2	55.9	52.6
30	3	303.7	330	48.9	50.0	49.1	52.9	51.0	52.2	54.1	52.7	53.1	54.9	55.4	54.8	54.6	54.0	55.8	52.5
31	3	388.7	15	48.7	49.7	48.9	52.7	50.9	52.2	54.1	52.8	53.3	54.9	55.6	55.1	54.9	54.3	56.1	52.8
32	3	388.7	255	49.3	49.9	48.9	52.2	50.6	51.9	54.0	52.3	53.2	55.0	55.3	54.8	54.6	54.1	55.8	52.6
33	3	488.5	60	48.2	49.4	48.7	52.1	50.8	52.2	54.0	52.8	53.3	54.9	55.8	55.4	55.2	54.6	56.6	53.2
34	3	488.5	150	48.8	49.7	49.0	52.6	50.9	52.2	54.0	52.7	53.2	55.1	55.8	55.3	55.2	54.4	56.4	53.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
35	3 738.5	15 47.1	48.5	47.9	51.6	50.4	51.9	53.7	52.7	53.2	54.9	55.9	55.7	55.7	54.8	57.1	53.9
36	3 738.5	255 48.0	49.2	47.9	51.6	50.3	51.8	53.4	52.4	52.9	54.9	55.7	55.4	55.3	54.6	56.7	53.5
37	3 798.5	60 46.9	48.4	47.4	51.3	50.2	51.8	53.6	52.6	53.1	55.0	55.9	55.8	55.8	55.0	57.3	54.1
38	3 798.5	150 47.5	49.0	47.8	51.6	50.2	51.7	53.5	52.4	52.9	54.9	55.9	55.7	55.6	54.8	57.0	53.8
39	3 988.5	15 46.2	47.8	46.8	51.1	49.7	51.6	53.3	52.4	53.0	54.9	56.0	55.9	55.9	55.1	57.5	54.4
40	3 988.5	255 47.6	49.1	48.0	52.0	50.5	52.0	53.6	52.7	53.1	54.7	55.7	55.5	55.4	54.7	57.0	53.7
41	31049.0	60 46.5	48.2	47.4	51.7	50.4	52.0	53.7	52.8	53.4	54.8	55.9	55.8	55.9	55.0	57.4	54.2
42	31049.0	150 47.3	48.9	47.9	52.0	50.5	52.0	53.7	52.8	53.3	54.9	55.9	55.8	55.8	54.9	57.2	54.1
43	4 293.9	300 48.3	49.5	48.4	52.3	50.7	51.9	53.2	52.3	52.6	54.4	55.4	54.7	54.5	53.2	55.3	52.0
44	4 303.7	300 48.2	49.5	48.4	52.2	50.6	51.9	53.2	52.4	52.6	54.4	55.4	54.9	54.5	53.2	55.4	52.0
45	4 339.0	300 48.0	49.4	48.4	52.2	50.7	51.9	53.3	52.5	52.7	54.5	55.7	55.1	54.9	53.6	55.8	52.5
46	4 348.4	300 48.0	49.4	48.3	52.1	50.6	51.8	53.3	52.4	52.6	54.6	55.6	55.0	54.8	53.4	55.5	52.2
47	4 379.1	300 217.1	118.7	87.9	105.6	168.1	148.3	156.8	97.2	186.9	180.0	182.2	185.6	93.7	149.6	151.8	113.8
48	4 389.0	45 48.0	49.5	48.3	52.2	50.4	51.7	53.1	52.2	52.3	54.6	55.7	55.0	54.7	53.3	55.5	52.2
49	4 389.0	210 47.7	49.2	48.3	52.0	50.3	51.6	53.1	52.2	52.3	54.6	55.7	55.1	54.9	53.4	55.7	52.4
50	4 408.8	300 48.3	51.1	50.4	51.6	52.0	51.5	51.4	50.3	49.4	52.3	52.3	50.6	50.7	49.7	51.5	48.1
51	4 418.6	300 47.7	49.4	48.3	52.3	50.7	51.9	53.4	52.5	52.6	54.4	55.5	54.9	54.8	53.5	55.7	52.4
52	4 428.7	300 47.9	49.4	48.4	52.3	50.8	52.0	53.5	52.5	52.7	54.5	55.6	55.0	54.9	53.5	55.8	52.5
53	4 739.2	45 47.7	49.4	48.3	52.2	50.8	52.0	53.5	52.6	52.8	54.6	55.7	55.3	55.2	54.0	56.3	53.0
54	4 739.2	210 47.7	49.2	48.4	52.2	50.7	51.9	53.6	52.6	52.9	54.7	55.8	55.3	55.2	54.0	56.4	53.0
55	4 989.5	45 47.4	49.1	48.2	52.1	50.7	51.9	53.5	52.6	52.9	54.8	55.9	55.5	55.4	54.3	56.6	53.4
56	4 989.5	210 47.6	49.1	48.2	52.1	50.7	52.0	53.5	52.6	53.0	54.9	56.0	55.6	55.6	54.4	56.8	53.6
57	5 369.5	195 48.0	49.6	48.3	52.0	50.5	51.3	52.9	51.9	52.0	54.8	55.5	54.8	54.6	53.3	55.4	51.9
58	5 369.5	300 48.1	49.8	48.4	52.1	50.6	51.4	52.9	52.0	52.0	54.8	55.6	54.8	54.6	53.2	55.3	51.9
59	5 389.0	30 47.8	49.6	48.1	51.9	50.4	51.2	52.7	51.9	51.8	54.7	55.6	54.8	54.6	53.4	55.3	52.0
60	5 389.0	150 48.0	49.8	48.5	52.1	50.7	51.5	53.1	52.2	52.1	54.5	55.4	54.7	54.6	53.2	55.2	51.8
61	5 549.0	195 48.2	49.9	48.6	52.3	50.7	51.7	53.3	52.3	52.3	54.5	55.5	54.8	54.6	53.3	55.3	51.9
62	5 549.0	300 48.2	49.8	48.5	52.4	50.7	51.7	53.1	52.1	52.1	54.6	55.4	54.7	54.5	53.3	55.2	51.9
63	5 738.7	30 48.1	49.8	48.5	52.2	50.7	51.6	53.1	52.2	52.2	54.6	55.5	54.8	54.7	53.5	55.5	52.1
64	5 738.7	150 48.2	49.8	48.5	52.2	50.7	51.7	53.1	52.3	52.3	54.8	55.7	55.0	54.9	53.7	55.7	52.3
65	5 809.2	120 48.3	49.8	48.4	52.2	50.6	51.7	53.1	52.3	52.3	54.8	55.8	55.0	54.9	53.7	55.7	52.4
66	5 819.0	180 59.5	54.2	56.1	53.8	47.6	63.0	62.4	62.5	72.1	54.9	55.9	55.1	55.0	53.7	55.8	123.9
67	5 929.4	195 47.8	49.3	47.9	51.8	50.1	51.3	52.8	51.9	52.0	54.5	55.5	54.9	54.8	53.5	55.5	52.2
68	5 929.4	300 48.0	49.6	48.3	52.2	50.5	51.7	53.0	52.2	52.3	54.8	55.8	55.1	55.1	53.8	55.9	52.6
69	5 989.0	30 47.7	49.3	48.0	52.0	50.4	51.5	52.8	52.0	52.2	54.7	55.8	55.1	55.0	53.8	55.9	52.6
70	5 989.0	150 48.1	49.7	48.5	52.5	50.8	51.9	53.2	52.3	52.4	54.5	55.6	54.9	54.8	53.6	55.7	52.3
71	6 388.6	225 47.9	49.2	48.3	52.1	50.2	51.2	52.9	52.0	52.0	54.5	55.9	54.9	54.9	53.7	55.7	52.4
72	6 388.6	300 47.9	49.3	48.5	52.3	50.3	51.4	53.0	52.1	52.1	54.5	56.0	54.8	54.9	53.7	55.7	52.4
73	6 488.5	30 47.8	49.2	48.4	52.0	50.0	51.0	52.8	51.7	51.8	54.1	55.5	54.5	54.5	53.3	55.3	52.0
74	6 488.5	150 47.9	49.4	48.5	52.2	50.1	51.2	53.0	52.0	52.2	54.7	55.9	55.0	55.0	53.8	55.8	52.5
75	6 739.4	225 48.1	49.6	48.6	52.3	50.4	51.5	53.2	52.2	52.4	54.9	56.1	55.3	55.2	54.1	56.0	52.7
76	6 739.4	300 47.8	49.4	48.5	52.0	50.2	51.3	53.0	52.0	52.2	54.8	56.0	55.0	55.0	53.9	55.9	52.6
77	6 798.8	30 47.4	49.1	48.2	51.6	49.6	50.8	52.7	51.7	51.8	54.3	55.5	54.7	54.6	53.5	55.5	52.2
78	6 798.8	30 47.9	49.6	48.6	52.1	50.0	51.1	53.1	52.3	52.4	55.0	56.2	55.4	55.3	54.2	56.2	52.8
79	6 829.0	130 47.7	49.5	48.5	52.0	49.9	51.0	52.9	52.1	52.3	54.9	56.1	55.3	55.2	54.1	56.1	52.8
80	6 839.0	240 47.7	49.5	48.7	52.2	50.1	51.2	52.9	52.2	52.3	54.4	55.8	54.9	54.9	53.7	55.7	52.4
81	6 988.8	225 47.9	49.5	48.7	52.3	50.4	51.5	53.1	52.3	52.4	54.7	55.9	55.1	55.1	54.0	56.0	52.7
82	6 988.8	300 51.5	30.2	*****	33.1	63.1	124.2	24.0	119.7	31.3	58.8	*****	30.9	130.4	149.5	58.2	116.9
83	61049.0	30 47.6	49.4	48.5	51.9	50.3	51.4	53.0	52.2	52.4	54.6	55.9	55.1	55.0	53.9	56.0	52.7
84	61049.0	150 47.9	49.6	48.7	52.0	50.2	51.3	53.0	52.3	52.5	54.8	56.0	55.2	55.2	54.1	56.1	52.8
85	7 339.0	150 48.5	50.2	49.1	52.4	50.8	51.7	53.5	52.8	53.2	55.4	56.5	56.0	55.9	54.5	56.8	53.2
86	7 349.0	150 48.7	50.4	49.3	52.7	50.9	51.8	53.0	52.9	53.4	55.5	56.6	56.1	56.0	54.6	56.8	53.3
87	7 359.0	150 48.7	50.4	49.4	52.7	51.1	51.9	53.8	53.0	53.5	55.7	56.7	56.3	56.3	54.9	56.9	53.5
88	7 369.0	165 48.5	50.1	49.1	52.4	50.9	51.7	53.5	52.8	53.3	55.4	56.5	56.1	56.1	54.7	56.8	53.4
89	7 369.0	330 48.4	50.0	49.0	52.4	51.1	51.9	53.6	52.7	53.1	55.2	56.3	55.8	55.7	54.5	56.6	53.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
90	7 379.0	150 48.6	50.1	49.3	52.6	51.2	52.0	53.8	53.0	53.4	55.1	56.3	55.8	55.8	54.4	56.5	53.1
91	7 398.9	150 48.6	50.1	49.3	52.4	51.3	52.0	53.9	53.1	53.4	55.2	56.5	56.0	55.9	54.6	56.7	53.3
92	7 408.6	150 50.0	107.8	142.6	52.2	*****	86.7	35.1	105.3	98.2	150.2	77.2	122.9	174.8	72.4	160.7	67.2
93	7 489.4	165 48.2	49.7	48.8	52.2	51.0	51.8	53.5	52.8	53.2	55.1	56.4	55.9	55.8	54.5	56.8	53.3
94	7 489.4	330 48.4	50.0	48.9	52.3	51.3	52.0	53.6	52.7	53.1	54.9	56.1	55.7	55.6	54.4	56.7	53.2
95	7 799.0	165 47.8	49.5	48.4	51.9	50.8	51.7	53.5	52.7	53.2	55.1	56.4	56.0	56.0	54.8	57.1	53.8
96	7 799.0	330 47.9	49.6	48.6	51.9	50.9	51.8	53.6	52.7	53.2	55.0	56.3	55.9	55.9	54.8	57.1	53.8
97	71049.0	165 47.4	50.1	50.1	51.9	52.3	52.7	51.6	51.2	51.7	53.4	54.9	54.2	52.5	52.2	55.1	51.5
98	71049.0	330 47.2	49.0	48.0	51.5	50.5	51.5	53.3	52.5	52.9	54.9	56.2	55.8	55.8	54.8	57.2	53.9
99	8 294.6	210 47.5	49.0	48.0	51.4	50.2	51.4	52.6	51.6	52.0	54.0	55.2	54.9	54.6	53.2	55.4	52.1
100	8 304.2	270 48.2	49.6	48.7	52.2	50.8	51.8	52.8	51.8	52.1	52.5	53.8	53.5	53.2	51.7	53.9	50.5
101	8 368.7	135 48.6	50.1	48.9	52.7	51.2	51.9	53.0	51.9	52.2	52.7	54.0	53.7	53.5	52.0	54.0	50.6
102	8 368.7	255 48.1	49.6	48.6	52.3	51.0	51.7	52.9	51.9	52.2	52.9	54.2	53.9	53.7	52.3	54.4	51.0
103	8 389.1	30 48.5	50.0	48.8	52.4	51.2	52.0	53.1	51.9	52.4	53.3	54.5	54.0	54.0	52.5	54.6	51.2
104	8 389.1	300 47.9	49.5	48.3	52.3	50.8	51.8	53.0	52.0	52.4	53.2	54.5	54.2	54.1	52.7	54.8	51.4
105	8 549.0	135 48.5	50.0	48.7	52.7	51.2	52.2	53.5	52.4	52.8	53.7	55.0	54.6	54.6	53.2	55.5	52.2
106	8 549.0	255 47.9	49.3	48.3	52.4	51.0	52.2	53.5	52.5	52.9	53.6	55.0	54.7	54.6	53.3	55.7	52.3
107	8 739.0	30 47.9	49.4	48.3	52.5	50.9	52.2	53.6	52.6	53.0	53.8	55.1	54.9	54.8	53.6	55.9	52.7
108	8 739.0	300 48.1	49.6	48.5	52.6	51.1	52.4	53.7	52.8	53.2	53.9	55.4	55.1	55.0	53.8	56.2	52.9
109	8 929.0	135 47.4	49.1	48.1	52.3	50.9	52.2	53.7	52.7	53.2	53.8	55.2	54.9	54.9	53.7	56.1	52.8
110	8 929.0	255 47.1	48.7	47.9	52.1	50.8	52.2	53.6	52.7	53.2	53.2	54.7	54.5	54.5	53.3	55.7	52.5
111	8 988.8	30 47.5	49.2	48.2	52.3	51.0	52.3	53.6	52.7	53.1	53.4	54.8	54.6	54.6	53.4	55.9	52.6
112	8 988.8	300 46.9	48.6	47.8	52.1	50.8	52.2	53.6	52.7	53.1	53.5	54.9	54.8	54.9	53.7	56.2	53.0
113	9 369.4	105 49.7	50.9	49.9	53.6	52.1	53.3	54.3	53.1	53.2	54.4	55.4	54.9	55.1	53.4	55.3	51.9
114	9 369.4	180 42.4	43.7	42.3	46.8	45.3	46.1	47.3	46.2	46.2	46.4	48.1	47.3	46.8	45.5	47.8	44.8
115	9 389.0	30 49.7	50.5	49.6	53.2	51.9	52.9	54.0	52.7	52.9	54.1	55.3	54.8	54.9	53.2	55.1	51.8
116	9 389.0	270 49.6	50.9	49.7	53.5	51.9	53.0	54.1	52.7	53.1	54.3	55.3	54.7	55.0	53.3	55.2	51.9
117	9 549.0	105 49.6	50.9	49.8	53.4	52.1	53.1	54.3	53.0	53.3	54.6	55.6	55.0	55.2	53.5	55.5	52.1
118	9 549.0	180 49.7	51.1	50.0	53.7	52.2	53.2	54.4	53.1	53.3	54.6	55.6	55.0	55.1	53.5	55.5	52.1
119	9 739.2	30 49.4	50.6	49.5	53.2	51.9	52.9	54.1	52.8	53.2	54.4	55.5	55.0	55.0	53.4	55.6	52.1
120	9 739.2	270 49.9	50.9	49.8	53.5	52.0	53.1	54.1	52.8	53.2	53.7	54.9	54.4	54.5	52.9	55.0	51.6
121	9 909.0	60 49.4	50.7	49.6	53.3	52.0	52.9	54.1	52.9	53.2	53.9	55.1	54.5	54.6	53.0	55.1	51.7
122	9 919.0	120 49.7	51.1	49.9	53.7	52.2	53.1	54.4	53.1	53.3	54.2	55.4	54.8	54.8	53.3	55.5	52.0
123	9 929.0	105 49.9	50.9	49.8	53.6	52.1	53.2	54.3	53.1	53.4	54.3	55.5	54.9	54.9	53.5	55.6	52.2
124	9 929.0	180 49.7	50.8	49.7	53.6	52.0	53.0	54.2	53.0	53.2	54.3	55.5	54.9	55.0	53.5	55.6	52.2
125	9 988.8	30 49.3	50.4	49.3	53.3	51.7	52.8	54.0	52.8	53.1	54.2	55.4	54.9	55.0	53.5	55.7	52.3
126	9 988.8	270 49.8	50.8	49.6	53.7	51.9	53.1	54.2	52.9	53.2	54.5	55.6	55.1	55.2	53.6	55.9	52.5
127	10 489.3	90 49.2	50.3	49.1	53.2	51.5	52.6	54.1	52.8	53.4	54.9	56.0	55.7	56.0	54.3	56.6	53.0
128	10 489.3	300 49.5	50.7	49.4	53.4	51.7	52.8	54.1	52.9	53.3	54.8	56.1	55.7	55.9	54.2	56.5	52.9
129	10 549.0	60 49.1	50.4	49.0	53.1	51.5	52.6	54.0	52.8	53.4	54.8	56.1	55.7	56.0	54.3	56.6	52.9
130	10 549.0	210 49.7	50.9	49.6	53.6	51.9	52.9	54.3	53.0	53.4	54.4	55.5	55.1	55.4	53.6	55.8	52.1
131	10 739.0	180 49.6	50.9	49.5	53.5	51.9	52.9	54.2	53.1	53.5	54.4	55.6	55.2	55.4	53.7	56.0	52.4
132	10 739.0	330 49.3	50.6	49.3	53.2	51.6	52.6	54.0	52.8	53.2	54.2	55.3	55.0	55.2	53.6	55.8	52.2
133	10 799.0	90 49.2	50.6	49.2	53.2	51.6	52.6	54.1	52.9	53.4	54.5	55.6	55.3	55.5	53.9	56.2	52.6
134	10 799.0	300 49.5	50.9	49.5	53.3	51.8	52.9	54.2	52.9	53.4	54.6	55.8	55.4	55.7	54.0	56.2	52.6
135	10 929.0	60 49.1	50.5	49.2	53.1	51.6	52.6	54.1	52.8	53.3	54.6	55.7	55.5	55.7	54.1	56.3	52.7
136	10 929.0	210 49.5	50.9	49.5	53.4	51.8	52.9	54.4	53.1	53.5	54.9	56.0	55.7	55.9	54.2	56.5	52.9
137	10 989.0	180 49.4	50.9	49.4	53.4	51.9	53.0	54.3	53.1	53.6	55.0	56.1	55.8	56.0	54.3	56.6	53.1
138	10 989.0	330 49.3	50.7	49.3	53.2	51.7	52.7	54.1	52.9	53.4	54.7	56.0	55.6	55.7	54.2	56.4	52.9
139	101049.0	90 49.3	50.8	49.3	53.2	51.7	52.7	54.2	53.0	53.6	54.9	56.1	55.7	55.9	54.3	56.6	53.0
140	101049.0	300 49.3	50.7	49.3	53.2	51.6	52.6	53.9	52.7	53.2	54.0	55.2	54.8	55.0	53.4	55.6	52.0
141	11 389.0	60 49.1	50.7	48.9	52.8	51.4	52.3	53.9	52.6	53.4	54.4	55.4	55.3	55.6	53.8	56.3	52.5
142	11 389.0	315 48.9	50.3	48.6	52.7	51.2	52.1	53.7	52.5	53.3	54.2	55.5	55.3	55.6	53.9	56.4	52.6
143	11 489.0	150 49.4	50.8	49.1	53.1	51.6	52.6	54.1	52.9	53.8	54.8	56.0	55.8	56.1	54.4	56.9	53.1
144	11 489.0	270 49.1	50.5	48.7	52.6	51.2	52.2	53.8	52.6	53.5	54.6	55.9	55.6	56.0	54.2	56.7	53.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	49.3	50.8	49.0	53.0	51.6	52.5	54.0	53.0	53.6	54.8	56.0	55.8	56.1	54.4	56.8	53.2
146	11	738.9	315	49.3	50.7	49.0	53.1	51.5	52.5	54.0	52.9	53.6	54.8	56.1	55.8	56.1	54.4	56.8	53.2
147	11	799.6	150	49.1	50.6	48.9	53.0	51.5	52.5	54.1	53.0	53.7	54.9	56.2	55.9	56.2	54.5	56.9	53.2
148	11	799.6	270	49.2	50.6	48.9	52.9	51.5	52.5	54.0	52.9	53.6	54.9	56.2	55.9	56.2	54.5	57.0	53.2
149	11	849.3	240	49.2	50.6	48.9	53.0	51.6	52.6	54.0	53.0	53.7	55.0	56.3	55.9	56.2	54.6	56.9	53.3
150	11	859.8	300	48.9	50.2	48.5	52.5	51.2	52.0	53.4	52.5	53.0	53.8	55.3	54.7	55.0	53.4	55.8	52.1
151	11	989.3	60	48.9	50.2	48.6	52.6	51.3	52.2	53.7	52.7	53.3	54.1	55.4	55.1	55.4	53.8	56.1	52.6
152	11	989.3	315	49.0	50.2	48.5	52.4	51.2	52.0	53.5	52.6	53.2	54.1	55.4	55.0	55.4	53.8	56.1	52.5
153	111049.2	150	49.0	50.4	48.7	52.8	51.5	52.4	53.9	53.0	53.6	54.5	55.8	55.5	55.8	54.1	56.6	53.0	
154	111049.2	270	49.1	50.3	48.8	52.9	51.6	52.4	53.8	52.9	53.5	54.6	56.0	55.6	55.8	54.2	56.7	53.1	
155	12	359.9	30	49.3	50.6	49.2	53.3	52.0	52.8	54.4	53.6	54.2	55.4	56.7	56.3	56.4	54.8	57.2	53.6
156	12	370.0	15	49.4	50.7	49.3	53.4	52.0	52.9	54.5	53.7	54.3	55.4	56.8	56.4	56.5	54.9	57.3	53.7
157	12	370.0	240	33.6	47.9	41.4	38.4	30.7	57.8	57.6	68.7	50.0	38.1	56.5	55.2	61.5	39.2	53.6	67.2
158	12	379.2	90	49.0	50.3	49.1	53.1	51.9	52.8	54.5	53.7	54.3	55.5	56.8	56.5	56.6	55.1	57.4	53.8
159	12	489.0	90	48.7	49.8	48.8	52.9	51.8	52.8	54.5	53.7	54.3	55.4	56.8	56.5	56.6	55.2	57.6	54.0
160	12	489.0	270	48.8	49.6	48.6	52.6	51.2	52.1	53.7	52.9	53.6	54.2	55.6	55.3	55.5	53.9	56.2	52.6
161	12	548.9	15	48.8	49.9	48.8	52.9	51.6	52.5	54.1	53.2	53.9	54.5	55.9	55.6	55.8	54.3	56.7	53.2
162	12	548.9	240	49.1	50.1	48.9	53.1	51.6	52.6	54.1	53.3	54.0	54.8	56.2	55.9	56.1	54.6	56.9	53.4
163	12	799.3	90	47.7	49.1	48.1	52.4	51.1	52.2	53.8	53.1	53.7	54.5	55.9	55.8	56.0	54.6	57.1	53.7
164	12	799.3	270	48.5	49.6	48.5	52.7	51.3	52.3	53.9	53.1	53.7	54.7	56.1	55.9	56.1	54.7	57.1	53.7
165	12	929.3	15	47.7	48.8	48.1	52.4	51.2	52.3	54.0	53.3	53.9	54.7	56.2	56.0	56.2	54.5	57.5	54.1
166	12	928.4	240	48.1	48.9	48.1	52.5	51.2	52.3	54.1	53.3	54.0	54.9	56.3	56.1	56.3	54.9	57.4	54.0
167	121049.5	90	47.3	48.5	47.9	52.3	51.1	52.5	54.2	53.5	54.1	54.9	56.3	56.3	56.4	55.3	57.8	54.5	
168	121049.5	270	48.0	48.8	48.0	52.5	51.2	52.4	54.0	53.3	53.9	54.8	56.2	56.1	56.3	55.0	57.5	54.1	
169	13	338.8	60	50.2	51.3	50.2	53.8	52.2	53.4	54.5	53.4	53.8	54.9	56.2	55.6	55.4	53.9	56.0	52.7
170	13	349.0	60	49.7	50.9	49.7	53.3	51.8	52.9	53.9	52.9	53.1	53.7	55.1	54.6	54.3	52.9	55.1	51.7
171	13	368.9	90	50.0	51.1	49.9	53.6	52.0	53.1	54.3	53.1	53.3	54.4	55.6	55.1	54.7	53.4	55.6	52.2
172	13	368.9	240	49.4	50.5	49.5	53.2	51.7	52.8	54.0	52.9	53.1	54.3	55.6	55.0	54.9	53.5	55.7	52.4
173	13	388.5	45	49.9	50.9	49.9	53.5	51.9	53.0	54.3	53.2	53.3	54.6	55.9	55.3	55.1	53.7	55.8	52.5
174	13	388.5	270	49.4	50.5	49.6	53.2	51.6	52.9	54.3	53.1	53.2	54.6	55.9	55.3	55.2	53.8	56.1	52.8
175	13	549.0	90	49.8	51.0	49.9	53.6	52.0	53.0	54.5	53.4	53.5	54.9	56.1	55.5	55.5	54.1	56.3	53.1
176	13	549.0	240	49.3	50.4	49.5	53.3	51.8	53.1	54.5	53.5	53.7	54.8	56.2	55.8	55.7	54.4	56.7	53.4
177	13	738.7	45	49.8	50.9	49.9	53.5	51.9	53.1	54.6	53.5	53.7	54.9	56.2	55.8	55.7	54.4	56.7	53.3
178	13	738.7	270	48.9	50.2	49.3	53.2	51.8	53.1	54.5	53.6	53.9	54.9	56.3	55.9	55.9	54.6	57.0	53.6
179	13	929.3	90	49.7	50.8	49.8	53.5	51.9	53.2	54.6	53.6	53.9	55.0	56.4	55.9	55.9	54.6	57.0	53.6
180	13	929.3	240	48.2	49.4	48.5	52.6	51.1	52.3	53.8	52.9	53.1	53.8	55.2	54.9	54.8	53.7	56.1	52.8
181	13	989.2	45	49.1	50.2	49.2	52.8	51.3	52.4	53.8	52.9	53.1	54.1	55.5	55.0	55.0	53.8	56.2	52.8
182	13	989.2	270	48.0	49.3	48.4	52.4	50.9	52.3	53.7	52.9	53.2	54.3	55.7	55.4	55.3	54.2	56.6	53.3
183	14	369.0	30	50.5	51.3	50.2	53.9	52.2	53.3	54.6	53.6	53.7	55.7	56.8	56.4	56.0	54.5	56.9	53.3
184	14	369.0	270	50.6	51.4	50.2	54.0	52.2	53.4	54.7	53.8	53.8	55.8	56.9	56.3	56.1	54.6	56.9	53.4
185	14	488.9	75	50.8	51.5	50.4	54.0	52.4	53.7	55.0	54.1	54.4	56.0	57.3	56.8	56.6	55.1	57.3	53.8
186	14	488.9	180	50.9	51.6	50.5	54.2	52.6	53.8	55.1	54.3	54.4	56.2	57.3	56.8	56.6	55.2	57.3	53.8
187	14	548.8	30	50.9	51.5	50.3	54.0	52.3	53.6	55.0	54.1	54.4	56.0	57.3	56.7	56.5	55.1	57.3	53.8
188	14	548.8	270	51.0	51.6	50.3	54.2	52.5	53.6	55.0	54.1	54.4	56.0	57.2	56.6	56.4	55.0	57.2	53.7
189	14	799.2	75	50.5	51.1	49.9	53.6	52.0	53.4	54.7	53.8	54.1	55.6	56.9	56.4	56.3	54.9	57.0	53.5
190	14	799.2	180	50.2	51.0	49.7	53.5	51.9	53.0	54.4	53.4	53.6	55.0	56.2	55.7	55.6	54.2	56.4	52.9
191	14	890.2	0	49.9	50.7	49.4	53.1	51.6	52.7	54.1	53.1	53.4	54.8	56.1	55.6	55.4	54.1	56.3	52.7
192	14	899.8	60	50.0	50.8	49.4	53.2	51.6	52.8	54.2	53.2	53.5	55.1	56.4	55.9	55.8	54.4	56.6	53.0
193	14	929.5	30	49.8	50.6	49.2	52.9	51.4	52.6	54.2	53.1	53.3	55.1	56.2	55.9	55.7	54.2	56.5	53.0
194	14	929.5	270	50.0	50.9	49.5	53.4	51.8	53.0	54.5	53.5	53.7	55.3	56.6	56.2	56.0	54.6	56.9	53.4
195	141049.2	75	50.1	51.0	49.6	53.3	51.8	53.1	54.5	53.6	54.0	55.5	56.8	56.3	56.3	56.3	54.8	57.1	53.6
196	141049.2	180	50.0	51.0	49.7	53.5	52.0	53.3	54.7	53.8	54.1	55.7	57.0	56.5	56.4	55.0	57.2	53.7	
197	15	369.1	150	50.2	51.2	49.7	53.2	51.8	53.1	54.7	53.7	54.4	56.0	57.4	57.0	57.1	55.6	57.7	54.0
198	15	369.1	270	50.4	51.5	50.0	53.4	52.0	53.3	55.1	54.0	54.5	56.2	57.6	57.2	57.1	55.7	57.8	54.0
199	15	488.6	60	50.1	51.2	49.5	53.0	51.5	52.9	54.7	53.7	54.3	55.9	57.3	56.9	56.9	55.5	57.5	53.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
200 15 488.6 345	50.0	51.1	49.1	52.8	51.2	52.4	54.0	53.0	53.6	54.7	56.0	55.7	55.7	54.1	56.2	52.4
201 15 549.6 150	50.1	51.2	49.4	53.0	51.5	52.7	54.2	53.2	53.8	54.7	56.1	55.7	55.7	54.2	56.3	52.5
202 15 549.6 270	50.3	51.4	49.6	53.2	51.7	52.9	54.4	53.4	53.8	54.8	56.1	55.7	55.7	54.2	56.2	52.5
203 15 799.6 60	49.6	50.6	48.8	52.4	50.9	52.1	53.6	52.8	53.2	54.1	55.5	55.1	55.2	53.6	55.8	52.1
204 15 799.6 345	49.9	50.9	49.2	52.8	51.3	52.4	53.9	53.0	53.5	54.3	55.7	55.3	55.3	53.8	55.9	52.2
205 15 869.0 0	49.6	50.7	49.0	52.6	51.1	52.2	53.8	52.9	53.3	54.3	55.6	55.1	55.1	53.6	55.7	52.1
206 15 879.0 300	125.4	184.0	160.4	192.1	189.6	123.7	86.7	134.7	78.0	*****	*****	*****	*****	*****	*****	*****
207 15 929.2 150	49.9	50.9	49.4	53.1	51.5	52.8	54.2	53.3	53.7	54.7	56.0	55.7	55.6	54.2	56.3	52.8
208 15 929.2 270	50.1	51.2	49.6	53.2	51.7	52.8	54.3	53.3	53.7	54.7	55.9	55.6	55.5	54.0	56.2	52.6
209 151049.1 60	49.5	50.5	49.0	52.6	51.1	52.2	53.8	52.9	53.5	54.2	55.6	55.2	55.2	53.7	56.0	52.3
210 151049.1 345	49.6	50.5	49.2	52.8	51.3	52.4	53.9	53.0	53.6	54.5	55.8	55.5	55.5	53.9	56.2	52.6
211 16 368.5 150	49.8	50.8	49.5	53.1	51.6	52.8	54.3	53.6	54.1	54.9	56.3	56.1	55.9	54.6	56.6	52.9
212 16 368.5 285	49.9	50.8	49.4	52.9	51.4	52.6	54.0	53.4	53.9	54.8	56.3	56.1	55.5	54.5	56.4	52.6
213 16 418.6 210	49.7	50.6	49.3	53.0	51.6	52.8	54.2	53.6	54.1	54.9	56.3	56.1	56.0	54.7	56.7	53.0
214 16 428.5 210	49.9	50.8	49.4	53.1	51.8	52.9	54.2	53.6	54.0	55.0	56.3	56.1	55.9	54.7	56.8	53.1
215 16 488.5 120	49.5	50.5	49.2	53.0	51.6	52.8	54.3	53.5	54.0	54.8	56.2	56.0	55.9	54.6	56.7	53.1
216 16 488.5 330	49.7	50.5	49.1	52.8	51.3	52.5	53.9	53.1	53.9	54.7	56.1	55.8	55.7	54.4	56.3	52.8
217 16 548.6 150	49.4	50.4	49.2	53.1	51.7	52.9	54.3	53.6	54.2	54.8	56.2	56.0	55.9	54.6	56.8	53.2
218 16 548.6 285	49.9	50.8	49.4	53.2	51.6	53.0	54.3	53.4	54.2	54.9	56.3	56.0	55.8	54.6	56.5	53.0
219 16 798.9 120	48.7	49.9	48.8	52.8	51.4	52.8	54.2	53.4	53.9	54.7	55.9	55.8	55.8	54.5	56.9	53.3
220 16 798.9 330	49.1	50.1	48.8	52.6	51.1	52.4	53.8	52.9	53.6	54.4	55.7	55.5	55.5	54.2	56.5	52.9
221 16 929.0 150	48.2	49.4	48.3	52.3	51.0	52.3	53.8	53.1	53.6	54.3	55.7	55.6	55.5	54.3	56.6	53.2
222 16 929.0 285	49.4	50.4	49.0	52.9	51.4	52.7	54.1	53.3	53.9	54.6	56.0	55.8	55.7	54.4	56.6	53.1
223 161049.0 120	47.8	49.2	48.1	52.1	50.8	52.3	53.8	53.1	53.7	54.3	55.7	55.5	55.6	54.4	56.7	53.3
224 161049.0 330	49.2	50.3	48.9	52.8	51.3	52.6	54.1	53.3	53.9	54.6	55.9	55.8	55.6	54.5	56.7	53.3
225 17 368.7 30	51.1	51.9	50.6	54.6	52.8	53.7	54.9	54.1	54.2	55.1	56.2	55.9	55.6	54.3	56.3	52.8
226 17 368.7 210	50.0	51.1	49.8	53.8	52.1	53.2	54.5	53.7	53.9	54.7	55.9	55.6	55.4	54.1	56.3	52.8
227 17 388.4 0	50.8	51.5	50.2	54.2	52.4	53.6	54.6	53.9	54.0	54.9	56.0	55.7	55.5	54.0	56.4	52.8
228 17 388.4 135	50.3	51.3	50.0	54.0	52.3	53.5	54.7	53.9	54.1	54.9	56.1	55.7	55.6	54.3	56.4	53.0
229 17 418.8 150	50.1	51.0	49.8	53.8	52.2	53.4	54.6	53.9	54.1	54.7	56.0	55.6	55.5	54.2	56.4	52.9
230 17 428.8 210	49.7	50.6	49.5	53.6	52.0	53.1	54.4	53.7	53.8	54.5	55.7	55.4	55.3	54.0	56.2	52.8
231 17 549.0 30	50.6	51.3	50.1	54.1	52.4	53.5	54.8	53.9	53.9	54.8	56.0	55.6	55.4	54.1	56.4	53.0
232 17 549.0 210	49.5	50.6	49.4	53.5	52.0	53.2	54.5	53.8	53.8	54.6	55.8	55.5	55.5	54.2	56.6	53.2
233 17 739.2 0	50.2	51.0	49.8	53.9	52.2	53.3	54.7	53.9	54.0	54.7	56.0	55.7	55.6	54.4	56.7	53.2
234 17 739.2 135	49.3	50.3	49.2	53.3	51.8	53.0	54.5	53.7	54.0	54.5	55.8	55.5	55.5	54.3	56.6	53.2
235 17 928.9 30	50.1	50.9	49.7	53.7	52.1	53.3	54.6	53.9	54.1	54.7	56.0	55.7	55.6	54.4	56.8	53.3
236 17 928.9 210	48.8	49.9	49.0	53.2	51.8	53.1	54.6	53.8	54.1	54.6	55.9	55.7	55.6	54.5	56.9	53.6
237 17 989.1 0	49.7	50.6	49.4	53.5	51.9	53.1	54.5	53.8	54.0	54.6	55.8	55.6	55.5	54.4	56.7	53.4
238 17 989.1 135	49.1	50.1	49.0	53.2	51.7	53.1	54.5	53.7	54.0	54.5	55.9	55.7	55.6	54.4	56.8	53.5
239 18 294.0 0	51.4	52.0	50.6	54.5	52.9	54.0	55.4	54.5	54.8	55.8	57.2	56.7	56.4	55.1	57.1	53.6
240 18 304.0 0	51.1	51.6	50.3	54.1	52.5	53.6	55.0	54.1	54.4	55.5	56.9	56.4	56.1	54.8	56.8	53.4
241 18 359.2 0	51.0	51.4	50.1	53.9	52.3	53.4	54.7	53.9	54.1	55.3	56.7	56.4	56.0	54.6	56.7	53.4
242 18 369.1 90	50.9	51.5	50.3	54.0	52.4	53.6	54.9	54.1	54.4	55.6	57.0	56.6	56.3	55.0	56.9	53.6
243 18 369.1 285	50.9	51.6	50.2	54.0	52.4	53.5	54.8	53.9	54.2	55.3	56.8	56.4	56.0	54.7	56.8	53.4
244 18 378.9 0	51.2	51.8	50.4	54.2	52.6	53.7	55.1	54.1	54.5	55.6	57.0	56.6	56.3	54.9	56.9	53.6
245 18 389.1 90	51.1	51.9	50.4	54.3	52.6	53.8	55.2	54.3	54.6	55.7	57.0	56.7	56.4	55.1	57.1	53.7
246 18 389.1 285	50.9	51.6	50.2	54.1	52.5	53.6	55.0	54.0	54.3	55.3	56.7	56.4	56.0	54.7	56.8	53.4
247 18 409.2 0	51.1	51.8	50.3	54.2	52.6	53.6	55.1	54.1	54.5	55.6	56.9	56.6	56.2	54.9	57.0	53.6
248 18 429.3 0	51.2	52.0	50.5	54.4	52.7	53.8	55.2	54.2	54.6	55.6	57.0	56.7	56.3	54.9	57.0	53.6
249 18 549.5 90	50.8	51.6	50.2	54.2	52.5	53.7	55.2	54.2	54.6	55.4	56.8	56.5	56.3	55.0	57.1	53.7
250 18 549.5 285	50.2	51.0	49.7	53.7	52.0	53.1	54.5	53.6	53.9	54.9	56.3	56.1	55.7	54.4	56.6	53.2
251 18 930.2 90	49.4	50.3	49.0	53.1	51.5	52.7	54.2	53.4	53.9	54.8	56.2	56.0	55.8	54.6	56.8	53.5
252 18 930.2 285	49.7	50.6	49.4	53.4	51.8	53.0	54.5	53.6	54.0	54.8	56.2	56.0	55.8	54.6	56.8	53.4
253 19 369.0 180	49.8	50.7	49.3	53.3	51.7	53.0	54.6	53.7	54.2	55.2	56.8	56.5	56.2	55.0	57.0	53.6
254 19 369.0 270	50.1	51.1	49.7	53.5	52.0	53.2	54.8	53.7	54.3	55.4	56.9	56.6	56.3	55.1	56.9	53.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
255 19 398.5 90	49.7	50.7	49.5	53.4	51.8	53.1	54.7	53.6	54.2	55.3	56.7	56.5	56.2	55.0	57.0	53.6
256 19 408.4 150	49.7	50.7	49.4	53.5	51.8	53.1	54.7	53.8	54.3	55.2	56.8	56.4	56.3	55.1	57.1	53.6
257 19 488.5 15	50.1	51.0	49.7	53.6	52.0	53.3	54.7	53.7	54.3	55.3	56.8	56.4	56.3	55.0	57.1	53.7
258 19 488.5 135	49.5	50.6	49.4	53.4	51.9	53.2	54.7	53.8	54.4	55.1	56.6	56.4	56.2	55.0	57.1	53.7
259 19 548.8 180	50.1	50.9	49.7	53.7	52.1	53.4	54.8	53.9	54.4	55.2	56.7	56.4	56.2	55.0	57.1	53.7
260 19 548.8 270	49.0	50.0	48.8	53.0	51.5	52.7	54.2	53.3	53.8	54.7	56.2	55.9	55.7	54.5	56.7	53.3
261 19 798.4 15	49.4	50.2	48.8	52.9	51.4	52.6	54.2	53.3	53.9	54.7	56.2	55.9	55.8	54.6	56.8	53.5
262 19 798.4 135	48.3	49.4	48.3	52.5	51.1	52.4	54.0	53.2	53.7	54.4	55.9	55.7	55.6	54.5	56.8	53.4
263 19 928.5 180	48.0	49.1	48.1	52.3	51.0	52.4	54.0	53.2	53.7	54.3	55.8	55.7	55.6	54.5	56.8	53.5
264 19 928.5 270	49.2	50.2	48.9	53.0	51.6	52.8	54.4	53.5	54.0	54.7	56.2	56.0	55.9	54.7	57.0	53.8
265 191048.7 15	20.2	20.0	*****	21.8	20.2	21.4	23.1	22.7	23.4	24.7	26.1	26.2	26.5	25.7	28.6	26.0
266 191048.7 135	47.9	49.2	48.2	52.4	51.1	52.5	54.2	53.4	54.0	54.3	55.9	55.7	55.7	54.7	57.0	53.7
267 21 370.0 150	47.6	49.1	48.2	52.6	51.4	52.9	54.5	53.8	54.3	54.4	56.0	55.9	55.9	54.9	57.4	54.1
268 21 370.0 144	47.7	49.3	48.3	52.6	51.4	52.9	54.4	53.8	54.3	54.3	55.9	55.9	55.9	54.8	57.3	54.0
269 21 370.0 126	47.8	49.3	48.3	52.6	51.4	52.8	54.4	53.7	54.3	54.3	55.9	55.9	55.8	54.8	57.2	53.9
270 21 370.0 120	47.2	48.6	47.7	52.0	50.8	52.2	53.8	53.1	53.6	53.8	55.4	55.4	55.4	54.4	56.9	53.5
271 21 370.0 30	46.7	48.3	47.5	51.8	50.5	52.1	53.6	52.9	53.3	53.3	54.8	54.7	54.7	53.7	56.3	53.0
272 21 370.0 26	47.0	48.4	47.7	52.0	50.6	52.2	53.7	52.9	53.3	53.3	54.8	54.7	54.6	53.6	56.2	52.9
273 21 370.0 7	47.4	48.7	47.8	52.1	50.8	52.3	53.7	53.0	53.3	53.4	54.8	54.7	54.6	53.6	56.1	52.9
274 21 370.0 0	47.3	48.6	47.7	52.1	50.7	52.3	53.7	53.0	53.3	53.4	54.8	54.7	54.6	53.6	56.1	52.9
275 21 370.0 210	47.5	48.9	48.0	52.4	51.1	52.5	54.1	53.5	53.9	53.9	55.5	55.4	55.5	54.4	56.9	53.6
276 21 370.0 206	47.7	49.1	48.1	52.5	51.2	52.7	54.2	53.6	54.0	54.0	55.6	55.6	55.5	54.5	57.1	53.7
277 21 370.0 187	48.1	49.5	48.5	52.9	51.6	53.0	54.5	53.8	54.3	54.4	55.9	55.9	55.9	54.8	57.3	53.9
278 21 370.0 180	47.7	49.1	48.2	52.6	51.3	52.7	54.2	53.6	54.1	54.0	55.6	55.6	55.6	54.6	57.1	53.7
279 22 390.0 30	47.0	48.5	47.8	52.1	50.9	52.4	54.0	53.3	53.6	53.5	54.9	54.7	54.8	53.8	56.3	53.1
280 22 390.0 26	46.7	48.1	47.3	51.7	50.4	51.9	53.4	52.7	53.1	53.2	54.7	54.5	54.5	53.5	56.1	52.8
281 22 390.0 7	46.9	48.3	47.4	51.7	50.4	52.0	53.4	52.7	53.1	53.2	54.7	54.5	54.5	53.4	56.0	52.7
282 22 390.0 0	46.8	48.2	47.4	51.7	50.4	52.0	53.4	52.7	53.1	53.2	54.6	54.5	54.5	53.5	56.0	52.7
283 22 390.0 330	46.5	48.0	47.2	51.6	50.4	52.0	53.4	52.8	53.2	53.1	54.6	54.5	54.5	53.5	56.1	52.7
284 22 390.0 324	46.7	48.2	47.3	51.7	50.5	52.0	53.5	52.8	53.2	53.1	54.6	54.5	54.5	53.4	56.0	52.7
285 22 390.0 306	47.0	48.3	47.5	51.8	50.6	52.1	53.5	52.9	53.2	53.1	54.6	54.5	54.4	53.4	55.9	52.6
286 22 390.0 300	47.0	48.3	47.6	51.9	50.7	52.1	53.6	52.9	53.3	53.2	54.7	54.5	54.5	53.4	56.0	52.7
287 22 390.0 210	47.3	48.7	47.9	52.3	51.0	52.6	54.1	53.5	53.9	53.7	55.3	55.3	55.4	54.3	56.9	53.6
288 22 390.0 206	47.5	48.9	47.9	52.3	51.1	52.6	54.1	53.4	53.9	53.8	55.4	55.4	55.4	54.3	56.9	53.5
289 22 390.0 187	47.7	49.1	48.1	51.7	51.2	52.6	54.2	53.5	54.0	53.9	55.4	55.4	55.4	54.3	56.9	53.5
290 22 390.0 180	47.1	48.5	47.5	51.6	50.7	52.1	53.7	53.1	53.5	53.9	55.5	55.5	55.5	54.5	57.0	53.6
291 23 490.0 180	46.3	47.9	47.1	51.3	50.5	52.1	53.7	53.2	53.6	53.9	55.4	55.5	55.6	54.6	57.2	53.9
292 23 490.0 173	46.5	48.0	47.2	51.4	50.5	52.2	53.8	53.2	53.7	54.0	55.6	55.6	55.7	54.7	57.3	54.1
293 23 490.0 156	46.4	47.9	47.1	51.4	50.6	52.1	53.8	53.2	53.8	54.0	55.6	55.7	55.7	54.7	57.3	54.1
294 23 490.0 150	46.2	47.8	47.1	51.3	50.5	52.1	53.9	53.3	53.8	53.9	55.6	55.7	55.7	54.8	57.3	54.1
295 23 490.0 60	46.3	47.8	47.0	51.2	50.4	52.1	53.6	53.0	53.5	53.6	55.2	55.2	55.2	54.2	56.9	53.7
296 23 490.0 54	46.4	47.9	47.1	51.2	50.4	52.0	53.7	52.9	53.5	53.5	55.0	55.0	55.0	54.0	56.7	53.5
297 23 490.0 34	46.2	47.8	47.0	51.2	50.4	52.1	53.6	53.0	53.5	53.5	55.0	54.9	55.0	54.0	56.6	53.4
298 23 490.0 30	46.1	47.7	46.9	51.4	50.4	52.0	53.6	53.0	53.4	53.3	54.9	54.9	55.0	54.0	56.6	53.4
299 23 490.0 0	46.2	47.7	47.0	51.4	50.3	51.9	53.4	52.8	53.2	53.1	54.6	54.6	54.6	53.7	56.3	53.1
300 23 490.0 353	45.3	46.8	45.9	50.4	49.2	50.8	52.4	51.7	52.1	52.5	54.0	54.0	54.0	53.0	55.7	52.5
301 23 490.0 336	45.0	46.4	45.7	50.1	49.0	50.6	52.1	51.6	52.0	52.5	54.0	54.0	54.0	53.0	55.7	52.4
302 23 490.0 330	44.9	46.3	45.6	50.1	49.0	50.7	52.2	51.6	52.1	52.5	54.0	54.1	54.1	53.1	55.8	52.5
303 24 550.0 180	45.5	46.9	46.2	50.8	49.6	51.2	53.0	52.3	52.9	53.4	54.9	55.0	55.0	54.0	56.7	53.4
304 24 550.0 173	45.7	47.2	46.4	50.9	49.7	51.4	53.1	52.5	53.0	53.5	55.1	55.1	55.2	54.2	56.8	53.8
305 24 550.0 156	45.8	47.3	46.5	51.1	49.9	51.6	53.3	52.7	53.2	53.6	55.2	55.3	55.3	54.3	56.9	53.8
306 24 550.0 150	45.8	47.4	46.6	51.2	50.1	51.8	53.5	53.0	53.5	53.8	55.3	55.5	55.5	54.6	57.2	53.9
307 24 550.0 0	45.8	47.3	46.5	51.0	50.0	51.6	53.1	52.5	53.0	53.0	54.6	54.5	54.6	53.6	56.2	53.1
308 24 550.0 353	46.0	47.5	46.7	51.2	50.1	51.6	53.2	52.5	52.9	52.9	54.5	54.4	54.4	53.5	56.1	53.0
309 24 550.0 336	45.8	47.3	46.5	51.0	50.0	51.5	53.1	52.4	52.8	52.9	54.5	54.4	54.5	53.5	56.2	53.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
310 24 550.0 330	45.4	46.9	46.2	50.8	49.7	51.3	52.9	52.3	52.7	53.0	54.5	54.5	54.6	53.6	56.3	53.1
311 24 550.0 240	45.9	47.4	46.6	51.2	50.0	51.6	53.2	52.6	53.1	53.4	54.9	55.0	55.0	54.0	56.7	53.5
312 24 550.0 234	45.9	47.4	46.7	51.2	50.0	51.6	53.2	52.6	53.1	53.4	55.0	55.0	55.0	54.0	56.7	53.5
313 24 550.0 216	45.9	47.4	46.7	51.3	50.0	51.7	53.3	52.7	53.2	53.6	55.1	55.2	55.3	54.3	56.9	53.8
314 24 550.0 210	45.9	47.5	46.8	51.4	50.1	51.8	53.5	52.8	53.4	53.7	55.2	55.3	55.4	54.5	57.1	53.9
315 25 740.0 150	45.7	47.2	46.6	51.1	50.1	51.8	53.5	53.0	53.6	53.9	55.4	55.6	55.7	54.8	57.4	54.3
316 25 740.0 144	45.9	47.5	46.7	51.3	50.2	52.0	53.7	53.2	53.7	54.0	55.5	55.7	55.8	54.9	57.5	54.4
317 25 740.0 126	46.1	47.7	46.9	51.4	50.3	52.1	53.7	53.2	53.8	54.0	55.6	55.7	55.8	54.9	57.5	54.4
318 25 740.0 120	46.1	47.7	46.9	51.4	50.4	52.1	53.8	53.2	53.7	53.9	55.5	55.6	55.8	54.9	57.5	54.3
319 25 740.0 30	45.6	47.2	46.6	51.2	50.2	52.0	53.7	53.0	53.6	53.6	55.1	55.2	55.3	54.4	57.1	54.0
320 25 740.0 26	45.2	46.8	46.1	50.6	49.6	51.3	53.0	52.4	52.9	53.0	54.6	54.8	54.8	53.9	56.6	53.5
321 25 740.0 7	45.4	47.0	46.2	50.7	49.7	51.4	53.0	52.3	52.9	53.1	54.7	54.8	54.8	53.9	56.6	53.6
322 25 740.0 0	45.3	46.8	46.1	50.6	49.5	51.3	53.0	52.3	52.8	53.1	54.7	54.8	54.8	53.9	56.7	54.1
323 25 740.0 210	45.5	47.0	46.3	50.9	49.8	51.5	53.2	52.6	53.2	53.6	55.1	55.2	55.4	54.4	57.1	53.9
324 25 740.0 206	45.8	47.3	46.6	51.1	50.0	51.7	53.4	52.9	53.4	53.7	55.3	55.4	55.6	54.6	57.3	53.9
325 25 740.0 187	46.1	47.6	46.8	51.4	50.2	51.9	53.6	53.0	53.6	53.8	55.4	55.6	55.7	54.7	57.4	54.0
326 25 740.0 180	46.1	47.7	46.9	51.4	50.3	52.1	53.7	53.1	53.7	53.9	55.5	55.6	55.8	54.8	57.4	54.0
327 26 800.0 30	45.4	47.1	46.4	51.1	50.0	51.8	53.5	52.9	53.5	53.6	55.1	55.2	55.4	54.5	57.2	54.0
328 26 800.0 26	45.6	47.2	46.6	51.2	50.1	51.9	53.6	53.0	53.5	53.5	55.1	55.3	55.3	54.4	57.1	54.0
329 26 800.0 7	45.8	47.3	46.7	51.2	50.2	51.9	53.5	52.9	53.4	53.5	55.0	55.1	55.2	54.3	57.1	53.9
330 26 800.0 0	45.1	46.7	46.0	50.5	49.5	51.1	52.8	52.2	52.7	52.8	54.4	54.5	54.6	53.7	56.4	53.2
331 26 800.0 330	45.0	46.5	45.9	50.5	49.4	51.2	52.9	52.3	52.8	53.0	54.6	54.7	54.7	53.8	56.6	53.5
332 26 800.0 324	45.2	46.8	46.1	50.6	49.5	51.3	53.0	52.4	52.9	53.1	54.6	54.7	54.8	53.9	56.6	53.6
333 26 800.0 306	45.4	46.9	46.2	50.8	49.7	51.4	53.1	52.5	53.0	53.2	54.8	54.9	54.9	54.0	56.7	53.6
334 26 800.0 300	45.5	47.0	46.3	50.9	49.8	51.6	53.2	52.6	53.1	53.3	54.8	54.9	55.0	54.1	56.8	53.7
335 26 800.0 210	45.7	47.3	46.6	51.2	50.1	51.9	53.6	53.0	53.6	53.7	55.3	55.5	55.6	54.6	57.3	54.2
336 26 800.0 206	46.0	47.5	46.8	51.4	50.3	52.0	53.7	53.2	53.7	53.8	55.4	55.5	55.7	54.7	57.4	54.3
337 26 800.0 187	46.3	47.8	47.0	51.5	50.5	52.2	53.9	53.3	53.8	54.0	55.5	55.7	55.8	54.9	57.5	54.4
338 26 800.0 180	46.3	47.9	47.1	51.7	50.6	52.3	54.0	53.4	53.9	54.0	55.6	55.8	55.9	54.9	57.6	54.5
339 27 930.0 180	46.2	47.8	47.0	51.7	50.5	52.3	54.0	53.4	53.9	54.0	55.6	55.8	55.8	54.9	57.6	54.5
340 27 930.0 173	45.5	47.0	46.3	50.8	49.7	51.4	53.2	52.5	53.1	53.4	54.9	55.0	55.1	54.2	56.9	53.7
341 27 930.0 156	45.3	46.9	46.5	50.8	49.7	51.4	53.2	52.6	53.2	53.5	55.1	55.2	55.3	54.3	57.1	54.0
342 27 930.0 150	45.3	46.9	46.2	50.8	49.7	51.5	53.3	52.7	53.3	53.6	55.2	55.3	55.4	54.5	57.2	54.1
343 27 930.0 60	45.0	46.4	45.9	50.4	49.5	51.3	53.0	52.4	53.0	53.2	54.8	54.9	55.0	54.1	56.8	53.7
344 27 930.0 54	45.2	46.7	46.2	50.7	49.7	51.5	53.1	52.6	53.1	53.3	54.9	55.0	55.1	54.2	56.9	53.8
345 27 930.0 34	45.4	46.9	46.4	50.9	49.9	51.7	53.3	52.7	53.3	53.5	55.0	55.1	55.3	54.3	57.0	53.9
346 27 930.0 30	*****	52.2	51.6	56.1	56.3	51.6	53.3	52.7	53.3	53.4	55.0	55.0	55.2	54.2	57.0	53.9
347 27 930.0 0	45.7	47.3	46.7	51.1	50.1	51.9	53.5	52.8	53.4	53.4	55.0	55.1	55.2	54.3	57.0	53.9
348 27 930.0 353	34.4	33.4	31.6	34.2	30.6	28.1	29.0	27.7	27.8	28.8	30.3	31.2	32.1	31.7	34.5	31.8
349 27 930.0 336	45.6	47.2	46.6	51.1	50.1	51.9	53.5	52.9	53.5	53.4	55.0	55.1	55.2	54.2	57.0	53.9
350 27 930.0 330	44.9	46.4	45.8	50.2	49.2	51.0	52.7	52.0	52.5	52.7	54.3	54.4	54.5	53.6	56.3	53.2
351 28 990.0 180	45.4	47.0	46.3	50.8	49.7	51.5	53.2	52.6	53.2	53.4	55.0	55.2	55.3	54.4	57.1	54.0
352 28 990.0 173	45.5	47.1	46.4	50.9	49.8	51.7	53.4	52.8	53.3	53.5	55.1	55.2	55.3	54.5	57.2	54.1
353 28 990.0 156	45.4	47.0	46.5	51.0	49.9	51.7	53.5	52.9	53.5	53.6	55.1	55.3	55.4	54.5	57.2	54.1
354 28 990.0 150	45.4	47.0	46.7	51.0	49.9	51.7	53.5	53.0	53.6	53.6	55.2	55.3	55.5	54.6	57.3	54.2
355 28 990.0 0	45.2	46.8	46.6	50.7	49.7	51.5	53.1	52.6	53.1	53.1	54.7	54.9	55.0	54.1	56.8	53.8
356 28 990.0 353	45.3	46.9	46.4	50.8	49.7	51.6	53.2	52.6	53.2	53.0	54.6	54.8	54.9	54.0	56.7	53.7
357 28 990.0 336	45.0	46.6	46.2	50.7	49.6	51.5	53.2	52.6	53.2	52.9	54.5	54.7	54.8	53.9	56.6	53.7
358 28 990.0 330	44.7	46.2	45.6	50.5	49.5	51.4	53.1	52.5	53.1	52.9	54.5	54.6	54.8	53.8	56.6	53.5
359 28 990.0 240	45.9	47.5	47.1	51.4	50.3	52.1	53.8	53.2	53.7	53.6	55.2	55.3	55.4	54.5	57.2	54.2
360 28 990.0 234	45.3	46.9	46.4	50.7	49.6	51.4	53.1	52.5	53.0	53.0	54.5	54.7	54.8	53.9	56.6	53.5
361 28 990.0 216	45.3	46.8	46.4	50.8	49.7	51.5	53.2	52.7	53.2	53.2	54.7	54.9	55.0	54.1	56.9	53.8
362 28 990.0 210	45.4	47.1	46.7	51.1	50.0	51.8	53.6	53.0	53.5	53.4	55.0	55.1	55.2	54.4	57.1	54.0
363 291050.0 150	45.3	46.8	46.4	50.8	49.8	51.7	53.4	52.8	53.4	53.3	55.0	55.1	55.2	54.4	57.1	53.9
364 291050.0 144	45.7	47.3	46.8	51.1	50.0	51.9	53.6	53.0	53.6	53.6	55.1	55.3	55.4	54.5	57.2	54.1

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	45.8	47.4	46.9	51.3	50.2	51.9	53.6	53.0	53.6	53.6	55.2	55.3	55.4	54.5	57.2	54.1
366	291050.0	120	45.4	46.9	46.5	50.8	49.9	51.6	53.3	52.8	53.3	53.3	55.0	55.2	55.3	54.4	57.1	54.0
367	291050.0	30	45.5	47.1	46.7	51.0	49.9	51.7	53.3	52.8	53.3	53.3	54.8	54.9	55.0	54.2	56.9	53.9
368	291050.0	26	45.5	47.1	46.5	50.9	49.8	51.6	53.2	52.6	53.2	53.1	54.7	54.8	54.9	54.0	56.7	53.7
369	291050.0	7	45.5	47.1	46.6	50.9	49.8	51.6	53.2	52.6	53.1	53.0	54.6	54.7	54.9	53.9	56.7	53.6
370	291050.0	0	44.8	46.3	45.9	50.2	49.2	51.0	52.6	52.0	52.6	53.0	54.7	54.9	55.0	54.1	56.8	53.3
371	291050.0	210	44.9	46.4	45.8	50.6	49.6	51.4	53.1	52.6	53.1	53.0	54.7	54.9	55.0	54.1	56.8	53.7
372	291050.0	206	45.7	47.2	46.8	51.1	50.0	51.7	53.4	52.8	53.4	53.3	54.9	55.1	55.2	54.3	57.0	53.9
373	291050.0	187	45.8	47.2	46.7	51.1	49.9	51.7	53.3	52.8	53.3	53.3	54.8	55.0	55.1	54.2	56.9	46.8
374	291050.0	180	45.6	47.1	46.6	51.0	49.8	51.6	53.2	52.7	53.2	53.2	54.8	55.0	55.0	54.2	56.9	53.8
375	01075.0	6	46.6	48.2	47.2	51.3	49.9	51.4	52.8	51.9	52.2	52.5	53.8	53.7	53.6	52.6	55.3	52.3
376	01075.0	5	47.0	48.7	47.5	51.6	50.1	51.5	52.8	51.8	52.1	52.5	53.9	53.8	53.7	52.7	55.4	52.3
377	01075.0	4	47.6	48.9	47.9	51.8	50.2	51.6	53.0	52.0	52.2	52.7	54.0	53.8	53.7	52.6	55.2	52.0
378	01075.0	2	49.2	50.5	48.9	52.8	50.7	51.9	53.0	51.7	51.8	52.8	53.9	53.3	52.9	51.4	53.8	50.4
379	01075.0	1	48.8	50.6	48.9	52.8	50.5	51.8	52.9	51.6	51.7	53.1	54.4	53.6	53.1	51.6	54.0	50.4
380	01075.0	2	48.6	50.2	48.6	52.5	50.0	51.4	52.6	51.3	51.6	52.8	54.3	53.5	53.1	51.9	54.2	50.6
381	01075.0	4	47.7	49.2	48.0	52.0	50.1	51.7	53.1	52.2	52.6	53.2	54.7	54.4	54.4	53.3	55.8	52.5
382	01075.0	4	47.8	48.8	48.0	52.0	50.4	51.7	53.1	52.3	52.5	53.0	54.3	54.2	54.1	53.0	55.7	52.5
383	01075.0	1	49.6	50.7	49.5	53.3	51.1	52.1	53.4	52.2	52.4	53.6	54.8	54.3	53.9	52.3	54.7	51.0
384	01075.0	1	49.2	50.6	49.2	53.1	50.6	52.0	53.2	51.9	52.4	53.6	55.2	54.6	54.3	52.8	55.1	51.4
385	01075.0	4	47.8	49.2	48.2	52.2	50.3	51.8	53.3	52.4	53.0	53.5	55.1	54.9	54.9	53.7	56.3	53.0
386	01075.0	3	49.6	50.5	49.5	53.4	51.4	52.4	53.9	52.8	53.0	53.9	55.2	54.8	54.6	53.0	55.5	52.1
387	01075.0	3	49.2	50.5	49.2	53.1	51.0	52.3	53.6	52.6	53.2	54.3	55.8	55.4	55.2	53.9	56.3	52.7
388	01075.0	5	47.8	49.1	48.3	52.3	50.7	52.1	53.6	52.8	53.3	53.8	55.3	55.2	55.2	54.0	56.7	53.4
389	01075.0	6	47.2	48.6	47.8	51.8	50.3	51.8	53.4	52.6	53.2	53.6	55.2	55.1	55.1	54.0	56.7	53.4
390	01113.0	0	48.3	49.5	48.3	52.3	50.2	51.5	52.7	51.6	51.8	53.2	54.5	54.0	53.8	52.4	54.9	51.5
391	01113.0	0	48.0	49.3	48.2	52.3	50.5	51.9	53.3	52.4	52.7	53.8	55.2	54.9	54.8	53.6	56.2	53.0
392	01113.0	0	47.8	49.1	47.9	52.1	50.3	51.7	53.1	52.1	52.6	53.7	55.3	54.9	54.9	53.7	56.1	52.7
393	01113.0	0	48.7	49.9	48.7	52.9	51.0	52.4	53.8	52.8	53.3	54.4	56.0	55.6	55.6	54.4	56.7	53.2
394	01113.0	0	48.5	49.8	48.6	52.6	50.8	52.0	53.4	52.3	52.5	53.7	55.0	54.7	54.6	53.1	55.6	52.2
395	01113.0	0	47.9	49.3	48.2	52.4	50.6	52.0	53.3	52.4	52.8	53.8	55.0	54.8	54.6	53.4	55.9	52.7
396	0 0.0	0	50.7	51.9	52.5	52.7	52.8	53.3	53.4	52.8	53.0	55.9	56.6	55.8	55.6	54.7	54.7	53.5
397	0 0.0	0	50.8	50.6	52.0	51.1	52.0	53.1	52.1	52.4	50.9	53.0	53.5	52.9	52.0	52.0	51.4	50.7
398	0 0.0	0	50.7	50.9	51.2	52.7	51.3	52.7	52.9	50.7	51.1	53.3	52.0	51.6	52.3	49.7	51.4	50.0
399	0 0.0	0	51.7	52.7	53.5	50.8	53.2	52.6	52.3	53.6	50.4	54.6	55.5	53.5	53.5	54.4	51.0	50.7
400	0 0.0	0	78.5	77.7	75.7	78.9	77.1	78.3	79.8	79.2	79.7	82.6	83.4	83.1	82.9	81.7	84.2	81.2
401	0 0.0	0	78.5	77.7	75.2	78.9	77.1	78.2	79.7	79.1	79.7	82.6	83.4	83.1	83.0	81.6	84.2	81.2
402	0 0.0	0	0.0	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.3	0.5	0.3	0.4	0.5	0.3	0.3	0.2
403	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
404	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
405	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
406	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

DATUM 2. 6.80

VERSUCH NR.	17	18	19	20	21	22
RAUMTEMPERATUR	28.4	26.0	25.1	27.1	26.5	27.2
DURCHSATZ (KG/S)	0.0065	0.0058	0.0051	0.0046	0.0042	0.0037
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	0.186	0.166	0.148	0.132	0.120	0.107
DRUCKVERLUST (N/M**2)						
GES. X=1060.0(MM)	83.	69.	67.	48.	48.	0.
BIS X= 560.0(MM)	51.	46.	43.	41.	40.	39.
BIS X= 624.0(MM)	72.	64.	61.	56.	52.	47.
BIS X= 717.0(MM)	76.	67.	62.	57.	52.	47.
BIS X= 810.0(MM)	84.	74.	68.	62.	57.	52.
BIS X= 874.0(MM)	99.	87.	79.	70.	65.	57.
BIS X= 967.0(MM)	110.	99.	89.	79.	73.	65.
EINTR.DRUCK (BAR)	7.17	7.17	7.16	7.16	7.15	7.15
EINTR.TEMP. GRADC	50.6	49.7	48.5	48.5	47.8	47.7

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	54.4	51.7	50.6	52.3	51.1	51.5
2	1	348.1	330	54.5	51.7	50.6	52.3	51.1	51.6
3	1	388.1	150	54.3	51.5	50.5	52.2	51.0	51.5
4	1	388.1	330	54.7	52.0	50.8	52.6	51.4	51.9
5	1	487.7	255	54.8	52.1	51.0	52.8	51.6	52.1
6	1	487.7	120	55.0	52.4	51.2	53.0	51.8	52.3
7	1	738.0	150	*****	*****	*****	87.8	*****	100.1
8	1	738.0	330	56.0	53.4	52.1	53.8	52.7	53.2
9	1	795.4	120	55.8	53.1	51.8	53.6	52.5	53.0
10	1	795.4	255	55.8	53.1	51.9	53.7	52.7	53.1
11	1	987.0	150	55.7	53.0	51.8	53.6	52.5	53.1
12	1	987.0	330	56.2	53.4	52.2	54.0	53.0	53.5
13	1	11046.6	120	56.0	53.3	52.1	53.9	52.8	53.4
14	1	11046.6	255	56.2	53.5	52.3	54.1	53.1	53.5
15	2	358.5	0	54.5	51.7	50.5	52.4	50.8	51.2
16	2	388.0	0	54.7	51.9	50.7	52.5	51.0	51.2
17	2	388.0	210	54.3	51.7	50.3	52.3	50.7	51.1
18	2	398.0	0	54.7	52.0	50.7	52.5	51.0	51.5
19	2	488.1	30	54.8	52.1	50.8	52.7	51.3	51.8
20	2	488.1	165	54.4	51.8	50.4	52.4	50.8	51.3
21	2	738.0	0	55.0	52.3	51.1	52.9	51.5	52.1
22	2	738.0	210	55.0	52.4	51.1	52.9	51.5	52.1
23	2	797.8	30	55.5	52.9	51.6	53.4	52.1	52.7
24	2	797.8	165	55.2	52.5	51.2	53.1	51.7	52.3
25	2	987.2	0	56.0	53.3	52.0	53.8	52.6	53.2
26	2	987.2	210	55.5	52.8	51.5	53.4	52.1	52.6
27	2	21049.0	30	56.1	53.4	52.1	53.9	52.8	53.3
28	2	21049.0	165	55.7	53.0	51.7	53.5	52.3	52.9
29	3	294.0	30	54.7	52.1	50.6	52.6	51.1	51.7
30	3	303.7	330	54.6	52.0	50.5	52.5	50.9	51.6
31	3	388.7	15	54.9	52.3	50.8	52.8	51.2	51.8
32	3	388.7	255	54.5	52.1	50.5	52.4	50.8	51.5
33	3	488.5	60	55.4	52.8	51.3	53.2	51.9	52.4
34	3	488.5	150	55.2	52.7	51.1	53.1	51.6	52.2

TE R AX RAD T  
 NR NR. PQS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	17	18	19	20	21	22
35	3 738.5 15	56.2	53.5	52.1	53.9	52.7 53.3
36	3 738.5 255	55.7	53.1	51.7	53.6	52.3 52.9
37	3 798.5 60	56.4	53.7	52.3	54.1	53.0 53.6
38	3 798.5 150	56.1	53.4	51.9	53.9	52.6 53.2
39	3 988.5 15	56.6	53.9	52.5	54.3	53.3 53.8
40	3 988.5 255	56.1	53.4	52.1	53.9	52.7 53.2
41	31049.0 60	56.6	54.0	52.6	54.4	53.3 53.8
42	31049.0 150	56.4	53.8	52.4	54.2	53.0 53.6
43	4 293.9 300	54.1	51.5	50.1	51.8	50.7 51.1
44	4 303.7 300	54.2	51.5	50.2	51.9	50.8 51.2
45	4 339.0 300	54.6	52.0	50.4	52.1	51.1 51.5
46	4 348.4 300	54.4	51.8	50.1	51.9	50.8 51.3
47	4 379.1 300	175.4	85.2	183.1	88.2	107.7 133.7
48	4 389.0 45	54.2	51.7	50.0	51.8	50.7 51.1
49	4 389.0 210	54.5	51.9	50.1	51.9	50.9 51.3
50	4 408.8 300	48.5	49.0	47.3	47.7	46.0 45.3
51	4 418.6 300	54.5	51.9	50.3	52.1	51.0 51.4
52	4 428.7 300	54.6	52.0	50.4	52.2	51.1 51.5
53	4 739.2 45	55.2	52.6	51.1	52.9	51.8 52.3
54	4 739.2 210	55.3	52.7	51.3	53.1	51.9 52.4
55	4 989.5 45	55.7	53.0	51.6	53.4	52.3 52.8
56	4 989.5 210	55.9	53.2	51.8	53.5	52.5 53.0
57	5 369.5 195	53.7	51.3	49.4	51.3	49.9 50.3
58	5 369.5 300	53.7	51.4	49.5	51.4	50.0 50.4
59	5 389.0 30	53.8	51.5	49.6	51.5	50.1 50.6
60	5 389.0 150	53.7	51.3	49.5	51.3	49.9 50.3
61	5 549.0 195	53.9	51.4	49.7	51.5	50.1 50.5
62	5 549.0 300	53.8	51.4	49.7	51.5	50.1 50.6
63	5 738.7 30	54.1	51.6	50.0	51.8	50.4 50.9
64	5 738.7 150	54.3	51.8	50.1	51.9	50.5 50.9
65	5 809.2 120	54.4	51.8	50.2	52.0	50.5 51.0
66	5 819.0 180	284.0	269.4	257.9	89.6	333.8 151.8
67	5 929.4 195	54.3	51.7	50.0	51.8	50.4 50.9
68	5 929.4 300	54.6	52.1	50.4	52.3	50.9 51.4
69	5 989.0 30	54.6	52.0	50.4	52.3	51.0 51.4
70	5 989.0 150	54.3	51.7	50.2	52.0	50.6 51.1
71	6 388.6 225	54.1	51.5	49.9	51.6	50.2 50.6
72	6 388.6 300	54.1	51.6	50.0	51.7	50.3 50.6
73	6 488.5 30	53.7	51.2	49.6	51.4	49.9 50.3
74	6 488.5 150	54.3	51.7	50.0	51.8	50.3 50.7
75	6 739.4 225	54.6	52.0	50.4	52.2	50.7 51.1
76	6 739.4 300	54.5	51.9	50.3	52.1	50.6 51.1
77	6 798.8 30	54.1	51.5	49.8	51.7	50.2 50.6
78	6 798.8 30	54.7	52.1	50.4	52.3	50.8 51.3
79	6 829.0 180	54.6	52.0	50.3	52.2	50.6 51.1
80	6 839.0 240	54.2	51.6	50.0	51.8	50.4 50.8
81	6 988.8 225	54.7	52.1	50.5	52.3	50.9 51.3
82	6 988.8 300	103.3	*****	132.7	141.0	107.1 92.3
83	61049.0 30	54.8	52.2	50.6	52.5	51.0 51.5
84	61049.0 150	54.8	52.1	50.6	52.4	51.0 51.4
85	7 339.0 150	55.0	52.2	50.6	52.4	51.2 51.1
86	7 349.0 150	55.1	52.3	50.8	52.5	51.3 51.3
87	7 359.0 150	55.2	52.4	50.9	52.6	51.4 51.4
88	7 369.0 165	55.1	52.3	50.7	52.4	51.2 51.3
89	7 369.0 330	55.0	52.3	50.7	52.4	51.2 51.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	17	18	19	20	21	22
90	7 379.0 150	54.8	52.1	50.5	52.2	50.9
91	7 398.9 150	55.0	52.3	50.7	52.4	51.2
92	7 408.6 150	88.9	52.2	50.7	52.4	51.2
93	7 489.4 165	55.2	52.4	50.8	52.6	51.4
94	7 489.4 330	55.1	52.4	50.9	52.6	51.5
95	7 799.0 165	55.8	53.0	51.6	53.4	52.2
96	7 799.0 330	55.8	53.1	51.6	53.5	52.2
97	71049.0 165	51.0	48.9	49.3	48.4	48.9
98	71049.0 330	56.1	53.4	51.9	53.7	52.5
99	8 294.6 210	54.2	51.7	50.0	51.5	50.7
100	8 304.2 270	52.7	50.2	48.6	50.1	49.2
101	8 368.7 135	52.8	50.3	48.6	49.9	49.0
102	8 368.7 255	53.2	50.7	49.0	50.5	49.5
103	8 389.1 30	53.4	50.8	49.2	50.7	49.7
104	8 389.1 300	53.6	51.0	49.5	50.9	49.9
105	8 549.0 135	54.4	51.8	50.2	51.8	50.8
106	8 549.0 255	54.6	52.0	50.5	52.1	51.1
107	8 739.0 30	54.9	52.3	50.8	52.4	51.4
108	8 739.0 300	55.2	52.6	51.0	52.6	51.6
109	8 929.0 135	55.1	52.5	51.0	52.7	51.7
110	8 929.0 255	54.9	52.2	50.7	52.3	51.3
111	8 988.8 30	55.0	52.3	50.9	52.5	51.5
112	8 988.8 300	55.4	52.7	51.3	52.9	51.9
113	9 369.4 105	53.8	51.2	49.4	50.5	49.2
114	9 369.4 180	47.5	45.1	43.5	45.1	44.0
115	9 389.0 30	53.8	51.2	49.4	50.6	49.4
116	9 389.0 270	53.9	51.3	49.5	50.6	49.6
117	9 549.0 105	54.2	51.5	49.8	51.0	49.8
118	9 549.0 180	54.2	51.6	49.7	51.0	49.8
119	9 739.2 30	54.2	51.6	49.8	51.2	50.0
120	9 739.2 270	53.6	51.0	49.3	50.6	49.4
121	9 909.0 60	53.7	51.1	49.4	50.8	49.5
122	9 919.0 120	54.0	51.3	49.6	50.9	49.7
123	9 929.0 105	54.3	51.5	49.8	51.2	49.9
124	9 929.0 180	54.3	51.6	49.8	51.3	50.0
125	9 988.8 30	54.4	51.7	50.0	51.5	50.2
126	9 988.8 270	54.7	52.0	50.3	51.7	50.6
127	10 489.3 90	54.9	52.0	50.4	51.6	50.4
128	10 489.3 300	54.9	52.0	50.3	51.6	50.3
129	10 549.0 60	54.9	52.0	50.4	51.7	50.4
130	10 549.0 210	54.1	51.2	49.6	50.9	49.5
131	10 739.0 180	54.3	51.4	49.7	51.1	49.9
132	10 739.0 330	54.1	51.3	49.7	51.1	49.7
133	10 799.0 90	54.5	51.6	49.9	51.3	50.0
134	10 799.0 300	54.6	51.7	50.1	51.5	50.1
135	10 929.0 60	54.6	51.7	50.2	51.6	50.3
136	10 929.0 210	54.8	52.0	50.3	51.7	50.3
137	10 989.0 180	55.0	52.2	50.5	51.9	50.6
138	10 989.0 330	54.8	52.0	50.4	51.8	50.5
139	101049.0 90	54.9	52.1	50.4	51.9	50.6
140	101049.0 300	54.0	51.2	49.5	50.9	49.6
141	11 389.0 60	54.3	51.4	50.1	51.2	49.9
142	11 389.0 315	54.4	51.4	50.1	51.3	49.9
143	11 489.0 150	54.9	51.9	50.5	51.7	50.5
144	11 489.0 270	54.8	51.8	50.4	51.7	50.3

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

31

VERSUCH NR.	17	18	19	20	21	22
145	11 738.9 60	55.0	52.1	50.7	52.0	50.8 50.9
146	11 738.9 315	55.0	52.1	50.6	52.1	50.7 50.9
147	11 799.6 150	55.1	52.2	50.7	52.2	50.9 51.0
148	11 799.6 270	55.1	52.2	50.7	52.1	50.9 51.0
149	11 849.3 240	55.2	52.3	50.8	52.2	50.9 51.0
150	11 859.8 300	54.0	51.1	49.6	51.0	49.7 49.8
151	11 989.3 60	54.5	51.6	50.2	51.6	50.3 50.6
152	11 989.3 315	54.5	51.5	50.0	51.6	50.3 50.5
153	111049.2 150	54.9	52.0	50.5	52.0	50.7 50.9
154	111049.2 270	55.0	52.1	50.6	52.1	50.8 51.0
155	12 359.9 30	55.5	52.6	51.2	52.5	51.4 51.4
156	12 370.0 15	55.6	52.7	51.4	52.6	51.4 51.6
157	12 370.0 240	54.3	43.7	*****	56.2	38.1 36.3
158	12 379.2 90	55.7	52.8	51.4	52.8	51.6 51.7
159	12 489.0 90	56.0	53.0	51.7	53.2	52.1 52.3
160	12 489.0 270	54.6	51.7	50.4	51.8	50.6 50.8
161	12 548.9 15	55.2	52.3	50.9	52.4	51.3 51.6
162	12 548.9 240	55.3	52.5	51.1	52.5	51.4 51.6
163	12 799.3 90	55.9	53.0	51.6	53.2	52.2 52.5
164	12 799.3 270	55.8	53.0	51.6	53.2	52.1 52.4
165	12 929.3 15	56.2	53.4	52.0	53.6	52.5 52.9
166	12 928.4 240	56.1	53.3	51.9	53.5	52.4 52.7
167	121049.5 90	56.8	53.9	52.6	54.3	53.2 53.6
168	121049.5 270	56.3	53.5	52.2	53.8	52.8 53.2
169	13 338.8 60	54.9	52.6	50.2	51.5	50.5 50.7
170	13 349.0 60	53.9	51.5	49.2	50.5	49.4 49.7
171	13 368.9 90	54.4	51.9	49.6	50.9	49.8 50.2
172	13 368.9 240	54.6	52.2	50.0	51.3	50.2 50.5
173	13 388.5 45	54.6	52.2	50.1	51.3	50.3 50.6
174	13 388.5 270	54.9	52.5	50.4	51.7	50.6 51.0
175	13 549.0 90	55.3	52.7	51.1	52.1	51.1 51.5
176	13 549.0 240	55.7	53.1	51.1	52.6	51.5 52.0
177	13 738.7 45	55.5	52.9	51.1	52.5	51.4 51.9
178	13 738.7 270	55.9	53.2	51.5	53.0	51.9 52.4
179	13 929.3 90	55.9	53.2	51.4	52.8	51.7 52.2
180	13 929.3 240	55.0	52.4	50.6	52.1	51.0 51.5
181	13 989.2 45	55.1	52.5	50.6	52.1	51.1 51.6
182	13 989.2 270	55.6	53.0	51.2	52.8	51.7 52.2
183	14 369.0 30	55.2	52.4	50.3	51.4	50.3 50.5
184	14 369.0 270	55.4	52.7	50.5	51.7	50.5 50.7
185	14 488.9 75	55.8	52.9	50.9	52.1	50.8 51.0
186	14 488.9 180	55.8	52.9	50.9	52.1	50.9 51.1
187	14 548.8 30	55.8	52.9	50.9	52.1	50.9 51.1
188	14 548.8 270	55.7	53.0	50.9	52.1	50.8 51.1
189	14 799.2 75	55.5	52.7	50.7	52.0	50.8 51.1
190	14 799.2 180	54.8	52.0	50.0	51.3	50.0 50.3
191	14 890.2 0	54.8	52.0	50.0	51.3	50.1 50.4
192	14 899.8 60	55.0	52.3	50.3	51.6	50.4 50.6
193	14 929.5 30	55.0	52.2	50.3	51.6	50.4 50.7
194	14 929.5 270	55.5	52.7	50.7	52.1	50.9 51.1
195	141049.2 75	55.6	52.7	50.9	52.2	51.0 51.3
196	141049.2 180	55.8	52.9	51.1	52.4	51.3 51.5
197	15 369.1 150	55.9	52.9	51.1	52.2	51.0 50.9
198	15 369.1 270	55.9	53.0	51.0	52.3	51.1 50.9
199	15 488.6 60	55.7	52.9	51.1	52.3	51.1 51.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	17	18	19	20	21	22
200	15 488.6 345	54.4	51.5	49.7	50.9	49.7 49.6
201	15 549.6 150	54.4	51.5	49.7	50.9	49.7 49.6
202	15 549.6 270	54.4	51.4	49.7	50.9	49.6 49.6
203	15 799.6 60	54.0	51.2	49.4	50.7	49.4 49.5
204	15 799.6 345	54.2	51.3	49.5	50.8	49.5 49.6
205	15 869.0 0	54.0	51.2	49.4	50.7	49.4 49.5
206	15 879.0 300	*****	*****	*****	*****	*****
207	15 929.2 150	54.7	51.7	50.0	51.3	50.1 50.2
208	15 929.2 270	54.5	51.6	49.9	51.2	49.9 50.0
209	151049.1 60	54.2	51.4	49.7	51.1	49.9 50.0
210	151049.1 345	54.5	51.6	50.0	51.3	50.0 50.2
211	16 368.5 150	54.8	52.0	50.4	51.7	50.4 50.4
212	16 368.5 285	54.5	51.8	50.2	51.6	50.1 50.1
213	16 418.6 210	54.9	52.1	50.5	51.8	50.5 50.6
214	16 428.5 210	54.9	52.1	50.5	51.9	50.5 50.6
215	16 488.5 120	55.1	52.3	50.7	52.1	50.9 50.9
216	16 488.5 330	54.6	51.9	50.3	51.8	50.4 50.5
217	16 548.6 150	55.1	52.4	50.8	52.2	51.0 51.1
218	16 548.6 285	54.9	52.1	50.5	51.9	50.6 50.7
219	16 798.9 120	55.4	52.6	51.1	52.6	51.4 51.7
220	16 798.9 330	54.9	52.1	50.6	52.1	50.9 51.1
221	16 929.0 150	55.2	52.4	50.9	52.4	51.3 51.5
222	16 929.0 285	55.1	52.4	50.8	52.3	51.1 51.3
223	161049.0 120	55.5	52.7	51.3	52.8	51.7 52.0
224	161049.0 330	55.3	52.6	51.1	52.6	51.4 51.8
225	17 368.7 30	54.9	52.3	50.1	51.7	50.4 50.6
226	17 368.7 210	55.0	52.3	50.2	51.8	50.7 50.9
227	17 388.4 0	54.9	52.2	50.1	51.7	50.5 50.8
228	17 388.4 135	55.1	52.4	50.3	51.9	50.7 50.9
229	17 418.8 150	55.1	52.4	50.4	51.9	50.8 51.0
230	17 428.8 210	55.0	52.3	50.3	51.9	50.7 51.0
231	17 549.0 30	55.1	52.4	50.4	52.0	50.8 51.1
232	17 549.0 210	55.5	52.6	50.7	52.3	51.2 51.6
233	17 739.2 0	55.5	52.8	50.9	52.4	51.3 51.7
234	17 739.2 135	55.5	52.8	50.9	52.5	51.4 51.8
235	17 928.9 30	55.6	52.8	51.0	52.6	51.5 52.0
236	17 928.9 210	55.9	53.0	51.2	52.9	51.8 52.2
237	17 989.1 0	55.7	52.9	51.1	52.8	51.7 52.1
238	17 989.1 135	55.7	53.0	51.3	52.9	51.9 52.3
239	18 294.0 0	55.5	52.6	50.6	51.9	50.7 50.7
240	18 304.0 0	55.2	52.3	50.3	51.7	50.4 50.5
241	18 359.2 0	55.1	52.2	50.1	51.6	50.3 50.4
242	18 369.1 90	55.4	52.5	50.5	51.9	50.6 50.7
243	18 369.1 285	55.1	52.4	50.3	51.7	50.5 50.5
244	18 378.9 0	55.3	52.5	50.4	51.9	50.6 50.6
245	18 389.1 90	55.5	52.6	50.6	52.0	50.7 50.9
246	18 389.1 285	55.2	52.4	50.4	51.8	50.5 50.6
247	18 409.2 0	55.3	52.5	50.5	51.9	50.7 50.7
248	18 429.3 0	55.4	52.6	50.6	52.0	50.8 50.8
249	18 549.5 90	55.6	52.7	50.8	52.3	51.1 51.3
250	18 549.5 285	55.1	52.3	50.5	51.9	50.6 50.9
251	18 930.2 90	55.5	52.7	50.9	52.4	51.3 51.6
252	18 930.2 285	55.5	52.7	50.9	52.4	51.2 51.5
253	19 369.0 180	55.4	52.6	50.7	52.1	50.8 50.9
254	19 369.0 270	55.4	52.4	50.6	52.0	50.8 50.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
255 19 398.5 90	49.7	50.7	49.5	53.4	51.8	53.1	54.7	53.6	54.2	55.3	56.7	56.5	56.2	55.0	57.0	53.6
256 19 408.4 150	49.7	50.7	49.4	53.5	51.8	53.1	54.7	53.8	54.3	55.2	56.8	56.4	56.3	55.1	57.1	53.6
257 19 488.5 15	50.1	51.0	49.7	53.6	52.0	53.3	54.7	53.7	54.3	55.3	56.8	56.4	56.3	55.0	57.1	53.7
258 19 488.5 135	49.5	50.6	49.4	53.4	51.9	53.2	54.7	53.8	54.4	55.1	56.6	56.4	56.2	55.0	57.1	53.7
259 19 548.8 180	50.1	50.9	49.7	53.7	52.1	53.4	54.8	53.9	54.4	55.2	56.7	56.4	56.2	55.0	57.1	53.7
260 19 548.8 270	49.0	50.0	48.8	53.0	51.5	52.7	54.2	53.3	53.8	54.7	56.2	55.9	55.7	54.5	56.7	53.3
261 19 798.4 15	49.4	50.2	48.8	52.9	51.4	52.6	54.2	53.3	53.9	54.7	56.2	55.9	55.8	54.6	56.8	53.5
262 19 798.4 135	48.3	49.4	48.3	52.5	51.1	52.4	54.0	53.2	53.7	54.4	55.9	55.7	55.6	54.5	56.8	53.4
263 19 928.5 180	48.0	49.1	48.1	52.3	51.0	52.4	54.0	53.2	53.7	54.3	55.8	55.7	55.6	54.5	56.8	53.5
264 19 928.5 270	49.2	50.2	48.9	53.0	51.6	52.8	54.4	53.5	54.0	54.7	56.2	56.0	55.9	54.7	57.0	53.8
265 191048.7 15	20.2	20.0	*****	21.8	20.2	21.4	23.1	22.7	23.4	24.7	26.1	26.2	26.5	25.7	28.6	26.0
266 191048.7 135	47.9	49.2	48.2	52.4	51.1	52.5	54.2	53.4	54.0	54.3	55.9	55.7	55.7	54.7	57.0	53.7
267 21 370.0 150	47.6	49.1	48.2	52.6	51.4	52.9	54.5	53.8	54.3	54.4	56.0	55.9	55.9	54.9	57.4	54.1
268 21 370.0 144	47.7	49.3	48.3	52.6	51.4	52.9	54.4	53.8	54.3	54.3	55.9	55.9	55.9	54.8	57.3	54.0
269 21 370.0 126	47.8	49.3	48.3	52.6	51.4	52.8	54.4	53.7	54.3	54.3	55.9	55.9	55.8	54.8	57.2	53.9
270 21 370.0 120	47.2	48.6	47.7	52.0	50.8	52.2	53.8	53.1	53.6	53.8	55.4	55.4	55.4	54.4	56.9	53.5
271 21 370.0 30	46.7	48.3	47.5	51.8	50.5	52.1	53.6	52.9	53.3	53.3	54.8	54.7	54.7	53.7	56.3	53.0
272 21 370.0 26	47.0	48.4	47.7	52.0	50.6	52.2	53.7	52.9	53.3	53.3	54.8	54.7	54.6	53.6	56.2	52.9
273 21 370.0 7	47.4	48.7	47.8	52.1	50.8	52.3	53.7	53.0	53.3	53.4	54.8	54.7	54.6	53.6	56.1	52.9
274 21 370.0 0	47.3	48.6	47.7	52.1	50.7	52.3	53.7	53.0	53.3	53.4	54.8	54.7	54.6	53.6	56.1	52.9
275 21 370.0 210	47.5	48.9	48.0	52.4	51.1	52.5	54.1	53.5	53.9	53.9	55.5	55.4	55.5	54.4	56.9	53.6
276 21 370.0 206	47.7	49.1	48.1	52.5	51.2	52.7	54.2	53.6	54.0	54.0	55.6	55.6	55.5	54.5	57.1	53.7
277 21 370.0 187	48.1	49.5	48.5	52.9	51.6	53.0	54.5	53.8	54.3	54.4	55.9	55.9	55.9	54.8	57.3	53.9
278 21 370.0 180	47.7	49.1	48.2	52.6	51.3	52.7	54.2	53.6	54.1	54.0	55.6	55.6	55.6	54.6	57.1	53.7
279 22 390.0 30	47.0	48.5	47.8	52.1	50.9	52.4	54.0	53.3	53.6	53.5	54.9	54.7	54.8	53.8	56.3	53.1
280 22 390.0 26	46.7	48.1	47.3	51.7	50.4	51.9	53.4	52.7	53.1	53.2	54.7	54.5	54.5	53.5	56.1	52.8
281 22 390.0 7	46.9	48.3	47.4	51.7	50.4	52.0	53.4	52.7	53.1	53.2	54.7	54.5	54.5	53.4	56.0	52.7
282 22 390.0 0	46.8	48.2	47.4	51.7	50.4	52.0	53.4	52.7	53.1	53.2	54.6	54.5	54.5	53.5	56.0	52.7
283 22 390.0 330	46.5	48.0	47.2	51.6	50.4	52.0	53.4	52.8	53.2	53.1	54.6	54.5	54.5	53.5	56.1	52.7
284 22 390.0 324	46.7	48.2	47.3	51.7	50.5	52.0	53.5	52.8	53.2	53.1	54.6	54.5	54.5	53.4	56.0	52.7
285 22 390.0 306	47.0	48.3	47.5	51.8	50.6	52.1	53.5	52.9	53.2	53.1	54.6	54.5	54.4	53.4	55.9	52.6
286 22 390.0 300	47.0	48.3	47.6	51.9	50.7	52.1	53.6	52.9	53.3	53.2	54.7	54.5	54.5	53.4	56.0	52.7
287 22 390.0 210	47.3	48.7	47.9	52.3	51.0	52.6	54.1	53.5	53.9	53.7	55.3	55.3	55.4	54.3	56.9	53.6
288 22 390.0 206	47.5	48.9	47.9	52.3	51.1	52.6	54.1	53.4	53.9	53.8	55.4	55.4	55.4	54.3	56.9	53.5
289 22 390.0 187	47.7	49.1	48.1	51.7	51.2	52.6	54.2	53.5	54.0	53.9	55.4	55.4	55.4	54.3	56.9	53.5
290 22 390.0 180	47.1	48.5	47.5	51.6	50.7	52.1	53.7	53.1	53.5	53.9	55.5	55.5	55.5	54.5	57.0	53.6
291 23 490.0 180	46.3	47.9	47.1	51.3	50.5	52.1	53.7	53.2	53.6	53.9	55.4	55.5	55.6	54.6	57.2	53.9
292 23 490.0 173	46.5	48.0	47.2	51.4	50.5	52.2	53.8	53.2	53.7	54.0	55.6	55.6	55.7	54.7	57.3	54.1
293 23 490.0 156	46.4	47.9	47.1	51.4	50.6	52.1	53.8	53.2	53.8	54.0	55.6	55.7	55.7	54.7	57.3	54.1
294 23 490.0 150	46.2	47.8	47.1	51.3	50.5	52.1	53.9	53.3	53.8	53.9	55.6	55.7	55.7	54.8	57.3	54.1
295 23 490.0 60	46.3	47.8	47.0	51.2	50.4	52.1	53.6	53.0	53.5	53.6	55.2	55.2	55.2	54.2	56.9	53.7
296 23 490.0 54	46.4	47.9	47.1	51.2	50.4	52.0	53.7	52.9	53.5	53.5	55.0	55.0	55.0	54.0	56.7	53.5
297 23 490.0 34	46.2	47.8	47.0	51.2	50.4	52.1	53.6	53.0	53.5	53.5	55.0	54.9	55.0	54.0	56.6	53.4
298 23 490.0 30	46.1	47.7	46.9	51.4	50.4	52.0	53.6	53.0	53.4	53.3	54.9	54.9	55.0	54.0	56.6	53.4
299 23 490.0 0	46.2	47.7	47.0	51.4	50.3	51.9	53.4	52.8	53.2	53.1	54.6	54.6	54.6	53.7	56.3	53.1
300 23 490.0 353	45.3	46.8	45.9	50.4	49.2	50.8	52.4	51.7	52.1	52.5	54.0	54.0	54.0	53.0	55.7	52.5
301 23 490.0 336	45.0	46.4	45.7	50.1	49.0	50.6	52.1	51.6	52.0	52.5	54.0	54.0	54.0	53.0	55.7	52.4
302 23 490.0 330	44.9	46.3	45.6	50.1	49.0	50.7	52.2	51.6	52.1	52.5	54.0	54.1	54.1	53.1	55.8	52.5
303 24 550.0 180	45.5	46.9	46.2	50.8	49.6	51.2	53.0	52.3	52.9	53.4	54.9	55.0	55.0	54.0	56.7	53.4
304 24 550.0 173	45.7	47.2	46.4	50.9	49.7	51.4	53.1	52.5	53.0	53.5	55.1	55.1	55.2	54.2	56.8	53.8
305 24 550.0 156	45.8	47.3	46.5	51.1	49.9	51.6	53.3	52.7	53.2	53.6	55.2	55.3	55.3	54.3	56.9	53.8
306 24 550.0 150	45.8	47.4	46.6	51.2	50.1	51.8	53.5	53.0	53.5	53.8	55.3	55.5	55.5	54.6	57.2	53.9
307 24 550.0 0	45.8	47.3	46.5	51.0	50.0	51.6	53.1	52.5	53.0	53.0	54.6	54.5	54.6	53.6	56.2	53.1
308 24 550.0 353	46.0	47.5	46.7	51.2	50.1	51.6	53.2	52.5	52.9	52.9	54.5	54.4	54.4	53.5	56.1	53.0
309 24 550.0 336	45.8	47.3	46.5	51.0	50.0	51.5	53.1	52.4	52.8	52.9	54.5	54.4	54.5	53.5	56.2	53.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.			17	18	19	20	21	22	
310	24	550.0	330	55.5	52.8	51.3	53.0	51.9	52.2
311	24	550.0	240	55.9	53.0	51.5	53.1	52.1	52.4
312	24	550.0	234	55.8	53.1	51.5	53.1	52.0	52.4
313	24	550.0	216	56.1	53.3	51.7	53.3	52.2	52.5
314	24	550.0	210	56.2	53.4	51.8	53.4	52.3	52.7
315	25	740.0	150	56.6	53.8	52.3	53.9	52.8	53.3
316	25	740.0	144	56.7	54.0	52.4	54.1	53.0	53.4
317	25	740.0	126	56.7	53.9	52.4	54.0	53.0	53.3
318	25	740.0	120	56.6	53.9	52.4	54.0	53.0	53.3
319	25	740.0	30	56.4	53.7	52.2	53.9	52.9	53.3
320	25	740.0	26	55.9	53.1	51.7	53.4	52.4	52.8
321	25	740.0	7	56.0	53.2	51.7	53.4	52.4	52.8
322	25	740.0	0	55.9	53.2	51.7	53.4	52.4	52.8
323	25	740.0	210	56.4	53.6	52.1	53.7	52.7	53.1
324	25	740.0	206	56.5	53.8	52.2	53.8	52.8	53.2
325	25	740.0	187	56.5	53.8	52.3	53.9	52.8	53.2
326	25	740.0	180	56.7	53.9	52.3	54.0	52.9	53.2
327	26	800.0	30	56.5	53.8	52.3	54.0	53.0	53.4
328	26	800.0	26	56.5	53.8	52.3	54.0	53.0	53.4
329	26	800.0	7	56.3	53.7	52.2	53.9	52.9	53.4
330	26	800.0	0	55.7	53.0	51.5	53.2	52.3	52.7
331	26	800.0	330	55.9	53.2	51.8	53.4	52.4	52.8
332	26	800.0	324	56.0	53.3	51.8	53.5	52.6	52.9
333	26	800.0	306	56.1	53.4	52.0	53.7	52.6	53.1
334	26	800.0	300	56.2	53.5	52.1	53.7	52.7	53.1
335	26	800.0	210	56.6	53.9	52.4	54.0	52.9	53.3
336	26	800.0	206	56.7	53.9	52.4	54.0	53.0	53.3
337	26	800.0	187	56.8	54.0	52.5	54.1	53.1	53.5
338	26	800.0	180	56.8	54.1	52.6	54.2	53.2	53.5
339	27	930.0	180	56.9	54.1	52.7	54.3	53.3	53.7
340	27	930.0	173	56.1	53.4	51.9	53.5	52.5	52.9
341	27	930.0	156	56.3	53.6	52.1	53.7	52.7	53.1
342	27	930.0	150	56.5	53.7	52.2	53.8	52.9	53.2
343	27	930.0	60	56.1	53.4	52.0	53.7	52.7	53.2
344	27	930.0	54	56.2	53.6	52.1	53.8	52.8	53.2
345	27	930.0	34	56.4	53.7	52.3	54.0	53.0	53.4
346	27	930.0	30	56.4	53.7	52.3	54.0	53.0	53.4
347	27	930.0	0	56.3	53.7	52.4	54.0	53.0	53.5
348	27	930.0	353	34.6	32.1	30.7	33.1	32.3	33.0
349	27	930.0	336	56.4	53.7	52.4	54.0	53.0	53.5
350	27	930.0	330	55.7	53.0	51.7	53.4	52.4	52.8
351	28	990.0	180	56.4	53.6	52.2	53.8	52.8	53.2
352	28	990.0	173	56.5	53.7	52.2	53.9	52.9	53.3
353	28	990.0	156	56.6	53.8	52.3	54.0	53.0	53.4
354	28	990.0	150	56.6	53.9	52.4	54.0	53.0	53.4
355	28	990.0	0	56.2	53.6	52.2	53.9	52.9	53.4
356	28	990.0	353	56.2	53.5	52.1	53.8	52.8	53.3
357	28	990.0	336	56.1	53.4	52.1	53.8	52.8	53.2
358	28	990.0	330	56.0	53.4	52.0	53.8	52.7	53.2
359	28	990.0	240	56.6	53.9	52.5	54.2	53.2	53.6
360	28	990.0	234	56.0	53.3	51.8	53.5	52.5	52.9
361	28	990.0	216	56.2	53.5	52.0	53.6	52.7	53.1
362	28	990.0	210	56.5	53.7	52.3	53.9	53.0	53.3
363	29	1050.0	150	56.3	53.6	52.2	53.8	52.8	53.2
364	29	1050.0	144	56.5	53.7	52.3	53.9	52.9	53.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

31

VERSUCH NR.	17	18	19	20	21	22		
365	291050.0	126	56.5	53.7	52.3	54.0	52.9	53.4
366	291050.0	120	56.4	53.6	52.2	53.9	52.8	53.3
367	291050.0	30	56.3	53.5	52.2	53.9	52.9	53.4
368	291050.0	26	56.1	53.4	52.0	53.7	52.7	53.2
369	291050.0	7	56.1	53.4	52.0	53.7	52.7	53.1
370	291050.0	0	55.7	53.0	51.7	53.4	52.3	52.8
371	291050.0	210	56.1	53.4	52.0	53.6	52.6	53.1
372	291050.0	206	56.3	53.5	52.1	53.8	52.7	53.2
373	291050.0	187	58.9	29.4	44.2	47.7	52.7	53.0
374	291050.0	180	56.2	53.4	51.9	53.6	52.6	53.0
375	01075.0	6	54.7	52.2	50.8	52.5	51.6	52.0
376	01075.0	5	54.6	52.2	50.7	52.4	51.5	51.9
377	01075.0	4	54.4	51.9	50.4	52.1	51.0	51.3
378	01075.0	2	52.4	50.1	48.4	50.0	48.8	49.0
379	01075.0	1	52.3	50.2	48.3	49.9	48.4	48.5
380	01075.0	2	52.5	50.5	48.6	50.1	48.7	48.8
381	01075.0	4	54.6	52.2	50.5	52.1	51.1	51.4
382	01075.0	4	54.9	52.2	50.8	52.4	51.3	51.7
383	01075.0	1	53.0	50.4	48.6	50.0	48.6	48.7
384	01075.0	1	53.2	50.9	48.7	50.2	48.7	48.8
385	01075.0	4	55.1	52.5	50.8	52.4	51.4	51.6
386	01075.0	3	54.2	51.3	49.6	51.2	50.0	50.4
387	01075.0	3	54.7	51.9	50.1	51.6	50.3	50.4
388	01075.0	5	55.7	52.9	51.3	53.0	51.9	52.3
389	01075.0	6	55.7	52.9	51.4	53.1	52.0	52.4
390	01113.0	0	53.6	51.4	49.8	51.5	50.3	50.6
391	01113.0	0	55.1	52.7	51.2	53.0	51.7	52.1
392	01113.0	0	54.9	52.5	50.7	52.5	51.3	51.7
393	01113.0	0	55.4	52.6	50.9	52.5	51.4	51.7
394	01113.0	0	54.5	52.2	50.7	52.3	51.0	51.6
395	01113.0	0	54.9	52.5	51.1	52.9	51.6	51.9
396	0 0.0	0	53.0	52.7	50.4	50.8	49.6	49.6
397	0 0.0	0	49.9	48.2	47.0	47.1	46.8	45.9
398	0 0.0	0	50.1	49.8	47.2	48.1	47.0	45.7
399	0 0.0	0	50.3	51.2	48.2	49.1	46.6	45.2
400	0 0.0	0	83.6	80.7	79.5	81.0	79.7	79.8
401	0 0.0	0	83.6	80.7	79.5	81.0	79.7	79.8
402	0 0.0	0	0.3	0.3	0.4	0.3	0.3	0.4
403	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
404	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
405	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
406	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0

DATUM 2.7.80

41

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	24.9	22.4	21.6	21.8	21.7	23.5	21.8	22.9	23.3	24.6	27.2	25.6	26.9	27.9	27.6	27.7
DURCHSATZ (KG/S)	0.0339	0.0321	0.0294	0.0267	0.0240	0.0215	0.0194	0.0174	0.0156	0.0141	0.0126	0.0111	0.0100	0.0090	0.0081	0.0073
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	0.971	0.922	0.846	0.768	0.690	0.616	0.557	0.499	0.448	0.405	0.360	0.321	0.288	0.259	0.233	0.211
DRUCKVERLUST (N/M**2)																
GES. X=1060.0(MM)	1986.	1782.	1488.	1238.	1064.	849.	684.	542.	408.	330.	255.	208.	176.	148.	126.	109.
BIS X= 560.0(MM)	585.	525.	445.	370.	347.	279.	221.	182.	125.	102.	81.	66.	56.	47.	40.	35.
BIS X= 624.0(MM)	915.	823.	696.	583.	531.	429.	345.	281.	200.	164.	125.	103.	87.	75.	63.	55.
BIS X= 717.0(MM)	1101.	988.	828.	691.	612.	492.	399.	324.	235.	193.	149.	122.	103.	87.	72.	64.
BIS X= 810.0(MM)	1275.	1145.	968.	797.	702.	561.	452.	366.	265.	216.	168.	137.	115.	98.	81.	70.
BIS X= 874.0(MM)	1609.	1446.	1221.	1016.	878.	704.	566.	456.	339.	276.	214.	173.	146.	123.	104.	90.
BIS X= 967.0(MM)	1799.	1612.	1354.	1127.	972.	779.	627.	504.	375.	304.	235.	191.	161.	137.	114.	99.
EINTR.DRUCK (BAR)	7.21	7.21	7.21	7.20	7.20	7.20	7.19	7.19	7.19	7.19	7.16	7.16	7.16	7.16	7.16	7.16
EINTR.TEMP. GRADC	51.9	51.8	51.9	51.7	51.5	51.5	50.6	50.8	50.5	50.0	50.5	48.9	49.0	48.1	48.0	47.1

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	52.6	51.0	50.5	50.6	50.7	52.4	50.1	50.6	50.4	51.3	51.9	49.7	50.7	50.6	49.7	49.7
2	1	348.1	330	52.7	51.1	50.8	50.7	51.0	52.6	50.4	50.8	50.6	51.5	52.0	49.8	50.9	50.8	50.0	50.0
3	1	388.1	150	53.2	51.2	51.2	50.8	51.1	52.7	50.5	50.9	50.7	51.6	52.2	49.9	50.9	51.0	50.0	50.2
4	1	388.1	330	53.2	51.4	51.2	51.2	51.4	53.0	50.9	51.2	51.0	52.0	52.3	50.1	51.2	51.3	50.4	50.5
5	1	487.7	255	53.6	51.5	51.4	51.2	51.3	53.0	50.8	51.2	50.9	51.9	52.4	50.2	51.4	51.5	50.7	50.7
6	1	487.7	120	53.5	51.5	51.4	51.4	51.5	53.2	51.0	51.4	51.1	52.1	52.5	50.5	51.5	51.7	50.9	50.9
7	1	738.0	150	53.5	51.6	51.4	51.3	51.5	53.1	51.0	51.4	51.2	52.2	52.8	50.7	51.9	52.1	51.4	51.4
8	1	738.0	330	53.0	51.4	51.3	51.5	51.7	53.3	51.3	51.8	51.6	52.6	52.9	51.1	52.2	52.6	51.9	51.9
9	1	795.4	120	53.4	51.5	51.3	51.4	51.6	53.2	51.1	51.6	51.4	52.4	52.8	50.9	52.2	52.5	51.9	51.8
10	1	795.4	255	52.2	50.6	50.3	50.7	51.0	52.7	50.7	51.2	51.0	51.9	52.3	50.3	51.6	51.9	51.3	51.2
11	1	987.0	150	52.6	50.8	50.6	50.8	51.2	52.8	50.7	51.3	51.0	52.1	52.5	50.6	51.8	52.1	51.5	51.5
12	1	987.0	330	52.2	50.8	50.7	51.1	51.5	53.2	51.3	51.8	51.6	52.6	52.8	51.0	52.2	52.7	52.1	52.1
13	1	1046.6	120	52.7	51.1	50.9	51.2	51.4	53.1	51.1	51.7	51.5	52.5	52.9	51.1	52.3	52.7	52.1	52.1
14	1	1046.6	255	52.6	50.9	50.8	51.2	51.4	53.1	51.1	51.7	51.5	52.5	52.9	51.1	52.3	52.7	52.1	52.1
15	2	358.5	0	53.2	51.3	51.1	51.3	51.5	53.2	50.8	51.5	50.7	51.7	52.3	50.1	51.1	51.4	50.7	50.8
16	2	388.0	0	*****	77.1	*****	69.8	68.0	52.3	63.4	64.6	*****	53.2	41.3	*****	89.4	72.4	61.0	54.0
17	2	388.0	210	53.2	51.2	50.9	51.5	51.4	52.7	50.7	51.6	50.8	51.7	52.3	50.2	51.2	51.4	50.7	50.8
18	2	398.0	0	53.2	51.5	51.2	51.7	51.7	53.0	51.0	51.8	51.0	51.9	52.4	50.4	51.4	51.7	51.0	51.0
19	2	488.1	30	53.2	51.4	51.3	51.8	51.8	53.2	51.2	51.9	51.2	52.1	52.6	50.5	51.7	51.9	51.3	51.3
20	2	488.1	165	52.1	50.2	50.1	50.7	50.6	51.7	49.9	50.6	49.9	50.8	51.4	49.5	50.5	50.7	50.1	50.2
21	2	738.0	0	52.6	50.7	50.6	50.9	51.0	52.6	50.5	51.1	50.6	51.5	52.1	50.1	51.2	51.6	50.9	51.0
22	2	738.0	210	52.8	50.9	50.8	51.2	51.1	52.7	50.8	51.3	50.8	51.7	52.2	50.2	51.4	51.7	51.1	51.2
23	2	797.8	30	52.3	50.6	50.5	51.0	51.0	52.7	50.7	51.3	50.9	51.8	52.2	50.3	51.6	51.9	51.4	51.4
24	2	797.8	165	52.5	50.6	50.6	50.9	51.1	52.6	50.7	51.0	50.7	51.5	52.2	50.2	51.4	51.7	51.1	51.2
25	2	987.2	0	52.1	50.5	50.5	50.9	51.3	52.9	51.0	51.5	51.3	52.2	52.5	50.6	51.9	52.3	51.8	51.8
26	2	987.2	210	52.9	51.1	50.9	51.3	51.5	53.0	51.1	51.5	51.2	52.0	52.7	50.7	51.8	52.2	51.6	51.7
27	2	21049.0	30	52.4	50.9	50.8	51.2	51.6	53.2	51.3	51.9	51.6	52.4	52.8	50.9	52.1	52.5	52.0	52.1
28	2	21049.0	165	52.8	51.0	50.8	51.2	51.5	53.1	51.1	51.5	51.2	52.0	52.7	50.8	52.0	52.3	51.7	51.8
29	3	294.0	30	53.9	52.3	51.7	52.2	52.5	54.0	52.0	52.0	51.7	52.1	52.7	50.7	51.8	51.8	51.3	51.5
30	3	303.7	330	52.8	51.2	50.5	51.2	51.4	52.9	51.0	51.0	50.7	51.1	51.7	49.7	50.7	50.8	50.3	50.5
31	3	388.7	15	52.8	51.3	50.7	51.3	51.7	53.2	51.3	51.4	51.1	51.4	51.9	50.0	51.1	51.2	50.8	50.9
32	3	388.7	255	53.1	51.7	50.8	51.4	51.7	53.0	51.4	51.3	51.1	51.2	51.8	50.0	51.0	51.0	50.7	50.9
33	3	488.5	60	52.7	51.2	50.6	51.3	51.6	53.1	51.2	51.4	51.0	51.6	52.0	50.1	51.3	51.5	51.1	51.1
34	3	488.5	150	53.4	51.7	51.0	51.7	51.9	53.2	51.4	51.6	51.2	51.5	52.1	50.3	51.5	51.5	51.2	51.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
35	3 738.5	15	52.2	50.8	50.5	51.1	51.5	53.0	51.2	51.5	51.2	51.9	52.3	50.6	51.8	52.1	51.7	51.7
36	3 738.5	255	52.8	51.3	50.6	51.1	51.5	52.9	51.2	51.5	51.2	51.6	52.3	50.5	51.7	51.9	51.6	51.7
37	3 798.5	60	52.6	51.2	50.9	51.4	51.8	53.3	51.6	51.9	51.6	52.3	52.6	50.9	52.1	52.4	52.1	52.1
38	3 798.5	150	53.4	51.9	51.3	51.8	52.1	53.5	51.7	52.0	51.8	52.2	52.8	51.0	52.2	52.4	52.1	52.2
39	3 988.5	15	52.8	51.5	51.2	51.8	52.2	53.8	52.0	52.5	52.3	53.0	53.3	51.6	52.8	53.2	52.8	53.0
40	3 988.5	255	52.2	50.7	50.2	50.7	51.0	52.5	50.8	51.3	51.1	51.6	52.0	50.2	51.4	51.8	51.4	51.5
41	31049.0	60	51.7	50.3	50.2	50.8	51.3	52.9	51.1	51.6	51.4	52.1	52.4	50.6	51.8	52.3	52.0	52.0
42	31049.0	150	52.4	50.9	50.6	51.1	51.4	53.0	51.2	51.6	51.4	52.0	52.5	50.7	51.9	52.4	52.0	52.1
43	4 293.9	300	53.2	51.5	51.0	51.4	51.1	52.7	50.8	51.3	51.0	51.6	52.5	50.4	51.3	51.5	50.7	50.4
44	4 303.7	300	52.9	51.3	50.8	51.2	51.0	52.5	50.6	51.1	50.9	51.5	52.4	50.3	51.3	51.5	50.6	50.4
45	4 339.0	300	53.2	51.6	51.3	51.5	51.4	52.9	51.0	51.5	51.3	51.9	52.7	50.6	51.8	51.9	51.2	51.0
46	4 348.4	300	53.2	51.5	51.1	51.4	51.2	52.7	50.9	51.3	51.1	51.7	52.7	50.6	51.7	51.8	51.1	50.8
47	4 379.1	300	53.2	51.6	51.2	51.4	51.2	52.7	50.9	51.4	51.1	51.7	52.6	50.6	51.8	51.8	51.1	50.9
48	4 389.0	45	53.7	51.7	51.4	51.6	51.6	52.9	51.0	51.5	51.3	51.9	53.0	50.9	52.0	52.0	51.3	51.1
49	4 389.0	210	53.6	51.6	51.4	51.5	51.5	52.9	50.9	51.5	51.3	51.9	53.0	50.9	52.0	52.0	51.3	51.1
50	4 408.8	300	49.3	49.5	48.8	49.9	50.0	48.5	47.9	48.6	48.7	48.4	48.4	45.2	45.8	43.0	42.9	42.5
51	4 418.6	300	52.6	50.9	50.6	50.9	50.9	52.3	50.5	51.1	50.9	51.5	52.3	50.1	51.2	51.4	50.7	50.5
52	4 428.7	300	52.8	51.1	50.9	51.1	51.2	52.6	50.7	51.3	51.1	51.8	52.6	50.4	51.5	51.7	51.0	50.8
53	4 739.2	45	35.8	43.6	*****	*****	*****	*****	53.2	68.8	65.7	*****	*****	34.5	52.4	*****	*****	*****
54	4 739.2	210	53.1	51.5	51.0	51.1	51.3	52.8	50.9	51.6	51.5	52.1	52.9	51.0	52.1	52.4	51.7	51.5
55	4 989.5	45	53.1	51.4	51.2	51.4	51.5	52.9	51.1	51.7	51.6	52.3	53.0	51.0	52.2	52.5	51.9	51.8
56	4 989.5	210	53.4	51.7	51.4	51.7	51.8	53.2	51.3	52.0	51.9	52.6	53.2	51.3	52.4	52.8	52.1	52.0
57	5 369.5	195	53.2	51.1	51.0	50.8	51.0	52.2	50.4	50.8	50.8	51.1	52.9	50.3	51.5	51.4	50.7	50.5
58	5 369.5	300	53.5	51.5	51.5	51.2	51.4	52.6	50.8	51.3	51.1	51.4	53.3	50.6	51.8	51.5	50.9	50.7
59	5 389.0	30	53.5	51.5	51.6	51.1	51.3	52.4	50.7	51.2	51.1	51.2	53.4	50.5	51.7	51.5	50.9	50.8
60	5 389.0	150	52.0	50.2	50.2	49.8	49.9	51.1	49.4	49.9	49.7	49.9	52.0	49.4	50.5	50.3	49.7	49.6
61	5 549.0	195	52.6	50.8	50.7	50.4	50.5	51.7	49.9	50.5	50.2	50.5	52.3	49.8	50.9	50.8	50.2	50.0
62	5 549.0	300	53.0	51.1	51.1	50.8	50.8	52.0	50.2	50.8	50.5	50.7	52.5	50.0	51.0	50.9	50.3	50.2
63	5 738.7	30	53.1	51.3	51.3	51.0	51.0	52.3	50.5	51.1	50.9	51.1	52.8	50.3	51.4	51.4	50.8	50.7
64	5 738.7	150	53.0	51.2	51.2	50.9	50.9	52.2	50.4	51.1	50.7	51.0	52.7	50.3	51.4	51.3	50.7	50.7
65	5 809.2	120	53.3	51.6	51.4	51.2	51.1	52.5	50.6	51.3	50.9	51.2	53.0	50.5	51.7	51.6	51.0	50.9
66	5 819.0	180	53.5	51.9	51.6	51.5	51.3	52.7	50.7	51.4	51.0	51.4	53.2	50.7	51.8	51.8	51.2	51.1
67	5 929.4	195	53.5	51.8	51.5	51.5	51.3	52.7	50.7	51.4	51.1	51.4	53.1	50.7	51.8	51.8	51.2	51.1
68	5 929.4	300	53.6	51.8	51.6	51.6	51.5	52.9	50.9	51.5	51.3	51.7	53.2	50.8	51.9	51.9	51.3	51.2
69	5 989.0	30	53.4	51.8	51.5	51.5	51.5	52.8	50.9	51.5	51.3	51.6	53.2	50.8	52.0	52.0	51.4	51.3
70	5 989.0	150	51.9	50.4	50.0	50.1	49.9	51.4	49.3	50.0	49.8	50.1	51.8	49.4	50.6	50.6	50.0	50.0
71	6 388.6	225	51.8	50.8	50.3	50.1	50.2	51.6	49.5	50.1	49.7	50.0	52.3	49.5	51.0	50.8	50.2	50.3
72	6 388.6	300	52.2	51.1	50.8	50.7	50.6	52.1	50.0	50.5	50.2	50.4	52.6	49.9	51.2	51.0	50.5	50.6
73	6 488.5	30	52.3	51.2	51.0	50.9	50.7	52.2	50.1	50.5	50.1	50.4	52.5	49.8	51.1	50.9	50.5	50.5
74	6 488.5	150	52.2	51.1	50.9	50.8	50.5	52.0	49.7	50.6	49.9	50.3	52.5	49.8	51.2	50.9	50.5	50.5
75	6 739.4	225	52.8	51.5	51.3	51.2	51.0	52.5	50.4	51.0	50.5	50.9	52.8	50.3	51.7	51.6	51.1	51.0
76	6 739.4	300	52.6	51.2	51.1	51.1	50.8	52.4	50.2	50.9	50.5	50.9	52.6	50.1	51.4	51.3	50.9	50.9
77	6 798.8	30	53.0	51.6	51.5	51.5	51.2	52.8	50.6	51.3	50.7	51.1	52.9	50.3	51.7	51.5	51.1	51.1
78	6 798.8	30	52.9	51.6	51.4	51.3	51.0	52.6	50.3	51.2	50.5	51.0	52.8	50.3	51.6	51.5	51.0	51.1
79	6 829.0	180	53.1	51.9	51.7	51.6	51.3	52.9	50.5	51.4	50.8	51.4	53.2	50.7	52.0	51.9	51.4	51.4
80	6 839.0	240	51.9	50.8	50.4	50.6	50.2	51.9	49.5	50.4	49.9	50.5	52.1	49.6	51.0	50.8	50.3	50.3
81	6 988.8	225	52.4	51.2	50.9	50.9	50.6	52.3	50.0	50.8	50.3	50.9	52.5	50.1	51.4	51.3	50.8	50.8
82	6 988.8	300	52.4	51.2	50.9	51.0	50.7	52.4	50.1	50.9	50.4	51.0	52.5	50.1	51.4	51.4	50.9	50.9
83	61049.0	30	52.5	51.4	51.0	51.3	50.9	52.7	50.3	51.1	50.5	51.1	52.6	50.2	51.5	51.5	51.0	51.0
84	61049.0	150	52.7	51.5	51.2	51.3	50.9	52.7	50.2	51.1	50.5	51.1	52.7	50.3	51.6	51.6	51.1	51.1
85	7 339.0	150	53.9	52.7	52.3	52.5	51.9	53.8	51.1	52.0	50.9	51.6	53.5	51.1	52.3	52.3	51.4	51.5
86	7 349.0	150	53.9	52.7	52.2	52.5	51.9	53.8	51.1	52.0	50.9	51.6	53.5	51.1	52.4	52.2	51.4	51.4
87	7 359.0	150	54.0	52.6	52.2	52.4	51.7	53.6	50.8	51.9	50.7	51.3	53.3	51.0	52.2	52.1	51.3	51.2
88	7 369.0	165	54.2	52.8	52.4	52.7	52.0	53.8	51.0	52.1	50.9	51.5	53.5	51.2	52.5	52.3	51.6	51.4
89	7 369.0	330	54.3	52.9	52.5	52.9	52.2	54.0	51.1	52.1	51.1	51.4	53.3	50.9	52.2	52.0	51.3	51.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
90	7 379.0	150	53.1	51.7	51.4	51.7	51.2	52.9	50.3	51.2	50.2	50.8	52.7	50.3	51.7	51.5	50.8	50.7
91	7 398.9	150	53.6	52.2	51.9	52.1	51.7	53.5	50.7	51.7	50.7	51.3	53.2	50.8	52.2	52.1	51.3	51.2
92	7 408.6	150	53.7	52.4	52.0	52.3	51.8	53.6	50.8	51.9	50.9	51.5	53.4	51.1	52.4	52.2	51.5	51.4
93	7 489.4	165	53.7	52.4	52.0	52.3	51.8	53.7	50.8	52.0	51.0	51.6	53.4	51.1	52.4	52.3	51.7	51.7
94	7 489.4	330	53.7	52.6	52.0	52.2	51.8	53.8	50.8	51.8	51.1	51.5	53.2	50.9	52.2	52.2	51.5	51.5
95	7 799.0	165	53.4	52.2	51.7	52.1	51.7	53.6	50.9	51.9	51.2	51.8	53.3	51.2	52.5	52.6	52.1	52.0
96	7 799.0	330	53.5	52.4	51.8	52.1	51.7	53.7	51.0	51.9	51.3	51.9	53.3	51.1	52.5	52.6	52.0	52.1
97	71049.0	165	53.0	51.5	52.7	51.7	50.7	52.7	50.2	50.7	50.3	49.6	51.3	48.5	49.0	48.6	49.3	47.8
98	71049.0	330	53.0	52.0	51.5	51.9	51.4	53.4	50.8	51.7	51.2	51.9	53.1	51.1	52.4	52.6	52.1	52.1
99	8 294.6	210	53.4	51.4	51.1	51.4	51.1	52.8	50.4	51.0	50.9	51.8	52.9	50.9	51.9	52.1	51.4	50.9
100	8 304.2	270	49.6	47.7	47.4	47.8	47.6	49.3	47.0	47.7	47.5	48.4	49.6	47.6	48.6	48.7	48.1	47.6
101	8 368.7	135	50.1	48.0	47.8	48.2	47.9	49.6	47.3	47.9	47.7	48.6	49.8	47.8	49.0	49.0	48.3	47.7
102	8 368.7	255	49.9	48.0	47.8	48.3	48.0	49.8	47.5	48.2	48.0	48.9	50.1	48.1	49.3	49.3	48.7	48.2
103	8 389.1	30	50.2	48.0	47.9	48.4	48.2	49.9	47.6	48.2	48.1	49.0	50.2	48.1	49.2	49.2	48.6	48.1
104	8 389.1	300	50.0	47.9	47.9	48.4	48.3	50.0	47.8	48.5	48.4	49.2	50.3	48.4	49.5	49.5	48.9	48.5
105	8 549.0	135	50.3	48.2	48.1	48.6	48.5	50.3	48.1	48.6	48.6	49.5	50.5	48.6	49.8	49.9	49.3	48.9
106	8 549.0	255	49.5	47.7	47.7	48.4	48.3	50.2	48.0	48.7	48.7	49.5	50.4	48.5	49.8	49.9	49.4	49.0
107	8 739.0	30	49.3	47.5	47.4	48.1	48.0	49.9	47.8	48.4	48.5	49.3	50.2	48.4	49.6	49.9	49.3	49.0
108	8 739.0	300	49.2	47.6	47.6	48.2	48.2	50.0	48.0	48.7	48.6	49.5	50.3	48.5	49.7	50.0	49.4	49.1
109	8 929.0	135	48.3	47.0	47.2	47.9	48.1	49.9	47.9	48.7	48.6	49.5	50.2	48.4	49.6	49.9	49.4	49.1
110	8 929.0	255	49.3	47.7	47.6	48.1	48.3	50.1	48.0	48.8	48.7	49.6	50.2	48.4	49.6	50.0	49.5	49.2
111	8 988.8	30	49.8	48.1	48.0	48.5	48.6	50.3	48.2	49.0	48.9	49.8	50.5	48.6	49.9	50.2	49.7	49.4
112	8 988.8	300	49.6	48.0	48.0	48.6	48.8	50.5	48.5	49.2	49.2	50.2	50.7	48.8	50.0	50.5	50.0	49.7
113	9 369.4	105	51.7	49.7	49.3	49.6	49.3	51.0	48.7	49.0	48.8	49.7	51.3	49.3	50.6	50.6	49.4	49.0
114	9 369.4	180	236.5	183.2	168.2	155.1	144.4	119.2	148.1	162.8	117.2	140.2	172.2	156.6	103.8	135.5	104.7	139.0
115	9 389.0	30	51.3	49.3	49.0	49.5	49.3	50.9	48.6	49.0	48.8	49.6	51.0	49.1	50.3	50.3	49.2	48.8
116	9 389.0	270	51.4	49.3	49.2	49.5	49.4	50.9	48.7	49.1	48.9	49.8	51.0	49.1	50.4	50.3	49.2	48.7
117	9 549.0	105	51.3	49.5	49.2	49.6	49.5	51.0	48.7	49.2	49.0	49.8	51.2	49.2	50.4	50.4	49.4	48.9
118	9 549.0	180	51.5	49.5	49.4	49.6	49.5	51.0	48.7	49.1	49.0	49.8	51.2	49.2	50.4	50.3	49.3	48.8
119	9 739.2	30	51.0	49.1	48.9	49.3	49.1	50.8	48.5	49.0	48.8	49.6	51.1	49.0	50.2	50.2	49.2	48.8
120	9 739.2	270	50.8	48.7	48.4	48.7	48.5	50.1	47.7	48.2	48.0	48.7	50.2	48.2	49.3	49.3	48.4	47.9
121	9 909.0	60	50.9	49.0	48.7	49.0	48.8	50.4	47.9	48.5	48.2	48.9	50.5	48.6	49.8	49.7	48.8	48.4
122	9 919.0	120	51.4	49.5	49.2	49.5	49.2	50.8	48.4	48.9	48.7	49.4	50.9	48.9	50.1	50.2	49.2	48.8
123	9 929.0	105	51.4	49.6	49.2	49.5	49.3	50.9	48.5	49.0	48.8	49.6	51.1	49.1	50.3	50.4	49.4	49.0
124	9 929.0	180	51.7	49.7	49.5	49.7	49.5	51.0	48.7	49.2	49.0	49.7	51.1	49.2	50.4	50.5	49.5	49.1
125	9 988.8	30	51.2	49.4	49.1	49.4	49.3	50.9	48.5	49.0	48.9	49.7	51.0	49.1	50.3	50.3	49.4	49.1
126	9 988.8	270	51.5	49.6	49.3	49.5	49.5	51.1	48.7	49.3	49.2	49.9	51.2	49.2	50.5	50.6	49.6	49.2
127	10 489.3	90	50.4	48.9	48.3	49.0	49.3	50.7	47.9	48.5	48.6	49.0	51.2	49.4	50.7	50.8	49.5	49.4
128	10 489.3	300	50.9	49.2	48.7	49.1	49.2	50.7	48.1	48.6	48.6	49.1	51.2	49.2	50.6	50.6	49.4	49.3
129	10 549.0	60	50.2	48.7	48.1	48.5	49.0	50.4	47.7	48.3	48.3	48.8	51.0	49.1	50.4	50.6	49.3	49.2
130	10 549.0	210	58.9	67.5	58.3	49.6	55.2	55.3	49.3	54.9	66.6	66.8	46.8	45.8	48.8	60.0	68.7	64.0
131	10 739.0	180	50.5	48.9	48.3	48.9	49.0	50.5	47.7	48.3	48.2	48.8	50.8	48.8	50.1	50.2	49.0	48.8
132	10 739.0	330	50.4	48.9	48.1	48.6	48.7	50.2	47.6	48.1	48.0	48.7	50.5	48.6	49.9	50.0	48.8	48.6
133	10 799.0	90	50.2	48.9	48.2	48.7	49.0	50.4	47.7	48.2	48.1	48.7	50.7	48.8	50.2	50.2	49.1	48.9
134	10 799.0	300	50.8	49.3	48.6	49.0	49.1	50.6	48.0	48.5	48.4	49.1	50.9	48.9	50.2	50.4	49.2	49.0
135	10 929.0	60	50.5	49.1	48.4	48.8	49.0	50.6	48.0	48.5	48.4	49.0	50.9	49.0	50.3	50.4	49.2	49.1
136	10 929.0	210	51.1	49.5	48.9	49.3	49.4	50.9	48.4	48.9	48.8	49.4	51.3	49.3	50.6	50.7	49.6	49.4
137	10 989.0	180	51.0	49.5	48.8	49.3	49.5	51.0	48.4	48.9	48.8	49.5	51.3	49.4	50.6	50.7	49.6	49.4
138	10 989.0	330	50.8	49.3	48.6	49.1	49.1	50.7	48.2	48.6	48.6	49.3	51.0	49.1	50.4	50.5	49.3	49.2
139	101049.0	90	209.5	27.8	65.7	59.5	49.1	50.8	48.1	48.6	48.5	*****	56.9	272.7	28.4	51.3	49.4	49.2
140	101049.0	300	49.5	48.0	47.4	47.8	47.8	49.4	46.8	47.3	47.3	47.9	49.7	47.7	49.1	49.1	48.0	47.8
141	11 389.0	60	49.6	48.5	47.8	48.3	48.2	49.9	47.1	47.2	47.3	47.9	50.3	48.3	49.7	50.0	48.6	48.3
142	11 389.0	315	49.4	48.3	47.6	48.0	48.1	49.7	46.9	47.1	47.3	47.9	50.4	48.3	49.7	50.1	48.6	48.4
143	11 489.0	150	50.3	49.1	48.3	48.9	48.7	50.4	47.8	47.9	48.0	48.6	51.0	49.1	50.4	50.6	49.3	49.1
144	11 489.0	270	50.1	49.0	48.3	48.6	48.6	50.2	47.7	47.8	48.1	48.6	51.1	49.1	50.4	50.7	49.3	49.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	50.5	49.3	48.7	48.9	49.0	50.6	47.9	48.2	48.3	48.8	51.0	49.1	50.4	50.6	49.4	49.2
146	11	738.9	315	50.3	49.1	48.5	48.7	48.8	50.5	47.9	48.1	48.3	48.8	51.0	49.0	50.4	50.6	49.3	49.2
147	11	799.6	150	50.6	49.2	48.7	48.9	49.0	50.7	48.1	48.5	48.5	49.1	51.2	49.3	50.6	50.8	49.7	49.5
148	11	799.6	270	50.3	48.9	48.4	48.7	48.7	50.4	47.9	48.2	48.3	48.9	51.0	49.1	50.4	50.6	49.4	49.3
149	11	849.3	240	50.3	48.7	48.3	48.6	48.6	50.4	47.8	48.2	48.2	48.8	50.9	49.0	50.3	50.6	49.3	49.1
150	11	855.8	300	48.9	47.4	46.9	47.2	47.1	48.9	46.3	46.6	46.7	47.2	49.5	47.5	48.8	49.1	47.7	47.6
151	11	989.3	60	49.4	48.0	47.5	47.8	47.8	49.6	47.0	47.4	47.3	47.9	50.0	48.1	49.4	49.6	48.5	48.3
152	11	989.3	315	49.6	48.0	47.6	47.9	47.8	49.7	47.0	47.5	71.2	39.8	*****	*****	*****	83.8	*****	91.1
153	111049.2	150	50.1	48.5	48.1	48.4	48.4	48.4	50.2	47.7	48.1	48.1	48.7	50.7	48.7	50.0	50.2	49.1	48.9
154	111049.2	270	50.1	48.5	48.1	48.4	48.4	48.3	50.2	47.6	48.1	48.1	48.7	50.7	48.7	50.1	50.3	49.2	49.0
155	12	359.9	30	50.7	49.2	48.9	49.2	49.2	51.1	48.5	49.1	48.9	49.6	51.3	49.4	50.7	50.9	49.9	49.5
156	12	370.0	15	50.8	49.3	49.0	49.4	49.3	51.3	48.6	49.1	49.0	49.7	51.4	49.5	50.7	51.0	49.9	49.5
157	12	370.0	240	50.8	49.2	48.8	49.3	49.1	51.1	48.3	48.9	48.8	49.6	51.3	49.5	50.7	51.0	49.8	49.4
158	12	379.2	90	50.2	48.8	48.4	49.0	49.0	50.9	48.3	49.0	48.8	49.5	51.0	49.2	50.5	50.8	49.7	49.4
159	12	489.0	90	49.6	48.2	48.0	48.6	48.6	50.6	48.0	48.7	48.5	49.2	50.6	48.8	50.1	50.5	49.6	49.3
160	12	489.0	270	48.7	47.2	46.8	47.3	46.9	48.9	46.0	46.7	46.5	47.3	49.3	47.5	48.7	49.1	47.9	47.6
161	12	548.9	15	49.0	47.7	47.3	47.8	47.6	49.6	46.9	47.5	47.4	48.0	49.6	47.8	49.1	49.4	48.4	48.1
162	12	548.9	240	49.6	48.1	47.8	48.3	48.0	50.0	47.2	47.8	47.7	48.5	50.1	48.3	49.6	49.9	48.9	48.6
163	12	799.3	90	48.8	47.5	47.4	48.0	48.1	50.0	47.6	48.2	48.1	48.9	50.1	48.4	49.7	50.1	49.3	49.2
164	12	799.3	270	49.2	47.7	47.5	48.0	47.9	49.9	47.2	47.9	47.8	48.6	50.0	48.3	49.6	50.0	49.1	48.9
165	12	929.3	15	48.3	47.1	47.0	47.6	47.7	49.8	47.2	47.9	47.9	48.7	49.9	48.2	49.5	50.0	49.2	49.0
166	12	928.4	240	87.6	*****	45.3	*****	67.5	*****	*****	55.7	72.7	34.3	*****	*****	*****	*****	*****	*****
167	121049.5	90	47.8	46.6	46.7	47.4	47.7	49.7	47.3	48.1	48.0	48.9	49.7	48.1	49.5	50.0	49.3	49.3	49.3
168	121049.5	270	47.9	46.4	46.3	47.0	47.0	49.0	46.4	47.3	47.2	48.1	49.1	47.5	48.8	49.3	48.5	48.5	48.5
169	13	338.8	60	50.6	48.6	48.0	48.2	48.2	49.7	47.5	48.0	48.0	49.0	50.1	47.9	49.3	49.3	48.3	48.0
170	13	349.0	60	50.4	48.4	47.8	48.0	48.0	49.3	47.1	47.7	47.5	48.5	49.8	47.7	49.0	49.0	48.0	47.7
171	13	368.9	90	50.7	48.8	48.1	48.4	48.4	49.8	47.6	48.2	48.1	49.0	50.2	48.2	49.4	49.5	48.5	48.1
172	13	368.9	240	50.2	48.3	47.8	48.2	48.2	49.6	47.5	48.2	48.1	49.0	49.9	48.0	49.3	49.4	48.5	48.2
173	13	388.5	45	50.6	48.6	48.2	48.5	48.4	49.8	47.8	48.3	48.2	49.2	50.2	48.1	49.5	49.6	48.6	48.3
174	13	388.5	270	49.8	47.8	47.3	47.9	47.9	49.4	47.4	48.0	48.1	49.0	49.7	47.7	49.2	49.3	48.4	48.2
175	13	549.0	90	50.4	48.5	48.0	48.3	48.3	49.8	47.7	48.3	48.2	49.2	50.0	48.0	49.4	49.5	48.6	48.4
176	13	549.0	240	49.3	47.6	47.2	47.6	47.7	49.3	47.2	48.0	47.9	48.9	49.5	47.6	48.9	49.1	48.3	48.1
177	13	738.7	45	49.8	47.9	47.4	47.6	47.5	49.0	47.0	47.5	47.6	48.6	49.6	47.6	48.9	48.9	48.0	47.7
178	13	738.7	270	49.3	47.5	47.1	47.4	47.5	49.0	47.0	47.6	47.6	48.5	49.6	47.7	49.0	49.1	48.2	48.0
179	13	929.3	90	49.8	47.8	47.4	47.6	47.6	48.9	46.9	47.4	47.4	48.3	49.6	47.7	49.0	49.3	48.2	48.0
180	13	929.3	240	49.1	47.4	47.2	47.5	47.7	49.3	47.3	47.9	47.9	48.8	49.6	47.7	49.1	49.4	48.6	48.3
181	13	989.2	45	49.9	48.1	47.6	47.9	48.0	49.5	47.4	48.1	48.1	49.0	49.8	48.0	49.3	49.6	48.7	48.5
182	13	989.2	270	49.1	47.5	47.2	47.6	47.8	49.3	47.5	48.1	48.3	49.1	49.7	48.0	49.3	49.8	48.9	48.8
183	14	369.0	30	50.6	48.9	48.4	48.8	48.8	50.2	48.2	48.7	48.8	49.5	50.9	49.0	50.3	50.6	49.3	49.0
184	14	369.0	270	50.6	49.0	48.3	48.6	48.7	50.1	48.1	48.7	48.7	49.5	50.7	48.7	50.1	50.2	49.1	48.9
185	14	488.9	75	50.2	48.4	47.9	48.4	48.5	49.9	48.0	48.5	48.5	49.4	50.5	48.6	50.0	50.2	49.0	48.8
186	14	488.9	180	50.2	48.4	47.9	48.1	48.2	49.6	47.8	48.3	48.3	49.2	50.4	48.4	49.7	49.9	48.7	48.5
187	14	548.8	30	50.2	48.1	47.5	47.8	47.8	49.2	47.3	47.6	47.7	48.5	50.2	48.3	49.5	49.5	48.3	48.0
188	14	548.8	270	50.8	48.7	48.1	48.3	48.1	49.5	47.5	47.8	47.7	48.4	50.5	48.6	49.8	49.7	48.3	48.0
189	14	799.2	75	50.7	48.6	48.1	48.4	48.3	49.6	47.6	47.8	47.7	48.3	50.8	48.8	50.0	50.1	48.7	48.3
190	14	799.2	180	51.1	49.1	48.7	49.0	49.0	50.3	48.3	48.7	48.7	49.4	51.1	49.2	50.5	50.7	49.4	49.1
191	14	890.2	0	51.0	49.1	48.6	48.9	48.8	50.2	48.1	48.5	48.5	49.3	51.0	49.1	50.4	50.6	49.3	49.0
192	14	899.8	60	51.3	49.2	48.6	48.9	49.0	50.2	48.4	48.7	48.8	49.6	51.3	49.5	50.7	51.0	49.7	49.4
193	14	925.5	30	51.6	49.5	49.1	49.5	49.5	50.9	49.0	49.3	49.2	50.0	51.7	49.9	51.1	51.4	50.1	49.8
194	14	925.5	270	51.8	50.0	49.5	49.8	49.8	51.2	49.2	49.7	49.6	50.3	51.9	50.0	51.2	51.5	50.3	50.0
195	141049.2	75	51.8	49.7	49.3	49.7	49.8	49.8	51.1	49.1	49.5	49.4	50.2	51.9	50.0	51.2	51.5	50.3	49.9
196	141049.2	180	51.9	50.0	49.5	49.8	49.9	49.9	51.2	49.2	49.6	49.6	50.4	51.9	50.0	51.3	51.5	50.3	50.0
197	15	369.1	150	52.2	49.8	49.4	49.8	50.1	51.3	49.1	49.4	49.4	50.4	52.6	50.9	52.1	52.4	50.9	50.4
198	15	369.1	270	52.0	49.8	49.5	49.7	50.0	51.2	49.0	49.4	49.3	50.2	52.3	50.7	51.9	52.1	50.6	50.1
199	15	488.6	60	51.3	49.3	48.8	49.1	49.4	50.5	48.2	48.5	48.6	49.6	51.7	50.1	51.3	51.8	50.2	49.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	50.9	48.9	48.4	49.0	49.1	50.5	48.0	48.4	48.2	49.2	51.3	49.7	51.0	51.3	49.8	49.4
201	15	549.6	150	51.0	49.1	48.5	49.0	49.2	50.6	48.2	48.6	48.5	49.4	51.3	49.8	51.0	51.3	49.9	49.5
202	15	549.6	270	51.3	49.4	48.8	49.3	49.4	50.8	48.4	48.7	48.6	49.5	51.5	49.9	51.0	51.3	49.9	49.5
203	15	799.6	60	50.8	48.9	48.3	48.9	49.1	50.5	48.0	48.4	48.4	49.3	51.2	49.7	50.9	51.1	49.8	49.4
204	15	799.6	345	50.8	49.0	48.4	48.9	49.0	50.4	47.9	48.3	48.3	49.2	51.2	49.6	50.8	51.1	49.7	49.4
205	15	869.0	0	50.7	48.8	48.2	48.8	48.8	50.2	47.6	48.0	48.1	49.0	50.8	49.2	50.5	50.9	49.3	49.0
206	15	879.0	300	50.9	49.1	48.5	49.1	49.1	50.6	48.2	48.6	48.5	49.4	51.2	49.6	50.8	51.2	49.7	49.3
207	15	929.2	150	50.7	48.9	48.3	49.0	49.1	50.6	48.2	48.7	48.6	49.5	51.1	49.5	50.8	51.1	49.8	49.5
208	15	929.2	270	50.7	48.8	48.3	48.8	48.9	50.4	48.0	48.5	48.4	49.2	50.8	49.2	50.4	50.8	49.4	49.1
209	15	1049.1	60	50.3	48.3	47.9	48.4	48.6	50.1	47.6	48.0	48.1	48.8	50.5	48.9	50.2	50.5	49.3	48.9
210	15	1049.1	345	51.2	49.3	48.7	49.2	49.3	50.9	48.4	48.8	48.8	49.6	51.3	49.7	50.9	51.2	50.0	49.6
211	16	368.5	150	51.4	49.3	48.9	49.3	49.4	50.9	48.5	49.0	49.0	49.8	51.5	50.1	51.2	51.6	50.3	49.8
212	16	368.5	285	51.3	49.1	48.6	48.8	49.0	50.4	47.7	48.4	48.5	49.2	51.0	49.9	51.0	51.5	49.7	49.3
213	16	418.6	210	51.4	49.3	48.9	49.1	49.3	51.2	48.5	49.1	49.0	49.8	51.5	50.1	51.3	51.6	50.3	49.9
214	16	428.5	210	51.4	49.3	48.9	49.1	49.3	51.3	48.5	49.2	49.0	49.8	51.5	50.2	51.2	51.7	50.3	49.9
215	16	488.5	120	51.1	49.2	48.8	49.2	49.3	51.2	48.5	49.2	49.0	49.8	51.4	49.9	51.0	51.4	50.3	49.8
216	16	488.5	330	51.4	49.2	48.7	48.9	49.1	51.2	48.1	49.1	48.8	49.6	51.3	49.9	51.0	51.4	50.2	49.7
217	16	548.6	150	50.9	49.0	48.7	49.0	49.2	51.0	48.4	49.2	49.0	49.8	51.3	49.8	51.0	51.3	50.2	49.5
218	16	548.6	285	51.2	49.1	48.4	48.6	48.9	50.6	47.8	48.8	48.5	49.3	51.0	49.6	50.8	51.2	49.8	49.4
219	16	798.9	120	50.1	48.4	48.1	48.5	48.8	50.7	48.2	48.9	48.7	49.6	50.9	49.3	50.5	51.0	50.0	49.7
220	16	798.9	330	50.9	48.9	48.3	48.6	48.8	50.7	47.9	48.7	48.5	49.4	50.8	49.3	50.5	51.0	49.9	49.5
221	16	929.0	150	50.2	48.5	48.2	48.6	48.9	50.8	48.3	49.1	48.9	49.8	50.9	49.3	50.6	51.0	50.0	49.8
222	16	929.0	285	50.8	48.9	48.3	48.6	48.8	50.7	48.0	48.7	48.5	49.4	50.8	49.2	50.4	50.8	49.8	49.4
223	16	1049.0	120	49.9	48.3	48.0	48.5	48.8	50.6	48.2	48.9	48.8	49.7	50.7	49.2	50.4	50.8	50.0	49.8
224	16	1049.0	330	50.6	48.8	48.3	48.7	48.8	50.6	48.0	48.7	48.6	49.5	50.8	49.2	50.5	50.9	49.9	49.6
225	17	368.7	30	52.0	50.1	49.8	50.0	49.6	50.8	49.0	49.5	49.4	50.0	51.5	49.9	51.1	51.5	49.7	49.7
226	17	368.7	210	51.6	49.7	49.6	49.8	49.7	51.3	49.3	49.9	49.7	50.4	51.6	50.0	51.1	51.4	50.2	50.0
227	17	388.4	0	52.2	50.3	49.9	50.3	50.1	51.4	49.4	50.1	49.9	50.5	51.9	50.2	51.4	51.6	50.3	50.2
228	17	388.4	135	51.8	49.9	49.6	50.0	49.9	51.4	49.4	50.1	49.9	50.6	51.8	50.0	51.2	51.5	50.4	50.2
229	17	418.8	150	51.4	49.6	49.4	49.7	49.6	51.1	49.2	49.8	49.7	50.3	51.4	49.8	50.9	51.2	50.2	50.0
230	17	428.8	210	51.1	49.3	49.2	49.5	49.3	50.9	49.0	49.6	49.5	50.2	51.2	49.5	50.7	51.0	50.0	49.8
231	17	549.0	30	51.7	49.7	49.5	49.6	49.5	50.8	48.9	49.5	49.3	50.0	51.2	49.6	50.8	51.1	49.8	49.7
232	17	549.0	210	51.0	49.2	49.1	49.4	49.4	50.9	49.0	49.7	49.6	50.3	51.2	49.5	50.8	51.1	50.1	50.0
233	17	739.2	0	51.3	49.4	49.2	49.4	49.3	51.0	48.9	49.6	49.4	50.2	51.2	49.5	50.7	51.0	50.1	49.9
234	17	739.2	135	50.9	49.2	49.0	49.4	49.4	51.0	49.1	49.7	49.6	50.3	51.2	49.6	50.7	51.0	50.3	50.1
235	17	928.9	30	51.1	49.3	49.1	49.4	49.2	50.8	48.8	49.4	49.3	50.0	51.1	49.4	50.6	51.0	50.0	49.9
236	17	928.9	210	50.1	48.6	48.5	48.8	48.9	50.2	48.4	49.2	49.1	49.9	50.6	49.0	50.4	50.9	49.7	49.6
237	17	989.1	0	50.8	49.0	48.8	49.2	49.1	50.8	48.8	49.4	49.3	50.1	50.9	49.3	50.5	51.0	50.1	49.9
238	17	989.1	135	50.4	48.8	48.5	48.9	49.0	50.7	48.8	49.5	49.3	50.2	50.9	49.3	50.5	50.9	50.1	50.0
239	18	294.0	0	51.7	49.8	49.3	49.5	49.5	51.0	49.0	49.4	49.3	50.1	51.7	50.2	51.2	51.5	50.4	50.0
240	18	304.0	0	51.5	49.6	49.1	49.4	49.4	50.8	48.7	49.3	49.1	50.0	51.4	49.5	51.1	51.4	50.2	49.7
241	18	359.2	0	51.6	49.6	49.2	49.6	49.6	51.1	49.1	49.5	49.4	50.2	51.7	50.1	51.3	51.6	50.5	50.0
242	18	369.1	90	51.4	49.5	49.0	49.4	49.4	51.0	49.0	49.4	49.3	50.1	51.6	50.0	51.2	51.4	50.5	49.9
243	18	369.1	285	51.7	49.8	49.3	49.7	49.7	51.1	49.2	49.6	49.5	50.2	51.7	50.2	51.2	51.4	50.5	50.0
244	18	378.9	0	51.5	49.7	49.1	49.7	49.6	51.0	48.9	49.4	49.3	50.1	51.7	50.2	51.3	51.5	50.4	49.9
245	18	389.1	90	51.6	49.7	49.2	49.8	49.6	50.9	49.0	49.5	49.4	50.2	51.6	50.1	51.3	51.7	50.4	49.9
246	18	389.1	285	51.6	49.7	49.3	49.7	49.6	51.0	49.1	49.6	49.4	50.1	51.5	50.0	51.0	51.4	50.4	49.8
247	18	409.2	0	51.6	49.8	49.2	49.9	49.7	51.2	49.1	49.6	49.4	50.2	51.7	50.1	51.3	51.5	50.5	50.0
248	18	429.3	0	51.4	49.6	48.9	49.6	49.4	50.9	48.9	49.3	49.1	49.9	51.4	49.8	51.0	51.3	50.3	49.7
249	18	549.5	90	50.9	49.1	48.6	49.2	49.2	50.6	48.6	49.2	49.1	49.8	51.1	49.5	50.8	51.1	50.1	49.6
250	18	549.5	285	50.7	48.9	48.5	48.9	48.9	50.3	48.3	48.8	48.7	49.5	50.7	49.1	50.3	50.6	49.7	49.3
251	18	930.2	90	50.1	48.5	48.1	48.7	48.7	50.3	48.3	48.9	48.7	49.5	50.6	49.0	50.2	50.6	49.8	49.4
252	18	930.2	285	50.2	48.4	48.1	48.6	48.6	50.1	48.0	48.7	48.5	49.4	50.4	48.8	50.0	50.5	49.5	49.1
253	19	369.0	180	50.1	48.3	47.8	48.5	48.4	50.0	48.0	48.6	48.4	49.2	50.7	49.2	50.5	50.7	49.9	49.3
254	19	369.0	270	50.1	48.4	47.7	48.5	48.3	49.8	47.9	48.4	48.1	49.0	50.6	49.1	50.4	50.6	49.8	49.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
255 19 398.5 90	49.6	48.1	47.5	48.2	48.1	49.6	47.7	48.3	48.0	48.9	50.3	48.8	50.1	50.4	49.5	49.0
256 19 408.4 150	49.7	48.1	47.5	48.1	48.0	49.6	47.7	48.3	48.1	48.9	50.2	48.7	50.1	50.3	49.5	48.9
257 19 488.5 15	49.9	48.3	47.6	48.3	48.1	49.5	47.6	48.2	47.9	48.7	50.3	48.7	50.1	50.3	49.4	48.9
258 19 488.5 135	49.1	47.5	47.0	47.6	47.6	49.2	47.2	47.7	47.5	48.4	49.8	48.3	49.6	49.9	49.0	48.5
259 19 548.8 180	49.6	48.0	47.3	47.9	47.8	49.3	47.4	47.9	47.6	48.4	50.0	48.5	49.7	50.0	49.1	48.7
260 19 548.8 270	49.2	47.6	47.1	47.8	47.7	49.3	47.4	48.0	47.8	48.6	49.9	48.4	49.6	50.0	49.1	48.7
261 19 798.4 15	49.1	47.5	46.9	47.7	47.5	49.1	47.2	47.7	47.6	48.4	49.6	48.2	49.5	49.8	48.9	48.5
262 19 798.4 135	48.1	46.6	46.3	47.0	47.0	48.7	46.8	47.4	47.2	48.1	49.2	47.7	49.0	49.4	48.6	48.3
263 19 928.5 180	48.3	46.9	46.6	47.2	47.3	49.0	47.1	47.8	47.7	48.5	49.4	48.0	49.3	49.7	48.9	48.6
264 19 928.5 270	49.0	47.5	47.0	47.7	47.6	49.2	47.3	47.9	47.7	48.6	49.6	48.1	49.4	49.8	49.0	48.6
265 191048.7 15	25.5	22.9	22.2	22.4	22.3	24.1	22.4	23.4	23.8	25.1	27.7	26.1	27.5	28.4	28.1	28.2
266 191048.7 135	47.5	46.1	45.8	46.5	46.7	48.3	46.5	47.2	47.0	48.0	48.7	47.2	48.5	49.0	48.3	48.0
267 21 370.0 150	47.5	46.1	46.1	46.7	47.0	48.8	47.0	47.8	47.7	48.6	48.8	47.3	48.6	49.2	48.7	48.4
268 21 370.0 144	47.3	45.9	45.9	46.5	46.7	48.5	46.6	47.4	47.3	48.2	48.6	47.0	48.3	48.9	48.3	48.1
269 21 370.0 126	47.5	46.1	46.1	46.6	46.8	48.6	46.7	47.5	47.4	48.3	48.6	47.1	48.4	49.0	48.4	48.2
270 21 370.0 120	47.9	46.6	46.5	47.2	47.4	49.2	47.2	48.0	47.9	48.8	49.1	47.6	48.9	49.4	48.9	48.7
271 21 370.0 30	47.4	46.2	46.2	46.8	47.0	48.8	46.8	47.6	47.4	48.4	48.2	46.6	47.9	48.4	47.9	47.7
272 21 370.0 26	47.4	46.3	46.2	46.8	46.9	48.7	46.8	47.5	47.4	48.3	48.2	46.5	47.8	48.3	47.7	47.6
273 21 370.0 7	47.7	46.4	46.4	46.9	47.0	48.7	46.8	47.6	47.4	48.3	48.2	46.6	47.8	48.3	47.8	47.6
274 21 370.0 0	47.5	46.2	46.2	46.7	46.8	48.6	46.6	47.5	47.3	48.2	48.1	46.5	47.7	48.2	47.6	47.6
275 21 370.0 210	47.8	46.4	46.4	46.9	47.2	48.9	47.1	47.9	47.8	48.7	48.9	47.4	48.7	49.2	48.7	48.4
276 21 370.0 206	47.7	46.3	46.3	46.8	47.1	48.8	47.0	47.7	47.7	48.6	48.8	47.2	48.5	49.1	48.6	48.4
277 21 370.0 187	47.7	46.2	46.2	46.7	47.0	48.7	46.9	47.6	47.6	48.5	48.7	47.2	48.5	49.1	48.5	48.3
278 21 370.0 180	47.4	45.9	45.9	46.5	46.8	48.5	46.6	47.4	47.4	48.3	48.5	47.0	48.3	48.9	48.3	48.1
279 22 390.0 30	46.8	45.6	45.7	46.3	46.5	48.3	46.4	47.2	47.0	47.9	47.7	46.0	47.3	47.9	47.4	47.3
280 22 390.0 26	47.9	46.7	46.7	47.2	47.4	49.2	47.3	48.1	47.9	48.8	48.7	47.1	48.3	48.8	48.3	48.2
281 22 390.0 7	48.0	46.8	46.7	47.3	47.3	49.1	47.3	48.0	47.9	48.8	48.7	47.0	48.2	48.7	48.2	48.1
282 22 390.0 0	47.9	46.7	46.7	47.2	47.3	49.1	47.2	48.0	47.8	48.8	48.6	47.0	48.3	48.8	48.2	48.1
283 22 390.0 330	47.7	46.4	46.5	47.0	47.3	49.0	47.2	47.9	47.9	48.8	48.7	47.0	48.3	48.8	48.3	48.2
284 22 390.0 324	47.7	46.4	46.4	47.0	47.2	48.9	47.1	47.9	47.7	48.7	48.6	46.9	48.2	48.7	48.1	48.0
285 22 390.0 306	47.7	46.4	46.4	46.9	47.0	48.8	46.9	47.7	47.6	48.6	48.6	46.9	48.1	48.6	48.1	47.9
286 22 390.0 300	47.7	46.4	46.4	46.9	47.1	48.7	46.9	47.7	47.7	48.7	48.6	46.9	48.2	48.7	48.1	48.0
287 22 390.0 210	48.3	46.9	46.9	47.5	47.7	49.5	47.7	48.5	48.4	49.4	49.5	47.9	49.2	49.8	49.2	49.1
288 22 390.0 206	48.0	46.6	46.6	47.1	47.4	49.2	47.4	48.1	48.1	49.0	49.2	47.7	48.9	49.5	49.0	48.8
289 22 390.0 187	47.8	46.4	46.4	46.9	47.2	49.0	47.1	47.9	47.9	48.8	49.1	47.5	48.8	49.4	48.8	48.6
290 22 390.0 180	49.1	47.7	47.7	48.2	48.5	50.3	48.4	49.2	49.2	50.1	50.3	48.8	50.2	50.7	50.1	50.0
291 23 490.0 180	48.8	47.6	47.6	48.2	48.6	50.4	48.6	49.4	49.4	50.4	50.4	48.8	50.2	50.9	50.3	50.2
292 23 490.0 173	48.9	47.6	47.7	48.2	48.6	50.4	48.7	49.5	49.5	50.4	50.5	48.9	50.3	51.0	50.4	50.3
293 23 490.0 156	48.8	47.5	47.6	48.2	48.6	50.4	48.6	49.5	49.5	50.4	50.4	48.9	50.2	50.9	50.4	50.2
294 23 490.0 150	48.6	47.5	47.6	48.2	48.6	50.4	48.7	49.6	49.5	50.5	50.4	48.9	50.2	50.9	50.4	50.2
295 23 490.0 60	48.5	47.4	47.5	48.1	48.4	50.2	48.4	49.2	49.1	50.0	49.9	48.3	49.7	50.3	49.8	49.7
296 23 490.0 54	48.4	47.3	47.4	48.0	48.2	50.0	48.2	49.0	48.9	49.9	49.7	48.1	49.4	50.1	49.6	49.4
297 23 490.0 34	48.4	47.3	47.3	48.0	48.3	50.1	48.3	49.1	49.0	50.0	49.7	48.2	49.5	50.1	49.6	49.5
298 23 490.0 30	48.2	47.1	47.2	47.8	48.2	50.0	48.2	49.0	49.0	49.9	49.6	48.0	49.4	50.0	49.5	49.4
299 23 490.0 0	48.0	46.9	46.9	47.6	47.8	49.6	47.8	48.6	48.6	49.6	49.3	47.7	49.0	49.6	49.1	49.0
300 23 490.0 353	48.5	47.3	47.4	48.1	48.2	50.0	48.2	48.9	48.9	49.9	49.7	48.1	49.4	50.0	49.5	49.4
301 23 490.0 336	48.4	47.2	47.3	47.9	48.2	49.9	48.2	48.9	48.9	49.9	49.7	48.1	49.4	49.9	49.5	49.4
302 23 490.0 330	48.5	47.3	47.5	48.1	48.4	50.1	48.3	49.1	49.1	50.0	49.9	48.3	49.6	50.2	49.7	49.6
303 24 550.0 180	49.0	47.8	47.9	48.5	48.9	50.7	48.9	49.7	49.7	50.7	50.9	49.3	50.7	51.3	50.8	50.6
304 24 550.0 173	49.4	48.1	48.2	48.8	49.2	51.0	49.2	50.0	50.0	51.0	51.1	49.5	50.8	51.5	51.0	50.8
305 24 550.0 156	49.2	48.0	48.1	48.8	49.1	51.0	49.2	50.0	50.0	51.0	50.9	49.4	50.8	51.4	51.0	50.8
306 24 550.0 150	49.1	47.9	48.1	48.7	49.1	51.0	49.2	50.0	50.0	51.0	50.9	49.3	50.7	51.4	50.9	50.8
307 24 550.0 0	48.6	47.4	47.5	48.2	48.4	50.2	48.4	49.2	49.2	50.2	49.9	48.3	49.6	50.3	49.8	49.8
308 24 550.0 353	48.5	47.3	47.4	48.1	48.3	50.1	48.3	49.1	49.1	50.0	49.7	48.1	49.4	50.1	49.6	49.5
309 24 550.0 336	48.4	47.3	47.3	48.0	48.3	50.1	48.4	49.2	49.2	50.1	49.8	48.3	49.5	50.2	49.7	49.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
310	24	550.0	330	48.8	47.7	47.7	48.4	48.7	50.5	48.7	49.6	49.5	50.5	50.3	48.7	50.0	50.6	50.1	50.1
311	24	550.0	240	49.5	48.1	48.2	48.8	49.1	50.9	49.1	49.9	50.0	50.9	50.9	49.4	50.7	51.3	50.8	50.6
312	24	550.0	234	49.5	48.2	48.2	48.8	49.1	50.9	49.1	50.0	50.0	51.0	51.0	49.4	50.7	51.4	50.9	50.7
313	24	550.0	216	49.6	48.3	48.4	49.0	49.3	51.1	49.4	50.2	50.2	51.2	51.1	49.6	50.9	51.6	51.1	50.9
314	24	550.0	210	49.5	48.3	48.4	49.0	49.4	51.2	49.4	50.3	50.3	51.3	51.1	49.6	51.0	51.6	51.1	51.0
315	25	740.0	150	49.1	48.0	48.2	48.8	49.3	51.2	49.5	50.3	50.4	51.4	51.3	49.8	51.2	51.9	51.4	51.4
316	25	740.0	144	49.1	47.9	48.0	48.7	49.2	51.0	49.3	50.2	50.2	51.2	51.1	49.6	50.9	51.7	51.3	51.1
317	25	740.0	126	49.1	48.0	48.1	48.7	49.2	51.1	49.3	50.2	50.1	51.2	51.1	49.6	50.9	51.7	51.2	51.1
318	25	740.0	120	48.9	47.7	47.8	48.6	49.0	50.8	49.1	50.0	49.9	51.0	50.9	49.4	50.8	51.5	51.0	50.9
319	25	740.0	30	48.5	47.4	47.6	48.4	48.8	50.7	49.0	49.8	49.8	50.8	50.4	48.8	50.2	51.0	50.5	50.5
320	25	740.0	26	48.4	47.4	47.5	48.2	48.6	50.4	48.7	49.5	49.5	50.5	50.3	48.7	50.1	50.7	50.3	50.2
321	25	740.0	7	48.9	47.8	47.8	48.5	48.9	50.7	48.9	49.8	49.8	50.8	50.6	48.9	50.3	50.9	50.5	50.4
322	25	740.0	0	48.7	47.6	47.7	48.4	48.9	50.7	48.9	49.8	49.7	50.7	50.5	48.9	50.3	50.9	50.5	50.4
323	25	740.0	210	49.2	47.9	48.1	48.7	49.2	51.1	49.3	50.2	50.2	51.2	51.1	49.5	50.9	51.6	51.1	51.0
324	25	740.0	206	49.3	48.0	48.1	48.8	49.2	51.1	49.3	50.2	50.2	51.2	51.2	49.6	50.9	51.7	51.2	51.0
325	25	740.0	187	49.3	48.0	48.1	48.7	49.1	51.0	49.2	50.0	50.1	51.1	51.1	49.6	50.9	51.6	51.1	51.0
326	25	740.0	180	49.3	48.0	48.1	48.7	49.1	51.0	49.3	50.1	50.1	51.1	51.1	49.6	50.9	51.7	51.2	51.0
327	26	800.0	30	48.5	47.5	47.6	48.4	48.9	50.8	49.0	49.9	49.9	50.9	50.5	49.0	50.3	51.1	50.6	50.6
328	26	800.0	26	276.6	387.8	291.2	270.5	328.3	264.2	268.5	257.5	299.4	249.6	444.1	317.8	274.9	301.0	227.1	213.4
329	26	800.0	7	48.4	47.3	47.4	48.1	48.6	50.5	48.7	49.6	49.6	50.6	50.2	48.6	50.0	50.7	50.3	50.3
330	26	800.0	0	48.0	46.9	47.0	47.7	48.1	50.0	48.2	49.1	49.1	50.1	49.8	48.3	49.6	50.4	49.9	49.9
331	26	800.0	330	48.0	46.9	47.0	47.8	48.2	50.1	48.4	49.2	49.3	50.3	50.0	48.5	49.8	50.5	50.0	50.0
332	26	800.0	324	48.3	47.1	47.3	47.9	48.4	50.2	48.5	49.4	49.4	50.4	50.2	48.6	49.9	50.6	50.2	50.1
333	26	800.0	306	48.4	47.2	47.3	48.0	48.4	50.3	48.5	49.5	49.5	50.4	50.3	48.7	50.0	50.7	50.3	50.2
334	26	800.0	300	48.4	47.2	47.4	48.0	48.5	50.3	48.6	49.5	49.5	50.5	50.3	48.7	50.1	50.7	50.3	50.2
335	26	800.0	210	48.7	47.6	47.7	48.4	48.8	50.7	49.0	49.9	49.9	50.9	50.8	49.3	50.6	51.4	50.9	50.8
336	26	800.0	206	48.5	47.4	47.5	48.2	48.6	50.5	48.7	49.6	49.6	50.7	*****	44.9	48.8	44.2	*****	45.0
337	26	800.0	187	101.7	69.6	71.0	59.4	63.7	104.4	54.6	62.7	90.8	45.7	*****	72.4	67.0	54.5	*****	44.0
338	26	800.0	180	48.8	47.7	47.8	48.5	48.9	50.8	49.0	49.9	49.9	50.9	50.8	49.3	50.6	51.4	50.9	50.9
339	27	930.0	180	48.7	47.5	47.6	48.3	48.8	50.6	48.9	49.8	49.8	50.8	50.7	49.1	50.5	51.3	50.7	50.7
340	27	930.0	173	48.2	47.0	47.1	47.8	48.2	50.0	48.3	49.1	49.1	50.2	50.2	48.7	50.0	50.7	50.3	50.1
341	27	930.0	156	48.2	47.1	47.2	47.9	48.4	50.2	48.4	49.4	49.4	50.3	50.4	48.8	50.2	51.0	50.5	50.4
342	27	930.0	150	48.4	47.2	47.3	48.0	48.5	50.4	48.7	49.5	49.5	50.5	50.6	49.0	50.4	51.1	50.7	50.6
343	27	930.0	60	47.5	46.5	46.6	47.3	47.8	49.6	47.8	48.7	48.6	49.7	49.8	48.3	49.7	50.4	49.9	49.9
344	27	930.0	54	47.8	46.8	46.8	47.5	48.0	49.9	48.1	48.9	48.8	49.9	50.0	48.5	49.8	50.5	50.1	50.0
345	27	930.0	34	47.8	46.8	46.9	47.7	48.1	50.0	48.2	49.0	49.0	50.0	50.0	48.4	49.8	50.5	50.1	50.1
346	27	930.0	30	47.9	46.9	47.0	47.8	48.3	50.1	48.4	49.3	49.3	50.3	50.1	48.6	49.9	50.7	50.3	50.3
347	27	930.0	0	47.9	46.8	46.9	47.6	48.1	49.9	48.1	49.0	49.0	50.0	49.8	48.3	49.6	50.4	49.9	49.9
348	27	930.0	353	32.5	29.7	28.7	28.7	28.3	29.9	28.6	29.8	30.4	31.7	37.6	36.1	37.0	36.7	36.4	36.6
349	27	930.0	336	47.8	46.7	46.8	47.5	48.0	49.9	48.1	49.0	49.0	50.1	49.9	48.4	49.7	50.4	50.0	50.0
350	27	930.0	330	46.9	45.8	46.0	46.7	47.2	49.0	47.3	48.1	48.2	49.2	49.2	47.6	48.9	49.7	49.2	49.2
351	28	990.0	180	47.9	46.8	46.9	47.6	48.1	49.9	48.2	49.1	49.1	50.1	50.1	48.6	49.9	50.7	50.2	50.1
352	28	990.0	173	48.0	46.8	46.9	47.6	48.1	49.9	48.2	49.1	49.1	50.1	50.1	48.6	49.9	50.7	50.2	50.1
353	28	990.0	156	48.0	46.9	47.0	47.8	48.2	50.1	48.3	49.3	49.4	50.3	50.3	48.8	50.1	50.9	50.4	50.4
354	28	990.0	150	47.9	46.8	47.0	47.7	48.2	50.1	48.4	49.3	49.3	50.3	50.3	48.7	50.1	50.9	50.4	50.4
355	28	990.0	0	47.6	46.6	46.7	47.4	47.9	49.8	48.0	48.9	48.9	50.0	49.8	48.3	49.6	50.4	50.0	50.0
356	28	990.0	353	47.3	46.3	46.4	47.2	47.6	49.5	47.8	48.7	48.6	49.7	49.6	48.0	49.3	50.1	49.7	49.7
357	28	990.0	336	47.2	46.3	46.4	47.2	47.8	49.6	47.9	48.8	48.8	49.9	49.7	48.2	49.6	50.3	49.9	49.9
358	28	990.0	330	46.6	45.8	45.8	46.7	47.4	49.2	47.5	48.5	48.5	49.6	49.5	48.0	49.4	50.1	49.7	49.7
359	28	990.0	240	48.2	47.0	47.1	47.8	48.2	50.0	48.4	49.2	49.3	50.3	50.3	48.6	50.0	50.7	50.3	50.2
360	28	990.0	234	47.5	46.3	46.4	47.1	47.6	49.4	47.6	48.5	48.6	49.5	49.6	48.0	49.2	50.1	49.6	49.5
361	28	990.0	216	47.6	46.4	46.5	47.2	47.7	49.6	47.9	48.7	48.8	49.8	49.8	48.2	49.5	50.3	49.9	49.8
362	28	990.0	210	47.7	46.5	46.7	47.4	47.9	49.8	48.0	48.9	49.0	50.0	50.0	48.4	49.8	50.5	50.1	50.0
363	29	1050.0	150	47.0	46.1	46.1	47.1	47.7	49.6	47.8	48.6	48.5	49.5	49.8	48.3	49.7	50.4	50.0	49.9
364	29	1050.0	144	47.7	46.7	46.8	47.5	48.0	49.9	48.2	49.1	49.0	50.0	50.2	48.7	50.0	50.8	50.3	50.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
365	291050.0	126	47.5	46.5	46.6	47.3	47.8	49.6	47.8	48.7	42.9	49.6	49.9	48.4	49.7	50.5	50.0	50.0
366	291050.0	120	47.2	46.3	46.4	47.2	47.8	49.7	47.8	48.7	48.6	49.5	49.9	48.5	49.8	50.6	50.1	50.0
367	291050.0	30	47.2	46.2	46.3	47.0	47.5	49.4	47.6	48.6	48.5	49.5	49.5	48.0	49.3	50.1	49.7	49.7
368	291050.0	26	47.2	46.1	46.3	46.9	47.4	49.3	47.5	48.3	48.3	49.3	49.4	47.8	49.2	49.9	49.5	49.5
369	291050.0	7	47.3	46.2	46.3	47.0	47.5	49.4	47.5	48.4	48.4	49.4	49.4	47.9	49.2	50.0	49.6	49.6
370	291050.0	0	46.7	45.6	45.7	46.5	47.0	48.8	47.1	47.9	47.9	48.9	49.0	47.4	48.8	49.6	49.2	49.1
371	291050.0	210	46.8	45.9	46.0	46.7	47.3	49.3	47.5	48.4	48.4	49.4	49.6	48.2	49.6	50.3	49.8	49.8
372	291050.0	206	47.6	46.4	46.6	47.2	47.7	49.6	47.8	48.7	48.7	49.8	49.9	48.4	49.7	50.5	50.0	49.9
373	291050.0	187	47.9	46.7	46.8	47.4	47.9	49.7	48.0	48.9	48.9	49.9	50.0	48.6	49.9	50.6	50.1	50.0
374	291050.0	180	47.9	46.8	46.9	47.5	48.1	50.0	48.2	49.1	49.1	50.1	50.3	48.7	50.1	50.8	50.3	50.3
375	01075.0	6	48.5	47.0	46.9	47.3	47.5	49.2	47.3	48.1	47.8	48.7	49.1	47.4	48.5	49.1	48.6	48.6
376	01075.0	5	48.8	47.2	46.9	47.3	47.5	49.1	47.1	48.0	47.5	48.5	49.0	47.3	48.4	49.1	48.6	48.5
377	01075.0	4	49.4	47.6	47.4	47.6	47.8	49.3	47.4	48.1	47.9	48.8	49.5	47.7	48.8	49.3	48.7	48.5
378	01075.0	2	50.6	48.4	47.8	47.8	47.8	49.2	47.0	47.7	47.0	47.9	49.2	47.4	48.2	48.2	47.4	47.2
379	01075.0	1	50.6	48.3	47.6	47.7	47.8	49.1	46.9	47.6	46.6	47.5	49.2	47.3	48.2	48.4	47.3	47.2
380	01075.0	2	50.1	48.0	47.3	47.4	47.8	49.1	46.7	47.5	46.2	47.3	48.7	47.0	48.0	48.2	47.3	47.3
381	01075.0	4	49.6	47.8	47.4	47.8	48.2	49.8	47.6	48.4	47.8	48.8	49.6	48.0	49.2	49.7	49.0	48.9
382	01075.0	4	49.7	48.0	47.5	47.9	48.1	49.8	47.8	48.6	48.4	49.3	50.0	48.3	49.5	49.9	49.3	49.2
383	01075.0	1	51.2	49.1	48.2	48.3	48.5	49.8	47.4	48.2	47.6	48.6	50.3	48.5	49.6	49.7	48.6	48.3
384	01075.0	1	51.1	48.8	47.9	48.1	48.5	49.8	47.2	48.1	47.2	48.4	50.2	48.5	49.8	49.9	48.8	48.6
385	01075.0	4	50.0	48.3	47.8	48.3	48.7	50.2	47.9	48.8	48.4	49.6	50.4	48.8	50.1	50.5	49.9	49.7
386	01075.0	3	51.5	49.6	48.8	49.2	49.2	50.6	48.4	49.2	48.9	49.8	50.9	49.2	50.4	50.6	49.7	49.4
387	01075.0	3	51.5	49.3	48.6	49.0	49.2	50.6	48.3	48.9	48.5	49.7	51.2	49.5	50.8	51.1	50.1	49.9
388	01075.0	5	50.3	48.7	48.3	48.7	49.0	50.7	48.6	49.4	49.4	50.3	51.0	49.4	50.6	51.2	50.5	50.4
389	01075.0	6	49.5	47.9	47.6	48.1	48.5	50.2	48.2	48.9	48.9	50.0	50.5	48.9	50.2	50.8	50.2	50.0
390	01113.0	0	51.1	49.1	48.2	48.3	48.6	49.9	47.6	48.3	47.5	48.6	49.9	48.2	49.3	49.6	48.6	48.4
391	01113.0	0	50.5	48.9	48.5	48.8	49.1	50.7	48.6	49.4	48.9	50.0	50.7	49.1	50.2	50.7	50.0	49.9
392	01113.0	0	50.4	48.8	48.0	48.4	48.9	50.4	48.2	48.9	48.5	49.6	50.8	49.2	50.6	51.0	50.1	50.0
393	01113.0	0	51.4	49.6	48.9	49.3	49.5	51.1	48.9	49.6	49.4	50.4	51.7	49.9	51.2	51.6	50.7	50.5
394	01113.0	0	51.4	49.7	49.0	49.1	49.2	50.7	48.6	49.3	48.9	49.9	50.9	49.2	50.3	50.7	49.9	49.7
395	01113.0	0	50.8	49.3	48.8	49.1	49.2	50.8	48.7	49.5	49.1	50.0	50.8	49.0	50.2	50.6	49.9	50.0
396	0 0.0	0	51.1	52.0	50.9	51.1	51.0	50.9	50.7	50.4	50.2	49.6	50.4	49.7	50.3	49.8	49.3	48.6
397	0 0.0	0	54.1	54.0	55.0	54.2	54.3	54.0	53.7	53.5	52.7	52.4	52.0	52.0	50.7	51.0	50.3	49.4
398	0 0.0	0	51.5	50.5	49.3	50.4	51.1	50.1	50.6	51.0	51.0	49.1	48.6	46.3	47.8	45.9	46.8	44.9
399	0 0.0	0	50.0	53.4	52.8	53.1	53.6	50.6	51.5	50.8	50.3	51.7	50.8	52.2	50.0	49.4	46.5	47.8
400	0 0.0	0	76.5	73.6	72.6	72.6	72.5	74.1	72.7	74.0	74.7	76.0	80.8	78.9	79.9	80.9	80.5	80.5
401	0 0.0	0	76.3	73.4	72.4	72.3	72.2	73.8	72.5	73.7	74.4	75.8	80.7	78.7	79.8	80.7	80.4	80.3
402	0 0.0	0	0.9	1.0	0.8	0.9	0.9	0.8	0.9	0.9	0.8	0.8	0.9	1.1	0.9	0.9	1.0	0.8
403	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
404	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
405	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

DATUM

2. 7.80

41

VERSUCH NR.	17	18	19	20
RAUMTEMPERATUR	28.6	26.4	28.3	26.8
DURCHSATZ (KG/S)	0.0065	0.0058	0.0051	0.0046
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	0.187	0.169	0.148	0.132
DRUCKVERLUST (N/M**2)				
GES. X=1060.0(MM)	91.	77.	66.	55.
BIS X= 560.0(MM)	29.	25.	21.	18.
BIS X= 624.0(MM)	45.	39.	33.	27.
BIS X= 717.0(MM)	53.	46.	38.	32.
BIS X= 810.0(MM)	61.	51.	44.	36.
BIS X= 874.0(MM)	76.	64.	54.	46.
BIS X= 967.0(MM)	83.	70.	59.	50.
EINTR.DRUCK (BAR)	7.16	7.16	7.15	7.15
EINTR.TEMP. GRADC	47.1	46.4	45.9	45.3

TE R	AX	RAD	T
NR NR.	POS	POS	
	(MM)	(GRD)	GRAD C

1	1	338.8	270	50.0	47.9	49.4	47.6
2	1	348.1	330	50.3	48.2	49.7	47.9
3	1	388.1	150	50.2	48.2	49.7	48.0
4	1	388.1	330	50.8	48.6	50.1	48.4
5	1	487.7	255	51.0	48.9	50.4	48.7
6	1	487.7	120	51.3	49.1	50.8	49.1
7	1	738.0	150	51.8	49.6	51.3	49.6
8	1	738.0	330	52.4	50.1	51.9	50.1
9	1	795.4	120	52.3	50.0	51.7	50.0
10	1	795.4	255	51.7	49.5	51.2	49.5
11	1	987.0	150	51.9	49.7	51.3	49.6
12	1	987.0	330	52.5	50.2	52.0	50.3
13		11046.6	120	52.4	50.1	51.9	50.2
14		11046.6	255	52.6	50.3	52.1	50.4
15	2	358.5	0	50.8	48.4	49.9	48.2
16	2	388.0	0	55.7	*****	54.2	*****
17	2	388.0	210	50.7	48.4	50.0	48.2
18	2	398.0	0	51.1	48.7	50.3	48.6
19	2	488.1	30	51.4	49.1	50.7	49.0
20	2	488.1	165	50.1	47.8	49.4	47.6
21	2	738.0	0	51.2	48.8	50.5	48.6
22	2	738.0	210	51.3	49.0	50.6	48.9
23	2	797.8	30	51.7	49.4	51.1	49.4
24	2	797.8	165	51.4	49.0	50.7	48.9
25	2	987.2	0	52.2	49.8	51.5	49.8
26	2	987.2	210	51.9	49.6	51.3	49.6
27		21049.0	30	52.5	50.1	51.9	50.2
28		21049.0	165	52.1	49.8	51.5	49.7
29	3	294.0	30	51.2	48.7	50.4	48.7
30	3	303.7	330	50.3	47.7	49.4	47.7
31	3	388.7	15	50.7	48.1	49.8	48.1
32	3	388.7	255	50.5	48.0	49.7	48.0
33	3	488.5	60	51.1	48.6	50.3	48.6
34	3	488.5	150	51.1	48.6	50.3	48.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4I

VERSUCH NR.		17	18	19	20
35	3 738.5 15	52.0	49.5	51.3	49.6
36	3 738.5 255	51.7	49.3	51.1	49.4
37	3 798.5 60	52.4	50.0	51.7	50.1
38	3 798.5 150	52.3	49.9	51.7	50.0
39	3 988.5 15	53.3	50.9	52.6	50.9
40	3 988.5 255	51.8	49.4	51.1	49.4
41	31049.0 60	52.4	50.0	51.8	50.1
42	31049.0 150	52.3	49.9	51.7	50.0
43	4 293.9 300	50.7	48.7	50.3	48.6
44	4 303.7 300	50.7	48.7	50.3	48.5
45	4 339.0 300	51.2	49.1	50.7	48.9
46	4 348.4 300	51.0	48.9	50.6	48.8
47	4 379.1 300	51.1	49.0	50.6	48.8
48	4 389.0 45	51.0	49.1	50.6	48.8
49	4 389.0 210	51.2	49.2	50.8	49.0
50	4 408.8 300	42.6	44.0	43.8	43.8
51	4 418.6 300	50.7	48.7	50.3	48.5
52	4 428.7 300	51.0	49.0	50.6	48.8
53	4 739.2 45	*****	*****	*****	*****
54	4 739.2 210	51.8	49.7	51.3	49.6
55	4 989.5 45	52.1	49.9	51.6	49.8
56	4 989.5 210	52.4	50.2	51.9	50.1
57	5 369.5 195	50.2	48.4	49.8	47.9
58	5 369.5 300	50.5	48.7	50.1	48.2
59	5 389.0 30	50.5	48.7	50.1	48.2
60	5 389.0 150	49.2	47.4	48.8	46.8
61	5 549.0 195	49.8	47.8	49.2	47.3
62	5 549.0 300	50.0	48.1	49.5	47.6
63	5 738.7 30	50.6	48.5	50.0	48.1
64	5 738.7 150	50.4	48.4	49.8	47.9
65	5 809.2 120	50.8	48.7	50.2	48.3
66	5 819.0 180	50.9	48.8	50.2	48.3
67	5 929.4 195	51.0	48.9	50.3	48.5
68	5 929.4 300	51.2	49.1	50.6	48.7
69	5 989.0 30	51.3	49.2	50.7	48.9
70	5 989.0 150	49.8	47.7	49.1	47.3
71	6 388.6 225	49.6	47.8	48.9	47.0
72	6 388.6 300	49.9	48.0	49.2	47.4
73	6 488.5 30	49.8	47.9	49.2	47.4
74	6 488.5 150	49.8	47.9	49.1	47.3
75	6 739.4 225	50.5	48.5	49.8	48.0
76	6 739.4 300	50.3	48.3	49.7	47.9
77	6 798.8 30	50.7	48.5	49.9	48.2
78	6 798.8 30	50.6	48.5	49.8	48.0
79	6 829.0 180	50.9	48.8	50.1	48.3
80	6 839.0 240	49.8	47.8	49.1	47.3
81	6 988.8 225	50.5	48.4	49.8	48.0
82	6 988.8 300	50.6	48.4	49.9	48.1
83	61049.0 30	50.8	48.6	50.1	48.2
84	61049.0 150	50.7	48.6	50.0	48.2
85	7 339.0 150	50.9	48.9	49.8	48.3
86	7 349.0 150	50.9	48.9	49.8	48.2
87	7 359.0 150	50.7	48.8	49.6	48.0
88	7 369.0 165	50.9	49.1	49.9	48.3
89	7 369.0 330	50.7	48.9	49.9	48.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

41

VERSUCH NR.	17	18	19	20	
90	7 379.0 150	50.2	48.3	49.2	47.5
91	7 398.9 150	50.8	48.8	49.8	48.1
92	7 408.6 150	51.0	49.1	50.0	48.3
93	7 489.4 165	51.3	49.2	50.4	48.7
94	7 489.4 330	51.2	49.1	50.3	48.7
95	7 799.0 165	51.9	49.7	51.1	49.5
96	7 799.0 330	51.9	49.7	51.2	49.5
97	71049.0 165	48.9	46.5	45.4	45.7
98	71049.0 330	52.2	49.9	51.5	49.8
99	8 294.6 210	51.4	49.2	50.7	48.8
100	8 304.2 270	48.1	45.9	47.3	45.5
101	8 368.7 135	48.2	46.0	47.3	45.5
102	8 368.7 255	48.7	46.5	47.8	46.0
103	8 389.1 30	48.6	46.4	47.8	45.9
104	8 389.1 300	48.9	46.7	48.1	46.3
105	8 549.0 135	49.4	47.1	48.6	46.8
106	8 549.0 255	49.6	47.3	48.8	47.0
107	8 739.0 30	49.5	47.1	48.7	46.9
108	8 739.0 300	49.6	47.3	48.9	47.1
109	8 929.0 135	49.6	47.3	48.9	47.1
110	8 929.0 255	49.7	47.4	49.1	47.3
111	8 988.8 30	50.0	47.7	49.3	47.5
112	8 988.8 300	50.3	47.9	49.7	48.0
113	9 369.4 105	49.2	47.1	48.0	46.1
114	9 369.4 180	102.1	84.9	83.0	72.7
115	9 389.0 30	48.9	46.8	47.9	46.0
116	9 389.0 270	49.0	46.9	47.9	46.0
117	9 549.0 105	49.1	47.0	48.1	46.1
118	9 549.0 180	49.0	46.9	48.0	46.1
119	9 739.2 30	49.0	46.9	48.0	46.1
120	9 739.2 270	48.1	45.9	47.1	45.2
121	9 909.0 60	48.6	46.4	47.6	45.7
122	9 919.0 120	49.1	46.8	48.0	46.1
123	9 929.0 105	49.2	47.0	48.1	46.2
124	9 929.0 180	49.4	47.1	48.3	46.4
125	9 988.8 30	49.4	47.1	48.3	46.4
126	9 988.8 270	49.5	47.2	48.4	46.6
127	10 489.3 90	49.4	46.9	47.7	45.9
128	10 489.3 300	49.2	46.8	47.7	45.8
129	10 549.0 60	49.1	46.7	47.6	45.7
130	10 549.0 210	60.5	49.5	49.4	51.9
131	10 739.0 180	48.8	46.3	47.2	45.4
132	10 739.0 330	48.6	46.2	47.2	45.3
133	10 799.0 90	48.9	46.5	47.4	45.5
134	10 799.0 300	49.0	46.6	47.5	45.6
135	10 929.0 60	49.1	46.7	47.6	45.8
136	10 929.0 210	49.4	46.9	47.9	46.0
137	10 989.0 180	49.4	47.0	48.0	46.1
138	10 989.0 330	49.1	46.8	47.8	46.0
139	101049.0 90	49.2	46.8	47.8	46.0
140	101049.0 300	47.8	45.4	46.4	44.6
141	11 389.0 60	48.4	45.6	46.2	44.7
142	11 389.0 315	48.5	45.7	46.4	44.8
143	11 489.0 150	49.1	46.4	47.1	45.5
144	11 489.0 270	49.2	46.5	47.2	45.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

41

VERSUCH NR.	17	18	19	20
145 11 738.9 60	49.3	46.7	47.5	45.9
146 11 738.9 315	49.2	46.6	47.5	45.8
147 11 799.6 150	49.5	46.9	47.8	46.1
148 11 799.6 270	49.2	46.7	47.6	45.9
149 11 849.3 240	49.2	46.6	47.4	45.8
150 11 859.8 300	47.6	45.1	45.9	44.2
151 11 989.3 60	48.4	45.8	46.8	45.2
152 11 989.3 315	92.0	*****	*****	149.5
153 111049.2 150	49.0	46.4	47.5	45.8
154 111049.2 270	49.0	46.6	47.6	45.9
155 12 359.9 30	49.8	47.0	47.9	46.3
156 12 370.0 15	49.8	47.1	48.0	46.5
157 12 370.0 240	49.7	47.1	47.9	46.3
158 12 379.2 90	49.7	47.0	47.9	46.4
159 12 489.0 90	49.5	47.0	48.1	46.5
160 12 489.0 270	47.9	45.3	46.3	44.6
161 12 548.9 15	48.5	45.9	47.0	45.5
162 12 548.9 240	48.8	46.3	47.3	45.8
163 12 799.3 90	49.6	47.0	48.3	46.7
164 12 799.3 270	49.3	46.8	48.0	46.4
165 12 929.3 15	49.4	46.9	48.2	46.7
166 12 928.4 240	*****	*****	*****	*****
167 121049.5 90	49.7	47.3	48.7	47.1
168 121049.5 270	48.9	46.4	47.8	46.2
169 13 338.8 60	48.4	45.9	47.1	44.8
170 13 349.0 60	48.1	45.6	46.8	44.6
171 13 368.9 90	48.6	46.0	47.3	45.1
172 13 368.9 240	48.7	46.2	47.5	45.4
173 13 388.5 45	48.7	46.3	47.6	45.4
174 13 388.5 270	48.7	46.3	47.7	45.6
175 13 549.0 90	48.9	46.5	47.8	45.8
176 13 549.0 240	48.7	46.3	47.7	45.8
177 13 738.7 45	48.3	45.9	47.3	45.4
178 13 738.7 270	48.5	46.0	47.4	45.5
179 13 929.3 90	48.4	46.0	47.3	45.3
180 13 929.3 240	48.9	46.4	47.8	45.8
181 13 989.2 45	49.0	46.6	48.1	46.1
182 13 989.2 270	49.4	47.0	48.5	46.6
183 14 369.0 30	49.3	46.7	47.7	45.5
184 14 369.0 270	49.2	46.5	47.7	45.4
185 14 488.9 75	49.2	46.6	47.7	45.5
186 14 488.9 180	48.9	46.3	47.5	45.3
187 14 548.8 30	48.4	45.8	46.9	44.8
188 14 548.8 270	48.2	45.5	46.6	44.4
189 14 799.2 75	48.4	45.7	46.7	44.5
190 14 799.2 180	49.4	46.7	47.8	45.7
191 14 890.2 0	49.3	46.8	47.9	45.8
192 14 899.8 60	49.7	47.2	48.2	46.2
193 14 929.5 30	50.1	47.5	48.5	46.4
194 14 929.5 270	50.3	47.7	48.8	46.7
195 141049.2 75	50.2	47.6	48.7	46.7
196 141049.2 180	50.3	47.7	48.8	46.8
197 15 369.1 150	50.9	48.2	49.0	46.8
198 15 369.1 270	50.7	47.9	48.8	46.6
199 15 488.6 60	50.4	47.8	48.7	46.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

41

VERSUCH NR.	17	18	19	20	
200	15 488.6 345	49.9	47.2	48.0	45.9
201	15 549.6 150	49.9	47.2	48.0	45.9
202	15 549.6 270	50.0	47.2	48.1	45.8
203	15 799.6 60	49.8	47.2	48.1	46.0
204	15 799.6 345	49.9	47.1	48.0	45.9
205	15 869.0 0	49.6	47.0	47.9	45.8
206	15 879.0 300	49.8	47.1	48.1	46.0
207	15 929.2 150	49.9	47.2	48.2	46.2
208	15 929.2 270	49.5	46.9	47.8	45.7
209	151049.1 60	49.4	46.7	47.7	45.7
210	151049.1 345	50.0	47.4	48.4	46.4
211	16 368.5 150	50.4	47.9	48.7	46.7
212	16 368.5 285	50.1	47.8	48.6	46.6
213	16 418.6 210	50.4	47.8	48.7	46.8
214	16 428.5 210	50.4	47.8	48.8	46.8
215	16 488.5 120	50.4	47.8	48.8	46.9
216	16 488.5 330	50.2	47.7	48.6	46.7
217	16 548.6 150	50.4	47.9	48.8	47.0
218	16 548.6 285	50.0	47.5	48.5	46.6
219	16 798.9 120	50.2	47.6	48.9	47.0
220	16 798.9 330	50.0	47.5	48.5	46.8
221	16 929.0 150	50.3	47.7	48.9	47.0
222	16 929.0 285	50.0	47.4	48.5	46.6
223	161049.0 120	50.3	47.8	49.0	47.3
224	161049.0 330	50.1	47.6	48.8	47.0
225	17 368.7 30	50.2	47.4	48.8	46.7
226	17 368.7 210	50.4	47.7	49.0	46.9
227	17 388.4 0	50.4	47.7	49.0	46.9
228	17 388.4 135	50.4	47.7	49.1	46.9
229	17 418.8 150	50.3	47.6	48.9	46.9
230	17 428.8 210	50.1	47.4	48.8	46.8
231	17 549.0 30	50.1	47.5	48.9	46.8
232	17 549.0 210	50.4	47.7	49.2	47.2
233	17 739.2 0	50.3	47.6	49.1	47.0
234	17 739.2 135	50.5	47.8	49.3	47.3
235	17 928.9 30	50.4	47.7	49.1	47.2
236	17 928.9 210	50.3	47.8	49.3	47.4
237	17 989.1 0	50.4	47.7	49.2	47.3
238	17 989.1 135	50.4	47.8	49.2	47.4
239	18 294.0 0	50.3	47.5	48.4	46.5
240	18 304.0 0	50.1	47.4	48.4	46.4
241	18 359.2 0	50.3	47.5	48.5	46.6
242	18 369.1 90	50.3	47.5	48.6	46.6
243	18 369.1 285	50.3	47.5	48.5	46.6
244	18 378.9 0	50.2	47.5	48.5	46.5
245	18 389.1 90	50.4	47.6	48.7	46.8
246	18 389.1 285	50.2	47.4	48.5	46.5
247	18 409.2 0	50.3	47.5	48.6	46.6
248	18 429.3 0	50.1	47.3	48.3	46.3
249	18 549.5 90	50.0	47.4	48.5	46.6
250	18 549.5 285	49.7	46.9	48.1	46.2
251	18 930.2 90	49.9	47.3	48.6	46.7
252	18 930.2 285	49.6	47.0	48.3	46.4
253	19 369.0 180	49.7	47.0	48.1	46.2
254	19 369.0 270	49.5	46.8	47.9	45.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

41

VERSUCH NR.			17	18	19	20	
255	19	398.5	90	49.4	46.7	47.8	45.9
256	19	408.4	150	49.3	46.6	47.8	45.9
257	19	488.5	15	49.2	46.5	47.6	45.8
258	19	488.5	135	48.9	46.1	47.3	45.4
259	19	548.8	180	49.0	46.3	47.3	45.4
260	19	548.8	270	49.1	46.4	47.6	45.7
261	19	798.4	15	49.1	46.4	47.7	45.9
262	19	798.4	135	48.8	46.2	47.5	45.7
263	19	928.5	180	49.1	46.5	47.9	46.1
264	19	928.5	270	49.1	46.5	47.9	46.0
265	19	1048.7	15	29.2	26.9	28.9	27.4
266	19	1048.7	135	48.6	46.1	47.5	45.7
267	21	370.0	150	49.0	46.3	47.8	45.9
268	21	370.0	144	48.6	46.0	47.5	45.6
269	21	370.0	126	48.7	46.1	47.4	45.6
270	21	370.0	120	49.2	46.5	48.0	46.0
271	21	370.0	30	48.4	45.8	47.4	45.6
272	21	370.0	26	48.2	45.7	47.3	45.5
273	21	370.0	7	48.3	45.8	47.3	45.6
274	21	370.0	0	48.2	45.7	47.3	45.6
275	21	370.0	210	49.0	46.4	47.9	46.1
276	21	370.0	206	48.9	46.3	47.7	45.9
277	21	370.0	187	48.8	46.2	47.7	45.8
278	21	370.0	180	48.6	46.0	47.4	45.6
279	22	390.0	30	47.9	45.4	46.9	45.2
280	22	390.0	26	48.8	46.3	47.9	46.1
281	22	390.0	7	48.7	46.2	47.8	46.1
282	22	390.0	0	48.8	46.3	47.9	46.1
283	22	390.0	330	48.8	46.3	48.0	46.2
284	22	390.0	324	48.7	46.2	47.9	46.1
285	22	390.0	306	48.7	46.1	47.8	46.0
286	22	390.0	300	48.7	46.2	47.8	46.1
287	22	390.0	210	49.7	47.0	48.6	46.7
288	22	390.0	206	49.4	46.8	48.3	46.5
289	22	390.0	187	49.2	46.5	48.1	46.2
290	22	390.0	180	50.4	47.8	49.3	47.4
291	23	490.0	180	50.8	48.2	49.7	47.9
292	23	490.0	173	50.9	48.2	49.7	47.9
293	23	490.0	156	50.8	48.2	49.7	47.9
294	23	490.0	150	50.8	48.2	49.8	47.9
295	23	490.0	60	50.2	47.7	49.3	47.5
296	23	490.0	54	50.0	47.4	49.1	47.3
297	23	490.0	34	50.0	47.5	49.2	47.4
298	23	490.0	30	50.0	47.4	49.1	47.3
299	23	490.0	0	49.7	47.2	48.8	47.0
300	23	490.0	353	50.0	47.5	49.2	47.4
301	23	490.0	336	50.0	47.5	49.2	47.4
302	23	490.0	330	50.2	47.7	49.4	47.6
303	24	550.0	180	51.3	48.6	50.2	48.3
304	24	550.0	173	51.4	48.8	50.4	48.5
305	24	550.0	156	51.4	48.8	50.4	48.5
306	24	550.0	150	51.4	48.8	50.3	48.5
307	24	550.0	0	50.4	47.9	49.6	47.8
308	24	550.0	353	50.2	47.7	49.5	47.7
309	24	550.0	336	50.3	47.8	49.5	47.8

TE R AX RAD Y  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

41

VERSUCH NR.	17	18	19	20	
310	24 550.0 330	50.8	48.2	49.9	48.1
311	24 550.0 240	51.3	48.7	50.3	48.5
312	24 550.0 234	51.4	48.8	50.4	48.6
313	24 550.0 216	51.6	49.0	50.6	48.7
314	24 550.0 210	51.6	49.0	50.6	48.7
315	25 740.0 150	52.0	49.4	51.0	49.2
316	25 740.0 144	51.8	49.3	50.9	49.0
317	25 740.0 126	51.8	49.3	50.8	49.0
318	25 740.0 120	51.5	49.0	50.6	48.9
319	25 740.0 30	51.3	48.7	50.4	48.7
320	25 740.0 26	50.9	48.5	50.1	48.4
321	25 740.0 7	51.1	48.7	50.4	48.6
322	25 740.0 0	51.1	48.7	50.4	48.7
323	25 740.0 210	51.7	49.2	50.8	49.0
324	25 740.0 206	51.7	49.1	50.8	49.0
325	25 740.0 187	51.6	49.1	50.7	48.9
326	25 740.0 180	51.7	49.1	50.8	48.9
327	26 800.0 30	51.3	48.8	50.6	48.8
328	26 800.0 26	232.0	205.0	215.4	217.6
329	26 800.0 7	51.0	48.5	50.2	48.5
330	26 800.0 0	50.6	48.1	49.8	48.1
331	26 800.0 330	50.7	48.2	50.0	48.2
332	26 800.0 324	50.8	48.4	50.1	48.4
333	26 800.0 306	51.0	48.5	50.2	48.4
334	26 800.0 300	51.0	48.5	50.2	48.5
335	26 800.0 210	51.4	48.9	50.5	48.8
336	26 800.0 206	32.5	*****	*****	55.6
337	26 800.0 187	*****	*****	*****	61.2
338	26 800.0 180	51.4	49.0	50.6	48.8
339	27 930.0 180	51.4	48.8	50.5	48.7
340	27 930.0 173	50.8	48.3	49.9	48.2
341	27 930.0 156	51.0	48.5	50.1	48.3
342	27 930.0 150	51.2	48.7	50.3	48.6
343	27 930.0 60	50.5	48.0	49.8	48.0
344	27 930.0 54	50.7	48.2	49.9	48.2
345	27 930.0 34	50.8	48.3	50.1	48.3
346	27 930.0 30	51.0	48.5	50.2	48.5
347	27 930.0 0	50.7	48.2	50.0	48.3
348	27 930.0 353	37.7	35.5	36.7	34.6
349	27 930.0 336	50.8	48.3	50.1	48.3
350	27 930.0 330	49.9	47.5	49.2	47.5
351	28 990.0 180	50.7	48.3	49.9	48.2
352	28 990.0 173	50.8	48.3	50.0	48.2
353	28 990.0 156	51.1	48.6	50.2	48.4
354	28 990.0 150	51.0	48.6	50.2	48.4
355	28 990.0 0	50.7	48.3	50.0	48.3
356	28 990.0 353	50.4	48.0	49.8	48.0
357	28 990.0 336	50.7	48.2	50.0	48.2
358	28 990.0 330	50.4	47.9	49.7	48.0
359	28 990.0 240	51.0	48.5	50.1	48.4
360	28 990.0 234	50.2	47.7	49.4	47.7
361	28 990.0 216	50.5	48.0	49.6	47.9
362	28 990.0 210	50.7	48.2	49.8	48.1
363	291050.0 150	50.6	48.1	49.7	48.0
364	291050.0 144	50.9	48.4	50.1	48.3

TE R AX RAD T  
 NR NR. POS POS  
 [MM] (GRD)GRAD C

41

VERSUCH NR.		17	18	19	20	
365	291050.0	126	50.7	48.1	49.8	48.0
366	291050.0	120	50.7	48.2	49.8	48.0
367	291050.0	30	50.4	47.9	49.7	48.0
368	291050.0	26	50.2	47.7	49.5	47.8
369	291050.0	7	50.3	47.8	49.6	47.8
370	291050.0	0	49.8	47.4	49.1	47.4
371	291050.0	210	50.4	47.9	49.5	47.8
372	291050.0	206	50.6	48.0	49.7	48.0
373	291050.0	187	50.7	48.2	49.8	48.1
374	291050.0	180	50.9	48.4	50.0	48.2
375	01075.0	6	49.3	47.0	48.8	47.0
376	01075.0	5	49.1	46.9	48.6	46.8
377	01075.0	4	49.1	46.8	48.5	46.6
378	01075.0	2	47.4	45.2	46.7	44.4
379	01075.0	1	47.1	45.0	46.3	43.9
380	01075.0	2	47.1	44.9	46.3	43.9
381	01075.0	4	49.2	46.9	48.5	46.5
382	01075.0	4	49.8	47.4	49.1	47.1
383	01075.0	1	48.3	46.0	47.2	44.8
384	01075.0	1	48.3	46.0	47.2	44.8
385	01075.0	4	50.1	47.6	49.2	47.2
386	01075.0	3	49.7	47.1	48.5	46.3
387	01075.0	3	49.9	47.4	48.7	46.5
388	01075.0	5	50.9	48.3	49.9	48.1
389	01075.0	6	50.5	48.0	49.6	47.8
390	01113.0	0	48.5	46.3	47.8	45.6
391	01113.0	0	50.3	48.0	49.6	47.6
392	01113.0	0	50.1	47.8	49.3	47.3
393	01113.0	0	50.7	48.2	49.6	47.5
394	01113.0	0	50.2	47.8	49.4	47.4
395	01113.0	0	50.3	48.1	49.9	47.8
396	0 0.0	0	47.3	47.1	46.9	45.6
397	0 0.0	0	49.7	48.1	47.7	46.3
398	0 0.0	0	45.0	47.3	45.9	46.3
399	0 0.0	0	45.6	45.5	47.1	43.7
400	0 0.0	0	81.1	78.4	79.9	77.9
401	0 0.0	0	80.9	78.3	79.8	77.7
402	0 0.0	0	0.9	0.9	0.7	0.9
403	0 0.0	0	0.0	0.0	0.0	0.0
404	0 0.0	0	0.0	0.0	0.0	0.0
405	0 0.0	0	-0.0	0.0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0	-0.0	-0.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	22.9	23.5	23.9	24.1	24.9	24.3	25.4	26.3	28.3	26.6	27.9	29.0	29.5	30.2	29.8	31.7
DURCHSATZ (KG/S)	0.6341	0.5725	0.5156	0.4633	0.4131	0.3721	0.3333	0.3019	0.2891	0.2643	0.2410	0.2172	0.1937	0.1736	0.1573	0.1414
EL. ENERGIE (KW)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REYNOLDSZAHL*E-04	18.432	16.571	14.867	13.324	11.879	10.712	9.586	8.683	8.276	7.585	6.919	6.238	5.571	4.996	4.536	4.072
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	56890.	45042.	36427.	29327.	24124.	19422.	15553.	12787.	10916.	9073.	7267.	5813.	4678.	3739.	3055.	2435.
BIS X= 560.0(MM)	15818.	12842.	10429.	8437.	6779.	5457.	4424.	3642.	3095.	2611.	2092.	1650.	1317.	1104.	913.	767.
BIS X= 624.0(MM)	25012.	20398.	16568.	13360.	10755.	8587.	6977.	5627.	4888.	4027.	3269.	2591.	2101.	1665.	1427.	1123.
BIS X= 717.0(MM)	30756.	25049.	20297.	16354.	13141.	10503.	8503.	6882.	5957.	4920.	3981.	3170.	2563.	2033.	1728.	1365.
BIS X= 810.0(MM)	36366.	29564.	23985.	19323.	15500.	12378.	10027.	8121.	7007.	5795.	4677.	3733.	3013.	2393.	2020.	1598.
BIS X= 874.0(MM)	45549.	37012.	29989.	24151.	19351.	15468.	12509.	10146.	8731.	7224.	5827.	4668.	3755.	2991.	2509.	1994.
BIS X= 967.0(MM)	50856.	41255.	33740.	27170.	21769.	17402.	14032.	11409.	9814.	8127.	6537.	5226.	4206.	3348.	2796.	2221.
EINTR.DRUCK (BAR)	14.14	14.25	14.32	14.33	14.30	14.27	14.24	14.24	14.33	14.29	14.17	14.15	14.13	14.11	14.12	14.11
EINTR.TEMP. GRADC	99.0	100.8	103.4	105.2	105.0	104.6	105.0	104.4	107.2	106.4	106.7	105.7	105.2	104.6	103.5	103.6

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	98.2	100.1	102.1	104.3	104.8	103.8	104.6	105.2	108.4	105.7	103.9	105.8	102.7	105.2	104.0	105.2
2	1	348.1	330	97.7	99.3	101.3	103.6	104.2	103.4	104.2	104.6	107.7	105.4	104.5	105.5	104.4	104.7	103.8	104.6
3	1	388.1	150	98.1	99.8	101.7	103.7	104.9	104.2	104.5	105.1	108.1	105.8	105.5	105.7	105.0	104.5	103.7	104.2
4	1	388.1	330	98.0	99.6	101.9	103.8	104.7	104.0	104.1	104.7	107.8	105.7	105.1	106.0	105.0	105.0	103.9	104.8
5	1	487.7	255	97.8	99.6	102.1	104.2	104.9	104.3	104.7	105.0	108.3	106.2	105.6	106.6	105.5	105.3	104.4	105.1
6	1	487.7	120	98.0	99.7	101.8	103.9	104.8	104.1	104.2	104.4	107.7	105.3	104.8	105.9	105.0	104.8	104.1	104.5
7	1	738.0	150	98.0	99.9	102.0	104.1	104.8	104.1	104.8	105.1	108.3	106.0	105.5	106.5	105.7	105.6	104.7	105.3
8	1	738.0	330	98.4	100.4	102.3	104.2	104.9	104.4	105.2	105.7	108.5	106.2	105.9	107.0	106.4	106.2	105.3	106.1
9	1	795.4	120	98.4	100.6	102.5	104.4	105.0	104.3	105.3	105.9	108.5	106.7	106.2	107.2	106.6	106.5	105.5	106.3
10	1	795.4	255	98.3	100.7	102.5	104.4	105.1	104.2	105.2	105.7	108.4	106.3	105.6	106.4	106.0	105.8	104.8	105.7
11	1	987.0	150	97.9	100.3	102.0	104.0	105.1	104.2	104.9	105.4	108.3	106.2	105.5	106.4	106.0	105.7	104.7	105.7
12	1	987.0	330	98.1	100.3	102.2	104.1	105.0	104.3	105.0	105.4	108.2	106.1	105.6	106.5	106.1	105.9	105.0	106.0
13	1	11046.6	120	98.1	100.3	102.3	104.1	104.9	104.3	104.9	105.5	108.5	106.2	105.8	106.8	106.3	106.0	105.1	106.1
14	1	11046.6	255	98.4	100.5	102.5	104.2	105.0	104.5	105.2	105.6	108.5	106.1	105.8	106.8	106.3	106.0	105.0	106.1
15	2	358.5	0	98.2	100.4	102.4	104.8	105.0	104.3	105.2	105.6	108.9	106.7	106.3	107.7	106.6	106.3	105.2	106.0
16	2	388.0	0	98.4	100.5	102.3	104.7	104.9	104.0	105.5	105.3	108.9	106.4	106.4	107.7	106.6	106.4	105.1	106.0
17	2	388.0	210	98.3	100.8	102.2	104.8	105.3	104.2	104.8	105.8	109.4	106.3	106.5	108.1	106.7	106.4	104.8	105.6
18	2	398.0	0	98.2	100.4	101.9	104.5	105.0	104.2	104.2	105.6	108.9	106.4	106.2	107.6	106.5	106.3	104.9	105.8
19	2	488.1	30	98.3	100.4	102.0	104.4	105.1	104.5	104.3	105.8	108.7	106.5	106.2	107.6	106.8	106.4	105.2	106.0
20	2	488.1	165	98.1	100.7	102.0	104.5	105.1	104.5	104.5	105.8	108.8	106.6	105.7	107.0	106.0	105.5	104.7	104.9
21	2	738.0	0	98.1	100.3	102.2	104.3	104.9	104.3	104.9	105.5	108.6	106.3	105.9	107.0	106.2	105.7	104.6	105.6
22	2	738.0	210	98.2	100.7	102.5	104.6	104.9	104.3	105.0	105.7	108.9	106.5	106.0	107.1	106.2	105.8	104.7	105.3
23	2	797.8	30	97.9	100.5	102.3	104.2	105.1	104.3	104.8	105.5	108.5	106.4	106.0	107.2	106.5	106.2	105.1	105.8
24	2	797.8	165	98.3	100.9	102.5	104.4	105.1	104.4	105.0	105.8	109.0	106.7	106.4	107.3	106.8	106.3	105.0	105.6
25	2	987.2	0	98.0	100.4	102.2	104.3	105.1	104.1	104.8	105.4	108.3	106.3	106.1	107.1	106.6	106.3	105.0	105.9
26	2	987.2	210	98.2	100.5	102.4	104.2	104.8	104.2	104.8	105.6	108.8	106.6	106.4	107.2	106.7	106.2	105.0	105.8
27	2	21049.0	30	97.9	100.0	101.9	104.0	104.8	103.8	104.6	105.3	108.4	106.4	106.3	107.1	106.7	106.3	105.3	106.1
28	2	21049.0	165	98.0	100.2	102.1	104.2	105.1	104.0	104.8	105.4	108.9	106.8	106.9	107.6	107.0	106.5	105.5	106.4
29	3	294.0	30	98.5	100.6	102.5	104.4	105.0	104.3	105.1	105.6	109.5	106.8	107.6	108.3	107.5	106.8	105.7	106.5
30	3	303.7	330	98.5	100.7	102.5	104.5	105.0	104.3	105.1	105.3	109.2	106.7	107.0	107.4	106.7	106.0	105.0	105.7
31	3	388.7	15	98.9	100.5	102.6	104.1	105.2	104.2	105.1	105.5	109.3	106.7	107.5	107.5	107.0	106.6	105.3	106.1
32	3	388.7	255	99.3	100.4	102.6	104.3	105.1	104.3	104.9	105.4	109.3	106.7	107.6	107.2	106.9	106.8	105.0	106.2
33	3	488.5	60	98.7	100.4	102.5	104.2	105.0	104.3	104.9	105.5	108.9	106.5	107.4	107.6	107.3	106.9	105.5	106.7
34	3	488.5	150	99.0	100.5	102.7	104.2	105.4	104.5	105.2	105.5	109.2	107.0	107.8	107.8	107.7	107.3	105.7	107.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
35	3	738.5	15	98.5	100.0	102.1	104.3	105.0	104.3	105.0	105.3	109.0	106.8	107.2	107.5	107.1	107.0	105.6	106.7
36	3	738.5	255	98.6	100.0	102.1	104.1	105.2	104.2	104.8	105.1	109.1	106.6	107.2	107.5	106.8	106.8	105.4	106.5
37	3	798.5	60	98.2	99.8	101.9	103.9	104.9	104.1	104.7	105.2	109.0	106.6	107.2	107.7	107.2	107.0	105.8	106.9
38	3	798.5	150	98.3	99.7	102.3	104.2	105.2	104.5	105.0	105.5	109.3	107.0	107.7	108.2	107.5	107.4	106.2	107.3
39	3	988.5	15	97.9	99.8	102.2	104.1	105.1	104.4	105.1	105.5	109.2	106.9	107.5	108.1	107.5	107.5	106.3	107.5
40	3	988.5	255	98.0	99.7	102.1	103.9	105.0	104.1	104.8	105.1	108.5	106.5	106.3	106.9	106.1	106.2	104.8	106.0
41	3	1049.0	60	97.8	99.7	101.9	103.8	104.9	104.2	104.9	105.4	108.5	106.7	106.5	107.3	106.6	106.7	105.5	106.6
42	3	1049.0	150	97.9	99.9	102.1	104.1	105.0	104.5	105.1	105.7	108.9	106.8	106.9	107.7	106.9	106.9	105.6	106.8
43	4	293.9	300	97.9	99.9	102.0	104.0	105.1	103.7	104.3	104.5	107.5	105.1	104.9	105.2	105.1	104.9	103.1	104.4
44	4	303.7	300	98.0	100.0	102.1	104.1	105.1	103.7	104.3	104.6	107.6	105.2	105.0	105.3	105.1	105.0	103.3	104.6
45	4	339.0	300	98.1	99.9	102.1	104.0	104.8	103.8	104.4	104.9	107.6	105.3	105.3	105.5	105.2	105.3	103.5	104.8
46	4	348.4	300	97.9	100.0	102.2	104.0	105.0	103.8	104.5	104.8	107.4	105.2	105.4	105.5	105.0	105.2	103.4	104.6
47	4	379.1	300	169.4	71.9	65.9	179.9	69.0	164.6	200.2	98.1	66.0	82.5	*****	56.8	*****	125.8	78.9	178.7
48	4	389.0	45	97.9	99.9	102.1	104.1	105.1	104.2	104.3	104.7	108.0	105.8	105.7	106.0	105.7	105.5	103.7	105.0
49	4	389.0	210	97.9	100.2	102.5	104.4	105.0	104.0	104.3	105.1	108.0	105.6	105.6	106.0	105.8	105.3	103.7	105.0
50	4	408.8	300	99.7	100.4	102.5	105.7	104.4	104.5	104.3	104.2	107.3	105.7	106.0	105.1	103.6	103.2	102.2	102.0
51	4	418.6	300	97.8	100.1	101.8	104.3	105.0	104.0	104.6	104.8	107.5	105.2	104.0	105.3	103.2	104.8	103.2	104.9
52	4	428.7	300	98.1	100.0	102.0	104.2	105.0	104.1	104.9	104.9	107.6	105.5	105.0	105.4	104.6	105.2	103.3	105.2
53	4	739.2	45	97.9	100.0	102.1	104.0	105.1	104.1	104.9	105.1	108.1	105.7	105.6	106.0	105.4	105.6	104.0	105.5
54	4	739.2	210	98.2	100.3	102.2	104.3	104.9	104.3	105.1	105.4	108.3	105.9	105.9	106.2	105.6	105.7	104.3	105.6
55	4	989.5	45	98.2	100.3	102.4	104.3	105.1	104.5	105.3	105.5	108.5	106.2	106.1	106.6	106.1	106.1	104.7	106.0
56	4	989.5	210	98.4	100.5	102.7	104.5	105.4	104.3	105.4	105.7	108.4	106.5	106.3	107.0	106.3	106.3	105.0	106.2
57	5	369.5	195	98.4	100.5	102.5	104.5	105.1	104.2	105.2	105.3	108.7	106.6	106.6	107.1	106.2	106.0	104.9	105.9
58	5	369.5	300	98.4	100.5	102.6	104.4	105.0	104.3	105.2	105.4	108.7	106.6	106.7	107.2	106.0	106.1	104.7	106.0
59	5	389.0	30	98.5	100.5	102.3	104.3	104.9	104.4	105.4	105.3	108.4	106.6	106.9	107.1	105.5	106.4	104.6	106.0
60	5	389.0	150	98.0	100.1	102.0	104.2	104.7	104.4	105.2	104.9	107.9	106.1	106.1	106.1	105.4	105.8	104.1	105.4
61	5	549.0	195	97.9	100.2	102.3	104.2	105.0	104.6	105.5	105.1	108.3	106.5	106.2	106.6	105.8	106.1	104.6	105.7
62	5	549.0	300	98.0	100.1	102.2	104.2	105.1	104.6	105.3	104.9	108.0	106.3	105.8	106.4	105.7	105.9	104.4	105.5
63	5	738.7	30	98.1	100.3	102.2	104.4	104.9	104.6	105.4	105.2	108.4	106.4	106.1	106.7	105.4	106.0	104.5	105.8
64	5	738.7	150	98.0	100.4	102.3	104.4	104.9	104.4	105.3	105.3	108.3	106.4	106.3	106.9	106.3	106.1	104.8	105.8
65	5	809.2	120	98.2	100.6	102.4	104.5	105.1	104.6	105.4	105.6	108.5	106.8	106.6	107.2	106.5	106.4	105.1	106.2
66	5	819.0	180	274.5	285.9	315.2	*****	377.2	337.2	*****	198.4	241.7	56.3	*****	81.5	370.7	*****	*****	53.1
67	5	929.4	195	98.2	100.8	102.6	104.6	105.2	104.6	105.6	105.8	108.8	106.6	106.9	107.5	106.9	106.7	105.5	106.5
68	5	929.4	300	98.2	100.7	102.5	104.4	105.1	104.4	105.4	105.7	108.6	106.7	106.6	107.3	106.6	106.4	105.3	106.3
69	5	989.0	30	98.0	100.5	102.2	104.2	104.9	104.3	105.3	105.5	108.5	106.6	106.5	107.4	106.6	106.4	105.2	106.3
70	5	989.0	150	97.7	100.0	101.9	104.0	104.8	103.9	104.6	104.9	108.2	105.8	105.7	106.5	105.8	105.5	104.3	105.4
71	6	388.6	225	98.4	100.5	102.7	104.4	105.0	104.4	104.5	105.6	108.9	106.5	106.7	107.3	106.7	106.3	104.8	105.9
72	6	388.6	300	98.1	100.7	103.2	104.5	105.2	104.3	104.5	105.7	109.1	106.7	106.7	107.2	106.8	106.1	104.6	106.0
73	6	488.5	30	98.3	100.5	103.1	104.1	104.9	104.3	104.8	105.6	108.8	106.5	106.6	107.3	106.7	106.0	104.5	105.9
74	6	488.5	150	*****	79.0	*****	36.8	*****	*****	141.1	*****	69.6	*****	*****	*****	*****	*****	*****	153.2
75	6	739.4	225	98.4	100.7	103.1	104.6	105.2	104.4	105.2	105.8	109.2	106.7	107.1	107.8	107.1	106.6	105.4	106.5
76	6	739.4	300	98.2	100.2	102.7	104.3	105.0	104.4	105.0	105.4	108.7	106.5	106.6	107.3	106.6	106.2	104.9	106.2
77	6	798.8	30	98.2	100.2	102.6	104.3	105.1	104.3	105.1	105.4	108.9	106.5	106.8	107.6	106.6	106.2	105.0	106.3
78	6	798.8	30	97.9	100.3	102.5	104.5	105.1	104.5	105.2	105.5	109.4	106.7	107.2	107.9	107.1	106.6	105.5	106.6
79	6	829.0	180	98.2	100.5	102.7	104.8	105.3	104.8	105.3	105.7	109.6	107.0	107.4	108.2	107.5	106.7	105.8	106.8
80	6	839.0	240	97.7	100.1	102.0	*****	346.8	227.5	*****	*****	151.2	157.8	140.2	361.9	106.1	105.5	104.7	105.6
81	6	988.8	225	105.4	116.9	107.1	96.5	105.1	104.6	105.2	105.6	109.0	106.8	106.8	107.5	106.6	106.1	105.2	106.1
82	6	988.8	300	98.2	100.4	102.5	104.5	105.0	104.5	105.1	105.5	108.8	106.5	106.5	107.2	106.4	105.9	104.9	105.9
83	6	1049.0	30	98.2	100.3	102.4	104.4	104.8	104.3	105.1	105.4	108.7	106.3	106.5	107.2	106.2	105.8	104.8	105.9
84	6	1049.0	150	48.4	48.6	51.1	*****	42.8	*****	53.0	*****	61.5	58.1	*****	*****	*****	*****	33.0	42.4
85	7	339.0	150	98.4	100.8	103.1	105.0	105.0	104.3	105.3	105.7	109.4	106.9	107.8	108.3	107.7	106.5	105.9	106.9
86	7	349.0	150	99.0	101.2	103.5	105.4	105.5	104.8	105.5	106.2	109.9	107.3	108.0	108.7	108.2	107.0	106.4	107.4
87	7	359.0	150	99.2	101.2	103.5	105.3	105.6	105.0	105.5	106.2	110.0	107.4	108.0	108.7	108.1	107.1	106.4	107.4
88	7	369.0	165	99.3	101.2	103.4	105.4	105.6	104.9	105.5	106.1	109.8	107.2	107.9	108.6	107.9	107.0	106.0	107.1
89	7	369.0	330	99.4	101.1	103.4	105.5	105.5	104.8	105.6	106.2	109.8	107.4	108.0	108.7	107.9	107.1	106.1	107.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
90	7 379.0	150	99.0	101.0	103.0	105.3	105.4	104.6	105.3	106.2	109.2	107.2	107.8	108.1	107.5	106.4	105.5	106.6
91	7 398.9	150	99.2	101.1	103.3	105.5	105.8	104.8	105.4	106.3	109.5	107.6	107.9	108.3	107.9	106.7	105.9	107.0
92	7 408.6	150	98.5	100.5	102.7	104.9	105.4	104.3	104.7	105.6	109.3	107.0	107.1	107.7	107.7	106.4	105.4	106.6
93	7 489.4	165	98.6	100.7	102.7	105.0	105.2	104.2	104.9	105.6	109.2	107.1	107.2	107.7	107.7	106.5	105.5	106.6
94	7 489.4	330	98.8	100.9	103.2	105.7	105.7	104.5	105.3	106.0	109.0	107.4	107.3	107.6	107.6	106.1	105.4	106.5
95	7 799.0	165	98.9	101.0	103.1	105.2	105.7	104.4	105.5	106.0	109.3	107.5	107.7	108.1	107.8	106.9	106.0	107.0
96	7 799.0	330	99.0	101.1	103.1	105.4	105.8	104.3	105.5	105.9	109.3	107.5	107.7	107.9	107.9	106.6	105.7	106.6
97	71049.0	165	98.5	99.9	103.6	104.9	104.7	104.3	105.5	103.9	107.1	106.7	108.1	106.0	106.3	104.9	103.4	104.3
98	71049.0	330	98.6	100.7	103.0	105.0	105.6	104.3	105.3	105.6	108.9	107.1	105.8	107.6	105.8	106.3	105.6	106.6
99	8 294.6	210	97.9	100.1	102.0	104.1	104.9	103.8	104.3	105.0	107.3	105.1	104.8	105.3	104.9	104.5	103.5	104.2
100	8 304.2	270	98.3	100.2	102.0	103.8	104.6	103.4	103.7	104.2	105.6	103.2	102.2	102.7	102.2	102.0	100.9	101.6
101	8 368.7	135	98.4	100.6	102.5	104.1	105.0	103.8	117.1	104.5	106.2	103.7	103.0	103.6	102.9	102.9	101.5	102.2
102	8 368.7	255	98.1	100.3	101.9	103.9	104.4	103.2	103.7	104.0	105.8	103.5	102.6	103.3	102.7	102.5	101.2	102.0
103	8 389.1	30	98.9	100.8	102.5	104.6	105.0	104.3	104.4	104.5	106.8	104.6	103.7	104.4	103.7	103.7	101.9	102.7
104	8 389.1	300	98.1	100.1	102.1	104.0	104.5	103.6	103.8	104.1	106.5	103.5	103.0	103.7	103.3	102.8	101.2	102.4
105	8 549.0	135	98.5	100.8	102.6	104.2	104.9	104.4	104.6	104.9	107.3	104.4	103.9	104.7	103.9	103.6	102.0	103.1
106	8 549.0	255	98.4	100.9	102.6	104.2	105.1	104.2	104.6	104.8	106.9	104.3	103.6	104.4	103.6	103.3	102.0	103.1
107	8 739.0	30	98.2	100.5	102.4	104.2	104.8	103.8	104.3	104.5	106.6	104.3	103.3	104.3	103.4	103.2	102.0	103.1
108	8 739.0	300	98.4	100.9	102.8	104.2	104.9	104.3	104.9	105.0	107.4	105.0	104.0	104.9	104.0	104.0	102.5	103.8
109	8 929.0	135	98.5	100.9	102.8	104.1	104.9	104.3	104.9	105.0	107.2	104.8	103.7	104.5	103.8	103.7	102.3	103.5
110	8 929.0	255	98.7	101.1	102.9	104.2	105.0	104.3	104.9	105.1	107.2	104.8	103.9	104.6	103.9	103.9	102.6	103.6
111	8 988.8	30	98.7	100.9	102.7	104.3	105.1	104.2	104.7	104.9	107.2	104.8	104.2	104.8	104.1	104.2	102.8	103.9
112	8 988.8	300	98.7	100.9	102.8	104.0	104.9	104.3	104.9	105.1	107.5	105.4	104.6	105.2	104.6	104.6	103.4	104.4
113	9 369.4	105	99.7	102.3	103.9	105.5	106.1	105.0	105.4	106.0	108.5	106.7	105.6	106.5	105.7	105.6	104.1	104.8
114	9 369.4	180	93.7	95.2	96.5	97.1	98.1	97.6	98.6	99.2	99.8	98.0	97.7	98.8	98.9	99.3	98.7	100.5
115	9 389.0	30	98.7	101.7	103.3	104.8	105.5	104.4	104.7	105.2	123.6	106.1	*****	150.3	*****	*****	*****	*****
116	9 389.0	270	99.3	101.8	103.2	105.1	105.4	104.4	105.3	105.4	108.2	105.8	104.8	105.0	104.5	104.2	102.9	104.0
117	9 549.0	105	99.2	101.7	103.4	105.2	105.5	104.4	105.4	105.4	108.2	106.4	105.2	105.3	105.1	104.7	103.4	104.5
118	9 549.0	180	99.2	101.5	103.6	105.4	105.6	104.6	105.6	105.8	108.3	106.4	105.3	105.4	105.2	104.7	103.4	104.4
119	9 739.2	30	98.8	101.2	103.2	104.8	105.3	104.5	105.2	105.3	107.8	105.8	104.5	105.0	104.7	104.3	102.8	104.2
120	9 739.2	270	99.5	101.9	103.7	105.2	105.4	104.5	105.2	105.3	107.4	105.1	103.7	104.4	103.9	103.6	102.1	103.3
121	9 909.0	60	99.5	101.8	103.8	105.0	105.5	104.3	105.3	105.4	107.9	105.6	104.6	105.3	104.8	104.4	103.0	104.3
122	9 919.0	120	99.4	101.8	103.7	105.1	105.6	104.4	105.6	105.7	108.3	106.1	105.3	105.8	105.3	105.0	103.5	104.8
123	9 929.0	105	99.4	101.8	103.7	105.2	105.8	104.5	105.3	105.8	108.2	106.5	105.5	106.0	105.5	105.1	103.7	105.0
124	9 929.0	180	98.9	101.2	103.3	104.7	105.5	104.5	105.3	105.5	108.2	106.1	105.2	105.6	105.1	104.7	103.4	104.6
125	9 988.8	30	98.8	101.0	103.0	104.4	105.3	104.3	104.9	105.2	107.7	105.7	104.6	105.0	104.4	104.2	102.8	104.2
126	9 988.8	270	99.6	101.7	103.8	105.0	106.0	104.4	105.3	105.8	108.4	106.3	105.1	105.6	105.0	104.8	103.3	104.6
127	10 489.3	90	100.2	102.0	104.1	105.5	106.8	104.5	105.9	106.4	108.9	106.8	106.1	107.1	106.1	105.7	104.8	105.5
128	10 489.3	300	100.3	102.5	103.9	106.0	107.0	105.3	106.1	106.3	108.9	106.9	106.1	107.0	106.2	106.0	104.7	105.6
129	10 549.0	60	100.1	102.0	103.9	105.6	106.5	104.8	105.7	106.3	108.8	106.8	105.9	106.6	105.9	105.5	104.6	105.3
130	10 549.0	210	99.9	102.2	103.9	105.8	106.3	104.7	105.5	105.9	108.3	106.0	105.2	106.0	105.4	104.9	104.0	104.7
131	10 739.0	180	99.9	102.0	103.8	105.6	106.1	104.4	105.6	105.7	108.5	106.1	105.4	106.1	105.7	105.0	104.1	105.0
132	10 739.0	330	99.6	101.7	103.6	105.3	105.8	104.3	105.2	105.5	108.4	106.0	105.1	105.8	105.5	104.7	103.8	104.7
133	10 799.0	90	99.4	101.5	103.5	105.4	105.7	104.4	105.3	105.5	108.6	106.6	105.6	106.2	106.0	105.2	104.2	105.1
134	10 799.0	300	99.4	101.5	103.7	105.5	105.7	104.6	105.3	105.7	108.6	106.6	105.5	106.2	106.0	105.3	104.2	105.1
135	10 929.0	60	99.2	101.5	103.6	105.3	105.7	104.6	105.3	105.7	108.7	106.6	105.7	106.3	105.9	105.4	104.2	105.2
136	10 929.0	210	99.3	101.9	103.9	105.5	106.0	104.9	105.3	106.1	109.0	106.6	106.1	106.8	106.5	105.8	104.7	105.6
137	10 989.0	180	99.5	101.9	103.9	105.4	105.9	104.9	105.3	106.1	108.9	106.6	106.0	106.7	106.4	105.7	104.6	105.6
138	10 989.0	330	99.5	101.8	104.0	105.4	105.8	104.9	105.6	106.2	108.8	106.7	105.9	106.5	106.2	105.6	104.4	105.4
139	101049.0	90	99.2	101.7	103.8	105.4	105.8	104.8	105.6	106.0	108.8	106.8	105.9	106.5	106.1	105.6	104.4	105.4
140	101049.0	300	99.2	101.5	103.6	104.9	105.3	104.2	104.4	104.7	107.6	105.3	104.5	105.1	104.8	104.2	103.0	104.0
141	11 389.0	60	99.1	101.3	103.1	105.0	105.2	104.0	104.3	104.6	108.3	105.8	105.8	105.9	105.3	105.0	104.0	104.7
142	11 389.0	315	99.2	101.3	102.9	105.0	105.2	104.0	104.3	104.5	108.4	105.9	105.8	106.0	105.2	105.2	103.8	104.7
143	11 489.0	150	99.4	101.4	103.3	105.2	105.1	104.1	105.0	105.2	108.6	106.5	105.9	106.5	105.9	105.7	104.5	105.3
144	11 489.0	270	99.3	101.4	103.2	105.2	105.4	104.2	105.4	105.5	108.7	106.7	105.9	106.5	106.1	105.8	104.5	105.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	99.4	101.4	103.1	104.8	105.4	104.3	105.2	105.2	108.6	106.6	105.8	106.3	105.8	105.6	104.3	105.2
146	11	738.9	315	99.4	101.6	103.4	105.1	105.6	104.3	105.3	105.4	108.7	106.8	105.9	106.3	105.9	105.6	104.5	105.4
147	11	799.6	150	99.0	101.2	103.0	104.9	105.3	104.4	105.2	105.3	108.4	106.6	106.0	106.2	105.8	105.5	104.7	105.5
148	11	799.6	270	99.4	101.5	103.4	105.0	105.6	104.3	105.4	105.4	108.6	106.7	106.1	106.3	105.9	105.6	104.7	105.5
149	11	849.3	240	99.1	101.4	103.3	104.8	105.5	104.4	105.5	105.5	108.5	106.7	106.0	106.2	105.8	105.4	104.7	105.5
150	11	859.8	300	98.9	100.9	102.7	104.0	104.7	103.6	104.0	104.1	107.5	105.3	104.7	104.9	104.4	103.9	103.2	104.1
151	11	989.3	60	98.6	100.7	102.4	104.1	104.6	103.4	104.0	104.1	107.9	105.7	105.1	105.3	104.9	104.3	103.5	104.4
152	11	989.3	315	98.5	100.5	102.4	104.1	104.7	103.6	104.2	104.4	107.9	105.8	105.3	105.5	105.1	104.5	103.7	104.6
153	11	11049.2	150	98.6	100.5	102.4	104.1	105.0	103.9	104.4	104.7	108.1	105.9	105.6	105.8	105.3	104.9	104.0	104.9
154	11	11049.2	270	98.6	100.7	102.7	104.3	105.0	104.2	104.7	105.1	108.5	106.3	105.9	106.2	105.7	105.2	104.2	105.2
155	12	359.9	30	98.6	100.6	102.5	104.0	105.1	104.0	104.4	105.0	108.3	106.3	106.1	106.5	105.7	105.4	104.5	105.3
156	12	370.0	15	98.8	100.9	102.7	104.2	104.9	104.2	104.6	105.0	108.5	106.4	106.3	106.5	105.8	105.5	104.6	105.5
157	12	370.0	240	73.5	63.8	124.6	95.3	75.2	62.4	107.0	55.6	108.8	51.6	58.5	68.5	*****	73.8	112.7	57.6
158	12	379.2	90	98.6	100.8	102.6	104.0	105.1	104.0	104.6	105.1	108.0	106.1	105.7	106.3	105.7	105.5	104.5	105.3
159	12	489.0	90	98.6	101.1	102.8	104.2	105.0	104.2	104.7	105.4	108.2	106.3	105.5	106.2	105.7	105.5	104.2	105.1
160	12	489.0	270	98.3	100.0	101.7	103.3	104.0	103.0	103.5	104.3	106.9	104.9	104.3	105.3	104.7	104.3	102.9	103.7
161	12	548.9	15	98.0	100.0	101.8	103.3	104.0	103.2	103.7	104.3	107.3	105.3	104.6	105.6	104.9	104.5	103.1	103.8
162	12	548.9	240	98.1	100.2	102.0	103.7	104.2	103.2	103.8	104.7	107.6	105.5	105.0	106.0	105.2	105.0	103.7	104.4
163	12	799.3	90	97.9	100.1	102.0	103.6	104.4	103.3	103.9	104.7	107.6	105.6	105.1	105.9	105.2	105.0	103.7	104.7
164	12	799.3	270	98.0	100.2	101.9	103.7	104.5	103.5	104.0	104.9	107.9	105.7	105.3	106.1	105.3	105.2	103.9	104.6
165	12	929.3	15	98.0	100.2	102.0	103.8	104.6	103.7	104.3	105.0	108.0	105.8	105.3	106.1	105.4	105.2	103.9	104.8
166	12	928.4	240	98.0	100.3	102.2	103.9	104.7	103.8	104.3	105.1	108.2	106.0	105.4	106.3	105.6	105.5	104.2	105.1
167	12	121049.5	90	98.1	100.2	102.2	103.9	104.7	103.8	104.3	105.1	108.0	105.9	105.2	106.0	105.4	105.1	104.0	104.9
168	12	121049.5	270	98.0	100.2	102.2	103.9	104.8	103.8	104.4	105.1	108.1	105.8	104.9	105.8	105.2	104.8	103.7	104.6
169	13	338.8	60	98.6	100.9	102.9	104.2	104.8	103.8	104.7	104.9	107.6	105.2	103.3	104.3	103.7	103.5	102.0	103.1
170	13	349.0	60	97.7	100.0	101.8	103.3	104.1	102.6	103.3	103.7	106.1	103.8	102.9	103.9	103.2	102.7	101.5	102.5
171	13	368.9	90	98.4	100.7	102.4	104.2	105.1	103.5	104.1	104.5	107.1	104.4	104.1	104.9	104.3	103.6	102.5	103.5
172	13	368.9	240	98.5	100.6	102.4	104.0	104.8	103.3	104.0	104.3	106.8	104.2	103.9	104.7	104.1	103.5	102.2	103.4
173	13	388.5	45	98.7	100.8	103.0	104.2	105.4	104.0	104.3	105.1	107.8	104.8	104.8	105.5	104.2	103.9	102.7	103.8
174	13	388.5	270	98.7	100.6	102.4	104.2	104.9	103.7	104.1	104.6	107.3	104.6	104.5	104.8	103.9	103.7	102.2	103.2
175	13	549.0	90	98.0	100.3	102.2	104.2	104.6	103.1	104.1	104.6	107.2	104.9	104.2	104.5	104.1	103.9	102.6	103.4
176	13	549.0	240	98.9	101.0	102.9	104.3	105.0	104.0	104.7	105.2	107.8	105.5	104.5	104.8	104.6	104.3	102.9	103.8
177	13	738.7	45	98.6	100.9	102.8	104.0	105.1	103.8	104.5	104.9	107.5	104.9	103.8	104.2	104.0	103.7	102.4	103.3
178	13	738.7	270	99.1	101.2	103.3	104.5	105.3	104.4	105.0	105.4	107.9	105.4	104.0	104.5	104.2	103.8	102.5	103.5
179	13	929.3	90	98.9	101.1	103.2	104.4	105.2	104.2	104.8	105.2	107.6	105.1	103.9	104.5	104.0	103.8	102.5	103.5
180	13	929.3	240	98.3	100.4	102.4	103.9	104.7	103.5	104.1	104.6	107.0	104.8	104.3	104.9	104.5	104.3	102.9	103.9
181	13	989.2	45	98.3	100.4	102.4	104.0	104.6	103.4	104.0	104.4	107.0	104.6	104.1	104.8	104.3	104.1	102.8	103.9
182	13	989.2	270	98.6	100.7	102.6	104.3	104.9	103.7	104.3	104.8	107.4	105.1	104.6	105.4	105.0	104.9	103.4	104.6
183	14	369.0	30	99.1	101.0	103.2	104.8	105.2	104.1	104.7	105.2	108.3	105.7	105.4	106.1	105.5	105.6	103.9	105.2
184	14	369.0	270	99.2	101.2	103.4	104.8	105.2	104.3	104.9	105.3	108.4	105.7	105.5	106.3	105.7	105.5	104.0	105.4
185	14	488.9	75	99.3	101.3	103.5	104.8	105.3	104.5	105.1	105.5	108.4	106.2	105.7	106.7	106.0	105.8	104.4	105.5
186	14	488.9	180	99.2	101.4	103.4	105.0	105.3	104.5	105.1	105.7	108.3	106.1	105.7	106.7	106.0	105.6	104.2	105.5
187	14	548.8	30	99.2	101.6	103.4	104.9	105.4	104.4	105.2	106.0	108.4	106.2	105.0	106.3	105.2	105.2	104.0	105.2
188	14	548.8	270	99.4	101.8	103.6	105.1	105.5	104.3	105.2	106.1	108.7	106.1	104.8	106.0	104.9	104.9	103.8	104.9
189	14	799.2	75	98.7	100.9	102.7	104.3	104.9	104.0	104.4	105.1	107.7	105.0	103.8	104.9	103.8	103.8	102.7	103.8
190	14	799.2	180	99.5	101.4	103.5	104.6	105.2	104.4	104.9	105.7	108.3	105.9	105.5	106.6	105.6	105.4	104.3	105.3
191	14	890.2	0	99.3	101.3	103.4	104.6	105.1	104.5	104.9	105.5	108.2	105.9	105.5	106.4	105.5	105.4	104.2	105.3
192	14	899.8	60	99.3	101.4	103.5	104.7	105.4	104.4	105.1	105.7	108.7	106.3	106.0	106.9	106.0	105.8	104.6	105.8
193	14	929.5	30	98.7	100.7	102.8	104.0	104.9	104.0	104.3	105.0	108.2	105.4	105.3	106.2	105.3	105.2	104.0	105.2
194	14	929.5	270	99.5	101.7	103.8	104.9	105.4	104.7	105.4	106.1	108.9	106.5	106.4	107.3	106.5	106.2	105.1	106.4
195	14	1049.2	75	99.4	101.6	103.8	104.9	105.4	104.6	105.4	106.0	109.0	106.6	106.6	107.3	106.4	106.2	105.1	106.3
196	14	1049.2	180	99.5	101.7	103.9	104.9	105.6	104.8	105.5	106.1	109.2	106.8	106.7	107.4	106.6	106.5	105.4	106.5
197	15	369.1	150	98.9	101.2	103.4	104.4	105.1	104.3	104.8	105.5	108.8	106.4	106.2	106.9	106.2	106.2	105.0	106.0
198	15	369.1	270	99.6	101.8	103.9	105.2	105.8	104.8	105.6	106.2	109.2	106.6	106.7	107.2	106.6	106.6	105.4	106.5
199	15	488.6	60	99.2	101.7	103.9	105.1	105.8	104.6	105.4	105.6	108.8	106.6	106.5	106.8	106.5	106.4	105.0	106.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	100.5	102.4	104.5	106.2	106.1	105.4	105.5	106.1	109.1	106.9	106.3	106.8	106.3	106.2	104.8	106.3
201	15	549.6	150	100.5	102.2	104.0	105.6	106.0	104.8	105.6	106.1	109.2	106.7	106.6	106.9	106.2	106.1	105.1	106.0
202	15	549.6	270	100.2	102.3	104.3	105.8	106.3	105.4	105.5	106.5	109.4	106.8	106.8	107.2	106.6	106.4	105.1	106.3
203	15	799.6	60	99.3	101.4	103.6	104.9	105.1	104.4	105.0	105.6	108.4	106.2	105.8	106.2	105.5	105.4	104.4	105.3
204	15	799.6	345	99.8	102.1	103.9	105.4	105.9	105.0	105.6	106.0	108.8	106.7	105.9	106.4	105.5	105.7	104.5	105.5
205	15	869.0	0	99.8	102.2	103.9	105.4	106.1	104.9	105.3	106.1	109.0	106.7	106.1	106.6	106.1	105.8	104.9	105.7
206	15	879.0	300	*****	*****	*****	*****	25.2	*****	*****	*****	*****	46.0	*****	*****	*****	*****	786.4	63.0
207	15	929.2	150	99.9	102.2	103.9	105.7	106.2	105.0	105.5	106.4	109.3	106.9	106.0	106.9	105.9	106.3	105.1	106.1
208	15	929.2	270	100.1	102.4	104.2	105.9	106.5	105.2	105.8	106.3	109.2	106.9	106.1	106.7	106.2	106.1	104.9	105.9
209	151049.1	60	99.2	101.5	103.8	105.0	105.6	104.3	105.1	105.7	108.4	106.3	105.3	105.8	105.1	105.2	104.0	105.0	
210	151049.1	345	99.5	101.8	104.1	105.2	106.0	104.8	105.3	106.2	108.9	106.8	105.9	106.4	105.8	105.7	104.5	105.6	
211	16	368.5	150	99.9	102.3	104.1	105.4	106.4	105.3	105.8	106.5	109.5	107.1	106.4	106.8	106.4	106.3	105.0	105.9
212	16	368.5	285	100.1	102.4	104.1	105.7	106.7	105.4	106.3	106.4	109.6	107.5	106.8	107.0	106.6	106.4	105.1	106.0
213	16	418.6	210	100.1	102.6	104.2	105.3	106.0	105.3	106.1	106.6	109.2	107.3	107.0	107.1	106.5	106.5	105.2	106.1
214	16	428.5	210	100.1	102.3	104.5	105.7	106.1	105.5	106.0	106.5	109.5	107.3	107.0	107.2	106.5	106.6	105.2	106.2
215	16	488.5	120	99.9	102.3	104.0	105.4	106.2	105.1	105.9	106.4	109.2	107.1	106.7	107.1	106.4	106.5	105.1	106.1
216	16	488.5	330	99.3	101.9	104.0	105.1	105.8	104.6	105.5	106.2	109.3	106.7	106.4	107.0	106.0	106.2	104.7	105.6
217	16	548.6	150	99.8	102.1	104.0	105.5	106.2	105.1	105.8	106.4	109.3	107.2	106.3	107.1	106.5	106.3	104.9	105.9
218	16	548.6	285	100.1	102.6	104.4	105.9	106.4	105.6	106.2	106.5	109.6	107.3	106.2	107.3	106.5	106.4	105.1	106.1
219	16	798.9	120	99.8	102.0	103.9	105.4	106.0	105.0	105.8	106.3	109.1	107.0	106.1	107.0	106.3	106.2	104.8	106.0
220	16	798.9	330	99.3	101.8	103.9	105.3	105.8	104.6	105.4	106.0	109.0	106.8	105.9	107.0	106.0	105.9	104.6	105.8
221	16	929.0	150	99.0	101.4	103.5	104.8	105.5	104.4	105.4	105.8	108.5	106.8	105.7	106.5	105.8	105.8	104.5	105.6
222	16	929.0	285	100.2	102.3	104.1	105.8	106.4	105.3	105.9	106.3	109.5	107.3	106.3	107.2	106.4	106.2	105.1	106.1
223	161049.0	120	99.3	101.5	103.5	104.8	105.5	104.4	105.4	105.8	108.4	106.6	105.3	106.1	105.4	105.4	104.2	105.2	
224	161049.0	330	100.2	102.3	104.2	105.7	106.3	105.3	105.8	106.3	109.4	107.3	106.3	107.1	106.3	106.1	105.0	106.0	
225	17	368.7	30	100.9	103.1	105.0	106.6	107.2	106.1	106.6	107.2	109.9	107.7	106.9	107.6	106.8	106.5	105.2	106.4
226	17	368.7	210	100.2	102.5	104.4	105.9	106.5	105.4	106.0	106.6	109.3	107.1	106.2	107.2	106.4	106.1	104.8	105.8
227	17	388.4	0	100.1	102.4	104.9	106.0	106.7	105.3	105.8	106.3	109.2	106.8	105.9	107.0	106.1	106.0	104.9	105.3
228	17	388.4	135	100.4	102.3	104.9	105.9	106.9	105.7	106.1	106.7	109.5	107.2	106.4	107.3	106.5	106.4	105.2	105.9
229	17	418.8	150	100.3	102.4	104.8	105.9	106.8	105.5	106.0	106.8	109.5	107.0	106.3	107.0	106.5	106.4	105.0	105.8
230	17	428.8	210	100.6	102.7	105.0	106.3	107.0	106.1	106.4	107.0	109.7	107.3	106.6	107.2	106.7	106.5	105.3	106.0
231	17	549.0	30	100.7	102.6	104.9	106.3	107.1	105.8	106.4	106.9	110.0	107.1	106.7	107.1	106.4	106.4	105.1	106.1
232	17	549.0	210	100.6	102.8	104.8	106.3	107.0	106.0	106.6	107.0	109.9	107.4	106.7	107.3	106.7	106.6	105.2	106.2
233	17	739.2	0	100.5	102.8	104.6	106.3	107.1	105.8	106.4	106.8	109.9	107.1	106.4	107.1	106.4	106.1	104.8	106.0
234	17	739.2	135	99.7	102.1	104.1	105.4	106.3	105.0	105.7	106.4	109.2	106.6	105.8	106.6	106.0	105.8	104.5	105.6
235	17	928.9	30	100.4	102.8	104.5	106.1	106.8	105.8	106.3	106.7	109.6	107.1	106.2	107.0	106.4	106.1	104.8	106.0
236	17	928.9	210	100.5	102.8	104.4	106.1	106.8	105.9	106.5	106.8	109.6	107.1	106.3	107.1	106.5	106.2	105.1	106.1
237	17	989.1	0	99.7	102.1	104.1	105.5	106.1	105.1	105.7	106.4	108.9	106.6	105.4	106.2	105.6	105.4	104.1	105.1
238	17	989.1	135	99.7	102.1	104.1	105.5	106.1	105.1	105.7	106.4	109.0	106.8	105.7	106.5	105.8	105.6	104.4	105.4
239	18	294.0	0	100.9	103.1	104.9	106.8	106.9	106.2	106.5	106.9	110.1	107.6	107.0	107.7	106.8	106.5	105.5	106.3
240	18	304.0	0	100.7	103.1	104.7	106.4	106.8	106.1	106.4	106.8	110.1	107.5	107.0	107.9	106.5	106.6	105.5	106.5
241	18	359.2	0	100.0	102.4	103.9	105.6	106.0	105.0	105.7	106.5	109.4	106.8	106.5	107.3	106.3	105.8	104.8	105.8
242	18	369.1	90	100.5	102.9	104.5	106.2	106.2	105.6	106.1	106.4	109.9	107.2	106.7	107.6	106.7	106.3	105.2	106.3
243	18	369.1	285	100.0	102.4	104.1	105.6	106.0	105.2	105.7	106.4	109.5	106.8	106.2	107.0	106.5	105.9	104.8	106.0
244	18	378.9	0	100.3	102.8	104.7	106.2	106.5	105.7	106.3	106.7	109.5	107.3	106.7	107.3	107.0	106.3	105.2	106.3
245	18	389.1	90	100.6	103.0	104.6	106.6	106.8	105.8	106.4	107.0	110.2	107.3	106.9	107.5	107.0	106.3	105.3	106.4
246	18	389.1	285	99.9	102.5	104.2	105.6	106.0	105.1	105.6	106.4	109.1	106.6	105.6	106.4	106.0	105.7	104.4	105.7
247	18	409.2	0	100.0	102.7	104.3	105.8	106.2	105.3	105.5	106.0	109.2	106.8	105.8	106.0	105.5	105.7	104.1	105.6
248	18	429.3	0	100.4	103.3	104.8	106.4	106.7	105.9	106.2	106.3	109.7	106.9	106.3	106.5	106.4	106.1	104.7	106.0
249	18	549.5	90	100.7	103.3	104.7	106.3	106.7	105.8	106.2	106.6	109.8	107.2	106.2	106.6	106.5	106.3	104.8	106.1
250	18	549.5	285	99.8	102.5	103.9	105.5	105.9	105.0	105.7	106.3	109.1	106.6	105.7	106.1	105.8	105.8	104.3	105.5
251	18	930.2	90	99.5	102.2	104.0	105.3	105.7	104.8	105.4	106.0	108.9	106.6	105.6	106.0	105.7	105.6	104.2	105.4
252	18	930.2	285	100.1	102.7	104.1	105.9	106.2	105.3	105.8	106.5	109.1	106.6	105.7	106.1	106.0	105.7	104.3	105.5
253	19	369.0	180	99.5	101.7	103.9	105.2	105.7	104.8	105.4	106.1	108.8	106.7	105.7	106.1	105.5	105.7	104.3	105.7
254	19	369.0	270	99.7	101.8	103.9	105.3	105.7	104.7	105.5	106.3	108.9	106.7	105.6	106.1	105.8	105.7	104.3	105.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
255 19 398.5 90	99.6	101.6	103.9	105.1	105.3	104.7	105.6	105.8	108.5	106.5	105.2	105.7	105.4	105.5	103.9	105.2
256 19 408.4 150	99.6	101.7	103.7	104.9	105.7	104.7	105.5	105.9	108.5	106.6	105.5	106.1	105.7	105.7	104.2	105.3
257 19 488.5 15	99.8	102.1	103.9	105.3	105.9	105.1	105.4	105.9	108.5	106.3	105.4	105.9	105.5	105.5	104.1	105.1
258 19 488.5 135	99.5	101.7	103.9	105.1	105.7	104.8	105.6	106.1	108.5	106.4	105.3	105.8	105.4	105.4	104.0	105.0
259 19 548.8 180	99.6	101.9	103.9	104.8	105.7	104.9	105.4	106.2	108.7	106.5	105.3	105.8	105.4	105.3	104.1	105.1
260 19 548.8 270	99.3	101.4	103.5	104.7	105.5	104.5	105.3	105.6	108.4	106.3	105.2	105.6	105.3	105.2	104.0	104.9
261 19 798.4 15	99.2	101.2	103.3	104.5	105.4	104.5	105.1	105.4	108.3	106.3	105.1	105.5	105.2	105.0	103.8	104.9
262 19 798.4 135	98.8	101.1	103.1	104.3	105.0	104.2	105.0	105.1	108.0	105.7	104.6	105.1	104.8	104.6	103.4	104.5
263 19 928.5 180	98.9	101.2	103.1	104.4	105.2	104.5	105.1	105.3	108.2	106.0	104.9	105.4	105.1	104.9	103.8	104.8
264 19 928.5 270	99.1	101.3	103.4	104.5	105.4	104.3	105.2	105.4	108.4	106.0	104.9	105.4	105.1	104.8	103.7	104.8
265 191048.7 15	23.3	23.9	24.4	24.6	25.4	24.8	25.9	26.8	28.8	27.2	28.5	29.5	29.9	30.5	30.2	32.0
266 191048.7 135	98.9	101.0	102.9	104.2	104.8	104.2	104.9	105.0	107.9	105.7	104.3	104.8	104.5	104.3	103.2	104.2
267 21 370.0 150	99.4	101.4	103.2	104.5	105.4	104.5	105.4	105.8	107.9	106.0	105.8	105.5	107.2	105.1	103.8	104.8
268 21 370.0 144	99.3	101.4	103.2	104.5	105.4	104.4	105.3	105.7	108.0	106.0	104.6	105.1	105.1	104.7	103.6	104.6
269 21 370.0 126	99.3	101.2	103.1	104.4	105.2	104.3	105.2	105.6	107.9	105.9	104.3	104.9	104.8	104.5	103.3	104.4
270 21 370.0 120	99.1	101.2	103.0	104.3	105.1	104.3	105.2	105.7	108.0	106.1	104.8	105.4	105.2	105.0	103.8	104.9
271 21 370.0 30	98.8	100.7	102.5	104.3	105.0	104.1	104.7	105.1	107.2	105.3	103.9	104.6	104.2	103.9	102.7	103.9
272 21 370.0 26	98.7	100.7	102.6	104.3	105.0	103.9	104.7	105.0	107.0	105.0	103.8	104.4	104.0	103.8	102.4	103.7
273 21 370.0 7	98.7	100.7	102.5	104.2	104.8	103.8	104.5	104.7	106.7	104.7	103.4	104.0	103.7	103.4	102.2	103.4
274 21 370.0 0	98.7	100.7	102.5	104.1	104.7	103.8	104.5	104.7	106.7	104.8	103.4	104.0	103.7	103.4	102.2	103.4
275 21 370.0 210	99.3	101.3	103.1	104.3	105.1	104.4	105.0	105.5	107.4	105.4	104.1	104.7	104.6	104.3	103.2	104.3
276 21 370.0 206	99.3	101.3	103.2	104.4	105.2	104.2	105.1	105.6	107.6	105.6	104.3	104.9	104.8	104.5	103.4	104.4
277 21 370.0 187	99.7	101.7	103.6	104.8	105.5	104.5	105.5	105.8	108.0	105.9	104.4	104.4	105.0	104.7	103.5	104.6
278 21 370.0 180	99.3	101.4	103.2	104.4	105.2	104.5	105.1	105.5	107.7	105.6	104.1	104.7	104.6	104.3	103.3	104.3
279 22 390.0 30	98.6	100.5	102.3	104.0	104.7	103.7	104.4	104.8	106.9	104.9	103.3	104.0	103.6	103.4	102.2	103.3
280 22 390.0 26	98.8	100.8	102.7	104.1	104.9	104.2	104.9	105.2	107.4	104.5	104.3	104.9	104.6	104.3	103.0	104.3
281 22 390.0 7	98.7	100.7	102.6	104.3	104.9	103.9	104.5	104.9	107.0	105.0	104.0	104.6	104.3	104.0	102.7	103.9
282 22 390.0 0	98.7	100.7	102.5	104.3	104.9	103.8	104.5	104.8	106.9	104.9	103.8	104.4	104.1	103.8	102.7	103.9
283 22 390.0 330	98.5	100.5	102.3	103.9	104.6	103.6	104.2	104.6	106.4	104.5	103.3	104.0	103.7	103.5	101.9	103.6
284 22 390.0 324	98.4	100.4	102.2	103.8	104.4	103.5	104.0	104.4	106.3	104.3	103.1	103.7	103.5	103.4	102.3	103.4
285 22 390.0 306	98.5	100.6	102.3	103.9	104.5	103.4	104.0	104.3	106.1	104.1	102.8	103.5	103.2	103.0	101.7	103.2
286 22 390.0 300	98.8	100.7	102.4	104.0	104.7	103.5	104.2	104.5	106.3	104.2	102.9	103.6	103.3	103.1	101.9	103.2
287 22 390.0 210	99.4	101.4	103.3	104.4	105.3	104.3	105.2	105.7	107.7	105.8	104.5	105.2	105.0	104.8	103.7	104.9
288 22 390.0 206	99.2	101.2	103.1	104.3	105.2	104.5	105.2	105.7	107.8	105.8	104.5	105.1	104.9	104.8	103.4	104.8
289 22 390.0 187	99.3	101.3	103.1	104.2	105.1	104.4	105.1	105.4	107.6	105.6	104.3	104.9	104.7	104.5	103.2	104.5
290 22 390.0 180	99.2	101.4	103.4	104.7	105.6	104.7	105.4	106.2	108.5	106.6	105.7	106.4	106.2	106.0	104.9	106.0
291 23 490.0 180	99.4	101.5	103.5	104.7	105.7	104.8	105.5	106.4	108.3	106.7	105.7	106.4	106.2	106.1	105.0	106.1
292 23 490.0 173	99.4	101.6	103.5	104.8	105.6	104.7	105.5	106.3	108.3	106.7	105.8	106.5	106.3	106.1	105.0	106.2
293 23 490.0 156	99.2	101.3	103.1	104.4	105.4	104.4	105.5	106.1	108.4	106.5	105.5	106.2	106.1	105.8	104.8	105.9
294 23 490.0 150	99.1	101.1	103.0	104.3	105.2	104.3	105.4	106.0	108.2	106.4	105.4	106.2	106.0	105.9	104.7	105.9
295 23 490.0 60	98.8	100.9	102.7	104.1	104.9	104.3	105.0	105.6	108.0	106.0	105.2	105.8	105.6	105.3	104.2	105.3
296 23 490.0 54	98.9	100.9	102.9	104.1	104.9	104.4	105.0	105.6	107.9	105.9	104.9	105.5	105.2	105.0	104.0	105.0
297 23 490.0 34	98.3	100.9	102.8	104.1	104.9	104.3	105.0	105.5	107.8	105.8	104.7	105.3	105.1	104.8	103.7	104.8
298 23 490.0 30	98.7	100.8	102.7	104.0	104.9	104.3	105.0	105.5	107.7	105.7	104.5	105.1	104.9	104.6	103.6	104.7
299 23 490.0 0	98.7	100.8	102.8	104.3	105.1	104.1	104.8	105.1	107.3	105.3	104.1	104.7	104.4	104.3	103.2	104.4
300 23 490.0 353	97.7	99.9	101.9	103.5	104.3	103.3	104.0	104.5	106.7	104.9	104.1	104.8	104.6	104.3	103.4	104.5
301 23 490.0 336	97.5	99.6	101.5	103.1	103.9	103.0	103.8	104.1	106.3	104.4	103.7	104.6	104.3	104.2	103.2	104.3
302 23 490.0 330	97.7	99.7	101.6	103.3	104.2	103.2	104.0	104.4	106.5	104.7	104.0	104.8	104.6	104.4	103.4	104.6
303 24 550.0 180	98.7	101.0	102.9	104.2	105.2	104.3	105.4	105.9	108.4	106.5	105.9	106.7	106.5	106.3	105.3	106.4
304 24 550.0 173	99.0	101.2	103.1	104.5	105.4	104.5	105.5	106.1	108.3	106.8	106.2	107.0	106.8	106.6	105.5	106.7
305 24 550.0 156	98.9	101.1	103.0	104.4	105.3	104.5	105.6	106.1	108.4	106.8	106.2	106.9	106.8	106.6	105.6	106.7
306 24 550.0 150	99.0	101.2	103.1	104.5	105.5	104.7	105.5	106.4	108.5	106.8	106.3	107.0	106.9	106.7	105.7	106.8
307 24 550.0 0	98.6	100.8	102.7	104.1	104.9	104.3	105.1	105.4	107.7	105.8	104.7	105.5	105.1	105.0	104.1	105.2
308 24 550.0 353	98.7	100.9	102.8	104.2	104.8	104.2	104.9	105.3	107.4	105.5	104.6	105.3	105.0	104.9	104.0	105.2
309 24 550.0 336	98.4	100.5	102.4	104.1	104.9	103.9	104.7	105.1	107.1	105.2	104.3	105.1	104.8	104.6	103.7	104.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
310 24 550.0 330	98.3	100.4	102.3	104.0	104.8	103.9	104.6	105.1	107.0	105.1	104.4	105.1	104.9	104.8	103.8	105.0
311 24 550.0 240	99.1	101.3	103.1	104.5	105.4	104.5	105.5	106.0	108.0	106.1	105.4	106.1	105.9	105.8	104.8	105.9
312 24 550.0 234	99.1	101.3	103.2	104.5	105.4	104.6	105.6	106.1	108.2	106.2	105.5	106.2	106.0	105.9	104.9	105.9
313 24 550.0 216	99.2	101.5	103.4	104.7	105.7	104.9	105.6	106.4	108.3	106.7	105.9	106.7	106.5	106.4	105.4	106.5
314 24 550.0 210	99.4	101.6	103.6	104.9	105.9	105.0	105.8	106.3	108.5	106.7	106.2	107.0	106.8	106.7	105.6	106.7
315 25 740.0 150	99.0	101.3	103.2	104.5	105.5	104.7	105.4	106.3	108.4	106.8	106.2	106.9	106.8	106.7	105.7	106.8
316 25 740.0 144	99.2	101.4	103.4	104.7	105.6	104.9	105.6	106.5	108.7	106.8	106.4	107.1	107.0	106.9	105.9	107.0
317 25 740.0 126	99.2	101.5	103.4	104.7	105.7	104.8	105.6	106.5	108.7	106.7	106.3	107.0	106.9	106.8	105.8	106.9
318 25 740.0 120	99.3	101.5	103.4	104.7	105.6	104.8	105.5	106.4	108.6	106.7	106.2	106.9	106.7	106.6	105.6	106.7
319 25 740.0 30	99.0	101.3	103.2	104.5	105.4	104.6	105.4	106.2	108.4	106.5	105.5	106.1	105.5	105.7	104.7	105.9
320 25 740.0 26	98.8	101.1	102.9	104.2	105.1	104.2	105.3	105.8	107.9	106.0	105.0	105.6	104.9	105.2	104.2	105.4
321 25 740.0 7	98.7	100.9	102.8	104.1	104.9	104.3	105.1	105.5	107.6	105.7	104.7	105.4	104.5	105.0	104.0	105.1
322 25 740.0 0	98.6	100.9	102.7	104.0	105.1	104.3	105.0	105.3	107.5	105.6	104.7	105.4	105.0	105.1	104.1	105.3
323 25 740.0 210	99.2	101.5	103.3	104.6	105.5	104.7	105.4	106.3	108.4	106.6	105.8	106.6	106.5	106.3	105.3	106.5
324 25 740.0 206	99.4	101.7	103.6	104.9	105.8	104.9	105.7	106.5	108.5	106.6	106.2	107.0	106.8	106.7	105.6	106.7
325 25 740.0 187	99.5	101.8	103.7	104.9	105.9	105.0	105.7	106.5	108.7	106.7	106.3	107.0	106.8	106.8	105.7	106.8
326 25 740.0 180	99.5	101.8	103.7	105.0	105.9	105.0	105.7	106.6	108.7	106.7	106.3	107.0	106.8	106.7	105.7	106.8
327 26 800.0 30	98.9	101.2	103.1	104.4	105.3	104.5	105.6	106.1	108.4	106.4	105.7	106.3	106.1	105.9	104.9	106.1
328 26 800.0 26	99.1	101.3	103.2	104.6	105.4	104.6	105.4	106.1	108.4	106.5	105.6	106.2	106.1	105.9	104.9	106.1
329 26 800.0 7	99.0	101.2	103.2	104.4	105.3	104.4	105.5	105.9	108.0	106.2	105.1	105.8	105.6	105.5	104.5	105.6
330 26 800.0 0	98.6	100.8	102.6	104.3	105.0	104.1	104.9	105.3	107.4	105.4	104.4	105.0	104.8	104.6	103.7	104.8
331 26 800.0 330	98.6	100.7	102.6	104.2	105.1	104.2	104.9	105.3	107.3	105.3	104.4	105.1	104.9	104.8	103.8	105.0
332 26 800.0 324	98.6	100.8	102.6	104.2	105.0	104.2	104.9	105.3	107.2	105.2	104.3	105.1	104.9	104.7	103.8	105.0
333 26 800.0 306	98.8	101.0	102.9	104.1	104.9	104.4	105.1	105.5	107.4	105.5	104.5	105.3	105.1	104.9	103.9	105.2
334 26 800.0 300	99.0	101.1	103.0	104.2	105.0	104.5	105.1	105.5	107.4	105.5	104.5	105.3	105.1	104.9	104.0	105.1
335 26 800.0 210	99.4	101.6	103.5	104.8	105.6	104.8	105.5	106.4	108.5	106.6	105.7	106.5	106.3	106.2	105.2	106.3
336 26 800.0 206	99.4	101.6	103.5	104.8	105.7	104.8	105.5	106.4	108.3	106.7	105.7	106.5	106.2	106.2	105.2	106.4
337 26 800.0 187	99.6	101.8	103.8	105.0	105.9	105.0	105.7	106.6	108.7	106.7	106.1	106.9	106.5	106.5	105.5	106.4
338 26 800.0 180	99.5	101.8	103.7	104.9	105.9	105.1	105.8	106.3	108.7	106.8	106.2	106.9	106.7	106.7	105.6	106.7
339 27 930.0 180	99.6	101.9	103.8	105.0	106.0	105.1	105.8	106.3	108.6	106.7	106.0	106.7	106.5	106.4	105.5	105.9
340 27 930.0 173	99.1	101.4	103.2	104.4	105.3	104.4	105.5	106.0	108.4	106.4	105.3	106.0	105.8	105.7	104.6	105.7
341 27 930.0 156	98.9	101.1	103.0	104.2	105.2	104.3	105.3	105.9	108.2	106.3	105.2	106.0	105.7	105.7	104.6	105.7
342 27 930.0 150	98.9	101.1	103.0	104.2	105.1	104.3	105.3	105.9	108.3	106.3	105.3	106.0	105.8	105.7	104.7	105.5
343 27 930.0 60	98.1	100.3	102.3	103.8	104.7	103.9	104.7	105.1	107.5	105.5	104.4	105.1	104.9	104.7	103.7	104.8
344 27 930.0 54	98.1	100.3	102.2	103.8	104.7	103.9	104.7	105.1	107.5	105.6	104.4	105.1	104.8	104.6	103.7	104.8
345 27 930.0 34	98.5	100.7	102.6	104.3	104.9	104.3	105.1	105.5	107.9	105.9	104.8	105.5	105.2	105.1	104.2	105.3
346 27 930.0 30	98.1	100.4	102.2	103.9	104.9	104.0	104.8	105.2	107.4	105.4	104.4	105.1	104.9	104.7	103.8	104.9
347 27 930.0 0	98.6	100.9	102.7	104.3	104.8	104.2	105.0	105.3	107.4	105.4	104.3	105.0	104.8	104.6	103.8	104.9
348 27 930.0 353	78.6	78.4	79.1	79.7	80.4	78.8	75.2	75.6	81.0	79.7	80.4	81.5	82.0	82.8	82.5	84.3
349 27 930.0 336	98.5	100.8	102.6	104.3	104.9	104.3	105.0	105.4	107.4	105.3	104.4	105.1	104.8	104.7	103.8	104.9
350 27 930.0 330	98.1	100.3	102.2	103.7	104.6	103.7	104.4	104.9	106.7	104.8	103.6	104.3	104.0	104.0	103.0	104.2
351 28 990.0 180	99.0	101.3	103.1	104.4	105.3	104.4	105.5	106.0	108.2	106.3	105.1	105.9	105.6	105.6	104.5	105.7
352 28 990.0 173	99.0	101.2	103.1	104.3	105.2	104.3	105.4	105.9	108.2	106.2	105.0	105.8	105.5	105.5	104.4	105.5
353 28 990.0 156	98.8	101.0	102.9	104.2	105.0	104.2	105.3	105.8	108.1	106.1	105.0	105.8	105.6	105.5	104.5	105.5
354 28 990.0 150	98.8	101.1	103.0	104.2	105.1	104.3	105.4	105.9	108.2	106.2	105.4	106.1	105.5	105.9	104.8	105.9
355 28 990.0 0	97.9	100.1	102.0	103.6	104.5	103.6	104.3	104.8	106.8	104.8	103.8	104.5	104.3	104.2	103.2	104.3
356 28 990.0 353	97.9	100.1	102.0	103.7	104.5	103.6	104.3	104.6	106.7	104.6	103.6	104.3	104.2	104.0	103.1	104.2
357 28 990.0 336	97.8	100.1	102.0	103.6	104.5	103.6	104.3	104.8	106.7	104.7	103.6	104.4	104.2	104.1	103.2	104.3
358 28 990.0 330	97.8	100.0	101.9	103.5	104.5	103.6	104.4	104.8	106.6	104.7	103.6	104.3	104.1	104.0	103.1	104.3
359 28 990.0 240	99.4	101.7	103.6	104.8	105.7	104.8	105.5	106.4	108.4	106.4	105.3	106.1	105.8	105.7	104.6	105.8
360 28 990.0 234	99.0	101.3	103.1	104.3	105.2	104.2	105.2	105.7	107.6	105.6	104.3	105.1	104.6	104.7	103.7	104.8
361 28 990.0 216	98.8	101.1	102.9	104.1	105.0	104.5	105.1	105.6	107.6	105.6	104.5	105.2	105.0	104.9	103.8	105.0
362 28 990.0 210	98.9	101.1	103.1	104.3	105.2	104.3	105.3	105.8	107.9	105.9	104.9	105.4	105.4	104.3	104.3	105.4
363 291050.0 150	98.3	100.4	102.3	103.8	104.8	104.0	104.7	105.2	107.4	105.5	104.5	105.3	105.0	105.0	104.0	105.1
364 291050.0 144	98.4	100.6	102.5	104.0	105.0	104.1	104.8	105.3	107.6	105.7	104.8	105.5	105.2	105.2	104.2	105.3

TE R AX RAD T  
 NR NR. PGS PDS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
365 291050.0 126	98.6	100.9	102.7	104.0	104.9	104.3	105.0	105.5	107.9	106.0	104.9	105.7	105.4	105.4	104.3	105.4
366 291050.0 120	98.1	100.4	102.3	103.9	104.8	103.9	104.7	105.2	107.6	105.7	104.7	105.5	105.2	105.1	104.1	105.2
367 291050.0 30	98.6	100.8	102.6	104.3	104.8	104.2	104.9	105.3	107.4	105.5	104.4	105.0	104.8	104.7	103.7	104.9
368 291050.0 26	98.3	100.5	102.4	104.0	104.9	103.9	104.6	105.0	107.2	105.1	104.0	104.7	104.5	104.4	103.4	104.5
369 291050.0 7	98.0	100.2	102.0	103.6	104.5	103.5	104.2	104.6	106.7	104.7	103.5	104.2	104.0	103.9	102.9	104.1
370 291050.0 0	97.8	100.1	101.9	103.5	104.4	103.4	104.1	104.4	106.2	104.2	103.4	104.1	103.8	103.7	102.8	103.9
371 291050.0 210	98.0	100.3	102.3	103.8	104.7	103.8	104.6	105.0	107.0	105.0	104.1	104.9	104.7	104.6	103.6	104.7
372 291050.0 206	98.8	101.0	102.9	104.1	105.0	104.4	105.0	105.4	107.6	105.6	104.7	105.5	105.2	105.2	104.1	105.3
373 291050.0 187	98.3	100.5	102.4	103.9	104.9	103.9	104.6	105.0	108.4	112.7	104.4	105.2	104.9	104.9	103.8	105.0
374 291050.0 180	98.2	100.5	102.4	103.9	104.9	104.0	104.7	105.1	107.4	105.5	104.5	105.3	105.0	105.0	104.0	105.1
375 01075.0 6	98.6	101.0	103.1	104.2	104.9	103.5	104.0	104.5	106.4	103.9	103.0	103.5	103.1	102.6	101.8	102.7
376 01075.0 5	98.9	101.3	103.2	104.3	104.9	103.5	104.3	104.9	107.0	104.2	103.4	103.7	103.4	102.7	102.1	102.9
377 01075.0 4	99.5	101.8	103.8	104.7	105.2	104.4	104.9	105.3	107.2	104.7	103.5	103.9	103.6	103.1	102.3	102.8
378 01075.0 2	99.8	102.3	103.9	105.3	105.8	104.3	105.0	105.7	107.9	104.8	103.8	104.0	103.4	102.9	102.1	102.6
379 01075.0 1	99.9	102.3	103.8	105.2	105.7	104.3	105.0	105.7	108.3	105.6	104.6	105.0	104.0	103.6	102.7	103.4
380 01075.0 2	99.4	101.7	103.6	104.7	105.1	104.1	104.5	105.3	108.1	105.3	104.4	104.9	104.1	103.6	102.5	103.6
381 01075.0 4	99.4	101.7	103.6	104.5	105.3	104.3	104.9	105.4	108.3	105.8	104.9	105.2	104.9	104.3	103.4	104.4
382 01075.0 4	99.6	101.9	104.0	105.1	105.5	104.4	105.2	105.7	107.8	105.5	104.5	105.1	104.5	104.4	103.1	103.9
383 01075.0 1	100.0	102.3	104.1	105.3	105.7	104.5	105.3	105.7	108.5	105.9	104.8	105.2	104.8	104.3	103.5	104.3
384 01075.0 1	100.0	102.4	103.9	105.2	105.8	104.6	105.4	105.9	108.5	106.6	105.5	105.8	105.5	105.0	103.9	104.8
385 01075.0 4	99.8	101.8	103.7	104.8	105.4	104.3	105.1	105.8	108.2	106.3	105.3	106.0	105.6	105.2	104.0	105.0
386 01075.0 3	100.5	102.8	104.4	105.7	106.1	105.0	105.6	106.5	108.8	106.8	105.8	106.1	106.0	105.6	104.5	105.2
387 01075.0 3	100.2	102.5	104.2	105.6	105.9	104.9	105.4	106.5	108.9	106.8	105.9	106.5	106.4	105.7	104.7	105.7
388 01075.0 5	100.1	102.2	104.2	105.4	106.0	104.9	105.5	106.4	108.8	106.7	105.7	106.2	106.1	105.7	104.7	105.8
389 01075.0 6	99.9	102.1	104.1	105.1	105.5	104.6	105.5	105.9	108.4	106.4	105.4	106.0	105.5	105.6	104.4	105.6
390 01113.0 0	99.2	101.9	103.8	104.8	105.1	104.4	104.9	105.4	108.0	105.7	105.0	105.1	104.7	103.9	103.2	103.8
391 01113.0 0	99.3	101.8	103.7	104.8	105.5	104.4	105.2	106.0	108.2	106.2	105.6	106.2	105.4	105.0	104.3	104.9
392 01113.0 0	98.7	101.5	103.4	104.6	105.0	104.5	105.0	105.5	108.3	106.1	105.4	105.9	105.4	105.0	104.1	104.8
393 01113.0 0	99.6	102.4	104.0	105.5	105.9	105.0	105.5	106.3	109.1	106.6	106.1	106.7	106.4	106.0	105.0	105.6
394 01113.0 0	99.7	102.4	104.0	105.2	105.7	104.8	105.4	105.9	108.3	106.0	105.3	105.6	105.1	104.6	103.8	104.3
395 01113.0 0	99.6	102.2	104.0	105.1	105.7	104.5	105.5	105.7	108.2	106.0	105.3	105.7	105.1	104.7	104.2	104.6
396 0 0.0 0	99.9	102.2	104.6	106.0	106.0	105.4	105.8	105.5	108.3	107.2	107.1	106.7	106.2	105.8	104.9	105.0
397 0 0.0 0	98.1	100.6	103.1	104.0	104.8	104.2	104.4	103.8	106.4	106.2	105.6	105.1	104.8	104.5	103.5	103.0
398 0 0.0 0	98.8	100.2	102.2	104.7	104.4	104.2	103.0	103.5	106.2	105.0	104.2	104.1	103.5	102.5	102.5	102.8
399 0 0.0 0	100.4	103.1	104.4	106.2	106.0	105.5	106.0	106.2	108.6	107.3	106.5	106.7	104.9	106.2	104.6	102.8
400 0 0.0 0	109.3	113.6	117.1	118.0	118.1	117.3	118.1	119.1	110.2	106.8	90.7	90.4	89.5	88.5	86.9	87.8
401 0 0.0 0	109.2	113.5	117.1	117.9	118.1	117.2	118.1	119.0	110.2	106.8	90.7	90.4	89.4	88.5	86.9	87.9
402 0 0.0 0	0.6	0.8	0.7	0.8	0.8	0.7	0.7	0.9	1.0	1.0	0.7	0.8	-0.3	0.0	0.0	0.0
403 0 0.0 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
404 0 0.0 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
405 0 0.0 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
406 0 0.0 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

DATUM 20. 5.80

51

VERSUCH NR. 17  
RAUMTEMPERATUR 30.8  
DURCHSATZ (KG/S) 0.1282  
EL. ENERGIE (KW) 0.0  
REYNOLDSZAHL\*E-04 3.704  
DRUCKVERLUST  
(N/M\*\*2)  
GES.X=1060.0(MM) 1976.  
BIS X= 560.0(MM) 653.  
BIS X= 624.0(MM) 940.  
BIS X= 717.0(MM) 1139.  
BIS X= 810.0(MM) 1328.  
BIS X= 874.0(MM) 1650.  
BIS X= 967.0(MM) 1840.  
EINTR.DRUCK (BAR) 14.11  
EINTR.TEMP. GRADC 102.3

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD)GRAD C

1*	1	338.8	270	103.1
2	1	348.1	330	102.6
3	1	388.1	150	102.4
4	1	388.1	330	102.8
5	1	487.7	255	103.3
6	1	487.7	120	102.9
7	1	738.0	150	103.6
8	1	738.0	330	104.4
9	1	795.4	120	104.5
10	1	795.4	255	103.9
11	1	987.0	150	103.8
12	1	987.0	330	104.2
13	1	11046.6	120	104.3
14	1	11046.6	255	104.2
15	2	358.5	0	104.3
16	2	388.0	0	104.3
17	2	388.0	210	104.7
18	2	398.0	0	104.6
19	2	488.1	30	104.8
20	2	488.1	165	104.2
21	2	738.0	0	103.9
22	2	738.0	210	104.1
23	2	797.8	30	104.6
24	2	797.8	165	104.5
25	2	987.2	0	104.6
26	2	987.2	210	104.4
27	2	21049.0	30	104.7
28	2	21049.0	165	104.9
29	3	294.0	30	104.9
30	3	303.7	330	104.1
31	3	388.7	15	104.4
32	3	388.7	255	104.0
33	3	488.5	60	104.6
34	3	488.5	150	104.8

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

51

VERSUCH NR.				17
35	3	738.5	15	104.8
36	3	738.5	255	104.5
37	3	798.5	60	105.0
38	3	798.5	150	105.3
39	3	988.5	15	105.6
40	3	988.5	255	104.1
41	3	1049.0	60	104.7
42	3	1049.0	150	104.9
43	4	293.9	300	102.4
44	4	303.7	300	102.5
45	4	339.0	300	102.9
46	4	348.4	300	102.8
47	4	379.1	300	207.9
48	4	389.0	45	103.5
49	4	389.0	210	103.7
50	4	408.8	300	100.3
51	4	418.6	300	103.3
52	4	428.7	300	103.5
53	4	739.2	45	103.7
54	4	739.2	210	104.0
55	4	989.5	45	104.2
56	4	989.5	210	104.5
57	5	369.5	195	104.2
58	5	369.5	300	104.2
59	5	389.0	30	104.0
60	5	389.0	150	103.4
61	5	549.0	195	103.8
62	5	549.0	300	103.5
63	5	738.7	30	103.7
64	5	738.7	150	103.9
65	5	809.2	120	104.2
66	5	819.0	180	370.0
67	5	929.4	195	104.6
68	5	929.4	300	104.4
69	5	989.0	30	104.3
70	5	989.0	150	103.4
71	6	388.6	225	104.3
72	6	388.6	300	104.5
73	6	488.5	30	104.3
74	6	488.5	150	*****
75	6	739.4	225	104.8
76	6	739.4	300	104.4
77	6	798.8	30	104.4
78	6	798.8	30	104.7
79	6	829.0	180	104.9
80	6	839.0	240	103.8
81	6	988.8	225	104.4
82	6	988.8	300	104.2
83	6	1049.0	30	104.2
84	6	1049.0	150	62.6
85	7	339.0	150	104.9
86	7	349.0	150	105.3
87	7	359.0	150	105.3
88	7	369.0	165	105.1
89	7	369.0	330	105.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

51

VERSUCH NR. 17  
 90 7 379.0 150 104.6  
 91 7 398.9 150 104.9  
 92 7 408.6 150 104.6  
 93 7 489.4 165 104.7  
 94 7 489.4 330 104.8  
 95 7 799.0 165 105.3  
 96 7 799.0 330 105.0  
 97 71049.0 165 103.2  
 98 71049.0 330 104.8  
 99 8 294.6 210 102.5  
 100 8 304.2 270 99.8  
 101 8 368.7 135 100.4  
 102 8 368.7 255 100.3  
 103 8 389.1 30 100.8  
 104 8 389.1 300 100.4  
 105 8 549.0 135 100.9  
 106 8 549.0 255 101.1  
 107 8 739.0 30 101.3  
 108 8 739.0 300 101.8  
 109 8 929.0 135 101.6  
 110 8 929.0 255 101.8  
 111 8 988.8 30 102.1  
 112 8 988.8 300 102.5  
 113 9 369.4 105 103.5  
 114 9 369.4 180 99.2  
 115 9 389.0 30 \*\*\*\*\*  
 116 9 389.0 270 102.2  
 117 9 549.0 105 102.7  
 118 9 549.0 180 102.7  
 119 9 739.2 30 102.4  
 120 9 739.2 270 101.6  
 121 9 909.0 60 102.7  
 122 9 919.0 120 103.2  
 123 9 929.0 105 103.4  
 124 9 929.0 180 103.1  
 125 9 988.8 30 102.7  
 126 9 988.8 270 103.2  
 127 10 489.3 90 104.2  
 128 10 489.3 300 104.1  
 129 10 549.0 60 104.0  
 130 10 549.0 210 103.2  
 131 10 739.0 180 103.4  
 132 10 739.0 330 103.3  
 133 10 799.0 90 103.6  
 134 10 799.0 300 103.7  
 135 10 929.0 60 103.6  
 136 10 929.0 210 104.0  
 137 10 989.0 180 103.9  
 138 10 989.0 330 103.9  
 139 101049.0 90 103.8  
 140 101049.0 300 102.4  
 141 11 389.0 60 103.1  
 142 11 389.0 315 103.1  
 143 11 489.0 150 103.5  
 144 11 489.0 270 103.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR. 17  
 145 11 738.9 60 103.4  
 146 11 738.9 315 103.6  
 147 11 799.6 150 103.6  
 148 11 799.6 270 103.7  
 149 11 849.3 240 103.5  
 150 11 859.8 300 102.0  
 151 11 989.3 60 102.4  
 152 11 989.3 315 102.7  
 153 111049.2 150 103.0  
 154 111049.2 270 103.3  
 155 12 359.9 30 103.4  
 156 12 370.0 15 103.5  
 157 12 370.0 240 50.0  
 158 12 379.2 90 103.4  
 159 12 489.0 90 103.3  
 160 12 489.0 270 102.0  
 161 12 548.9 15 102.1  
 162 12 548.9 240 102.7  
 163 12 799.3 90 102.9  
 164 12 799.3 270 103.0  
 165 12 929.3 15 103.1  
 166 12 928.4 240 103.2  
 167 121049.5 90 103.1  
 168 121049.5 270 102.8  
 169 13 338.8 60 101.3  
 170 13 349.0 60 100.6  
 171 13 368.9 90 101.6  
 172 13 368.9 240 101.4  
 173 13 388.5 45 101.5  
 174 13 388.5 270 101.2  
 175 13 549.0 90 101.4  
 176 13 549.0 240 101.9  
 177 13 738.7 45 101.4  
 178 13 738.7 270 101.7  
 179 13 929.3 90 101.5  
 180 13 929.3 240 102.0  
 181 13 989.2 45 101.8  
 182 13 989.2 270 102.5  
 183 14 369.0 30 103.1  
 184 14 369.0 270 103.1  
 185 14 488.9 75 103.4  
 186 14 488.9 180 103.4  
 187 14 548.8 30 103.2  
 188 14 548.8 270 102.9  
 189 14 799.2 75 101.8  
 190 14 799.2 180 103.3  
 191 14 890.2 0 103.3  
 192 14 899.8 60 103.7  
 193 14 929.5 30 103.1  
 194 14 929.5 270 104.1  
 195 141049.2 75 104.1  
 196 141049.2 180 104.4  
 197 15 369.1 150 103.9  
 198 15 369.1 270 104.3  
 199 15 488.6 60 104.1

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR. 17  
 200 15 488.6 345 103.9  
 201 15 549.6 150 103.7  
 202 15 549.6 270 104.1  
 203 15 799.6 60 103.1  
 204 15 799.6 345 103.4  
 205 15 869.0 0 103.5  
 206 15 879.0 300 \*\*\*\*\*  
 207 15 929.2 150 104.0  
 208 15 929.2 270 103.8  
 209 151049.1 60 102.9  
 210 151049.1 345 103.5  
 211 16 368.5 150 104.0  
 212 16 368.5 285 104.3  
 213 16 418.6 210 104.5  
 214 16 428.5 210 104.5  
 215 16 488.5 120 104.2  
 216 16 488.5 330 103.7  
 217 16 548.6 150 104.1  
 218 16 548.6 285 104.2  
 219 16 798.9 120 104.0  
 220 16 798.9 330 103.6  
 221 16 929.0 150 103.6  
 222 16 929.0 285 104.2  
 223 161049.0 120 103.3  
 224 161049.0 330 104.1  
 225 17 368.7 30 104.6  
 226 17 368.7 210 103.9  
 227 17 388.4 0 104.0  
 228 17 388.4 135 104.2  
 229 17 418.8 150 103.8  
 230 17 428.8 210 103.8  
 231 17 549.0 30 103.8  
 232 17 549.0 210 104.2  
 233 17 739.2 0 104.1  
 234 17 739.2 135 103.7  
 235 17 928.9 30 104.1  
 236 17 928.9 210 104.2  
 237 17 989.1 0 103.4  
 238 17 989.1 135 103.6  
 239 18 294.0 0 104.8  
 240 18 304.0 0 104.9  
 241 18 359.2 0 104.3  
 242 18 369.1 90 104.7  
 243 18 369.1 285 104.2  
 244 18 378.9 0 104.6  
 245 18 389.1 90 104.8  
 246 18 389.1 285 103.9  
 247 18 409.2 0 104.0  
 248 18 429.3 0 104.4  
 249 18 549.5 90 104.3  
 250 18 549.5 285 103.7  
 251 18 930.2 90 103.6  
 252 18 930.2 285 103.7  
 253 19 369.0 180 104.0  
 254 19 369.0 270 103.9

TE NR NR.	R AX POS (MM)	RAD POS (GRD)	T GRAD C
--------------	------------------------	---------------------	----------------

51

VERSUCH NR.			17	
255	19	398.5	90	103.6
256	19	408.4	150	103.7
257	19	488.5	15	103.7
258	19	488.5	135	103.4
259	19	548.8	180	103.5
260	19	548.8	270	103.4
261	19	798.4	15	103.2
262	19	798.4	135	102.8
263	19	928.5	180	103.1
264	19	928.5	270	103.0
265	19	1048.7	15	31.2
266	19	1048.7	135	102.5
267	21	370.0	150	103.0
268	21	370.0	144	102.8
269	21	370.0	126	102.6
270	21	370.0	120	103.1
271	21	370.0	30	102.1
272	21	370.0	26	101.9
273	21	370.0	7	101.6
274	21	370.0	0	101.6
275	21	370.0	210	102.4
276	21	370.0	206	102.6
277	21	370.0	187	102.8
278	21	370.0	180	102.4
279	22	390.0	30	101.6
280	22	390.0	26	102.5
281	22	390.0	7	102.3
282	22	390.0	0	102.1
283	22	390.0	330	101.9
284	22	390.0	324	101.7
285	22	390.0	306	101.5
286	22	390.0	300	101.5
287	22	390.0	210	103.0
288	22	390.0	206	102.9
289	22	390.0	187	102.7
290	22	390.0	180	104.2
291	23	490.0	180	104.3
292	23	490.0	173	104.4
293	23	490.0	156	104.1
294	23	490.0	150	104.0
295	23	490.0	60	103.6
296	23	490.0	54	103.2
297	23	490.0	34	103.1
298	23	490.0	30	103.0
299	23	490.0	0	102.6
300	23	490.0	353	102.7
301	23	490.0	336	102.6
302	23	490.0	330	102.9
303	24	550.0	180	104.6
304	24	550.0	173	104.8
305	24	550.0	156	104.9
306	24	550.0	150	105.0
307	24	550.0	0	103.5
308	24	550.0	353	103.4
309	24	550.0	336	103.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

51

VERSUCH NR. 17  
 310 24 550.0 330 103.2  
 311 24 550.0 240 104.1  
 312 24 550.0 234 104.1  
 313 24 550.0 216 104.6  
 314 24 550.0 210 104.9  
 315 25 740.0 150 105.0  
 316 25 740.0 144 105.2  
 317 25 740.0 126 105.1  
 318 25 740.0 120 104.9  
 319 25 740.0 30 104.2  
 320 25 740.0 26 103.6  
 321 25 740.0 7 103.4  
 322 25 740.0 0 103.5  
 323 25 740.0 210 104.7  
 324 25 740.0 206 104.9  
 325 25 740.0 187 105.0  
 326 25 740.0 180 105.0  
 327 26 800.0 30 104.4  
 328 26 800.0 26 104.4  
 329 26 800.0 7 104.0  
 330 26 800.0 0 103.1  
 331 26 800.0 330 103.3  
 332 26 800.0 324 103.3  
 333 26 800.0 306 103.5  
 334 26 800.0 300 103.5  
 335 26 800.0 210 104.5  
 336 26 800.0 206 104.4  
 337 26 800.0 187 104.8  
 338 26 800.0 180 104.9  
 339 27 930.0 180 104.7  
 340 27 930.0 173 104.0  
 341 27 930.0 156 103.9  
 342 27 930.0 150 104.0  
 343 27 930.0 60 103.0  
 344 27 930.0 54 103.0  
 345 27 930.0 34 103.5  
 346 27 930.0 30 103.2  
 347 27 930.0 0 103.2  
 348 27 930.0 353 83.3  
 349 27 930.0 336 103.2  
 350 27 930.0 330 102.5  
 351 28 990.0 180 103.8  
 352 28 990.0 173 103.7  
 353 28 990.0 156 103.8  
 354 28 990.0 150 104.2  
 355 28 990.0 0 102.7  
 356 28 990.0 353 102.6  
 357 28 990.0 336 102.7  
 358 28 990.0 330 102.6  
 359 28 990.0 240 104.0  
 360 28 990.0 234 103.0  
 361 28 990.0 216 103.2  
 362 28 990.0 210 103.7  
 363 291050.0 150 103.4  
 364 291050.0 144 103.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

51

VERSUCH NR. 17  
 365 291050.0 126 103.7  
 366 291050.0 120 103.5  
 367 291050.0 30 103.2  
 368 291050.0 26 102.8  
 369 291050.0 7 102.3  
 370 291050.0 0 102.2  
 371 291050.0 210 102.9  
 372 291050.0 206 103.4  
 373 291050.0 187 103.2  
 374 291050.0 180 103.3  
 375 01075.0 6 101.1  
 376 01075.0 5 101.3  
 377 01075.0 4 101.3  
 378 01075.0 2 101.2  
 379 01075.0 1 102.0  
 380 01075.0 2 101.8  
 381 01075.0 4 102.6  
 382 01075.0 4 102.5  
 383 01075.0 1 102.7  
 384 01075.0 1 103.1  
 385 01075.0 4 103.4  
 386 01075.0 3 103.5  
 387 01075.0 3 104.0  
 388 01075.0 5 104.0  
 389 01075.0 6 103.7  
 390 01113.0 0 102.2  
 391 01113.0 0 103.3  
 392 01113.0 0 103.2  
 393 01113.0 0 104.1  
 394 01113.0 0 102.8  
 395 01113.0 0 103.0  
 396 0 0.0 0 103.5  
 397 0 0.0 0 102.2  
 398 0 0.0 0 100.1  
 399 0 0.0 0 102.6  
 400 0 0.0 0 85.6  
 401 0 0.0 0 85.5  
 402 0 0.0 0 0.2  
 403 0 0.0 0 0.0  
 404 0 0.0 0 0.0  
 405 0 0.0 0 0.0  
 406 0 0.0 0 0.0

DATUM 5. 5.80

10

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
RAUMTEMPERATUR	21.7	22.0	21.8	22.5	22.3	22.1	21.5	20.8	22.4	21.0	26.2	27.5	25.3	26.4
DURCHSATZ (KG/S)	0.1750	0.1572	0.1407	0.1271	0.1149	0.1080	0.0986	0.0881	0.0789	0.0709	0.0633	0.0567	0.0512	0.0464
EL. ENERGIE (KW)	185.0	164.5	149.8	135.5	125.0	116.8	107.3	96.3	86.9	78.2	69.5	63.5	56.6	50.7
WAERMEENERGIE (KW)	184.3	163.9	148.0	134.2	122.9	117.2	107.8	95.8	86.2	77.8	69.0	63.0	56.1	50.1
WAERMEBILANZ(O/O)	-0.4	-0.3	-1.2	-1.0	-1.7	0.4	0.5	-0.5	-0.7	-0.4	-0.7	-0.7	-1.0	-1.3
REYNOLDSZAHLE*E-04	3.855	3.471	3.106	2.801	2.531	2.377	2.167	1.937	1.728	1.552	1.380	1.230	1.114	1.010
DRUCKVERLUST (N/M**2)														
GES. X=1060.0(MM)	39688.	32367.	26208.	22310.	18528.	15691.	13411.	10672.	8602.	7183.	5916.	4756.	3952.	3239.
BIS X= 560.0(MM)	10466.	8415.	6957.	5774.	4874.	3962.	3566.	2696.	2207.	1955.	1453.	1352.	1195.	991.
BIS X= 624.0(MM)	16453.	13494.	10973.	8924.	7669.	6369.	5574.	4345.	3477.	2924.	2567.	1934.	1779.	1405.
BIS X= 717.0(MM)	20393.	16716.	13577.	11060.	9438.	7880.	6854.	5377.	4313.	3600.	3121.	2377.	2138.	1702.
BIS X= 810.0(MM)	24487.	20052.	16242.	13255.	11235.	9435.	8152.	6426.	5161.	4284.	3674.	2824.	2498.	1998.
BIS X= 874.0(MM)	31584.	25819.	20887.	17075.	14401.	12160.	10447.	8265.	6652.	5499.	4673.	3632.	3150.	2544.
BIS X= 967.0(MM)	35809.	29548.	23883.	19538.	16422.	13899.	11892.	9450.	7616.	6256.	5275.	4116.	3552.	2864.
EINTR.DRUCK (BAR)	13.89	13.67	13.61	13.54	13.49	13.49	13.48	13.44	13.47	13.48	13.43	13.40	13.38	13.36
EINTR.TEMP. GRADC	109.1	108.3	107.9	108.6	107.9	107.0	107.2	106.8	109.6	109.6	113.6	114.4	113.5	114.3

TE R AX RAD T  
NR NR. POS POS  
\* (MM) (GRD) GRAD C

1	1	338.8	270	270.6	261.8	257.8	254.2	250.1	245.6	242.6	236.7	234.2	230.2	229.1	225.4	218.3	215.3
2	1	348.1	330	224.3	220.4	220.7	220.7	220.1	218.2	217.7	215.3	215.7	214.4	215.9	214.7	210.1	209.0
3	1	388.1	150	253.8	246.9	245.5	244.2	243.1	240.3	240.0	236.6	237.6	236.7	238.3	239.0	236.3	237.3
4	1	388.1	330	261.0	255.0	253.1	251.6	250.9	247.8	247.5	244.6	245.3	244.5	246.8	247.0	244.7	245.9
5	1	487.7	255	270.6	265.2	265.4	264.6	265.2	262.9	263.2	261.2	263.2	263.0	264.9	265.5	262.6	263.3
6	1	487.7	120	282.7	278.6	279.6	278.8	279.6	277.5	278.0	276.4	278.0	277.8	280.4	280.8	278.1	278.7
7	1	738.0	150	329.7	323.9	325.0	324.1	325.6	324.0	325.4	323.3	325.7	326.2	328.5	329.9	327.2	328.1
8	1	738.0	330	360.6	355.1	356.2	356.1	358.0	356.6	357.7	355.7	357.8	358.2	360.7	361.9	359.3	359.5
9	1	795.4	120	351.0	346.2	346.6	346.7	348.6	347.8	348.6	346.6	349.1	349.9	351.9	353.7	351.4	352.1
10	1	795.4	255	364.1	359.4	360.5	361.0	363.4	362.2	363.7	362.5	364.9	365.3	368.1	369.1	366.2	366.5
11	1	987.0	150	402.6	396.6	396.9	396.5	399.3	398.7	400.4	399.4	402.2	403.1	405.2	407.2	404.1	404.7
12	1	987.0	330	435.0	429.3	431.1	431.0	434.4	432.8	434.4	432.6	434.7	434.4	436.7	437.9	434.3	434.0
13	1	11046.6	120	430.5	424.1	424.6	424.8	427.8	426.7	429.2	427.8	430.9	431.8	434.3	436.1	432.7	433.0
14	1	11046.6	255	415.9	410.9	412.6	413.5	417.2	419.0	421.8	421.3	424.6	426.0	429.5	431.6	429.4	430.1
15	2	358.5	0	247.2	240.1	236.0	235.3	232.5	229.4	227.7	223.3	223.8	220.7	221.8	219.9	214.6	212.6
16	2	388.0	0	269.8	263.9	260.1	260.8	258.6	256.4	256.5	254.2	255.0	254.2	256.7	257.9	255.3	256.4
17	2	388.0	210	255.4	250.5	246.6	246.9	244.4	243.9	243.6	241.7	242.5	242.0	244.7	246.3	244.3	245.6
18	2	398.0	0	277.2	271.2	268.1	268.1	265.4	264.1	263.5	260.4	260.5	259.5	260.9	260.2	256.0	254.9
19	2	488.1	30	288.9	283.6	282.8	282.9	282.2	281.0	280.9	279.4	280.2	280.0	282.9	284.0	280.7	280.6
20	2	488.1	165	276.6	271.5	269.6	270.3	268.8	267.6	267.1	265.8	266.2	266.3	268.9	270.3	267.8	267.1
21	2	738.0	0	349.1	346.3	346.8	348.2	349.8	349.7	350.6	349.7	350.6	351.3	354.4	356.0	353.5	353.1
22	2	738.0	210	336.3	331.0	331.0	331.8	332.7	332.7	333.0	332.9	333.9	335.5	338.4	340.4	338.7	338.3
23	2	797.8	30	368.2	363.9	364.6	365.4	367.6	367.3	368.6	367.3	368.2	369.0	371.9	373.6	371.0	370.1
24	2	797.8	165	369.5	362.9	362.3	362.1	362.3	361.3	362.2	360.4	361.4	361.9	364.6	365.1	362.2	361.2
25	2	987.2	0	405.1	401.0	403.5	405.8	409.5	410.9	413.5	412.9	415.2	416.6	419.7	421.9	419.7	419.3
26	2	987.2	210	416.6	410.5	411.0	411.5	413.7	412.5	414.2	412.7	414.7	416.2	418.7	420.2	417.4	415.9
27	2	11049.0	30	429.3	425.0	427.5	430.3	434.7	436.8	440.0	438.8	440.9	442.2	445.2	446.7	444.0	443.6
28	2	11049.0	165	437.6	432.3	432.2	432.9	435.9	435.1	436.5	434.6	436.3	437.7	440.1	442.0	438.5	436.4
29	3	294.0	30	264.8	257.5	252.8	249.6	247.4	243.2	240.7	236.3	234.3	231.0	231.9	229.2	222.7	219.9
30	3	303.7	330	287.8	279.8	275.6	272.5	270.3	265.9	264.0	259.2	257.1	254.1	255.0	251.5	244.8	240.8
31	3	388.7	15	268.9	263.6	261.9	261.4	260.6	257.2	256.8	254.7	255.5	255.8	259.9	261.1	259.1	258.8
32	3	388.7	255	257.2	251.6	249.9	249.5	249.4	246.8	246.6	245.5	247.0	247.4	252.0	255.2	254.3	255.6
33	3	488.5	60	301.0	295.1	294.0	293.7	293.5	291.4	291.8	290.6	291.8	292.1	296.2	297.3	294.4	294.1
34	3	488.5	150	289.4	283.8	283.2	284.0	284.9	282.8	283.6	282.9	284.1	285.0	289.3	290.8	288.4	288.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14			
35	3	738.5	15	369.6	363.4	363.2	363.3	364.7	362.9	363.7	362.8	363.8	364.9	368.4	369.9	367.2	366.6
36	3	738.5	255	347.0	341.0	340.7	340.6	342.9	341.5	342.9	342.6	344.1	346.2	350.1	352.2	349.9	349.5
37	3	798.5	60	393.3	387.2	387.3	386.5	387.7	385.6	386.5	386.3	387.7	391.0	392.3	389.7	388.9	388.9
38	3	798.5	150	362.6	356.8	357.3	357.2	359.8	359.2	360.7	360.6	362.5	365.0	369.6	371.4	369.4	369.2
39	3	988.5	15	439.3	434.1	435.9	436.2	440.5	439.8	441.4	440.6	442.0	444.4	447.8	450.3	447.6	447.1
40	3	988.5	255	416.0	410.9	412.3	412.6	416.7	415.4	416.6	415.9	417.8	420.0	423.4	425.7	422.7	422.0
41	3	1049.0	60	479.9	473.5	475.0	475.0	478.6	477.2	478.2	477.1	478.0	479.8	482.6	483.2	479.9	478.8
42	3	1049.0	150	449.2	442.6	443.9	443.5	447.3	446.5	448.2	447.7	449.7	452.0	455.4	457.5	454.2	452.9
43	4	293.9	300	254.8	247.2	242.6	239.3	236.6	232.5	229.8	224.8	223.0	219.8	218.7	216.0	209.1	205.7
44	4	303.7	300	279.9	272.1	267.3	264.0	261.6	257.9	255.4	250.3	248.7	245.8	244.5	240.8	233.3	229.5
45	4	339.0	300	243.7	237.2	233.1	230.5	228.1	224.6	222.4	217.6	216.4	214.1	213.3	210.8	204.7	201.7
46	4	348.4	300	254.4	248.4	244.9	242.5	240.6	238.0	236.3	231.7	230.9	229.0	228.3	226.3	220.1	217.4
47	4	379.1	300	298.3	291.4	288.6	285.9	285.0	281.8	280.2	275.3	274.8	272.8	271.4	269.6	262.2	257.9
48	4	389.0	45	258.2	252.2	250.0	248.3	248.2	245.2	244.9	241.8	243.2	244.2	244.9	247.0	244.8	245.4
49	4	389.0	210	248.6	243.0	240.8	240.2	239.6	236.8	236.6	233.9	234.9	235.3	237.4	238.8	236.1	236.5
50	4	408.8	300	109.5	109.3	107.8	107.2	108.3	106.8	107.9	108.6	111.0	111.5	110.6	109.6	110.3	110.3
51	4	418.6	300	286.6	279.4	275.9	273.9	273.3	270.0	269.1	265.6	265.8	265.1	265.6	265.4	260.7	258.8
52	4	428.7	300	289.6	282.9	279.3	277.1	276.5	273.9	272.6	269.2	268.9	268.4	269.3	268.6	264.2	262.3
53	4	739.2	45	347.0	340.8	339.6	338.5	339.9	338.3	339.0	336.6	337.8	339.2	340.6	342.1	338.4	336.7
54	4	739.2	210	332.4	326.4	325.7	324.5	326.4	326.1	327.3	325.0	327.0	328.5	330.5	332.1	328.6	327.4
55	4	989.5	45	409.5	403.4	404.4	403.9	407.1	408.7	410.2	408.3	410.0	411.7	412.1	414.2	410.1	407.7
56	4	989.5	210	413.2	406.0	405.8	404.3	406.7	402.8	403.7	401.7	403.5	405.0	406.1	407.9	404.1	401.8
57	5	369.5	195	250.8	244.3	240.8	238.0	236.2	233.3	230.9	227.0	225.4	223.0	223.6	220.8	215.3	212.4
58	5	369.5	300	255.9	249.4	246.1	242.8	241.0	238.6	236.1	231.7	230.2	227.7	227.3	224.0	218.3	215.3
59	5	389.0	30	245.2	240.1	238.1	237.3	236.3	234.7	233.5	231.1	232.0	232.3	233.6	234.6	232.5	233.5
60	5	389.0	150	249.1	242.8	240.3	238.6	237.3	235.6	234.1	231.4	231.7	231.8	233.0	234.2	232.0	233.1
61	5	549.0	195	285.9	279.5	277.6	276.3	276.2	275.0	274.0	271.3	271.9	272.1	273.3	273.6	269.8	268.1
62	5	549.0	300	275.4	269.9	268.8	267.8	267.6	266.6	266.0	263.5	263.8	264.5	265.4	266.0	262.3	261.4
63	5	738.7	30	325.9	320.3	320.6	320.0	321.0	320.7	320.8	318.6	319.6	321.1	320.8	319.8	316.2	314.5
64	5	738.7	150	335.9	329.9	330.1	328.6	329.3	328.4	328.8	326.0	327.0	328.0	327.9	329.0	325.0	322.6
65	5	809.2	120	349.3	344.0	344.4	343.5	344.7	344.5	345.5	343.0	344.5	345.3	344.8	346.1	342.0	339.4
66	5	819.0	180	360.2	354.5	354.5	352.6	353.0	352.1	352.4	349.0	349.9	350.5	350.7	351.4	347.2	344.0
67	5	929.4	195	400.9	394.4	394.7	393.2	395.4	395.2	396.1	393.3	394.7	395.9	395.3	397.4	393.5	390.9
68	5	929.4	300	386.8	380.3	380.5	379.4	381.8	380.1	381.2	379.0	380.8	382.7	382.8	384.5	381.3	379.2
69	5	989.0	30	403.2	397.0	396.9	395.9	397.9	396.5	397.1	395.2	396.8	398.6	398.6	400.7	397.0	394.7
70	5	989.0	150	416.3	410.8	410.8	410.0	412.6	411.9	412.7	410.3	411.5	412.8	411.9	414.0	409.7	406.5
71	6	388.6	225	261.1	256.8	252.5	252.8	251.3	250.4	249.8	247.7	248.7	250.3	251.6	255.0	253.8	255.4
72	6	388.6	300	250.9	246.5	242.6	243.6	242.1	241.9	241.9	239.3	241.0	241.9	243.2	245.8	245.0	246.7
73	6	488.5	30	270.6	267.0	264.6	264.9	263.5	263.3	262.9	260.4	261.3	261.3	261.9	262.7	259.3	258.7
74	6	488.5	150	279.6	275.1	272.0	272.1	270.9	270.1	269.2	267.0	267.6	267.1	267.6	268.5	264.9	264.1
75	6	739.4	225	348.9	343.7	341.9	342.2	342.2	341.6	341.1	338.8	340.1	340.6	339.9	341.2	337.6	336.1
76	6	739.4	300	342.8	336.7	334.6	334.3	334.1	333.1	333.4	331.2	332.6	333.3	333.0	334.6	331.6	330.5
77	6	798.8	30	355.9	350.3	348.9	349.3	349.1	348.0	348.0	345.7	347.1	347.3	347.4	349.0	345.7	344.0
78	6	798.8	30	355.6	350.5	349.5	349.5	349.5	348.7	348.9	346.7	348.4	348.6	348.8	350.4	347.4	345.9
79	6	829.0	180	351.2	346.7	346.7	347.1	347.8	346.6	347.3	345.0	347.1	347.5	348.1	349.8	346.9	344.7
80	6	839.0	240	347.4	343.2	342.6	342.6	342.8	341.3	341.2	338.4	339.9	339.5	339.3	339.9	336.2	334.3
81	6	988.8	225	425.6	419.5	419.6	419.3	420.9	420.3	420.9	418.0	420.0	420.7	420.1	422.7	419.5	416.4
82	6	988.8	300	422.6	415.7	415.6	415.8	417.0	416.4	417.0	414.0	415.9	417.1	416.7	418.9	415.7	412.8
83	6	1049.0	30	434.4	426.7	427.6	427.4	428.5	427.7	428.1	425.2	427.4	428.7	429.0	432.0	429.2	426.1
84	6	1049.0	150	797.6	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
85	7	339.0	150	284.4	276.3	271.1	267.2	262.8	259.9	256.0	249.2	246.3	241.5	241.2	238.1	231.7	227.4
86	7	349.0	150	257.9	251.9	248.9	247.3	244.7	242.1	241.0	235.6	234.8	232.6	233.5	231.4	225.7	222.8
87	7	359.0	150	266.9	259.7	255.0	251.7	248.6	245.0	242.8	237.2	235.5	232.3	231.4	228.4	222.0	218.2
88	7	369.0	165	279.5	271.6	267.4	264.3	261.1	257.5	255.2	249.9	247.8	244.7	243.7	240.7	234.2	230.0
89	7	369.0	330	273.7	266.5	263.9	261.3	258.4	255.6	253.3	248.7	247.1	244.1	243.6	240.8	234.4	230.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
90	7 379.0	150 295.4	289.1	286.6	285.5	284.9	282.5	282.0	278.5	277.9	276.5	275.3	273.2	267.1	262.8
91	7 398.9	150 271.4	265.0	262.6	261.9	261.1	258.9	258.9	255.9	256.1	256.2	257.2	257.5	254.9	254.3
92	7 408.6	150 274.8	267.8	266.6	265.7	265.0	262.8	263.2	260.4	260.4	260.6	261.7	262.4	259.4	258.5
93	7 489.4	165 292.3	285.7	285.0	285.0	284.6	282.5	283.5	280.3	281.0	281.8	282.3	283.4	280.5	279.3
94	7 489.4	330 282.2	276.1	276.0	276.1	275.2	274.5	274.6	272.7	273.7	273.9	276.7	277.7	274.8	273.6
95	7 799.0	165 364.6	358.3	358.8	359.6	360.1	359.7	361.2	359.9	361.3	363.1	364.5	366.7	363.8	361.7
96	7 799.0	330 355.5	349.7	350.5	351.1	351.8	351.7	352.8	351.7	353.3	354.6	356.0	358.6	355.7	353.7
97	71049.0	165 109.2	109.1	108.3	109.8	107.8	107.8	106.7	107.2	110.4	109.7	113.2	114.5	112.9	115.0
98	71049.0	330 424.3	417.5	417.7	418.7	420.1	420.7	422.1	420.8	423.0	425.0	426.8	429.9	427.5	424.8
99	8 294.6	210 277.2	269.3	264.7	260.8	257.9	254.9	251.9	246.6	244.1	239.7	238.7	236.1	228.6	224.5
100	8 304.2	270 294.8	286.4	282.2	278.3	275.4	272.7	270.0	264.6	262.7	258.5	257.2	254.1	246.4	241.2
101	8 368.7	135 268.1	260.4	256.0	252.0	249.1	246.1	243.8	238.2	236.8	232.8	232.8	230.7	223.9	219.9
102	8 368.7	255 289.6	280.8	275.6	272.2	268.3	265.0	262.0	255.6	253.5	248.8	247.4	244.5	237.1	232.7
103	8 389.1	30 260.8	254.5	251.1	249.9	248.4	246.8	246.5	242.8	244.4	243.1	245.1	244.8	242.0	242.2
104	8 389.1	300 272.0	265.4	261.8	259.8	257.6	255.3	253.9	249.7	250.2	248.7	250.2	251.4	247.8	246.8
105	8 549.0	135 282.3	277.9	276.8	276.1	276.4	275.5	275.5	273.4	275.3	275.2	278.9	280.6	277.8	276.6
106	8 549.0	255 307.0	302.6	301.6	301.2	301.3	299.8	299.7	297.4	298.6	298.3	300.8	302.6	299.2	297.4
107	8 739.0	30 340.7	335.3	333.7	332.9	332.6	331.5	331.3	329.3	330.9	331.4	334.3	337.0	333.8	331.9
108	8 739.0	300 383.9	378.4	377.7	377.6	378.3	377.7	379.1	378.1	380.2	381.8	386.4	389.4	386.6	384.6
109	8 929.0	135 353.5	348.5	348.1	348.0	348.8	347.5	348.1	345.9	346.8	346.9	349.0	351.1	347.4	345.0
110	8 929.0	255 381.4	376.4	376.5	377.0	378.6	377.4	379.3	378.8	380.7	382.0	385.7	388.7	385.5	383.6
111	8 988.8	30 418.2	412.4	411.7	411.2	411.9	408.4	409.7	407.9	409.2	410.2	412.1	413.9	409.8	407.4
112	8 988.8	300 407.6	403.5	405.2	406.3	409.2	408.8	410.4	409.1	410.6	412.0	415.0	418.2	415.1	413.0
113	9 369.4	105 262.6	256.2	252.5	249.0	245.5	242.2	240.4	235.1	233.3	229.9	232.4	229.9	223.5	220.0
114	9 369.4	180 103.4	101.9	100.9	104.5	104.1	104.7	105.0	104.1	105.5	105.0	107.3	113.9	112.8	111.6
115	9 389.0	30 258.3	252.1	248.6	248.0	246.3	244.7	243.7	240.6	240.8	240.8	243.7	246.0	243.7	243.9
116	9 389.0	270 259.9	253.6	250.8	250.5	248.7	247.2	246.1	242.8	242.7	242.7	246.3	248.6	246.8	247.2
117	9 549.0	105 283.7	278.2	275.9	275.6	275.0	273.4	272.7	270.8	270.9	271.3	275.2	276.8	273.1	271.3
118	9 549.0	180 280.0	274.6	272.3	271.1	270.6	269.4	268.0	266.5	266.1	266.3	271.1	272.2	268.7	267.1
119	9 739.2	30 340.1	333.7	331.9	331.3	331.5	330.4	329.4	327.6	327.8	328.6	330.6	332.8	328.8	325.8
120	9 739.2	270 337.2	330.9	329.8	329.0	328.8	327.6	327.1	325.4	325.8	326.7	329.7	331.9	327.6	325.0
121	9 909.0	60 391.3	384.5	384.0	384.1	384.7	383.9	384.3	383.2	384.1	385.3	387.4	390.6	387.0	384.1
122	9 919.0	120 390.6	383.6	383.1	382.8	383.7	382.8	383.5	382.6	383.8	385.8	391.6	395.3	392.0	389.9
123	9 929.0	105 398.1	390.7	389.7	389.8	390.7	389.3	390.1	388.5	389.6	391.2	395.9	399.3	396.0	393.8
124	9 929.0	180 392.5	386.1	385.4	384.8	386.0	384.5	385.3	383.5	384.5	386.2	393.1	396.9	393.5	391.6
125	9 988.8	30 419.9	412.9	412.8	412.6	413.0	410.2	411.1	408.9	409.0	410.0	409.5	412.3	407.9	404.6
126	9 988.8	270 407.6	400.4	400.1	400.5	400.7	398.0	399.3	397.6	398.2	400.6	403.7	406.2	401.9	399.5
127	10 489.3	90 270.0	265.1	263.6	262.4	261.2	259.4	258.8	256.6	257.5	258.0	261.7	262.3	259.3	258.0
128	10 489.3	300 276.4	270.3	268.3	266.7	264.8	262.1	261.5	258.2	258.9	258.8	262.8	263.2	259.5	258.2
129	10 549.0	60 289.3	282.7	280.5	279.1	278.3	275.6	275.1	272.3	272.6	272.8	275.3	275.7	272.1	270.5
130	10 549.0	210 282.6	276.6	274.7	274.0	272.7	270.5	269.6	266.6	267.9	268.2	273.5	273.6	270.1	268.4
131	10 739.0	180 329.9	324.4	323.4	324.0	324.1	322.2	321.8	319.8	320.4	321.8	326.2	327.0	323.9	322.3
132	10 739.0	330 339.3	333.2	331.8	332.1	332.0	330.7	330.6	328.2	329.2	330.1	332.9	333.5	329.9	327.7
133	10 799.0	90 357.5	350.8	349.3	348.5	349.1	347.4	347.2	344.7	346.1	347.0	349.3	350.7	347.0	345.0
134	10 799.0	300 353.8	347.5	346.7	346.6	346.7	345.3	345.5	342.6	345.7	344.3	346.9	347.2	342.7	340.3
135	10 929.0	60 396.9	390.6	389.8	390.1	391.7	390.9	391.3	389.5	390.8	392.5	394.6	396.5	393.2	391.2
136	10 929.0	210 388.6	381.5	381.1	381.7	383.1	381.5	382.2	380.8	382.5	384.2	388.3	391.1	387.9	385.5
137	10 989.0	180 406.1	399.0	397.9	398.4	399.3	397.9	398.2	396.1	397.8	399.7	403.8	406.4	403.3	400.8
138	10 989.0	330 412.5	406.1	405.5	406.1	407.5	406.5	406.6	404.3	405.5	406.8	409.3	410.8	407.3	404.2
139	101049.0	90 441.2	432.9	432.1	431.3	432.8	431.7	431.7	428.6	430.0	431.3	432.6	434.8	430.9	427.3
140	101049.0	300 421.9	414.8	415.2	415.6	417.9	417.2	417.9	415.6	417.7	418.8	421.5	423.6	420.3	417.0
141	11 389.0	60 255.7	249.9	247.7	245.2	245.1	243.5	242.2	239.5	240.6	240.5	243.6	245.8	244.8	245.9
142	11 389.0	315 253.8	249.3	247.1	245.1	245.1	243.5	242.3	239.6	241.0	240.8	243.0	244.1	242.6	243.5
143	11 489.0	150 269.5	264.5	262.5	261.3	260.5	258.8	258.1	255.0	256.3	255.8	257.6	257.8	254.7	252.9
144	11 489.0	270 268.8	264.1	262.3	260.3	260.0	258.1	257.5	254.7	255.6	255.6	257.2	257.6	254.5	252.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14			
145	11	738.9	60	329.1	324.1	323.6	322.4	323.8	322.5	322.7	320.2	321.7	322.4	323.9	325.3	322.3	320.2
146	11	738.9	315	334.2	328.3	327.3	325.6	326.5	324.7	324.4	321.9	323.5	324.7	325.8	327.5	324.4	322.5
147	11	799.6	150	350.5	344.1	343.6	342.2	343.5	342.4	341.5	339.3	340.9	341.0	342.3	343.5	340.2	337.5
148	11	799.6	270	356.4	350.0	349.7	348.3	349.7	348.1	347.8	345.2	346.8	346.9	348.3	349.4	345.9	343.4
149	11	849.3	240	349.0	342.7	342.2	340.1	341.5	339.6	339.8	336.7	337.9	337.5	338.3	338.4	334.0	330.8
150	11	859.8	300	353.7	347.4	347.2	344.9	346.2	344.6	344.8	341.7	343.2	343.1	343.5	344.5	340.3	336.9
151	11	989.3	60	406.7	400.0	401.4	399.5	402.9	402.2	403.0	400.1	402.2	403.1	403.8	406.0	402.5	399.2
152	11	989.3	315	414.3	407.0	407.9	406.3	408.1	407.5	407.7	404.8	406.7	407.8	408.0	410.3	406.7	403.5
153	111049.2	150	432.8	424.7	425.5	424.1	425.9	425.5	425.6	422.1	423.6	424.2	424.9	427.1	423.3	419.6	
154	111049.2	270	437.1	428.6	429.5	427.9	429.4	428.9	428.6	425.5	426.8	427.9	428.8	430.7	426.8	422.9	
155	12	359.9	30	278.7	270.3	265.6	261.8	259.0	255.2	252.6	247.0	244.9	241.7	241.7	239.4	233.5	230.2
156	12	370.0	15	289.4	281.1	276.2	272.7	269.8	266.2	263.2	257.2	254.8	250.7	249.6	246.5	240.0	235.7
157	12	370.0	240	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
158	12	379.2	90	304.9	298.4	296.3	294.4	293.8	291.9	290.7	286.1	285.3	282.4	281.6	278.8	271.8	266.9
159	12	489.0	90	308.7	302.7	300.8	299.3	298.5	296.8	296.4	292.8	293.4	292.8	294.1	295.3	292.1	290.0
160	12	489.0	270	290.7	274.8	272.9	272.1	271.0	269.7	270.0	266.7	268.2	267.7	269.4	270.4	268.0	266.7
161	12	548.9	15	304.2	300.1	300.0	300.3	300.7	300.4	301.1	298.5	300.0	300.1	301.7	302.7	300.0	298.5
162	12	548.9	240	290.9	285.4	283.8	283.6	282.6	281.9	282.8	280.5	281.6	282.8	284.9	286.6	284.1	283.0
163	12	799.3	90	365.6	361.2	361.9	363.1	364.6	364.4	366.3	363.8	365.9	367.8	370.0	372.7	370.3	368.8
164	12	799.3	270	359.5	353.8	352.9	352.9	353.3	352.9	354.2	351.8	353.7	355.3	357.2	359.5	357.0	355.6
165	12	929.3	15	368.6	364.6	365.6	366.6	369.1	369.7	372.1	370.5	373.6	375.7	378.5	381.4	379.0	378.0
166	12	928.4	240	391.5	385.7	385.2	385.4	386.3	386.4	387.4	384.7	387.0	388.7	390.3	392.7	389.6	387.8
167	121049.5	90	423.1	418.5	420.0	422.6	425.4	426.6	428.6	426.6	429.9	432.3	435.4	438.6	437.0	436.1	
168	121049.5	270	424.4	418.5	418.6	419.1	420.9	421.3	422.8	420.1	422.9	424.9	426.5	429.7	427.5	425.3	
169	13	338.8	60	225.4	219.4	215.7	213.3	210.5	206.1	203.2	198.7	197.9	194.7	199.1	197.0	190.8	188.1
170	13	349.0	60	220.5	215.2	212.0	210.9	208.8	205.5	203.1	199.6	200.1	197.7	202.8	202.1	197.0	194.8
171	13	368.9	90	241.1	234.3	231.3	229.1	226.2	222.2	219.6	215.0	214.5	211.5	216.4	214.7	208.8	205.5
172	13	368.9	240	253.7	246.1	242.4	240.0	236.7	232.8	229.8	224.5	223.9	220.0	223.1	221.0	214.4	211.0
173	13	388.5	45	240.3	234.6	232.5	231.2	229.5	226.7	226.1	223.2	224.8	224.5	231.7	234.0	231.9	232.5
174	13	388.5	270	256.8	249.7	247.4	245.0	242.6	239.2	238.2	233.8	234.0	232.3	236.8	237.6	233.9	233.2
175	13	549.0	90	276.7	271.4	270.4	271.2	270.0	267.9	267.7	265.3	267.1	266.9	273.3	275.1	270.8	269.1
176	13	549.0	240	294.0	288.3	287.6	287.8	287.2	284.8	284.6	281.6	282.9	282.2	287.0	288.5	284.4	282.8
177	13	738.7	45	328.4	322.3	322.1	322.4	321.9	320.4	320.3	318.1	320.7	321.5	327.8	329.9	326.4	324.6
178	13	738.7	270	333.0	327.0	326.7	327.0	327.4	326.2	326.5	324.3	326.2	326.5	331.8	333.9	329.8	328.3
179	13	929.3	90	384.2	377.5	376.8	377.6	377.7	377.5	378.0	376.0	378.6	379.5	386.8	390.0	386.1	384.1
180	13	929.3	240	387.6	381.7	381.4	382.1	382.2	381.2	381.6	379.3	381.3	381.8	387.4	390.4	386.9	384.7
181	13	989.2	45	399.2	393.1	393.2	394.1	395.2	395.0	395.3	393.7	395.9	397.1	404.8	408.1	403.9	401.8
182	13	989.2	270	406.8	400.4	400.3	401.2	402.2	401.2	401.4	399.6	401.6	403.0	408.3	411.5	407.7	405.9
183	14	369.0	30	243.7	236.8	233.2	230.8	227.7	223.7	221.2	216.5	215.8	212.7	219.2	217.4	211.5	208.4
184	14	369.0	270	252.0	245.2	241.3	238.8	235.0	231.3	227.9	223.4	222.1	218.6	224.5	222.3	215.7	212.5
185	14	488.9	75	257.3	252.5	251.4	250.7	250.1	248.1	247.5	245.9	247.8	247.8	256.8	258.4	255.7	255.0
186	14	488.9	180	268.0	262.8	260.6	259.9	258.4	255.7	255.1	252.4	254.2	253.1	262.0	263.4	259.6	258.6
187	14	548.8	30	276.5	271.2	269.9	268.7	268.3	266.1	265.5	262.7	264.6	264.0	272.9	274.0	270.5	269.7
188	14	548.8	270	282.3	277.6	275.5	275.3	275.1	272.9	272.9	270.0	272.2	271.5	279.7	280.8	276.6	274.9
189	14	799.2	75	347.8	342.4	341.1	341.0	340.5	339.1	339.9	336.6	338.7	339.3	346.4	348.5	344.9	343.4
190	14	799.2	180	348.8	343.1	342.4	342.7	342.1	341.0	341.8	337.9	339.7	340.7	348.3	350.4	346.4	344.5
191	14	890.2	0	384.2	377.9	377.1	377.3	376.9	376.0	376.3	372.3	374.4	375.3	382.6	385.1	380.8	378.2
192	14	899.8	60	379.3	373.0	372.6	372.9	372.8	371.6	372.2	368.7	371.0	372.3	379.1	381.4	377.7	375.3
193	14	929.5	30	389.6	383.3	383.3	383.5	383.8	382.9	383.9	380.2	382.7	383.9	390.9	393.5	389.6	387.4
194	14	929.5	270	394.4	387.7	387.3	388.5	389.5	389.0	390.1	387.3	389.1	391.1	398.7	400.7	396.6	394.0
195	141049.2	75	424.9	418.6	418.6	419.0	419.9	418.7	420.1	416.4	419.0	420.7	427.6	429.7	425.3	422.1	
196	141049.2	180	439.7	432.7	432.1	432.4	432.1	430.8	431.8	427.0	428.7	429.7	433.8	435.3	429.8	426.0	
197	15	369.1	150	251.1	244.4	240.7	238.8	235.6	232.7	230.6	226.0	225.5	222.8	225.5	223.2	217.4	214.3
198	15	369.1	270	246.0	239.1	235.6	233.4	229.1	226.0	223.5	218.7	218.1	215.3	220.3	218.6	213.2	210.4
199	15	488.6	60	263.5	258.1	257.1	256.9	256.2	254.8	255.3	252.9	254.8	254.6	259.8	261.7	258.8	258.1

TE R AX RAD T  
 NR NR. POS PDS  
 (NM) (GRD)GRAD C

IU

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14			
200	15	488.6	345	259.3	254.1	253.4	253.4	251.6	250.1	250.7	248.4	250.5	250.9	257.4	259.2	256.0	255.5	
201	15	549.6	150	282.0	276.7	275.3	274.9	274.0	271.9	272.4	269.2	270.8	270.7	276.0	277.3	273.4	272.4	
202	15	549.6	270	282.0	276.7	275.5	275.2	274.2	272.0	272.4	269.4	271.2	271.4	278.3	279.6	275.7	274.9	
203	15	799.6	60	344.5	339.5	338.5	338.6	339.2	338.0	339.2	336.3	338.8	339.6	344.3	346.2	342.4	341.0	
204	15	799.6	345	341.0	335.0	334.3	334.4	334.5	333.6	334.9	331.3	333.8	335.1	341.2	343.3	339.9	338.7	
205	15	869.0	0	352.0	346.1	345.9	345.7	346.2	345.7	346.6	343.3	345.1	345.8	350.8	352.6	348.0	346.0	
206	15	879.0	300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
207	15	929.2	150	394.9	388.3	388.4	389.0	390.0	389.8	391.3	388.3	390.9	391.8	397.2	399.4	395.1	393.4	
208	15	929.2	270	391.1	384.7	384.7	385.5	385.5	384.8	386.3	382.8	385.3	386.4	393.5	395.9	391.5	389.7	
209	151049.1	60	426.5	419.9	419.8	420.9	420.9	422.5	422.7	424.1	420.4	422.6	423.8	428.2	430.8	425.5	424.1	
210	151049.1	345	425.3	418.6	418.3	419.1	420.9	421.1	422.8	419.3	422.2	422.2	421.4	218.3	220.6	218.5	212.5	210.3
211	16	368.5	150	270.5	262.1	256.7	253.4	249.4	246.1	243.3	237.6	236.1	232.1	233.9	231.3	224.8	221.6	
212	16	368.5	285	248.5	241.3	237.4	234.7	231.5	228.9	227.0	222.2	221.4	218.3	220.6	218.5	212.5	210.3	
213	16	418.6	210	256.1	249.9	248.6	247.7	246.9	245.6	246.0	243.4	245.2	244.7	249.3	250.0	246.4	246.1	
214	16	428.5	210	260.8	254.2	253.2	252.6	252.0	251.0	250.7	248.6	250.7	250.7	255.1	255.8	252.5	252.3	
215	16	488.5	120	299.1	293.0	291.5	291.3	290.1	289.3	288.8	285.5	287.1	286.3	290.0	290.7	286.5	285.2	
216	16	488.5	330	267.8	262.4	260.8	260.6	260.2	259.7	259.3	256.9	259.3	259.1	262.0	263.2	259.6	258.8	
217	16	548.6	150	304.5	299.0	297.6	297.6	297.2	296.3	296.3	293.3	294.9	294.7	299.2	300.6	296.9	296.1	
218	16	548.6	285	284.8	279.0	276.7	276.0	275.4	274.5	274.1	271.6	273.1	273.6	277.5	278.8	275.4	274.8	
219	16	798.9	120	364.0	359.5	360.2	361.8	363.4	363.5	364.7	362.1	364.0	364.9	369.3	371.3	367.1	365.6	
220	16	798.9	330	344.5	338.7	337.6	337.6	339.0	339.6	340.4	338.5	341.4	342.8	346.9	349.3	345.5	344.6	
221	16	929.0	150	382.2	376.5	376.6	377.7	379.6	380.0	381.5	379.0	382.0	383.1	387.9	390.2	386.2	384.8	
222	16	929.0	285	394.6	388.3	387.1	388.0	389.3	389.1	390.9	388.2	391.3	392.4	397.4	399.7	395.9	393.9	
223	161049.0	120	415.0	409.3	409.4	410.9	413.9	414.8	416.9	414.6	417.6	419.1	423.3	425.7	421.8	420.0		
224	161049.0	330	432.4	424.3	423.2	422.5	424.0	423.1	424.3	420.9	423.3	424.1	428.1	428.5	424.3	421.7		
225	17	368.7	30	246.0	239.3	235.4	233.7	228.9	225.7	223.4	218.3	217.7	215.9	220.6	218.7	212.4	209.0	
226	17	368.7	210	259.0	252.0	248.2	246.2	242.6	239.3	237.0	231.6	230.7	226.5	230.2	228.1	221.0	217.7	
227	17	388.4	0	238.7	232.8	230.9	231.0	227.3	226.1	224.7	221.6	224.3	223.0	231.6	232.9	229.9	229.8	
228	17	388.4	135	257.8	251.8	249.8	249.1	246.4	244.8	243.6	240.8	241.3	240.4	247.3	248.2	244.4	242.9	
229	17	418.8	150	266.4	260.0	257.6	256.9	253.8	251.8	250.0	247.0	247.2	245.8	251.3	250.9	245.7	242.9	
230	17	428.8	210	270.7	264.2	262.3	261.3	258.5	256.1	254.7	250.8	251.3	249.7	255.7	255.5	250.5	248.2	
231	17	549.0	30	280.4	274.4	272.9	272.7	270.4	268.0	267.5	264.8	265.8	265.3	273.0	273.9	269.6	267.6	
232	17	549.0	210	305.5	300.5	298.6	299.5	297.2	295.3	294.9	291.8	292.5	291.4	297.5	298.5	293.5	291.8	
233	17	739.2	0	337.7	332.0	330.6	330.9	329.8	327.9	327.9	325.0	326.4	326.4	333.8	335.0	330.5	327.9	
234	17	739.2	135	333.0	327.7	327.4	328.4	327.7	325.5	326.1	323.6	325.4	325.5	333.7	334.6	330.2	328.3	
235	17	928.9	30	394.6	387.9	386.5	387.4	386.5	385.0	385.8	382.6	383.8	383.8	390.5	391.6	386.5	383.0	
236	17	928.9	210	390.5	385.0	383.6	384.6	384.5	383.3	384.0	381.3	382.9	383.6	393.6	395.1	389.9	387.1	
237	17	989.1	0	411.6	406.0	405.4	406.6	407.3	406.0	406.7	404.1	405.2	405.4	409.9	411.5	406.3	403.3	
238	17	989.1	135	407.9	401.5	400.1	400.0	400.3	398.7	400.3	397.7	399.6	401.3	412.2	415.2	410.0	407.6	
239	18	294.0	0	224.5	218.1	213.9	211.3	207.7	203.3	201.4	196.7	196.2	193.5	199.7	197.3	191.4	189.0	
240	18	304.0	0	242.3	236.1	232.3	229.6	226.6	222.4	220.7	216.0	215.9	213.1	218.8	216.8	210.6	207.6	
241	18	359.2	0	231.2	225.3	221.5	219.2	216.1	211.9	210.3	205.9	205.1	202.2	207.1	205.0	198.7	195.5	
242	18	369.1	90	240.9	235.1	231.8	230.2	227.1	223.5	222.2	217.9	217.7	215.1	219.8	217.4	211.2	208.7	
243	18	369.1	235	245.7	239.5	235.0	233.9	230.0	226.5	224.1	219.9	218.7	216.1	220.8	218.3	211.6	208.6	
244	18	378.9	0	270.9	264.3	261.3	260.7	259.1	254.2	252.2	249.6	249.3	247.2	253.6	251.5	245.1	241.4	
245	18	389.1	90	233.9	229.1	226.4	226.5	224.3	222.7	221.0	219.6	221.3	221.1	230.2	230.7	225.7	230.3	
246	18	389.1	285	176.1	193.5	201.1	204.8	208.4	202.0	209.1	209.9	213.3	215.3	220.2	220.4	219.4	221.0	
247	18	409.2	0	250.5	245.3	242.9	242.8	239.8	237.8	238.0	235.9	236.7	236.5	244.7	245.0	241.3	240.3	
248	18	429.3	0	253.7	248.9	246.2	246.2	243.1	240.7	240.9	238.6	240.2	239.8	249.5	249.9	246.3	245.4	
249	18	549.5	90	277.4	272.6	271.1	271.2	270.0	268.5	269.2	267.0	268.8	268.9	277.3	277.7	274.1	273.2	
250	18	549.5	285	276.8	272.5	271.0	271.0	270.4	268.1	268.4	266.4	267.4	267.3	276.8	278.1	274.7	273.5	
251	18	930.2	90	386.1	380.2	379.8	380.6	381.4	380.5	382.4	380.1	381.5	382.3	390.4	391.2	386.1	383.2	
252	18	930.2	285	397.3	391.1	390.4	390.5	390.0	388.8	389.4	386.9	388.0	387.9	397.0	398.0	392.8	389.7	
253	19	369.0	180	275.4	267.8	263.2	260.3	257.2	253.5	251.5	245.8	244.1	239.9	242.1	239.6	232.5	229.4	
254	19	369.0	270	259.0	251.6	247.7	245.5	242.8	239.5	237.5	232.6	231.0	227.4	230.2	227.9	221.4	218.5	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14			
255	19	398.5	90	265.7	259.6	256.9	256.0	255.3	252.9	252.6	249.2	250.0	247.9	252.6	252.6	248.1	247.3
256	19	408.4	150	287.3	280.2	276.8	275.5	273.5	270.9	270.1	265.9	266.3	264.0	267.6	267.3	262.1	260.4
257	19	488.5	15	267.6	*****	260.8	260.3	258.4	257.3	258.0	255.3	257.9	257.1	262.9	263.7	261.0	260.4
258	19	488.5	135	300.9	295.4	293.9	293.9	293.0	291.4	292.1	289.1	290.4	289.1	294.1	295.3	290.9	289.4
259	19	548.8	180	295.9	290.2	289.1	289.2	288.2	287.0	288.0	285.8	287.8	287.6	294.3	296.9	293.3	293.0
260	19	548.8	270	315.0	309.4	308.7	309.0	308.4	307.4	308.5	305.8	307.5	306.8	312.8	314.7	310.9	309.9
261	19	798.4	15	367.8	361.5	361.0	361.1	361.6	361.3	363.0	360.8	362.6	362.3	367.7	369.7	365.4	364.4
262	19	798.4	135	362.4	357.3	358.4	359.0	360.3	360.1	362.4	360.5	363.0	363.3	369.6	372.4	368.9	368.3
263	19	928.5	180	398.4	392.7	393.3	394.4	396.0	395.9	398.4	396.2	398.3	398.4	404.1	406.6	401.8	399.9
264	19	928.5	270	397.6	391.6	392.0	392.6	394.1	393.9	396.1	394.0	396.4	397.0	403.1	405.9	401.3	398.7
265	19	1048.7	15	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
266	19	1048.7	135	431.2	425.6	427.2	428.6	431.2	432.5	435.5	434.0	436.7	437.5	443.2	447.3	443.2	441.8
267	21	370.0	150	115.8	114.7	113.5	114.7	114.2	112.9	113.6	113.7	116.0	115.9	122.3	124.3	122.3	123.7
268	21	370.0	144	116.1	114.8	113.8	114.8	114.4	113.1	114.0	114.0	116.2	116.2	122.4	124.4	122.4	123.7
269	21	370.0	126	116.1	114.9	113.8	114.9	114.4	113.2	114.1	114.1	116.5	116.4	122.4	124.3	122.3	123.7
270	21	370.0	120	116.2	115.2	114.1	115.2	114.8	113.7	114.5	114.6	117.0	116.8	122.8	124.6	122.7	124.1
271	21	370.0	30	114.5	113.5	112.2	113.5	113.6	112.3	112.9	112.8	115.3	115.5	120.9	122.6	120.7	121.9
272	21	370.0	26	114.8	113.8	112.6	113.6	113.9	112.5	113.2	113.0	115.5	115.8	121.0	122.6	120.6	121.8
273	21	370.0	7	114.7	113.6	112.5	113.5	113.8	112.5	113.0	112.7	115.2	115.6	120.5	122.1	120.2	121.5
274	21	370.0	0	114.9	113.9	112.7	113.7	114.1	112.8	113.2	112.9	115.4	115.7	120.6	122.2	120.2	121.5
275	21	370.0	210	115.6	114.4	113.2	114.6	113.9	112.1	112.5	112.2	114.5	114.3	121.3	123.2	121.0	122.3
276	21	370.0	206	115.6	114.5	113.3	114.5	113.8	112.1	112.5	112.2	114.6	114.4	121.5	123.4	121.2	122.5
277	21	370.0	187	116.1	114.9	113.7	114.9	114.3	112.5	113.0	112.7	115.1	114.9	122.0	123.8	121.6	122.9
278	21	370.0	180	115.6	114.4	113.2	114.3	113.7	112.0	112.6	112.3	114.7	114.6	121.7	123.4	121.3	122.7
279	22	390.0	30	116.8	116.0	114.7	115.9	116.0	114.7	115.3	115.2	117.7	118.0	123.4	125.2	123.3	124.6
280	22	390.0	26	117.6	116.8	115.7	116.8	117.1	115.8	116.5	116.4	118.9	119.2	124.4	126.1	124.2	125.4
281	22	390.0	7	117.7	116.8	115.8	116.9	117.3	116.1	116.6	116.5	119.0	119.4	124.2	125.9	123.9	125.1
282	22	390.0	0	117.5	116.7	115.6	116.8	117.1	115.8	116.3	116.1	118.6	119.0	123.9	125.6	123.6	124.9
283	22	390.0	330	116.7	116.0	114.8	116.1	116.3	115.0	115.4	115.2	117.7	118.0	123.2	124.8	122.9	124.2
284	22	390.0	324	116.7	116.0	114.7	116.1	116.4	115.1	115.6	115.3	117.8	118.0	123.1	124.8	122.8	124.1
285	22	390.0	306	117.2	116.3	115.1	116.5	116.8	115.4	115.9	115.5	118.0	118.3	123.0	124.8	122.7	123.9
286	22	390.0	300	117.2	116.3	115.2	116.6	117.2	115.7	116.2	115.9	118.4	118.6	123.3	125.2	123.0	124.1
287	22	390.0	210	118.4	117.2	116.1	117.5	116.8	115.0	115.4	115.1	117.5	117.4	124.5	126.4	124.3	125.5
288	22	390.0	206	118.7	117.6	116.4	117.7	117.0	115.2	115.7	115.4	117.7	117.6	124.8	126.8	124.6	125.9
289	22	390.0	187	118.8	117.6	116.5	117.6	116.9	115.2	115.8	115.6	117.9	117.8	125.0	127.0	124.9	126.1
290	22	390.0	180	119.1	118.2	117.2	118.3	117.7	116.3	117.0	116.9	119.2	119.2	126.3	128.3	126.3	127.5
291	23	490.0	180	139.6	138.6	137.6	138.7	138.4	136.9	137.6	137.3	139.6	139.6	146.4	148.4	146.2	147.2
292	23	490.0	173	140.5	139.3	138.2	139.0	138.8	137.5	138.0	137.8	140.0	139.9	146.5	148.5	146.3	147.3
293	23	490.0	156	139.2	138.2	137.2	138.3	138.0	136.8	137.6	137.5	139.8	139.7	146.2	148.2	146.0	147.0
294	23	490.0	150	138.4	137.5	136.5	137.7	137.6	136.4	137.3	137.2	139.5	139.4	145.9	147.9	145.8	146.8
295	23	490.0	60	137.8	136.8	135.9	137.2	137.1	135.9	136.9	136.6	139.0	139.3	145.0	146.7	144.6	145.6
296	23	490.0	54	138.4	137.3	136.4	137.6	137.5	136.1	136.9	136.6	139.0	139.2	144.7	146.5	144.3	145.3
297	23	490.0	34	138.4	137.2	136.2	137.3	137.3	135.8	136.5	136.3	138.8	139.0	144.5	146.1	143.9	145.0
298	23	490.0	30	138.0	137.0	135.9	137.1	137.2	135.7	136.4	136.2	138.7	139.0	144.4	146.0	143.8	144.9
299	23	490.0	0	138.8	137.6	136.6	137.9	138.0	136.6	137.2	136.8	139.3	139.5	144.6	146.2	143.5	144.9
300	23	490.0	353	136.6	135.7	134.9	136.4	136.7	135.5	136.2	135.9	138.6	138.8	143.8	145.4	143.2	144.2
301	23	490.0	336	135.4	134.7	133.8	135.3	135.5	134.4	135.2	135.0	137.7	138.0	143.2	145.0	142.8	143.8
302	23	490.0	330	136.1	135.3	134.4	136.0	136.0	134.9	135.7	135.4	138.1	138.3	143.8	145.6	143.5	144.5
303	24	550.0	180	154.8	153.8	152.9	154.0	154.0	152.7	153.5	153.0	155.3	155.3	162.2	164.2	161.8	162.6
304	24	550.0	173	155.9	154.8	153.7	154.5	154.5	153.2	154.0	153.5	155.7	155.7	162.3	164.3	162.0	162.9
305	24	550.0	156	155.0	153.8	152.8	153.8	154.0	152.8	153.7	153.5	155.8	155.8	162.1	164.2	161.9	162.8
306	24	550.0	150	154.1	153.1	152.1	153.4	153.5	152.5	153.5	153.3	155.6	155.6	162.0	164.0	161.7	162.6
307	24	550.0	0	153.9	152.6	152.0	153.4	153.7	152.6	153.3	152.8	155.3	155.5	160.5	162.2	159.7	160.5
308	24	550.0	353	152.0	150.8	150.4	151.9	152.1	151.2	152.2	151.9	154.7	154.9	160.0	161.9	159.5	160.3
309	24	550.0	336	152.0	150.7	150.1	151.4	151.7	150.8	151.6	151.4	154.1	154.4	159.6	161.4	159.0	159.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14				
310	24	550.0	330	152.3	151.1	150.4	151.8	152.1	151.1	151.9	151.6	154.3	154.5	159.7	161.6	159.2	160.0	
311	24	550.0	240	153.3	152.3	151.4	152.7	152.5	151.2	151.9	151.4	153.8	153.7	160.0	162.0	159.7	160.5	
312	24	550.0	234	153.5	152.6	151.8	153.1	152.8	151.4	152.1	151.5	153.9	153.7	160.0	162.1	159.7	160.5	
313	24	550.0	216	154.4	153.2	152.3	153.6	153.4	151.9	152.6	152.3	154.6	154.4	161.0	163.1	160.7	161.5	
314	24	550.0	210	154.6	153.6	152.7	154.0	153.9	152.4	153.1	152.8	155.0	154.8	161.7	163.7	161.3	162.2	
315	25	740.0	150	201.4	199.9	199.3	200.8	201.5	200.5	201.8	201.6	203.8	203.8	203.9	209.8	212.1	209.5	210.1
316	25	740.0	144	201.1	199.6	199.1	200.4	201.3	200.4	201.8	201.5	203.8	204.0	209.7	212.0	209.5	210.0	
317	25	740.0	126	200.1	198.6	198.1	199.7	200.5	199.8	201.2	201.0	203.4	203.8	209.2	211.6	209.1	209.6	
318	25	740.0	120	199.6	198.1	197.8	199.4	200.1	199.4	200.9	200.7	203.1	203.5	208.9	211.2	208.8	209.3	
319	25	740.0	30	201.0	199.4	198.8	200.6	201.1	200.4	201.6	201.3	204.0	204.5	209.7	211.7	209.1	209.5	
320	25	740.0	26	202.0	200.3	199.7	201.0	201.5	200.9	201.9	201.6	204.3	204.7	209.7	211.7	209.0	209.4	
321	25	740.0	7	201.6	200.2	199.6	201.5	201.9	201.7	202.7	202.3	204.9	205.3	210.1	212.1	209.4	209.7	
322	25	740.0	0	200.8	199.3	199.4	201.2	201.8	201.8	202.8	202.3	205.1	205.4	210.2	212.2	209.5	209.8	
323	25	740.0	210	199.8	198.5	198.1	199.7	200.3	199.0	200.0	199.8	202.0	202.1	208.7	210.9	208.5	209.1	
324	25	740.0	206	201.0	199.8	199.3	200.9	201.6	200.2	201.4	200.9	203.2	203.1	209.9	212.3	209.6	210.0	
325	25	740.0	187	201.2	199.7	199.4	200.9	201.6	200.2	201.5	201.1	203.4	203.5	210.1	212.7	210.0	210.3	
326	25	740.0	180	*****	*****	200.2	201.5	202.1	*****	*****	201.6	203.8	203.9	210.2	*****	*****	*****	
327	26	800.0	30	214.2	212.7	212.3	214.0	214.8	214.4	215.8	215.7	218.5	219.0	224.3	226.4	223.8	224.2	
328	26	800.0	26	215.8	214.3	213.8	215.3	216.0	215.7	217.0	216.7	219.5	220.0	225.1	227.3	224.6	225.0	
329	26	800.0	7	214.9	213.7	213.3	215.3	216.0	216.2	217.4	217.0	219.9	220.4	225.2	227.5	224.7	225.0	
330	26	800.0	0	213.2	212.4	212.3	214.3	215.1	215.3	216.5	216.1	219.0	219.5	224.3	226.6	225.9	223.9	
331	26	800.0	330	213.4	212.1	211.9	213.7	214.6	214.4	215.8	215.5	218.4	218.9	224.1	226.4	223.8	224.1	
332	26	800.0	324	214.7	213.3	213.0	214.7	215.6	215.4	216.5	216.2	219.0	219.4	224.3	226.7	224.1	224.3	
333	26	800.0	306	214.0	212.5	212.4	214.1	215.2	215.1	216.3	215.9	218.7	219.2	224.1	226.6	223.8	224.1	
334	26	800.0	300	213.7	212.3	212.3	214.0	215.1	214.9	216.1	215.7	218.5	218.9	223.9	226.4	223.6	223.8	
335	26	800.0	210	213.1	211.7	211.5	213.2	214.0	212.9	214.1	213.8	216.3	216.5	223.1	225.8	223.2	223.7	
336	26	800.0	206	214.1	212.5	212.4	213.9	214.8	213.6	214.7	214.4	216.7	216.9	223.7	226.3	223.6	223.8	
337	26	800.0	187	214.4	212.8	212.7	214.1	214.9	213.8	215.0	214.7	217.1	217.4	224.0	226.9	224.1	224.3	
338	26	800.0	180	215.4	213.7	213.5	214.9	215.7	214.6	215.8	215.5	217.8	218.1	224.5	227.3	224.5	224.6	
339	27	930.0	180	248.8	246.6	246.8	248.4	249.6	249.0	250.6	250.3	252.9	253.5	260.0	263.2	260.2	260.1	
340	27	930.0	173	247.7	245.5	245.9	247.4	248.7	248.1	249.8	249.5	252.2	252.8	258.8	262.2	259.1	259.1	
341	27	930.0	156	246.7	244.7	244.9	246.6	247.8	247.5	249.2	249.1	251.8	252.3	258.2	261.3	258.4	258.6	
342	27	930.0	150	244.1	242.3	242.7	244.5	245.8	245.8	247.6	247.7	250.5	251.2	257.1	260.1	257.5	257.8	
343	27	930.0	60	245.6	244.1	244.6	246.5	247.2	247.7	249.6	249.6	252.4	253.4	257.7	261.1	258.6	258.7	
344	27	930.0	54	246.0	244.3	245.0	246.8	247.6	248.2	250.0	250.0	253.0	253.9	258.3	261.6	259.0	259.0	
345	27	930.0	34	250.1	248.1	248.2	249.9	250.7	250.8	252.5	252.3	255.3	256.1	260.6	263.4	260.6	260.7	
346	27	930.0	30	*****	*****	*****	249.0	250.7	249.9	251.6	251.5	254.5	257.6	260.6	264.5	*****	*****	
347	27	930.0	0	247.0	246.1	246.8	249.2	250.5	251.8	253.4	253.2	256.2	257.1	261.4	264.3	261.4	261.4	
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
349	27	930.0	336	250.0	248.5	248.8	250.9	252.1	252.6	254.1	253.8	256.7	257.4	261.7	264.4	261.6	261.5	
350	27	930.0	330	249.0	247.4	247.6	249.7	251.0	251.1	252.5	252.3	255.1	255.7	260.2	262.7	259.5	259.9	
351	28	990.0	180	258.9	256.7	257.3	258.7	260.3	259.8	261.5	261.4	264.3	264.8	271.3	274.6	271.5	271.5	
352	28	990.0	173	258.2	256.0	256.8	258.3	259.9	259.6	261.3	261.2	264.0	264.7	271.0	274.2	271.2	271.3	
353	28	990.0	156	257.2	255.3	256.0	257.5	259.0	259.0	260.9	260.9	263.9	264.4	270.4	273.6	270.7	270.8	
354	28	990.0	150	255.4	253.7	254.4	256.2	257.7	258.0	260.0	260.2	263.2	263.9	269.8	273.0	270.3	270.6	
355	28	990.0	0	259.4	258.4	259.0	261.8	263.0	264.5	266.2	266.1	269.1	269.9	274.1	276.9	274.0	273.9	
356	28	990.0	353	259.8	258.5	259.2	261.8	262.9	264.5	266.1	265.9	268.9	269.7	273.8	276.9	273.9	273.9	
357	28	990.0	336	263.2	261.7	262.2	264.3	265.2	266.1	267.5	267.1	269.9	270.5	274.4	277.3	274.3	274.2	
358	28	990.0	330	261.0	259.8	260.2	262.4	263.4	264.2	265.8	265.5	268.3	268.9	272.7	275.7	272.9	272.9	
359	28	990.0	240	256.4	254.4	255.2	257.1	258.6	258.4	260.1	260.0	263.1	263.8	269.9	273.2	270.3	270.4	
360	28	990.0	234	257.6	255.4	256.0	257.6	259.0	258.7	260.3	260.1	263.0	263.5	269.8	273.0	270.0	270.0	
361	28	990.0	216	257.6	255.7	256.2	258.1	259.5	259.2	260.8	260.7	263.6	264.1	270.8	273.8	270.9	270.9	
362	28	990.0	210	256.8	255.0	255.6	257.4	259.0	258.7	260.5	260.5	263.4	264.0	271.0	274.0	271.1	271.1	
363	29	1050.0	150	267.3	265.6	266.6	268.8	270.3	270.8	272.8	273.1	276.0	276.8	282.3	285.5	282.8	282.8	
364	29	1050.0	144	268.7	266.8	267.8	269.7	271.4	271.9	273.9	273.9	276.9	277.6	283.0	286.2	283.3	283.3	

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
365 291050.0	126	267.6	265.7	267.1	269.4	271.0	272.1	274.2	274.4	277.4	278.3	282.9	286.4	283.6	283.4
366 291050.0	120	266.9	265.4	266.6	268.7	270.4	271.6	273.8	274.0	277.1	278.0	282.8	286.1	283.4	283.3
367 291050.0	30	274.7	272.7	273.5	275.7	276.9	277.8	279.7	279.7	282.7	283.4	287.9	290.6	287.7	287.5
368 291050.0	26	276.0	273.9	274.7	277.0	278.0	279.2	280.9	280.8	283.8	284.4	288.5	291.3	288.3	288.1
369 291050.0	7	274.0	272.4	273.8	276.3	277.4	279.3	280.9	280.7	283.7	284.4	288.1	291.2	288.1	287.9
370 291050.0	0	274.0	272.2	273.4	275.9	277.0	279.0	280.7	280.5	283.5	284.2	287.7	290.8	287.8	287.6
371 291050.0	210	267.7	265.9	266.9	269.0	270.3	270.3	272.2	272.3	275.2	276.1	282.7	286.0	283.3	283.0
372 291050.0	206	268.9	266.9	267.8	269.9	271.7	271.7	273.5	273.6	276.7	277.6	284.7	287.8	284.8	284.5
373 291050.0	187	270.7	268.2	268.9	270.4	272.2	272.2	273.9	273.9	278.1	277.6	276.5	278.3	275.5	278.0
374 291050.0	180	270.0	267.9	268.7	270.4	272.2	272.3	274.0	273.9	276.9	277.4	283.8	287.2	284.1	283.9
375 01075.0	6	304.5	301.2	303.0	303.1	305.0	307.5	308.6	307.2	310.8	311.4	313.6	318.4	314.4	312.6
376 01075.0	5	294.5	292.8	294.9	297.3	298.0	302.5	304.5	304.1	307.6	308.5	310.3	314.9	311.1	310.6
377 01075.0	4	286.2	283.2	283.7	285.1	287.2	289.0	289.8	289.3	292.3	293.1	294.6	299.6	296.0	293.8
378 01075.0	2	302.3	299.1	301.4	301.9	302.5	302.9	304.0	302.2	305.6	305.5	303.3	309.1	304.7	302.0
379 01075.0	1	303.2	299.6	302.0	303.6	304.4	307.3	308.9	306.7	310.4	310.8	311.6	317.0	312.9	310.2
380 01075.0	2	298.2	295.0	297.1	298.4	299.1	302.3	303.7	302.6	306.6	306.1	307.6	312.8	309.0	307.2
381 01075.0	4	282.1	279.1	280.9	282.2	283.9	285.8	287.0	287.1	290.8	291.9	294.6	299.8	296.7	295.3
382 01075.0	4	270.8	267.9	269.0	270.8	272.7	273.8	274.9	274.7	278.1	279.8	285.1	290.7	287.5	286.5
383 01075.0	1	290.6	287.4	288.4	289.8	291.8	292.1	293.5	292.8	295.7	296.1	304.0	309.7	306.3	304.4
384 01075.0	1	295.6	292.6	294.1	295.0	296.8	298.5	299.7	299.5	302.9	302.7	306.4	311.9	308.5	306.6
385 01075.0	4	276.2	274.0	275.4	276.1	278.3	280.1	281.7	282.1	286.3	286.6	291.2	296.0	293.3	292.3
386 01075.0	3	300.8	298.3	300.3	301.8	305.5	305.0	306.5	306.2	308.4	306.9	312.1	317.6	313.4	310.8
387 01075.0	3	298.3	295.6	297.0	298.5	300.9	302.2	303.3	303.4	306.9	306.7	310.9	316.4	312.5	310.6
388 01075.0	5	294.9	292.5	296.2	298.1	301.5	301.2	302.8	302.1	305.0	304.8	310.9	316.7	312.9	312.5
389 01075.0	6	292.0	288.6	289.9	291.5	294.6	295.7	297.9	298.3	301.7	302.0	306.2	312.0	308.6	307.3
390 01113.0	0	318.6	315.2	316.8	317.4	320.4	322.3	322.9	322.0	325.1	326.2	326.7	332.4	328.1	325.6
391 01113.0	0	309.3	304.6	305.7	305.7	305.8	311.6	313.8	312.6	316.5	317.1	320.6	325.1	321.6	319.6
392 01113.0	0	309.7	306.1	309.5	310.3	312.6	314.1	315.3	314.5	316.9	318.2	320.4	323.3	322.1	319.1
393 01113.0	0	313.9	312.4	314.2	315.9	318.5	320.0	320.9	319.8	323.5	323.4	327.4	333.1	329.5	325.9
394 01113.0	0	315.1	311.5	312.8	314.4	317.2	316.4	318.2	318.0	321.4	321.7	324.5	330.3	325.4	323.2
395 01113.0	0	303.5	303.7	301.7	306.5	306.5	310.0	313.7	309.9	315.2	317.8	319.7	325.5	318.6	319.0
396 0 0.0	0	109.8	108.3	108.9	109.9	110.1	107.9	111.8	110.6	112.4	112.9	116.0	118.1	117.2	118.8
397 0 0.0	0	107.9	106.4	106.5	107.6	105.5	105.6	102.3	100.9	104.9	104.1	114.5	115.3	113.6	113.2
398 0 0.0	0	108.2	106.2	106.5	105.5	107.0	105.2	106.7	104.6	107.3	108.1	113.2	111.9	111.4	111.0
399 0 0.0	0	109.9	108.7	108.4	109.4	109.2	107.2	108.6	108.4	110.6	110.7	114.7	116.6	116.8	116.2
400 0 0.0	0	103.7	100.9	100.9	99.3	98.0	98.8	98.3	96.4	102.0	100.8	103.9	104.8	101.1	102.8
401 0 0.0	0	103.6	100.7	100.8	99.2	97.9	98.7	98.2	96.2	101.9	100.3	103.8	104.6	100.9	102.6
402 0 0.0	0	3562.0	3364.0	3209.0	3055.0	2931.0	2833.0	2716.0	2576.0	2446.0	2319.0	2190.0	2086.0	1971.0	1868.6
403 0 0.0	0	51.9	48.9	46.7	44.3	42.6	41.2	39.5	37.4	35.5	33.7	31.7	30.4	28.7	27.1
404 0 0.0	0	52.1	49.0	46.8	44.5	42.7	41.3	39.7	37.5	35.6	33.8	31.9	30.5	28.7	27.2
405 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407 4 389.5	0	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4
408 5 389.5	0	2.7	2.6	2.5	2.3	2.2	2.2	2.1	1.9	1.9	1.8	1.7	1.6	1.5	1.4
409 6 389.1	0	2.7	2.6	2.5	2.3	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4
410 7 399.4	0	3.2	3.0	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7
411 8 389.6	0	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5
412 9 369.9	0	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.2
413 10 489.8	0	5.9	5.5	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0
414 11 389.5	0	2.7	2.6	2.5	2.3	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4
415 12 489.5	0	6.0	5.6	5.4	5.1	4.9	4.7	4.5	4.3	4.1	3.8	3.6	3.5	3.3	3.1
416 4 990.0	0	21.4	20.1	19.2	18.3	17.6	16.9	16.3	15.4	14.6	13.9	13.1	12.5	11.8	11.1
417 5 989.5	0	21.3	20.0	19.1	18.2	17.5	16.9	16.2	15.3	14.5	13.8	13.0	12.5	11.8	11.1
418 61049.5	0	23.3	21.9	20.9	19.9	19.1	18.5	17.8	16.8	15.9	15.1	14.3	13.6	12.9	12.1
419 71049.5	0	23.4	22.0	21.0	19.5	19.1	18.5	17.8	16.8	16.0	15.2	14.3	13.7	12.9	12.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	
420	8 989.3	0	21.4	20.1	19.2	18.2	17.5	17.0	16.3	15.4	14.6	13.9	13.0	12.5	11.8	11.1
421	9 988.8	0	21.4	20.1	19.2	18.2	17.5	16.9	16.3	15.4	14.6	13.9	13.1	12.5	11.8	11.1
422	101049.5	0	23.4	22.0	21.0	19.9	19.2	18.5	17.8	16.8	15.9	15.1	14.3	13.6	12.9	12.2
423	111049.7	0	23.3	21.9	20.9	19.9	19.1	18.5	17.7	16.8	16.0	15.1	14.3	13.6	12.9	12.1
424	121050.0	0	23.4	22.0	21.0	20.0	19.2	18.6	17.8	16.8	16.0	15.2	14.3	13.7	12.9	12.2
425	11047.1	0	25.8	24.3	23.2	22.0	21.2	20.4	19.7	18.6	17.7	16.8	15.8	15.1	14.3	13.5
426	21049.5	0	25.7	24.2	23.1	21.9	21.1	20.4	19.6	18.5	17.6	16.7	15.7	15.1	14.2	13.4
427	31049.5	0	25.8	24.2	23.1	22.0	21.1	20.4	19.6	18.6	17.6	16.8	15.8	15.1	14.2	13.5
428	13 989.7	0	28.0	26.3	25.1	23.9	23.0	22.2	21.3	20.1	19.2	18.2	17.1	16.4	15.5	14.6
429	141049.7	0	25.8	24.2	23.2	22.0	21.1	20.4	19.6	18.6	17.7	16.8	15.8	15.1	14.3	13.5
430	151049.6	0	17.5	12.4	12.0	11.5	11.4	11.8	11.4	10.9	10.9	15.1	14.3	11.0	10.5	9.9
431	161049.5	0	25.8	24.2	23.1	22.0	21.1	20.4	19.6	18.5	17.7	16.8	15.7	15.1	14.2	13.5
432	17 989.6	0	28.1	26.4	25.2	24.0	23.0	22.3	21.4	20.2	19.2	18.2	17.2	16.4	15.5	14.7
433	18 930.7	0	30.4	28.6	27.3	25.9	24.9	24.1	23.2	21.9	20.8	19.8	18.6	17.8	16.9	15.9
434	191049.2	0	25.9	24.3	23.2	22.1	21.2	20.5	19.7	18.6	17.7	16.8	15.8	15.1	14.3	13.5
435	1 388.6	0	14.8	13.5	12.4	12.4	12.2	12.5	12.0	11.5	11.5	16.1	15.6	12.8	12.4	11.6
436	2 388.5	0	49.1	46.1	44.1	41.9	40.2	38.9	37.3	35.3	33.6	31.9	30.0	28.7	27.2	25.6
437	3 389.2	0	49.1	46.1	44.0	41.8	40.2	38.8	37.3	35.3	33.5	31.8	30.0	28.7	27.1	25.7
438	13 389.0	0	49.2	46.2	44.1	42.0	40.3	38.9	37.5	35.4	33.6	32.0	30.0	28.7	27.2	25.7
439	14 489.4	0	45.9	43.1	41.1	39.1	37.6	36.3	34.9	33.0	31.4	29.7	28.0	26.9	25.4	24.0
440	15 489.1	0	45.7	43.0	41.0	39.0	37.5	36.2	34.9	33.0	31.3	29.7	27.9	26.7	25.2	23.9
441	16 419.1	0	48.2	45.3	43.2	41.1	39.5	38.2	36.7	34.7	33.0	31.3	29.5	28.2	26.7	25.1
442	17 388.9	0	49.3	46.3	44.2	42.1	40.4	39.1	37.6	35.5	33.7	32.0	30.1	28.8	27.3	25.7
443	18 389.6	0	49.3	46.4	44.3	42.1	40.4	39.1	37.6	35.5	33.7	32.0	30.2	28.9	27.2	25.8
444	19 399.0	0	48.8	45.8	43.7	41.7	40.0	38.7	37.1	35.1	33.4	31.6	29.8	28.5	26.9	25.4
445	1 348.6	0	50.3	47.3	45.1	43.0	41.3	39.9	38.4	36.2	34.4	32.7	30.8	29.5	27.5	26.3
446	2 359.0	0	49.9	46.9	44.8	42.6	40.9	39.6	38.0	35.9	34.1	32.4	30.5	29.2	27.6	26.1
447	3 294.5	0	51.5	48.4	46.2	44.0	42.3	40.8	39.2	37.1	35.3	33.4	31.5	30.2	28.5	26.9
448	4 294.4	0	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3
449	4 304.2	0	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4
450	4 348.9	0	1.8	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.9
451	4 379.6	0	11.9	10.9	10.4	10.1	10.1	10.5	10.3	9.8	9.5	9.2	8.0	5.2	4.9	4.7
452	5 370.0	0	2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1
453	7 349.5	0	17.0	13.3	14.9	15.2	14.8	10.2	9.5	9.7	9.2	8.7	7.8	5.1	1.8	1.0
454	7 359.5	0	2.2	2.0	1.9	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.3	1.2	1.1
455	7 369.5	0	2.4	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
456	7 379.5	0	2.6	2.5	2.4	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.4
457	7 409.1	0	3.5	3.3	3.2	3.0	2.9	2.8	2.7	2.5	2.4	2.3	2.1	2.0	1.9	1.8
458	8 295.1	0	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4
459	8 304.7	0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5
460	8 369.2	0	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.2
461	9 369.9	0	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.2
462	12 370.5	0	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.2
463	13 369.4	0	49.7	46.7	44.6	42.5	40.8	39.4	37.9	35.8	34.1	32.3	30.4	29.1	27.6	26.0
464	14 369.5	0	49.8	46.8	44.7	42.5	40.8	39.4	37.9	35.8	34.0	32.2	30.5	29.1	27.5	26.1
465	15 369.6	0	49.8	46.7	44.6	42.5	40.7	39.5	37.9	35.8	34.1	32.3	30.4	29.0	27.6	26.0
466	16 369.0	0	49.8	46.8	44.7	42.5	40.7	39.5	37.9	35.8	34.0	32.3	30.5	29.1	27.6	26.1
467	17 369.2	0	49.9	46.8	44.7	42.6	40.9	39.5	38.0	35.8	34.0	32.4	30.5	29.1	27.6	26.0
468	18 294.5	0	51.6	48.5	46.3	44.0	42.2	41.0	39.3	37.1	35.3	33.5	31.5	30.1	28.5	27.0
469	18 304.5	0	51.4	48.3	46.1	43.9	42.1	40.7	39.0	36.9	35.2	33.4	31.4	30.0	28.5	26.8
470	18 359.7	0	50.1	47.1	45.0	42.8	41.1	39.7	38.2	36.1	34.3	32.5	30.7	29.3	27.7	26.2
471	18 369.6	0	49.9	46.9	44.8	42.6	40.9	39.6	37.9	35.9	34.2	32.4	30.5	29.2	27.6	26.0
472	18 379.4	0	49.7	46.6	44.6	42.4	40.7	39.4	37.8	35.8	34.0	32.3	30.4	29.1	27.5	25.9
473	18 389.6	0	49.4	46.3	44.2	42.1	40.4	39.1	37.5	35.5	33.8	32.0	30.2	28.9	27.2	25.8
474	18 409.7	0	48.7	45.7	43.7	41.6	39.9	38.6	37.0	34.9	33.3	31.6	29.8	28.4	26.9	25.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

10

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14		
475	18	429.8	0	47.9	45.0	43.0	41.0	39.3	38.0	36.5	34.5	32.9	31.1	29.3	28.0	26.5	25.1
476	19	369.5	0	49.7	46.7	44.6	42.4	40.7	39.4	37.9	35.7	34.0	32.2	30.3	29.1	27.5	25.9
477	1	738.5	0	37.2	34.9	33.3	31.7	30.4	29.5	28.3	26.8	25.5	24.1	22.7	21.7	20.5	19.4
478	2	738.5	0	36.7	34.5	33.0	31.4	30.1	29.2	28.0	26.4	25.2	23.9	22.4	21.5	20.3	19.2
479	3	739.0	0	37.0	34.8	33.3	31.7	30.3	29.4	28.2	26.7	25.4	24.1	22.7	21.7	20.5	19.4
480	4	739.7	0	13.5	12.7	12.1	11.5	11.0	10.7	10.2	9.7	9.2	8.7	8.2	7.8	7.4	7.0
481	5	739.2	0	13.3	12.5	11.9	11.3	10.9	10.5	10.1	9.5	9.1	8.6	8.1	7.7	7.3	6.9
482	6	739.9	0	13.3	12.5	11.9	11.3	10.9	10.5	10.1	9.6	9.1	8.6	8.1	7.7	7.3	6.9
483	7	799.5	0	15.4	14.5	13.8	13.1	12.6	12.2	11.7	11.1	10.5	10.0	9.4	9.0	8.5	8.0
484	8	739.5	0	13.4	12.6	12.0	11.5	11.0	10.6	10.2	9.6	9.2	8.7	8.2	7.8	7.4	7.0
485	9	739.7	0	13.5	12.6	12.1	11.5	11.0	10.7	10.2	9.7	9.2	8.7	8.2	7.8	7.4	7.0
486	10	739.5	0	13.6	12.7	12.2	11.6	11.1	10.7	10.3	9.7	9.3	8.8	8.3	7.9	7.4	7.1
487	11	739.4	0	13.3	12.5	11.9	11.3	10.9	10.5	10.1	9.5	9.1	8.6	8.1	7.7	7.3	6.9
488	12	799.8	0	15.5	14.6	13.9	13.2	12.7	12.3	11.8	11.1	10.6	10.0	9.4	9.0	8.5	8.1
489	13	739.2	0	37.0	34.7	33.2	31.6	30.3	29.4	28.2	26.6	25.4	24.1	22.6	21.6	20.5	19.4
490	14	799.7	0	35.0	32.8	31.4	29.9	28.7	27.8	26.6	25.2	23.9	22.7	21.4	20.4	19.3	18.3
491	15	800.1	0	2.0	1.7	0.7	1.7	1.9	1.6	1.6	1.4	1.5	1.3	1.2	1.1	1.2	1.4
492	16	799.4	0	34.7	32.6	31.1	29.6	28.5	27.5	26.5	25.0	23.8	22.5	21.2	20.3	19.2	18.2
493	17	739.7	0	37.1	34.9	33.3	31.7	30.4	29.5	28.3	26.7	25.4	24.1	22.7	21.7	20.6	19.4
494	18	550.0	0	43.8	41.2	39.3	37.5	36.0	34.8	33.4	31.6	30.1	28.5	26.8	25.6	24.2	23.0
495	19	798.9	0	34.8	32.7	31.2	29.7	28.5	27.7	26.6	25.1	23.9	22.7	21.2	20.4	19.3	18.2
496	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497	0	0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	22.4	22.8	24.0	23.5	25.5	26.1	26.9	26.8	26.4	27.5	28.7	31.4	31.2	29.6	28.7	30.3
DURCHSATZ (KG/S)	0.3428	0.3074	0.2706	0.2431	0.2181	0.1949	0.1776	0.1675	0.1524	0.1361	0.1228	0.1095	0.0982	0.0886	0.0796	0.0720
EL. ENERGIE (KW)	310.6	282.4	255.0	233.7	208.1	191.0	174.3	164.0	149.6	135.3	123.7	112.1	101.5	90.9	81.7	75.1
WAERMEENERGIE (KW)	311.1	282.2	254.6	232.9	207.1	191.3	173.7	164.0	150.0	135.0	123.5	112.2	100.9	90.1	81.3	74.4
WAERMEBILANZ(0/0)	0.2	-0.1	-0.2	-0.3	-0.5	0.1	-0.3	0.0	0.3	-0.2	-0.2	0.1	-0.6	-0.9	-0.5	-0.9
REYNOLDSZAHL*E-04	7.260	6.509	5.716	5.130	4.600	4.095	3.721	3.512	3.195	2.848	2.561	2.276	2.041	1.843	1.655	1.494
DRUCKVERLUST (N/M**2)																
GES. X=1060.0(MM)	59395.	47219.	37001.	29959.	24164.	19932.	16766.	14539.	12145.	9890.	8113.	6568.	5264.	4339.	3629.	2989.
BIS X= 560.0(MM)	15421.	12504.	9785.	7975.	6463.	5118.	4444.	3872.	3231.	2663.	2177.	1809.	1314.	1187.	1054.	896.
BIS X= 624.0(MM)	24404.	19821.	15720.	12576.	10390.	8191.	7019.	5915.	5038.	4017.	3528.	2593.	2186.	1819.	1627.	1318.
BIS X= 717.0(MM)	30268.	24553.	19428.	15581.	12793.	10141.	8633.	7321.	6235.	4964.	4306.	3221.	2695.	2233.	1963.	1596.
BIS X= 810.0(MM)	36035.	29420.	23225.	18667.	15278.	12125.	10278.	8747.	7456.	5928.	5095.	3860.	3217.	2653.	2303.	1875.
BIS X= 874.0(MM)	45847.	37636.	29674.	23896.	19478.	15522.	13110.	11202.	9502.	7576.	6445.	4961.	4113.	3378.	2893.	2368.
BIS X= 967.0(MM)	52295.	42575.	33527.	27281.	22207.	17715.	14935.	12783.	10823.	8640.	7327.	5650.	4667.	3827.	3258.	2666.
EINTR.DRUCK (BAR)	37.79	37.71	37.46	37.38	37.32	37.29	37.41	37.24	37.23	37.16	37.13	37.10	37.07	37.08	36.97	36.93
EINTR.TEMP. GRADC	152.9	151.9	151.6	150.6	152.0	151.7	154.5	153.5	153.6	154.4	155.6	156.2	156.3	156.7	155.8	156.9

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	320.6	319.7	316.3	312.0	309.5	307.0	303.8	302.0	297.4	293.2	290.6	289.0	285.6	278.2	272.4	271.7
2	1	348.1	330	263.3	263.2	261.8	260.0	261.1	260.5	261.4	262.4	260.6	260.1	260.2	260.7	258.8	256.5	253.4	255.0
3	1	388.1	150	298.3	295.4	292.9	288.6	287.7	286.3	285.5	284.6	281.2	280.4	280.5	280.6	277.9	274.9	271.5	274.2
4	1	388.1	330	306.5	304.6	302.1	297.9	297.1	295.2	294.6	294.4	291.4	290.6	289.9	290.0	287.3	285.1	281.5	284.1
5	1	487.7	255	303.6	303.1	303.3	300.8	302.6	300.3	301.4	302.4	300.1	300.2	300.6	302.2	300.4	299.0	296.1	299.1
6	1	487.7	120	305.2	306.4	307.0	306.6	309.3	310.9	311.8	313.2	312.6	313.1	312.9	315.6	314.6	312.6	310.6	313.4
7	1	738.0	150	354.8	354.2	355.5	354.4	355.7	355.1	355.3	356.5	355.4	355.7	356.5	359.7	358.6	357.4	354.9	358.9
8	1	738.0	330	376.8	378.2	381.0	380.4	382.2	385.0	385.7	388.3	387.3	388.0	388.6	392.6	391.6	390.0	387.3	390.9
9	1	795.4	120	372.8	372.9	374.8	373.3	373.9	374.9	375.8	377.5	377.2	378.1	378.8	382.2	381.9	380.3	377.7	381.7
10	1	795.4	255	376.3	378.7	381.5	381.6	384.1	387.1	389.4	390.7	390.4	391.2	392.9	397.4	396.1	395.0	392.3	396.4
11	1	987.0	150	419.4	419.9	421.9	420.8	421.4	422.8	423.4	424.8	422.8	423.6	424.8	429.0	428.7	428.2	425.4	430.0
12	1	987.0	330	439.4	441.2	446.3	446.4	448.2	452.0	452.9	455.3	454.5	456.1	457.3	461.5	461.1	458.9	455.8	460.1
13	1	1046.6	120	443.4	443.6	445.8	446.4	445.8	448.4	449.5	452.0	450.3	452.2	452.8	457.0	456.5	455.0	452.0	456.9
14	1	1046.6	255	426.9	427.9	430.1	431.3	430.9	433.6	435.3	438.1	436.9	439.7	441.0	446.6	447.2	448.7	446.5	451.3
15	2	358.5	0	298.4	296.3	292.7	289.6	286.5	283.7	282.9	282.4	279.2	277.7	275.6	274.9	271.5	267.6	262.7	262.8
16	2	388.0	0	315.2	312.8	310.2	307.1	305.6	303.8	303.9	303.4	301.0	300.0	299.4	298.9	296.5	293.7	290.5	292.8
17	2	388.0	210	299.3	297.2	295.6	293.4	291.3	290.7	290.6	290.3	287.6	286.8	286.7	286.7	285.2	282.8	280.3	282.5
18	2	398.0	0	322.2	319.5	318.2	313.9	311.9	310.6	310.5	310.0	307.7	306.0	305.7	304.5	302.0	298.9	295.5	296.7
19	2	488.1	30	321.4	321.2	321.0	319.0	318.9	319.5	319.5	320.9	319.0	318.8	319.3	319.0	317.7	315.4	313.2	315.8
20	2	488.1	165	313.2	311.5	311.5	310.2	309.0	309.2	308.4	308.1	305.8	306.0	306.2	306.3	305.1	302.2	300.6	303.1
21	2	738.0	0	359.6	359.3	360.6	359.8	359.7	360.9	361.6	363.3	361.4	362.4	363.5	365.6	365.4	364.1	362.6	366.2
22	2	738.0	210	361.5	360.7	362.2	360.0	359.7	361.4	361.1	363.3	361.9	362.3	363.6	365.0	365.2	363.8	362.3	366.3
23	2	797.8	30	380.1	381.3	384.6	385.0	386.5	391.0	391.5	394.5	393.4	394.7	396.3	399.6	400.3	398.8	396.3	399.7
24	2	797.8	165	393.6	393.6	394.2	392.5	392.6	393.7	393.4	394.6	393.0	392.9	393.3	393.6	393.3	391.1	388.6	391.5
25	2	987.2	0	417.4	417.8	420.2	419.8	421.8	424.9	426.1	429.9	429.1	421.6	434.9	438.7	442.7	446.4	445.2	448.8
26	2	987.2	210	434.1	433.2	436.2	434.1	434.9	437.8	437.6	439.2	438.1	438.4	440.3	441.6	441.0	437.8	435.4	439.2
27	2	1049.0	30	442.7	442.1	443.8	443.8	445.4	449.5	449.9	453.8	453.8	456.1	459.3	464.2	469.0	473.7	470.8	474.3
28	2	1049.0	165	447.2	447.7	451.3	450.6	451.4	456.4	455.4	460.0	458.6	459.2	461.4	462.7	461.1	456.3	453.4	457.7
29	3	294.0	30	315.4	311.5	308.7	304.7	302.7	301.3	298.9	297.4	293.9	291.1	289.6	288.2	283.8	278.7	273.5	273.0
30	3	303.7	330	334.3	331.3	328.6	323.6	321.7	319.7	317.9	315.9	312.1	310.0	308.6	307.8	303.3	298.4	292.7	292.2
31	3	388.7	15	311.4	309.5	308.1	305.1	304.2	303.4	303.5	302.7	300.5	299.9	299.8	299.7	297.9	295.4	292.5	293.9
32	3	388.7	255	300.5	298.5	296.6	292.9	291.8	291.5	292.4	290.4	289.1	288.8	288.8	289.7	288.4	285.9	283.8	286.4
33	3	488.5	60	331.7	331.8	332.2	330.1	330.9	332.0	331.9	331.1	329.8	330.0	330.4	331.4	330.0	327.1	325.5	327.5
34	3	488.5	150	321.1	319.5	320.4	318.1	318.2	319.1	319.9	320.8	318.7	319.3	320.9	322.5	321.6	319.5	318.3	320.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
35	3 738.5	15 387.9	388.6	390.8	390.7	391.5	393.8	394.0	395.8	394.1	395.2	395.9	397.6	396.6	394.6	391.9	394.8
36	3 738.5	255 374.0	372.8	374.0	373.0	372.9	374.7	374.5	375.0	373.5	374.3	375.1	377.8	376.9	375.5	374.1	377.6
37	3 798.5	60 406.8	407.2	410.3	409.1	411.4	414.4	415.1	417.0	416.4	417.1	418.1	419.7	418.6	416.3	413.8	416.8
38	3 798.5	150 382.8	383.0	384.6	384.0	385.3	387.6	388.3	389.4	388.9	389.7	391.8	394.8	394.7	393.8	392.2	396.3
39	3 988.5	15 446.2	447.0	451.9	452.1	452.7	457.6	458.7	461.7	461.5	462.8	465.5	469.1	468.8	467.2	465.0	469.1
40	3 988.5	255 431.8	431.9	434.5	432.8	433.4	435.5	437.2	439.3	438.7	439.8	442.9	445.4	445.6	443.8	441.6	446.2
41	31049.0	60 473.3	476.0	481.9	483.9	486.6	492.1	493.4	497.2	497.5	497.5	499.8	502.7	502.3	499.7	496.6	501.0
42	31049.0	150 467.4	467.9	470.8	469.6	468.6	469.6	466.0	469.0	468.3	468.7	471.8	474.9	474.7	472.3	469.6	474.8
43	4 293.9	300 302.6	299.1	295.6	291.1	289.1	286.5	285.6	282.3	278.8	275.6	273.3	272.2	268.2	263.2	258.6	257.8
44	4 303.7	300 323.7	320.1	316.9	311.9	309.9	307.8	305.4	302.5	298.9	295.4	293.5	292.6	289.1	284.3	279.7	279.4
45	4 339.0	300 290.0	288.0	285.1	280.6	280.1	277.7	276.3	273.5	271.1	268.1	266.5	265.1	261.7	257.2	253.2	252.9
46	4 348.4	300 296.9	294.1	291.8	288.0	287.6	285.6	284.8	282.6	280.3	277.8	277.0	276.1	273.3	269.4	265.6	265.7
47	4 379.1	300 337.5	334.9	333.0	329.2	327.9	326.5	325.7	323.5	321.1	318.6	319.0	317.7	315.0	310.9	306.7	306.7
48	4 389.0	45 299.6	297.4	294.5	291.0	289.6	287.7	287.7	285.6	283.1	281.6	282.4	282.2	281.2	279.1	277.3	279.3
49	4 389.0	210 287.7	285.6	284.1	280.1	279.7	278.8	278.5	276.5	274.2	273.7	274.4	275.0	273.5	271.3	268.9	270.8
50	4 408.8	300 153.1	151.1	151.7	150.0	152.9	151.6	153.1	153.1	151.9	153.8	153.0	150.6	150.8	152.6	151.3	152.5
51	4 418.6	300 328.7	325.9	322.8	319.0	317.2	315.5	313.3	312.1	309.0	307.3	307.0	306.4	304.5	300.9	298.1	299.8
52	4 428.7	300 329.3	327.2	324.7	321.7	319.8	317.9	316.0	314.2	311.6	309.6	309.2	308.6	306.6	303.1	300.3	301.8
53	4 739.2	45 369.2	369.0	369.9	368.5	369.1	370.0	369.7	369.6	368.6	368.2	369.8	370.9	370.7	368.4	366.4	369.3
54	4 739.2	210 360.6	359.4	359.0	356.6	356.2	356.5	357.0	355.8	354.3	354.7	356.7	359.2	359.3	357.6	356.0	359.0
55	4 989.5	45 423.5	423.3	425.9	425.4	425.8	428.0	429.3	430.0	429.5	429.9	433.1	435.9	436.7	436.1	433.6	437.1
56	4 989.5	210 435.0	434.2	434.3	432.7	432.2	433.2	433.5	432.9	430.4	430.8	433.1	434.6	434.3	430.9	428.2	431.6
57	5 369.5	195 294.3	291.7	288.8	285.8	283.8	281.8	282.2	278.6	274.9	273.4	273.6	271.0	268.7	264.8	260.6	261.1
58	5 369.5	300 298.6	295.8	292.9	289.6	287.4	285.1	284.8	282.5	279.2	277.0	277.0	274.4	272.0	268.1	263.8	264.1
59	5 389.0	30 283.8	282.1	279.5	276.9	276.2	275.4	276.0	274.1	272.4	271.9	272.1	271.1	270.0	267.6	265.4	267.7
60	5 389.0	150 290.5	289.0	286.0	283.1	281.4	279.4	280.1	277.5	275.7	274.0	274.3	273.0	271.8	268.7	266.7	269.0
61	5 549.0	195 320.1	318.8	317.2	315.6	314.4	313.5	314.5	311.7	310.1	308.6	309.6	309.6	308.9	305.7	303.2	305.6
62	5 549.0	300 306.6	306.4	305.0	303.2	305.0	303.5	304.2	303.3	301.5	301.1	302.9	302.3	302.7	299.1	297.1	299.1
63	5 738.7	30 348.4	346.9	347.1	346.2	346.9	347.7	348.7	347.8	347.0	347.4	349.6	349.6	349.7	347.2	344.9	347.9
64	5 738.7	150 359.5	359.1	359.2	358.7	359.5	360.2	361.5	360.2	358.8	359.0	361.0	361.6	361.6	358.4	356.1	358.5
65	5 809.2	120 369.1	368.7	369.6	368.7	369.4	371.0	372.5	372.0	371.1	371.9	374.0	374.9	375.2	372.6	370.5	373.4
66	5 819.0	180 379.3	379.9	381.4	379.8	243.0	187.7	296.6	277.9	381.3	339.5	261.1	361.7	281.9	303.9	249.3	280.2
67	5 929.4	195 418.5	418.1	419.8	418.5	418.9	420.6	421.8	421.4	420.5	420.8	423.4	424.8	424.9	422.1	419.2	422.0
68	5 929.4	300 405.0	405.2	405.8	405.3	405.6	407.8	408.4	407.5	406.4	407.1	409.2	410.8	410.7	407.3	405.4	408.7
69	5 989.0	30 422.7	422.2	423.1	422.7	422.4	424.1	424.1	424.3	422.8	422.6	424.5	425.3	424.5	420.4	418.1	421.5
70	5 989.0	150 433.4	432.8	434.4	433.9	433.2	435.8	437.0	436.9	434.8	435.7	438.2	440.4	440.6	437.7	434.1	437.1
71	6 388.6	225 297.9	296.7	293.8	290.6	290.5	290.4	289.4	287.8	286.3	285.2	286.3	284.9	284.4	282.2	280.1	283.7
72	6 388.6	300 288.9	287.4	285.5	281.7	281.4	282.1	282.2	280.2	278.9	277.9	278.6	278.0	277.4	275.1	273.0	276.2
73	6 488.5	30 298.2	298.6	298.4	296.6	297.6	298.3	299.0	299.1	297.1	297.0	296.8	297.4	296.4	294.2	291.1	293.6
74	6 488.5	150 310.7	309.7	310.4	308.1	308.4	308.9	308.9	308.5	306.1	305.4	306.5	305.1	304.5	301.5	299.0	301.4
75	6 739.4	225 373.9	373.3	373.8	371.5	371.4	373.0	373.5	372.8	371.2	370.7	372.1	371.9	371.0	368.9	365.9	368.9
76	6 739.4	300 368.9	367.8	369.4	366.3	366.2	367.2	367.9	367.9	365.2	364.2	365.1	364.5	363.4	360.9	358.5	361.9
77	6 798.8	30 380.0	378.9	380.6	378.2	377.9	379.7	380.2	380.3	377.9	378.0	379.2	379.2	377.7	375.1	372.1	375.2
78	6 798.8	30 378.5	377.0	379.1	377.5	377.8	379.3	380.3	380.2	378.9	379.0	380.7	380.7	379.2	377.4	374.4	377.3
79	6 829.0	180 373.1	373.2	374.8	373.8	374.4	376.7	377.8	378.0	377.0	377.8	379.7	380.1	378.8	377.1	374.5	377.7
80	6 839.0	240 368.7	369.1	370.6	370.1	370.6	372.5	374.0	373.8	372.9	373.2	374.2	373.5	372.1	370.1	366.4	368.9
81	6 988.8	225 442.1	442.1	444.0	443.0	443.6	444.7	446.0	445.5	444.5	444.9	446.0	448.0	447.1	444.7	441.3	444.7
82	6 988.8	300 437.7	438.2	440.8	439.8	440.5	441.7	442.5	442.3	441.9	441.6	443.1	443.9	442.5	438.8	435.4	439.0
83	61049.0	30 448.9	448.9	452.0	451.7	451.4	452.9	453.2	453.6	452.9	452.1	454.0	454.7	453.3	450.4	447.1	451.2
84	61049.0	150 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
85	7 339.0	150 322.8	322.4	321.2	317.9	315.4	313.5	311.9	308.9	304.8	301.4	295.5	296.9	292.7	287.3	280.7	279.1
86	7 349.0	150 302.2	299.2	296.3	292.2	290.3	287.6	287.5	285.9	283.2	281.7	281.1	281.6	278.9	275.7	271.3	271.3
87	7 359.0	150 312.5	308.9	306.1	301.5	293.6	295.7	294.5	292.1	288.7	286.3	284.6	283.7	279.6	275.0	269.5	268.0
88	7 369.0	165 323.7	319.8	317.6	313.4	310.5	307.6	305.8	303.8	300.1	297.6	296.3	294.8	290.8	286.2	280.5	279.5
89	7 369.0	330 317.2	313.8	311.0	307.0	304.5	302.3	302.0	298.6	295.9	293.7	292.9	293.3	289.6	285.1	279.8	279.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
90	7 379.0	150 330.6	327.7	326.6	323.3	322.2	321.4	319.7	319.5	316.9	315.5	316.4	316.5	314.1	311.1	306.9	306.9
91	7 398.9	150 308.5	307.1	304.8	301.3	300.1	298.7	297.3	296.4	294.3	293.5	294.2	294.3	292.7	290.3	287.0	288.2
92	7 408.6	150 309.7	309.4	307.0	303.8	303.4	301.9	300.6	300.0	298.6	297.3	297.9	298.1	296.8	294.3	291.1	292.6
93	7 489.4	165 316.2	317.1	316.5	314.7	315.2	314.9	315.0	315.0	314.4	313.5	314.0	315.3	314.2	311.9	308.7	310.9
94	7 489.4	330 310.4	309.6	308.4	306.4	306.8	307.5	309.4	307.9	306.4	306.8	308.6	309.9	309.5	307.3	304.5	306.9
95	7 799.0	165 379.2	378.9	380.7	382.1	383.0	384.8	385.7	386.9	385.6	386.2	388.5	391.4	391.1	389.4	386.9	390.0
96	7 799.0	330 376.1	374.7	374.9	374.1	374.1	375.8	376.2	377.6	376.7	377.3	380.0	382.9	382.3	380.8	378.4	382.2
97	71049.0	165 153.0	152.4	152.1	150.4	152.6	151.0	154.9	153.9	153.8	155.5	156.9	156.7	155.9	155.5	154.8	157.1
98	71049.0	330 448.5	447.0	449.5	448.2	447.4	446.2	442.7	444.6	444.1	444.4	447.0	450.0	450.9	448.9	446.3	450.8
99	8 294.6	210 322.7	318.2	315.4	310.8	307.6	304.9	304.0	299.6	296.7	293.6	291.0	287.4	281.5	276.7	275.5	
100	8 304.2	270 337.7	333.6	330.5	326.0	323.6	321.1	319.2	314.5	311.6	308.2	307.1	306.3	303.0	297.2	292.2	291.5
101	8 368.7	135 313.8	310.1	307.0	302.8	300.4	298.2	296.2	291.7	288.6	285.8	284.0	284.0	281.0	274.9	270.2	269.8
102	8 368.7	255 338.1	333.6	329.8	324.9	322.0	318.7	316.4	312.0	308.0	304.2	301.7	300.4	296.5	290.1	284.7	283.8
103	8 389.1	30 298.2	295.1	292.8	288.8	287.9	285.7	286.4	283.0	280.9	278.8	278.6	279.8	278.4	275.0	273.1	274.9
104	8 389.1	300 315.2	311.9	309.1	304.9	303.2	300.5	300.2	296.9	294.4	291.5	291.0	291.3	289.1	285.6	282.1	283.5
105	8 549.0	135 308.9	307.7	307.5	306.5	307.7	308.5	310.3	307.3	306.8	306.8	308.6	310.9	310.9	308.6	306.4	309.1
106	8 549.0	255 325.7	326.3	328.2	329.1	331.0	333.0	335.0	332.9	331.7	331.5	332.2	334.7	334.1	331.4	328.7	330.9
107	8 739.0	30 366.3	365.1	365.9	365.1	365.2	365.6	366.6	363.9	362.1	361.8	363.1	365.0	364.2	362.2	359.7	362.5
108	8 739.0	300 410.8	409.0	408.1	405.8	405.8	405.6	407.3	405.7	404.0	404.4	406.7	410.3	410.6	409.7	407.9	411.7
109	8 929.0	135 367.5	369.0	371.8	373.0	374.6	376.0	378.5	377.1	375.7	375.5	377.7	380.5	380.2	377.9	374.9	377.4
110	8 929.0	255 401.4	400.2	400.9	399.8	400.0	401.0	403.5	402.0	401.6	402.2	405.8	409.9	410.3	409.0	407.3	411.2
111	8 988.8	30 434.6	433.0	435.4	435.5	435.7	437.3	438.9	438.4	437.1	436.5	439.0	441.6	440.8	437.2	433.9	437.6
112	8 988.8	300 418.4	417.3	419.1	419.8	421.3	424.1	427.6	428.2	429.1	430.4	435.0	439.2	439.9	438.6	435.7	439.9
113	9 369.4	105 306.7	302.8	300.2	296.9	295.4	293.1	292.2	287.6	284.1	281.1	281.8	282.2	278.3	274.5	269.1	268.6
114	9 365.4	180 148.6	147.7	146.2	143.8	145.3	144.9	144.9	148.3	146.4	145.8	146.9	155.1	156.9	155.4	153.6	152.8
115	9 389.0	30 300.1	296.9	294.2	290.7	289.8	288.1	287.4	284.7	281.6	280.0	282.2	281.8	280.7	278.5	275.6	277.7
116	9 389.0	270 297.4	295.3	293.4	290.3	289.3	287.4	288.0	284.5	281.6	281.2	282.2	283.0	281.6	279.3	276.7	278.9
117	9 549.0	105 315.8	314.6	314.2	312.0	311.5	311.0	312.1	308.7	306.5	305.7	308.9	309.7	309.3	307.3	304.2	306.8
118	9 549.0	180 310.7	310.0	309.3	308.1	307.2	306.8	308.5	305.0	302.1	301.1	303.0	305.7	305.9	303.4	300.2	302.8
119	9 739.2	30 365.8	365.8	366.0	364.8	364.8	364.6	366.3	364.3	361.0	360.3	362.5	363.7	363.7	361.4	358.2	361.0
120	9 739.2	270 361.0	360.6	360.7	358.9	359.4	359.7	361.2	358.0	355.5	354.7	357.8	361.0	360.1	358.5	354.9	358.5
121	9 909.0	60 414.0	413.6	413.9	412.8	412.4	412.7	414.1	412.1	410.2	410.1	412.5	416.4	416.6	414.6	410.8	414.3
122	9 919.0	120 416.0	414.1	414.3	412.6	412.1	411.3	412.2	409.4	408.0	408.1	411.0	414.8	415.8	413.9	411.1	415.7
123	9 929.0	105 421.4	420.1	420.5	420.1	419.1	419.2	419.9	417.1	415.6	415.7	418.2	421.5	421.8	419.6	416.5	420.8
124	9 929.0	180 412.5	411.7	412.6	412.5	411.9	412.7	413.9	411.0	410.1	410.5	412.8	416.9	417.1	414.9	412.6	417.0
125	9 988.8	30 439.7	438.4	439.3	439.1	438.2	439.7	440.6	438.5	437.1	437.4	439.5	441.8	441.2	437.7	433.0	436.9
126	9 988.8	270 424.2	423.7	425.6	424.1	424.4	426.1	426.7	424.8	423.9	424.1	426.8	430.3	429.9	427.4	425.1	429.3
127	10 489.3	90 304.5	302.8	301.5	298.9	298.3	297.4	299.7	295.9	294.9	294.9	296.9	296.8	296.3	294.5	292.1	294.7
128	10 489.3	300 312.6	311.1	309.4	306.2	305.2	304.2	305.0	300.6	297.9	297.8	298.8	299.8	298.2	296.4	293.3	295.2
129	10 549.0	60 323.0	321.0	320.4	317.2	317.2	315.1	317.2	313.3	311.7	311.1	312.7	311.9	310.9	309.0	305.6	307.9
130	10 549.0	210 315.0	313.0	312.4	310.1	309.8	309.3	310.2	305.9	304.7	304.5	306.3	309.0	308.3	306.0	303.1	305.5
131	10 739.0	180 355.8	354.5	355.3	352.5	353.1	353.3	355.0	352.5	351.8	352.5	355.0	357.2	357.8	355.4	352.8	355.6
132	10 739.0	330 364.7	364.1	365.2	362.7	362.5	362.6	363.9	362.2	359.7	360.2	362.7	364.0	364.1	361.9	358.9	361.6
133	10 799.0	90 382.5	381.5	382.0	379.5	379.7	379.6	380.4	378.9	377.3	377.4	379.3	380.1	380.0	377.6	374.9	377.8
134	10 799.0	300 373.6	373.4	374.3	373.9	374.2	375.5	377.5	374.6	373.4	373.6	376.1	378.2	378.4	375.7	372.5	375.0
135	10 929.0	60 414.7	414.9	415.7	414.8	414.8	416.3	417.3	416.4	416.1	415.6	418.5	421.0	421.8	419.6	417.0	421.3
136	10 929.0	210 409.3	409.0	410.2	408.9	408.7	410.5	411.9	409.1	408.7	408.7	411.5	415.1	416.0	414.4	411.5	415.3
137	10 989.0	180 423.3	423.2	424.7	423.7	423.1	425.6	427.5	424.5	424.2	424.0	426.5	429.6	430.5	428.4	425.6	429.9
138	10 989.0	330 429.3	429.8	431.5	430.8	430.4	432.4	434.1	431.5	431.7	431.6	434.4	436.6	437.3	435.0	431.1	434.9
139	101049.0	90 455.0	454.7	456.4	455.4	454.3	457.1	457.1	456.2	454.7	454.3	457.4	460.9	460.9	458.2	454.8	458.7
140	101049.0	300 436.3	437.0	439.1	439.0	438.6	441.6	442.6	439.8	440.0	439.7	443.3	447.1	447.9	446.3	442.3	445.5
141	11 389.0	60 298.9	296.7	293.7	289.9	288.4	287.2	286.8	285.5	283.0	281.7	282.3	282.5	281.6	279.1	276.2	278.2
142	11 389.0	315 294.9	292.2	289.3	285.9	285.0	283.5	284.4	282.4	280.8	279.9	281.4	280.7	279.9	277.7	274.6	276.7
143	11 489.0	150 303.8	301.1	301.0	299.9	297.4	297.8	298.7	296.9	295.1	294.4	295.2	296.1	295.0	292.1	288.9	290.6
144	11 489.0	270 299.6	298.6	298.8	297.1	296.4	297.3	298.4	296.0	295.1	294.4	295.4	296.8	295.1	292.4	289.6	291.7

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

ZU

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				
145	11	738.9	60	358.1	357.3	357.4	354.8	353.9	355.2	356.3	355.4	354.8	355.0	356.5	357.5	357.1	354.6	351.7	354.6	
146	11	738.9	315	360.5	360.1	361.4	359.2	358.2	359.7	360.0	358.9	357.3	357.2	358.8	359.3	359.0	356.8	353.8	356.5	
147	11	799.6	150	375.6	375.6	376.6	374.3	372.6	374.1	374.5	374.5	373.2	372.8	374.8	376.0	375.4	372.8	369.8	372.4	
148	11	799.6	270	380.5	379.7	381.1	379.2	378.0	379.9	381.0	379.3	378.0	377.7	379.9	381.5	381.0	378.8	375.7	378.2	
149	11	849.3	240	376.8	375.9	376.3	374.9	374.0	374.7	375.7	373.1	371.7	371.1	372.9	374.6	373.9	371.2	368.1	370.2	
150	11	859.8	300	380.4	379.7	379.8	378.3	376.4	377.6	378.7	376.8	375.3	375.1	377.4	379.0	378.3	375.8	372.6	375.1	
151	11	989.3	60	431.0	430.4	432.7	431.0	429.3	430.7	431.8	431.3	430.2	429.8	431.8	432.3	432.2	430.0	427.2	430.6	
152	11	989.3	315	432.1	432.0	433.8	433.1	431.6	433.5	434.9	434.0	432.8	432.3	435.3	437.7	437.4	434.7	432.0	436.0	
153	111049.2	150	454.0	453.8	456.5	454.0	453.0	454.9	455.0	454.9	455.0	454.9	453.0	452.3	454.0	455.2	454.5	451.3	448.3	451.1
154	111049.2	270	449.2	449.0	452.0	450.2	450.0	452.3	453.5	452.9	451.0	450.6	450.6	454.1	458.2	457.4	454.6	452.2	455.8	
155	12	359.9	30	329.1	325.5	321.7	315.7	312.0	309.0	306.7	303.8	299.3	296.1	294.4	293.4	289.9	284.5	279.0	277.9	
156	12	370.0	15	335.3	332.0	328.5	322.9	319.3	317.1	315.1	312.6	308.1	305.0	303.1	301.6	297.8	291.9	286.2	284.6	
157	12	370.0	240	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	485.9	467.7	*****	953.0	459.7
158	12	379.2	90	337.5	335.6	335.2	331.7	330.5	330.1	329.8	328.3	326.5	324.9	325.4	327.2	325.0	319.9	314.7	314.0	
159	12	489.0	90	337.2	336.4	336.9	335.1	334.2	334.4	334.6	333.1	331.1	330.0	330.7	332.6	331.1	327.6	323.7	324.8	
160	12	489.0	270	313.6	312.4	310.7	308.8	307.4	307.1	307.9	305.9	304.1	303.1	304.9	306.0	304.8	302.4	299.4	301.2	
161	12	548.9	15	324.6	324.4	325.5	325.3	326.0	327.7	329.9	329.8	329.5	329.4	332.6	334.8	334.1	331.8	329.0	330.7	
162	12	548.9	240	317.3	317.5	317.7	315.9	316.3	316.3	317.7	315.4	314.4	313.6	315.5	317.5	316.9	315.6	312.7	314.7	
163	12	799.3	90	381.2	381.7	384.0	384.0	384.8	387.1	389.7	389.9	390.0	390.7	394.2	397.4	397.9	395.7	393.3	396.2	
164	12	799.3	270	381.2	381.7	382.5	381.9	381.1	382.0	383.4	382.7	381.1	380.3	383.1	385.5	385.0	383.6	381.1	384.1	
165	12	929.3	15	387.3	387.6	389.7	389.6	389.3	391.2	393.3	394.1	394.1	395.0	398.8	403.1	403.7	402.7	401.5	405.1	
166	12	928.4	240	413.4	414.0	416.1	414.2	413.7	415.7	416.6	415.6	414.6	413.5	416.1	413.4	418.3	416.3	413.9	417.2	
167	121049.5	90	427.7	429.9	434.4	435.3	437.3	441.5	444.4	445.5	446.2	447.2	451.4	456.7	457.8	456.4	454.4	458.6		
168	121049.5	270	442.2	443.7	447.1	445.5	445.9	448.7	450.7	449.7	448.7	448.1	449.9	451.5	452.0	450.3	447.4	451.1		
169	13	338.8	60	272.0	271.5	269.6	267.2	266.1	264.9	265.0	259.0	255.3	253.7	253.1	253.9	251.3	245.4	241.8	241.6	
170	13	349.0	60	270.7	268.1	265.2	261.7	260.5	259.0	259.4	253.9	250.6	249.8	250.0	252.5	250.3	246.2	243.4	243.6	
171	13	368.9	90	292.3	290.1	286.8	283.2	282.2	281.0	280.6	275.3	272.3	270.2	269.7	272.0	268.8	264.0	259.3	259.3	
172	13	368.9	240	307.9	304.9	302.4	297.8	296.4	293.8	293.0	287.8	284.3	281.4	279.9	281.5	278.0	272.9	268.0	267.7	
173	13	388.5	45	290.6	288.0	285.4	281.9	280.9	230.1	279.5	275.3	272.9	271.9	271.9	275.6	273.6	272.4	268.6	271.2	
174	13	388.5	270	307.7	304.7	303.2	298.7	297.2	295.9	295.1	290.1	287.3	285.0	284.5	287.1	284.2	281.1	276.5	278.4	
175	13	549.0	90	311.2	310.8	310.4	308.0	308.8	308.7	310.0	305.9	304.3	304.7	307.4	311.0	310.3	308.5	304.5	307.9	
176	13	549.0	240	322.6	323.7	324.8	324.6	326.0	326.8	328.8	324.9	323.5	322.7	325.3	327.2	326.3	323.6	320.2	323.0	
177	13	738.7	45	355.9	355.5	355.4	355.7	355.9	356.2	358.7	355.0	353.5	353.8	355.5	360.5	360.5	358.7	355.2	359.6	
178	13	738.7	270	357.5	359.3	361.0	360.6	361.1	362.0	364.1	360.7	359.2	359.4	361.5	366.7	365.9	364.5	361.0	364.2	
179	13	929.3	90	409.3	409.2	410.0	409.0	408.4	409.3	411.3	407.3	405.4	405.0	407.9	414.2	414.2	412.5	408.9	413.2	
180	13	929.3	240	409.6	409.2	410.3	409.7	409.5	411.8	414.0	411.1	410.6	409.9	412.9	417.7	417.4	415.1	411.6	415.5	
181	13	989.2	45	417.0	417.1	419.1	419.0	419.0	420.8	423.2	420.8	420.2	416.8	422.4	428.5	429.0	424.1	428.6		
182	13	989.2	270	425.7	426.3	428.8	428.1	428.0	429.9	431.8	428.9	428.9	428.6	431.5	436.4	436.5	434.7	431.0	435.1	
183	14	369.0	30	292.0	289.9	287.3	284.5	282.0	280.8	281.0	275.6	272.2	269.6	273.5	272.9	270.0	265.6	260.3	260.0	
184	14	369.0	270	303.8	300.5	298.2	294.3	292.4	290.6	290.0	284.8	281.5	278.3	279.1	279.7	276.8	272.2	266.4	265.9	
185	14	488.9	75	293.6	292.2	296.3	294.2	293.0	293.4	294.3	289.7	289.0	288.3	290.8	295.9	295.5	293.5	290.4	293.1	
186	14	488.9	180	307.4	305.7	305.3	302.7	302.0	302.2	303.3	298.8	297.2	296.3	298.1	302.0	300.7	298.5	294.8	296.9	
187	14	548.8	30	312.8	312.0	312.4	309.9	309.4	310.5	312.6	308.3	305.7	304.7	307.0	311.8	310.1	308.0	305.2	307.5	
188	14	548.8	270	316.9	315.3	315.7	314.3	314.2	314.1	316.2	311.8	310.1	309.9	312.7	317.0	315.7	313.4	310.9	312.6	
189	14	799.2	75	371.7	371.3	373.4	372.2	372.4	373.7	376.3	371.6	370.2	370.4	373.8	378.0	377.1	375.2	371.9	375.2	
190	14	799.2	180	376.0	376.0	377.2	375.7	375.7	376.6	379.1	373.2	373.3	373.3	376.5	381.5	380.7	378.7	375.6	378.4	
191	14	890.2	0	408.6	407.6	408.7	407.0	406.0	407.6	410.3	405.4	404.9	404.5	407.6	412.6	411.9	409.9	406.5	409.8	
192	14	895.8	60	402.7	402.4	403.7	401.8	400.8	402.9	405.2	401.0	400.2	400.7	403.4	408.9	408.2	407.1	403.9	407.9	
193	14	929.5	30	408.6	408.6	411.2	409.1	409.1	410.9	413.3	410.4	409.7	409.8	412.7	417.7	416.4	415.3	411.9	416.2	
194	14	929.5	270	416.5	417.2	418.7	416.9	416.2	418.0	419.5	416.5	415.7	415.6	419.3	424.6	424.2	422.6	419.2	422.8	
195	141049.2	75	438.6	439.8	441.9	441.9	441.5	441.6	443.3	445.6	443.7	442.9	442.7	446.7	452.5	452.2	450.5	447.7	452.1	
196	141049.2	180	452.5	453.8	456.0	455.4	455.2	457.5	459.8	457.2	455.7	455.6	459.3	464.8	463.6	460.4	455.7	459.0		
197	15	369.1	150	301.4	299.2	296.1	292.8	291.2	289.1	288.9	283.7	280.8	278.9	279.4	279.5	276.1	272.0	267.4	267.5	
198	15	369.1	270	297.5	295.4	292.2	288.5	286.9	285.4	284.8	278.2	276.1	273.8	273.8	276.2	272.5	269.2	263.6	263.2	
199	15	488.6	60	301.6	300.5	299.9	298.3	298.0	299.0	300.0	296.2	296.3	295.8	298.2	301.1	300.5	297.9	295.6	298.0	

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
200	15 488.6 345	293.9	292.8	293.5	292.2	292.8	293.1	295.1	291.4	291.4	291.2	292.8	296.6	296.0	293.9	291.8	294.1
201	15 549.6 150	312.1	311.7	312.3	311.5	311.7	313.0	314.3	311.2	310.7	310.9	312.0	315.3	313.8	311.5	309.0	311.1
202	15 549.6 270	316.2	315.8	315.5	313.9	314.1	314.9	315.7	312.2	312.2	312.2	313.8	317.9	316.8	314.6	311.9	314.1
203	15 799.6 60	366.8	366.6	368.1	368.0	368.2	369.9	371.2	369.3	368.6	370.0	372.0	375.5	375.0	373.1	371.0	373.7
204	15 799.6 345	364.4	364.0	365.3	364.1	364.8	367.0	368.4	365.1	364.5	365.8	368.4	372.6	371.9	370.4	368.1	371.5
205	15 869.0 0	375.3	374.4	375.3	374.5	374.6	377.2	378.2	375.7	374.9	377.0	379.9	383.9	383.4	381.3	378.8	381.8
206	15 879.0 300	121.6	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
207	15 929.2 150	414.7	414.8	416.4	415.7	416.1	418.2	418.9	418.1	416.6	418.6	421.8	425.6	424.9	423.2	420.0	423.9
208	15 929.2 270	409.7	409.6	411.0	410.0	410.2	412.2	414.1	412.2	410.8	412.4	416.0	420.8	420.6	418.8	415.6	419.9
209	151049.1 60	433.1	435.1	438.1	438.6	439.9	443.2	445.3	444.7	443.6	445.4	449.3	453.3	453.0	451.0	447.9	452.5
210	151049.1 345	434.9	436.1	438.5	438.5	438.4	441.5	443.2	442.0	440.7	442.1	447.1	453.1	452.9	451.3	448.4	453.2
211	16 368.5 150	325.1	322.0	318.1	313.6	310.8	307.8	306.9	301.8	297.6	295.3	294.1	293.5	289.8	283.9	278.0	276.9
212	16 368.5 285	297.9	296.2	292.8	289.4	288.0	286.3	285.5	281.6	278.6	277.4	277.1	276.6	273.5	269.7	263.9	263.4
213	16 418.6 210	296.3	295.2	293.7	291.6	290.3	290.2	290.8	289.0	287.2	287.3	289.1	290.8	289.4	287.1	284.7	286.3
214	16 428.5 210	298.5	297.7	296.3	293.9	294.0	294.2	293.8	292.3	290.6	290.7	292.9	294.7	293.3	291.4	288.9	290.5
215	16 488.5 120	329.5	329.3	329.3	328.3	323.9	329.1	330.8	328.5	326.2	326.7	328.2	331.5	329.4	326.1	322.2	324.0
216	16 488.5 330	300.3	299.3	299.5	298.2	298.0	298.6	299.6	297.9	296.8	297.0	299.1	301.1	299.3	297.1	294.3	296.7
217	16 548.6 150	332.0	332.7	333.5	333.3	333.8	334.8	336.6	335.1	333.6	334.0	336.0	339.2	337.4	334.2	330.9	333.3
218	16 548.6 285	317.5	317.4	317.5	316.4	316.3	317.4	317.5	315.9	314.1	314.0	315.7	318.3	316.6	314.0	311.1	312.9
219	16 798.9 120	380.4	381.5	383.4	383.6	384.7	387.7	389.9	389.9	390.0	391.6	395.2	399.0	398.1	395.9	392.3	395.2
220	16 798.9 330	368.9	369.3	370.1	369.4	368.6	370.4	371.4	370.5	369.4	369.9	372.2	375.4	375.1	373.7	370.6	374.5
221	16 929.0 150	399.8	399.6	402.1	402.0	401.9	404.6	406.2	406.3	405.3	406.7	409.7	414.2	413.6	411.9	409.0	413.2
222	16 929.0 285	415.0	415.1	417.3	416.7	415.4	417.8	418.7	417.0	416.2	417.0	419.8	424.3	423.9	421.8	419.3	423.3
223	161049.0 120	428.6	420.0	433.1	432.8	432.7	435.4	436.9	437.0	436.5	438.3	442.3	446.9	446.7	445.2	442.5	446.7
224	161049.0 330	451.4	451.4	453.8	454.0	452.5	454.3	455.0	453.2	451.6	451.8	454.1	456.5	455.2	453.1	449.1	453.2
225	17 368.7 30	295.3	293.2	290.8	288.1	285.3	284.1	284.2	277.8	275.3	274.6	274.5	275.9	273.1	268.8	263.4	263.4
226	17 368.7 210	307.0	304.8	302.7	299.8	297.0	295.8	295.2	290.4	288.0	286.2	285.3	285.1	281.9	277.7	271.9	271.7
227	17 388.4 0	284.7	283.4	281.0	278.9	277.2	276.8	277.7	272.5	270.4	271.5	272.7	275.0	272.9	271.4	267.7	270.1
228	17 388.4 135	298.7	297.9	296.3	294.3	292.7	293.3	293.4	289.3	287.9	288.2	289.0	291.4	289.3	286.6	282.9	284.9
229	17 418.8 150	305.5	304.3	303.9	302.4	301.4	300.9	301.4	297.2	295.4	295.4	295.6	297.6	295.6	292.2	288.0	289.5
230	17 428.8 210	311.1	310.2	310.0	308.2	306.7	306.6	307.0	301.9	300.6	300.0	301.1	302.7	300.4	297.3	293.5	294.6
231	17 549.0 30	317.5	316.8	316.4	315.0	314.1	315.1	315.9	310.3	309.7	309.2	311.7	314.5	313.1	311.0	306.9	309.4
232	17 549.0 210	332.5	332.5	333.9	333.3	332.4	335.0	336.9	333.6	335.0	333.5	333.5	335.2	337.2	335.7	333.2	331.4
233	17 739.2 0	367.9	366.9	367.9	366.7	366.1	367.6	368.4	363.0	362.0	363.0	365.5	369.3	368.0	366.4	362.4	365.5
234	17 739.2 135	355.8	356.8	358.8	358.3	359.6	362.8	364.8	363.3	363.2	364.2	367.5	371.3	370.8	369.2	366.0	368.9
235	17 928.9 30	418.1	417.6	419.8	418.4	417.7	419.4	419.9	416.4	415.0	416.6	418.9	424.1	422.8	419.7	415.6	418.8
236	17 928.9 210	405.1	406.3	408.3	403.6	409.1	412.2	414.5	413.2	412.7	414.0	417.0	422.1	421.1	421.3	418.7	422.0
237	17 989.1 0	424.7	426.1	423.9	429.3	429.8	432.6	434.5	433.2	432.6	433.7	436.6	441.5	440.6	436.1	431.8	435.4
238	17 989.1 135	429.0	428.5	429.3	428.1	427.6	429.6	430.2	429.0	427.5	427.2	430.4	434.9	435.0	434.7	433.8	437.9
239	18 294.0 0	278.5	275.9	273.3	269.7	267.7	266.3	265.3	260.8	258.3	255.7	255.9	257.1	254.2	249.2	244.5	244.7
240	18 304.0 0	291.6	288.6	287.2	283.6	281.4	280.8	280.1	275.8	273.5	271.4	271.6	273.2	270.4	265.6	261.2	261.2
241	18 359.2 0	280.9	278.1	276.0	272.7	270.7	269.6	269.2	264.5	261.4	259.5	258.9	260.2	257.3	252.5	247.8	247.6
242	18 369.1 90	288.5	286.2	284.5	282.1	280.6	279.6	279.9	275.9	273.2	272.2	272.7	273.7	270.8	266.4	262.3	262.3
243	18 369.1 285	293.6	290.6	288.8	285.2	283.6	282.8	281.9	278.3	274.6	273.4	272.9	274.2	271.6	266.5	261.8	261.3
244	18 378.9 0	316.1	313.2	312.1	309.7	307.6	307.2	307.0	303.3	300.4	299.6	300.6	303.9	301.5	297.4	293.4	294.2
245	18 385.1 90	280.6	277.8	275.9	273.4	272.7	272.3	273.3	269.2	267.4	268.5	270.0	272.0	270.8	268.9	266.5	268.7
246	18 389.1 285	289.6	287.1	284.7	282.0	280.6	280.2	280.8	277.1	276.0	275.9	277.0	274.3	277.7	274.9	271.8	274.0
247	18 409.2 0	289.9	288.3	287.0	284.7	284.7	284.7	285.0	281.5	280.9	280.1	281.4	285.1	283.6	281.1	278.2	280.7
248	18 429.3 0	293.2	292.2	291.5	289.3	288.8	289.2	290.6	286.2	285.6	285.2	286.8	290.6	288.8	287.0	284.5	286.9
249	18 549.5 90	309.2	308.0	308.4	307.8	308.0	310.2	311.5	308.8	308.1	309.1	310.3	314.4	313.9	311.4	309.2	312.4
250	18 549.5 285	308.5	307.9	308.2	307.4	307.0	309.0	309.4	307.2	306.4	306.9	309.2	313.2	312.6	309.4	307.1	309.7
251	18 930.2 90	408.3	407.2	409.2	408.3	406.3	409.5	410.1	409.0	408.7	409.2	412.8	418.4	418.0	415.2	412.7	416.7
252	18 930.2 285	418.3	417.3	419.2	418.7	418.5	421.6	422.1	419.6	419.4	419.6	422.0	428.0	427.6	423.9	420.9	424.2
253	19 369.0 180	325.8	322.4	320.1	316.3	313.1	311.7	310.1	305.9	302.9	300.6	299.3	298.7	294.8	289.6	284.5	283.6
254	19 369.0 270	307.9	305.0	302.7	299.6	297.1	296.5	295.1	290.9	288.5	286.8	286.1	285.3	282.1	277.2	272.6	272.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
255 19 398.5 90	308.8	306.8	305.6	303.3	301.5	301.3	301.6	298.7	296.2	296.1	296.6	298.0	296.4	293.4	290.1	290.7
256 19 408.4 150	332.0	329.7	327.8	325.7	322.6	321.7	320.6	217.7	214.3	313.9	312.6	314.5	311.9	308.1	304.3	305.4
257 19 488.5 15	307.3	307.0	307.4	305.9	305.6	307.2	306.4	305.2	303.3	304.0	304.9	307.1	306.4	303.5	300.9	303.3
258 19 488.5 135	330.4	330.4	331.9	331.5	331.7	333.1	333.5	332.1	331.0	331.1	332.0	335.4	334.1	331.0	327.5	329.3
259 19 548.8 180	326.9	326.6	327.1	325.3	325.7	327.4	327.5	326.2	324.9	325.6	326.8	329.6	329.5	327.6	324.5	327.6
260 19 548.8 270	338.7	339.4	341.2	341.6	342.6	344.6	345.2	344.4	343.4	345.9	345.3	348.8	348.5	345.9	342.5	345.3
261 19 798.4 15	390.1	389.3	391.5	390.7	390.1	392.3	392.7	393.2	391.7	392.4	394.2	398.5	397.7	395.9	392.8	396.0
262 19 798.4 135	373.1	374.1	378.1	379.7	381.0	385.1	387.2	387.6	387.6	389.4	391.3	396.2	396.2	394.6	392.4	395.8
263 19 928.5 180	410.4	412.5	415.4	416.6	416.1	420.0	421.0	421.3	420.8	422.9	425.0	430.2	430.4	428.4	425.9	429.4
264 19 928.5 270	414.2	415.6	418.0	418.4	417.3	420.4	421.3	421.2	420.8	422.1	425.2	429.5	429.9	427.8	425.3	428.8
265 191048.7 15	22.7	23.1	*****	*****	25.9	26.4	27.2	27.2	26.8	27.9	29.0	31.8	31.5	30.0	29.1	30.7
266 191048.7 135	438.4	439.4	443.6	443.8	444.0	448.9	451.1	451.9	452.4	454.1	457.7	462.9	464.1	462.4	460.2	464.2
267 21 370.0 150	144.7	157.6	157.2	156.2	158.6	159.0	161.3	158.9	159.0	160.7	162.6	165.8	166.0	165.0	164.2	165.7
268 21 370.0 144	157.7	158.1	157.6	156.7	159.0	159.3	161.7	159.2	159.2	161.0	162.7	165.9	166.2	165.2	164.3	165.8
269 21 370.0 126	157.2	157.6	157.1	156.2	158.5	158.9	161.4	159.0	158.9	160.7	162.4	165.4	165.6	164.7	163.8	165.1
270 21 370.0 120	157.2	157.6	157.3	156.4	158.7	159.2	161.6	159.4	159.5	161.4	163.2	166.1	166.3	165.3	164.3	165.6
271 21 370.0 30	155.9	156.2	156.0	155.2	157.3	157.7	160.0	156.3	158.3	159.7	161.0	162.8	162.8	161.9	161.0	162.7
272 21 370.0 26	156.4	156.6	156.2	155.6	157.7	158.0	160.3	158.6	158.6	159.9	161.2	162.6	162.6	161.6	160.9	162.6
273 21 370.0 7	156.3	156.4	156.1	155.4	157.5	157.7	160.1	158.3	158.4	159.4	160.7	161.8	161.6	161.0	160.3	162.1
274 21 370.0 0	156.6	156.8	156.5	155.8	157.9	158.0	160.3	158.7	158.7	159.7	160.9	162.0	162.0	161.2	160.4	162.3
275 21 370.0 210	157.3	157.7	157.3	156.3	158.5	158.9	161.2	158.1	158.3	159.8	161.4	164.7	164.9	164.0	163.0	164.8
276 21 370.0 206	157.4	157.7	157.3	156.4	158.6	159.1	161.3	158.3	158.6	160.1	161.9	165.1	165.2	164.4	163.3	165.2
277 21 370.0 187	158.3	158.5	158.2	157.2	159.3	160.0	162.2	159.0	159.2	160.9	162.6	165.8	165.9	165.1	164.0	165.9
278 21 370.0 180	157.3	157.5	157.1	156.2	158.4	159.0	161.2	158.2	158.4	160.1	162.1	165.1	165.2	164.3	163.3	165.2
279 22 390.0 30	158.4	158.5	158.1	157.4	159.5	159.9	161.9	161.5	160.5	161.8	163.1	164.9	164.8	163.9	163.1	164.9
280 22 390.0 26	158.6	158.8	158.5	158.0	160.0	160.5	162.8	161.3	161.4	162.6	163.7	165.6	165.6	164.8	163.9	165.8
281 22 390.0 7	158.7	158.9	158.5	158.1	160.0	160.5	162.9	161.5	161.5	162.5	163.8	165.2	165.2	164.4	163.6	165.7
282 22 390.0 0	158.9	159.0	158.7	158.1	160.0	160.5	162.8	161.5	161.4	162.4	163.6	165.0	165.1	164.2	163.5	165.6
283 22 390.0 330	36.0	158.3	158.0	157.2	159.3	159.6	161.7	160.4	160.2	161.3	162.6	164.2	164.3	163.7	163.1	165.3
284 22 390.0 324	157.8	158.0	157.7	156.9	159.0	159.4	161.6	160.3	160.0	161.1	162.2	164.0	164.1	163.5	162.9	165.1
285 22 390.0 306	36.7	158.8	158.4	157.7	159.7	159.9	162.0	160.6	160.1	161.2	162.4	164.4	164.4	163.6	163.0	165.2
286 22 390.0 300	36.8	158.9	158.7	157.9	159.9	160.1	162.2	160.8	160.2	161.2	162.4	164.9	164.8	164.0	163.4	165.5
287 22 390.0 210	159.6	159.9	159.8	159.7	161.0	161.5	163.7	160.7	161.1	162.6	164.4	167.7	167.9	167.0	166.1	168.0
288 22 390.0 206	160.0	160.3	160.0	159.9	161.3	161.9	164.1	161.1	161.4	163.0	164.9	166.2	168.4	167.5	166.6	168.4
289 22 390.0 187	160.1	160.4	160.0	158.9	161.2	161.8	164.0	161.1	161.3	162.9	164.9	168.3	168.5	167.5	166.6	168.3
290 22 390.0 180	159.3	159.7	159.6	158.7	161.1	161.9	164.2	162.0	162.3	164.0	166.1	169.6	169.9	169.0	168.1	169.9
291 23 490.0 180	178.8	179.3	179.2	178.7	180.8	181.7	184.0	181.7	181.9	183.7	185.9	189.9	189.8	188.8	187.7	189.5
292 23 490.0 173	179.8	180.3	180.2	179.7	181.7	182.6	184.6	182.2	182.5	184.1	186.2	189.7	190.0	189.9	187.8	189.6
293 23 490.0 156	178.4	178.8	178.7	178.1	180.2	181.1	183.2	181.1	181.4	183.2	185.3	188.8	189.1	188.1	187.1	188.9
294 23 490.0 150	176.8	177.4	177.5	176.8	179.1	179.9	182.2	180.2	180.7	182.4	184.5	188.2	188.4	187.5	186.5	188.3
295 23 490.0 60	176.1	176.6	176.9	176.2	178.4	179.2	181.5	180.3	180.3	182.1	183.7	186.1	186.4	185.3	184.2	185.9
296 23 490.0 54	176.4	177.0	177.3	176.8	179.1	179.9	182.1	180.7	180.8	182.4	183.9	186.0	186.2	185.1	184.1	185.7
297 23 490.0 34	177.4	177.9	178.0	177.2	179.3	180.0	182.2	180.7	180.6	182.1	183.5	185.3	185.5	184.4	183.4	185.2
298 23 490.0 30	176.8	177.3	177.4	176.8	178.8	179.6	181.9	180.4	180.3	181.8	183.3	185.0	185.1	184.0	183.1	185.0
299 23 490.0 0	178.3	178.4	178.2	177.5	179.5	180.2	182.2	181.2	181.0	182.3	183.6	185.0	185.2	184.2	183.3	185.3
300 23 490.0 353	175.6	175.6	175.6	174.6	176.9	177.3	180.0	179.5	179.4	180.9	182.3	183.8	184.2	183.4	182.7	184.8
301 23 490.0 536	174.4	174.6	174.5	173.6	175.7	176.5	178.6	178.1	178.0	179.4	180.9	182.7	183.1	182.5	181.9	184.1
302 23 490.0 330	174.7	175.0	175.0	174.1	176.4	177.1	179.3	178.6	178.5	179.3	181.3	183.6	184.0	183.3	182.7	184.9
303 24 550.0 180	193.0	193.1	193.2	192.6	194.6	195.7	198.2	196.1	196.6	198.4	200.7	204.4	204.7	203.6	202.6	204.5
304 24 550.0 173	193.7	194.0	194.2	193.8	195.7	196.8	199.0	197.1	197.4	199.0	201.3	205.0	205.1	203.9	202.9	204.8
305 24 550.0 156	193.0	193.4	193.4	193.0	194.9	195.9	198.1	196.3	196.5	198.3	200.6	204.3	204.6	203.5	202.5	204.4
306 24 550.0 150	191.2	191.6	191.6	191.5	193.5	194.6	196.9	195.5	195.8	197.6	199.9	203.6	204.0	203.0	202.0	203.9
307 24 550.0 0	190.9	191.2	191.1	190.5	192.5	193.6	195.9	195.5	195.5	197.0	198.0	200.0	200.3	199.3	198.4	200.5
308 24 550.0 353	189.4	189.7	189.4	188.7	191.0	191.8	193.9	193.4	193.5	195.0	196.6	198.8	199.4	198.6	197.9	200.1
309 24 550.0 336	189.9	190.0	189.9	189.1	191.2	191.9	193.9	193.2	193.2	194.5	196.1	198.1	198.5	197.8	197.2	199.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
310	24	550.0	330	189.3	189.6	189.6	189.0	191.0	191.8	193.9	193.4	193.4	194.7	196.4	198.4	198.8	198.1	197.4	199.7
311	24	550.0	240	191.4	191.6	191.9	191.2	193.1	194.2	196.3	194.0	194.3	195.7	198.0	201.2	201.7	200.8	200.0	202.0
312	24	550.0	234	190.7	191.0	191.4	191.0	193.1	194.4	196.8	194.2	194.7	196.2	198.5	201.6	202.0	201.1	200.0	202.0
313	24	550.0	216	191.7	192.1	192.4	191.9	194.0	195.0	197.3	195.1	195.5	197.1	199.3	202.7	203.1	202.1	201.1	203.1
314	24	550.0	210	191.7	192.1	192.5	192.1	194.3	195.4	197.8	195.7	196.1	197.8	200.0	203.7	204.1	203.0	202.1	204.0
315	25	740.0	150	230.8	231.8	233.1	233.3	235.5	237.3	239.8	239.2	239.7	241.7	244.1	248.5	249.0	247.8	246.6	248.9
316	25	740.0	144	230.0	231.1	232.6	232.9	235.2	237.1	239.7	239.1	239.6	241.6	244.2	248.3	248.8	247.7	246.5	248.7
317	25	740.0	126	229.8	230.7	231.9	232.1	234.3	236.2	238.7	238.0	238.6	240.6	243.4	247.4	248.0	246.9	245.7	247.8
318	25	740.0	120	229.2	229.9	231.2	231.5	233.7	235.7	238.3	237.6	238.3	240.3	242.9	246.8	247.4	246.2	245.0	247.2
319	25	740.0	30	231.4	232.2	233.4	233.7	235.9	237.5	239.9	239.4	239.7	241.4	243.7	246.3	246.7	245.7	244.5	247.0
320	25	740.0	26	232.4	233.2	234.4	234.8	236.9	238.5	240.7	240.0	240.1	241.8	244.0	246.4	246.8	245.7	244.5	247.0
321	25	740.0	7	232.0	232.5	233.7	234.1	236.3	238.1	240.0	239.7	239.9	241.8	244.1	246.5	247.1	246.1	245.0	247.5
322	25	740.0	0	230.5	231.2	232.5	233.1	235.4	237.3	239.4	239.3	239.5	241.5	243.9	246.5	247.2	246.3	245.3	247.9
323	25	740.0	210	228.0	229.0	230.6	230.9	233.6	235.8	238.8	237.7	238.4	240.5	243.1	247.5	248.1	247.1	246.0	248.3
324	25	740.0	206	229.6	230.5	231.9	232.3	234.9	237.1	240.2	239.2	240.0	242.2	244.5	249.3	249.5	248.8	247.5	249.8
325	25	740.0	187	230.9	231.6	233.0	233.3	235.7	237.8	240.6	239.4	240.1	242.3	245.1	249.6	250.1	249.1	247.9	250.2
326	25	740.0	180	232.4	233.2	234.5	234.4	236.7	238.8	241.4	240.1	240.7	242.8	245.4	250.0	250.4	249.2	248.0	250.4
327	26	800.0	30	242.7	243.8	245.3	245.8	248.0	249.9	252.4	252.3	252.6	254.5	256.9	259.7	260.4	259.4	258.3	261.0
328	26	800.0	26	244.5	245.7	247.1	247.8	249.9	251.6	254.0	253.9	254.0	255.8	258.1	260.8	261.4	260.4	259.3	262.0
329	26	800.0	7	243.0	244.1	245.6	246.4	248.7	250.6	253.0	253.0	253.2	255.2	257.6	260.3	261.2	260.4	259.4	262.3
330	26	800.0	0	240.9	241.8	243.3	244.2	246.5	248.6	251.2	251.2	251.7	253.8	256.4	259.2	260.2	259.5	258.6	261.5
331	26	800.0	330	241.1	242.1	243.6	244.2	246.6	248.8	251.5	251.2	251.4	253.3	255.7	258.3	259.7	258.9	258.1	261.1
332	26	800.0	324	242.6	243.5	245.0	245.5	247.7	249.9	252.5	252.2	252.4	254.0	256.4	259.4	260.2	259.4	258.5	261.4
333	26	800.0	306	240.4	241.9	244.1	244.8	247.2	249.4	252.0	251.6	251.9	253.6	256.1	259.3	260.2	259.4	258.7	261.6
334	26	800.0	300	239.9	241.5	243.9	244.7	247.0	249.2	251.8	251.3	251.6	253.3	255.8	259.2	260.1	259.3	258.5	261.3
335	26	800.0	210	239.7	240.6	242.4	242.8	245.7	248.1	251.0	250.4	251.1	253.2	256.3	260.6	261.4	260.6	259.5	262.1
336	26	800.0	206	241.7	242.3	244.1	244.3	246.8	249.2	251.8	251.2	251.8	253.9	257.1	261.4	262.2	261.3	260.1	262.7
337	26	800.0	187	243.0	243.7	245.2	245.5	247.9	250.1	252.6	251.8	252.5	254.4	257.7	262.1	262.9	261.9	260.8	263.3
338	26	800.0	180	245.0	245.6	247.1	247.2	249.3	251.4	253.9	253.0	253.5	255.4	258.5	262.8	263.5	262.4	261.3	263.9
339	27	930.0	180	272.6	273.8	275.9	276.7	279.0	281.6	284.2	283.4	284.0	286.0	289.5	294.2	295.2	294.2	293.3	296.2
340	27	930.0	173	270.6	272.0	274.4	275.2	277.6	280.3	283.0	282.2	282.8	284.9	288.4	293.5	294.2	293.1	292.1	295.0
341	27	930.0	156	269.3	270.7	273.2	274.1	276.5	279.2	281.9	281.2	281.9	284.1	287.5	292.2	293.2	292.1	291.1	294.0
342	27	930.0	150	265.9	267.4	270.0	271.0	273.6	276.4	279.3	278.8	279.7	282.0	285.4	290.3	291.4	290.5	289.6	292.5
343	27	930.0	60	265.9	267.7	270.9	272.2	274.8	278.2	280.9	281.5	282.1	284.1	287.3	290.6	291.7	290.6	289.6	292.7
344	27	930.0	54	266.3	267.8	271.0	272.4	275.0	278.1	280.9	281.5	282.2	284.2	287.3	290.6	291.7	290.6	289.7	292.9
345	27	930.0	34	273.7	274.6	277.1	277.9	280.3	282.7	285.0	285.6	286.0	287.8	290.6	293.5	294.5	293.4	292.4	295.6
346	27	930.0	30	270.8	272.2	274.6	275.4	278.0	280.4	282.8	283.4	284.0	286.0	289.0	292.0	293.1	292.5	291.5	294.6
347	27	930.0	0	269.7	270.8	273.3	274.1	276.8	279.4	281.8	282.9	283.4	285.8	289.2	292.4	294.3	294.1	293.5	296.7
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349	27	930.0	336	272.5	273.6	276.3	277.1	279.9	282.7	285.0	285.5	285.9	287.8	290.7	293.7	295.0	294.4	293.5	296.9
350	27	930.0	330	271.3	272.6	275.1	275.9	278.5	281.4	283.7	284.2	284.5	286.4	289.2	292.2	293.4	292.7	291.8	295.1
351	28	990.0	180	280.6	281.8	284.5	285.7	287.7	290.7	293.5	292.6	293.4	295.5	298.9	304.0	305.2	304.5	303.7	306.7
352	28	990.0	173	279.9	281.1	283.8	284.8	286.8	289.9	292.8	292.0	292.7	294.9	298.4	303.6	304.8	304.0	303.2	306.3
353	28	990.0	156	277.8	279.3	282.2	283.4	285.6	288.7	291.5	290.9	291.8	294.1	297.6	302.6	303.5	303.0	302.2	305.3
354	28	990.0	150	276.0	277.6	280.4	281.7	284.1	287.2	290.2	289.8	290.8	293.3	296.8	301.9	303.3	302.4	301.7	304.8
355	28	990.0	0	280.6	281.7	284.3	285.5	288.0	290.9	293.2	294.4	295.0	297.3	300.9	304.1	306.4	306.5	305.7	309.2
356	28	990.0	353	281.1	282.2	284.8	286.1	288.3	291.3	293.7	294.6	295.1	297.3	300.7	303.9	306.1	306.3	305.5	309.1
357	28	990.0	336	284.0	285.2	287.8	289.1	291.6	294.8	297.2	298.1	298.4	300.3	303.2	306.2	307.7	307.1	306.2	309.6
358	28	990.0	330	281.3	282.7	285.6	286.8	289.2	292.4	294.9	295.8	296.3	298.1	301.2	304.4	305.9	305.3	304.4	308.0
359	28	990.0	240	280.6	281.9	284.1	285.0	286.9	289.4	292.0	290.8	291.5	293.8	297.3	302.2	303.5	302.7	301.9	305.2
360	28	990.0	234	281.0	282.3	284.6	285.6	287.3	290.0	292.6	291.0	291.7	293.8	297.3	302.4	303.5	302.6	301.7	304.8
361	28	990.0	216	279.3	280.8	283.3	284.4	286.6	289.5	292.3	291.2	292.1	294.5	298.1	303.2	304.4	304.0	302.9	305.9
362	28	990.0	210	278.3	279.7	282.4	283.5	285.8	288.8	291.7	290.6	291.6	294.2	297.8	303.1	304.4	304.2	303.4	306.3
363	29	1050.0	150	296.4	298.1	291.1	292.2	294.4	297.7	300.2	300.6	301.7	304.3	307.9	312.9	314.5	313.7	313.0	316.3
364	29	1050.0	144	289.2	290.7	293.4	294.4	296.2	299.5	302.1	302.4	303.4	306.1	309.5	314.4	315.8	314.9	314.0	317.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

2U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	288.1	289.5	292.4	293.4	295.3	298.0	301.0	301.9	303.0	305.6	309.3	314.0	315.7	314.9	314.0	317.3
366	291050.0	120	287.5	288.9	292.1	293.2	295.0	298.3	300.7	301.8	302.9	305.4	309.2	313.8	315.5	314.6	313.9	317.2
367	291050.0	30	293.8	295.5	298.3	299.7	301.9	305.3	308.0	308.7	309.3	311.4	314.4	318.1	319.7	319.2	318.2	321.8
368	291050.0	26	295.2	296.6	299.4	300.8	302.8	306.2	308.8	309.7	310.3	312.1	315.3	318.5	320.3	320.0	319.0	322.4
369	291050.0	7	292.9	294.2	297.0	298.6	300.6	304.1	306.6	307.7	308.5	310.6	314.1	317.5	320.1	320.5	319.4	322.8
370	291050.0	0	293.2	294.6	297.4	298.9	300.9	304.3	306.5	307.7	308.3	310.3	313.7	317.3	320.1	320.5	319.4	322.8
371	291050.0	210	287.5	289.1	292.3	293.4	295.3	298.5	300.5	300.6	301.7	304.2	308.0	313.4	314.8	315.2	314.3	317.5
372	291050.0	206	290.1	291.2	293.9	294.8	296.7	299.7	302.1	301.6	302.6	305.3	309.1	314.6	316.1	316.8	316.0	319.1
373	291050.0	187	327.5	321.7	308.9	296.3	298.4	301.6	303.8	303.3	304.1	306.4	309.9	315.1	316.4	316.3	315.5	318.8
374	291050.0	180	290.2	291.4	294.3	295.3	297.4	300.7	303.0	302.9	303.8	306.2	309.7	315.0	316.5	315.8	315.0	318.3
375	01075.0	6	309.9	313.6	318.3	322.8	323.9	330.7	333.5	334.6	334.3	335.3	339.1	342.3	344.1	343.5	342.6	346.1
376	01075.0	5	311.2	314.1	316.8	320.2	320.5	324.8	326.5	328.1	328.4	330.1	335.4	337.9	344.5	349.8	347.8	350.5
377	01075.0	4	308.2	309.8	311.8	313.6	314.0	318.0	320.0	318.4	217.5	319.5	324.1	327.9	329.2	328.4	326.7	330.3
378	01075.0	2	320.4	321.8	326.2	328.5	328.3	333.2	335.2	334.5	333.9	335.8	339.8	342.5	342.3	340.6	337.9	342.4
379	01075.0	1	323.5	323.8	327.2	329.2	329.1	333.8	336.2	335.0	334.5	336.4	340.9	343.9	344.7	343.5	341.8	346.2
380	01075.0	2	320.5	321.4	324.6	325.9	325.9	329.1	330.9	330.1	330.7	332.7	336.7	340.0	339.6	339.9	337.9	341.9
381	01075.0	4	303.4	303.3	305.1	307.2	307.8	313.7	315.0	315.0	315.3	318.0	321.8	325.5	326.7	325.8	325.1	329.1
382	01075.0	4	296.9	296.9	299.5	300.3	300.5	303.3	305.3	303.2	302.8	305.3	309.4	314.6	315.6	315.3	315.1	319.8
383	01075.0	1	311.5	312.3	314.8	316.5	316.9	321.4	322.7	321.1	321.9	323.7	328.2	333.7	333.9	332.9	332.0	336.0
384	01075.0	1	310.7	312.2	314.6	317.4	318.3	322.5	324.2	324.0	325.0	328.0	333.1	339.2	340.0	338.4	337.9	341.9
385	01075.0	4	297.4	298.2	301.6	304.2	305.3	309.0	310.6	309.8	311.0	313.8	317.2	321.2	323.2	322.3	321.2	325.2
386	01075.0	3	318.0	319.7	323.3	326.0	326.6	331.7	334.4	332.8	332.8	336.2	340.8	346.6	348.7	343.1	342.3	345.5
387	01075.0	3	317.3	318.8	321.1	323.4	324.1	328.4	330.3	330.4	331.0	333.6	337.7	342.8	344.8	343.5	341.6	346.3
388	01075.0	5	312.3	313.6	316.2	318.0	319.0	323.0	326.4	327.1	328.5	333.2	337.3	343.0	343.8	342.3	340.9	345.6
389	01075.0	6	308.7	309.6	312.2	315.3	316.7	322.8	324.3	324.1	325.0	326.4	330.6	336.2	337.7	336.5	336.4	340.0
390	01113.0	0	334.2	335.2	339.5	341.2	341.6	347.3	348.5	348.1	347.9	351.2	355.1	357.8	359.0	356.1	355.5	359.8
391	01113.0	0	325.4	325.3	331.1	331.7	331.2	337.7	337.6	338.5	338.4	340.2	344.1	346.7	348.6	346.1	348.5	352.3
392	01113.0	0	324.9	326.5	329.5	333.4	334.1	337.1	341.7	341.7	342.6	346.3	346.2	353.4	354.2	353.0	352.1	355.5
393	01113.0	0	328.9	329.0	334.8	336.8	335.9	342.9	344.5	345.5	346.9	350.2	353.3	359.8	361.0	358.5	357.9	361.5
394	01113.0	0	323.7	329.4	332.3	333.7	336.5	342.1	343.9	342.7	343.7	346.2	349.7	355.5	355.4	353.2	352.6	356.6
395	01113.0	0	322.2	325.6	328.5	330.7	328.7	336.3	339.5	334.9	337.5	336.2	345.3	347.3	344.8	347.1	348.0	348.5
396	0 0.0	0	153.7	152.6	151.9	151.6	152.1	152.7	154.5	154.6	154.8	155.3	156.6	159.3	160.2	159.9	158.9	158.8
397	0 0.0	0	151.6	151.6	150.8	150.4	150.4	151.7	155.7	152.4	153.9	152.8	155.5	158.4	158.4	158.9	158.0	159.1
398	0 0.0	0	152.0	150.4	149.6	150.1	150.1	151.9	152.9	151.5	152.2	152.0	152.7	155.2	155.4	155.3	155.6	153.4
399	0 0.0	0	153.5	152.5	152.6	151.5	152.8	153.1	155.5	154.7	154.6	154.4	155.9	156.4	158.1	160.6	157.8	160.0
400	0 0.0	0	150.1	148.3	147.7	147.6	148.1	151.6	152.8	148.8	149.2	149.4	149.8	153.0	153.6	151.4	149.2	150.7
401	0 0.0	0	149.9	148.2	147.6	147.5	148.0	151.4	152.7	148.7	149.1	149.2	149.6	152.8	153.4	151.2	149.0	150.5
402	0 0.0	0	4571.0	4362.0	4143.0	3965.0	3746.0	3537.0	3425.0	3324.0	3176.0	3019.0	2388.0	2748.0	2616.0	2476.0	2349.0	2253.0
403	0 0.0	0	67.9	64.7	61.5	58.9	55.6	53.3	50.9	49.3	47.1	44.8	42.8	40.3	38.8	36.7	34.8	33.3
404	0 0.0	0	68.1	64.9	61.7	59.1	55.7	53.4	51.0	49.5	47.2	44.9	43.0	40.9	38.9	36.8	34.9	33.5
405	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407	4 389.5	0	3.8	3.6	3.4	3.2	3.0	2.9	2.8	2.7	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8
408	5 389.5	0	3.7	3.5	3.3	3.2	3.0	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	1.9	1.8	1.8
409	6 389.1	0	3.7	3.5	3.3	3.2	3.0	2.9	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.8	1.8
410	7 389.4	0	4.3	4.1	3.9	3.7	3.5	3.4	3.2	3.1	3.0	2.8	2.7	2.6	2.4	2.3	2.2	2.1
411	8 389.6	0	4.0	3.8	3.6	3.4	3.2	3.1	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.1	2.0	1.9
412	9 369.9	0	3.2	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6
413	10 489.8	0	7.8	7.4	7.0	6.7	6.3	6.1	5.8	5.6	5.3	5.1	4.8	4.6	4.4	4.1	3.9	3.8
414	11 389.5	0	3.7	3.5	3.3	3.2	3.0	2.9	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.8	1.8
415	12 489.5	0	7.9	7.6	7.2	6.5	6.5	6.2	5.9	5.7	5.5	5.2	4.9	4.7	4.5	4.2	4.0	3.8
416	4 990.0	0	28.0	26.7	25.4	24.3	22.9	21.9	21.0	20.3	19.4	18.5	17.6	16.8	16.0	15.1	14.3	13.7
417	5 999.5	0	0.6	0.5	25.2	24.2	22.8	21.8	20.8	20.2	19.3	18.4	17.5	16.7	15.9	15.0	14.2	13.7
418	61049.5	0	30.5	29.1	27.7	26.5	25.0	23.9	22.8	22.1	21.2	20.1	19.2	18.3	17.4	16.5	15.6	15.0
419	71049.5	0	30.5	29.1	27.7	26.5	25.0	24.0	22.9	22.2	21.2	20.2	19.2	18.3	17.4	16.5	15.6	15.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
420	8	989.3	0	28.0	26.7	25.4	24.3	22.9	21.9	20.9	20.3	19.4	18.4	17.6	16.8	16.0	15.1	14.3	13.7
421	9	988.8	0	28.0	26.7	25.4	24.3	22.9	21.9	20.9	20.3	19.4	18.5	17.6	16.8	16.0	15.1	14.3	13.7
422	10	1049.5	0	30.5	29.1	27.7	26.5	25.0	23.9	22.8	22.2	21.2	20.2	19.2	18.3	17.4	16.5	15.6	15.0
423	11	1049.7	0	30.5	29.1	27.6	26.5	24.9	23.9	22.8	22.1	21.1	20.1	19.2	18.3	17.4	16.5	15.6	14.9
424	12	1050.0	0	30.6	29.2	27.8	26.6	25.1	24.0	22.9	22.2	21.2	20.2	19.3	18.4	17.5	16.5	15.7	15.0
425	11	1047.1	0	33.8	32.2	30.6	29.3	27.6	26.5	25.3	24.5	23.4	22.3	21.3	20.3	19.3	18.3	17.3	16.6
426	21	1049.5	0	33.7	32.1	30.5	29.2	27.6	26.4	25.2	24.5	23.3	22.2	21.2	20.2	19.2	18.2	17.2	16.6
427	31	1049.5	0	33.7	32.2	30.5	29.3	27.6	26.5	25.2	24.5	23.4	22.3	21.2	20.3	19.3	18.2	17.3	16.6
428	13	989.7	0	36.6	34.9	33.2	31.8	30.0	28.7	27.4	26.6	25.4	24.2	23.0	22.0	20.9	19.8	18.7	18.0
429	14	1049.7	0	33.8	32.2	30.6	29.3	27.7	26.5	25.3	24.5	23.4	22.3	21.3	20.3	19.3	18.2	17.3	16.6
430	15	1049.6	0	33.8	32.2	30.6	29.3	27.7	26.5	25.3	24.5	23.4	22.3	21.3	20.3	19.3	18.3	17.3	16.6
431	16	1049.5	0	33.7	32.2	30.6	29.3	27.6	26.4	25.2	24.5	23.4	22.3	21.2	20.2	19.2	18.2	17.3	16.6
432	17	989.6	0	36.7	35.0	33.2	31.9	30.0	28.8	27.5	26.7	25.5	24.2	23.1	22.1	21.0	19.8	18.8	18.1
433	18	930.7	0	39.8	37.9	36.0	34.5	32.6	31.2	29.8	28.9	27.6	26.3	25.1	23.9	22.7	21.5	20.4	19.5
434	19	1049.2	0	33.8	32.3	30.6	29.4	27.7	26.5	25.3	24.6	23.5	22.3	21.3	20.3	19.3	18.3	17.3	16.6
435	1	388.6	0	64.3	61.4	58.3	55.9	52.7	50.5	48.2	46.7	44.6	42.5	40.6	38.6	36.8	34.8	33.0	31.7
436	2	388.5	0	64.1	61.1	58.0	55.6	52.4	50.2	48.0	46.6	44.5	42.3	40.4	38.5	36.7	34.7	32.9	31.5
437	3	389.2	0	64.0	61.0	58.0	55.6	52.4	50.2	47.9	46.5	44.4	42.3	40.4	38.5	36.6	34.6	32.9	31.5
438	13	389.0	0	64.2	61.2	58.2	55.7	52.5	50.4	48.0	46.7	44.5	42.4	40.5	38.6	36.7	34.7	33.0	31.5
439	14	489.4	0	59.8	57.0	54.2	52.0	48.9	46.9	44.8	43.5	41.5	39.5	37.7	35.9	34.2	32.3	30.8	29.5
440	15	489.1	0	59.7	56.9	54.1	51.9	48.8	46.8	44.7	43.4	41.4	39.4	37.7	35.9	34.1	32.3	30.7	29.3
441	16	419.1	0	62.9	60.0	57.0	54.6	51.5	49.3	47.1	45.7	43.6	41.5	39.7	37.8	36.0	34.0	32.4	31.0
442	17	388.9	0	64.3	61.3	58.3	55.9	52.6	50.5	48.2	46.7	44.6	42.5	40.6	38.7	36.8	34.8	33.1	31.6
443	18	389.6	0	64.4	61.4	58.4	55.9	52.7	50.5	48.1	46.8	44.6	42.5	40.6	38.7	36.9	34.8	33.2	31.7
444	19	399.0	0	63.7	60.7	57.7	55.3	52.0	49.9	47.6	46.3	44.2	42.1	40.2	38.2	36.4	34.4	32.9	31.3
445	1	348.6	0	65.7	62.7	59.5	57.1	53.8	51.5	49.2	47.8	45.6	43.4	41.4	39.5	37.6	35.5	33.9	32.3
446	2	359.0	0	65.2	62.1	59.1	56.6	53.3	51.1	48.8	47.4	45.2	43.1	41.1	39.2	37.2	35.2	33.7	32.1
447	3	294.5	0	1.4	1.3	1.0	0.8	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
448	4	294.4	0	0.5	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4
449	4	304.2	0	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5
450	4	348.9	0	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.4	1.3	1.2	1.2
451	4	379.6	0	3.4	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6
452	5	370.0	0	3.0	2.8	2.7	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.4
453	7	349.5	0	2.6	2.5	2.4	2.3	2.1	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.3
454	7	359.5	0	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.9	1.7	1.6	1.5	1.5	1.4
455	7	369.5	0	3.2	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5
456	7	379.5	0	3.5	3.4	3.2	3.1	2.9	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7
457	7	409.1	0	4.7	4.5	4.3	4.1	3.8	3.7	3.5	3.4	3.2	3.1	2.9	2.8	2.7	2.5	2.4	2.3
458	8	295.1	0	5.4	5.1	5.0	4.9	4.8	4.8	4.8	4.8	4.7	4.7	4.7	4.6	4.6	4.6	4.5	4.5
459	8	304.7	0	7.0	6.5	6.2	6.1	6.1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
460	8	369.2	0	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6
461	9	369.9	0	3.2	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6
462	12	370.5	0	3.2	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6
463	13	369.4	0	64.9	61.9	58.9	56.4	53.1	50.9	48.6	47.2	45.0	42.9	41.0	39.0	37.1	35.1	33.5	32.0
464	14	369.5	0	65.0	62.0	58.9	56.4	53.2	51.0	48.6	47.3	45.1	42.9	41.0	39.0	37.2	35.1	33.5	32.0
465	15	369.6	0	64.9	62.0	58.9	56.4	53.2	51.0	48.6	47.2	45.1	43.0	40.9	39.0	37.2	35.1	33.5	31.9
466	16	369.0	0	65.0	62.1	59.0	56.5	53.2	51.0	48.7	47.3	45.1	43.0	41.0	39.1	37.2	35.2	33.5	32.0
467	17	369.2	0	65.1	62.1	59.0	56.5	53.2	51.0	48.7	47.3	45.2	43.0	41.0	39.1	37.2	35.2	33.5	32.0
468	18	294.5	0	67.4	64.3	61.1	58.5	55.2	52.9	50.5	49.0	46.8	44.5	42.6	40.5	38.5	36.4	34.8	33.1
469	18	304.5	0	67.1	64.0	60.8	58.2	55.0	52.6	50.3	48.8	46.5	44.3	42.4	40.3	38.4	36.3	34.6	33.0
470	18	359.7	0	65.5	62.4	59.3	56.8	53.5	51.4	49.0	47.6	45.4	43.2	41.2	39.4	37.5	35.4	33.7	32.2
471	18	369.6	0	65.1	62.2	59.0	56.6	53.3	51.1	48.8	47.4	45.2	43.1	41.1	39.2	37.3	35.2	33.6	32.0
472	18	379.4	0	64.8	61.9	58.7	56.3	53.0	50.9	48.6	47.2	45.0	42.9	40.9	39.0	37.1	35.1	33.5	31.9
473	18	389.6	0	64.3	61.4	58.3	55.9	52.7	50.5	48.2	46.8	44.7	42.6	40.6	38.7	36.8	34.8	33.2	31.6
474	18	409.7	0	63.4	60.6	57.5	55.1	51.9	49.8	47.6	46.2	44.1	42.0	40.1	38.2	36.3	34.4	32.7	31.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

20

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
475 18 429.8 0	62.6	59.7	56.7	54.4	51.2	49.1	46.9	45.6	43.4	41.3	39.5	37.6	35.8	33.9	32.3	30.8
476 19 369.5 0	64.8	61.9	58.8	56.3	53.1	50.9	48.5	47.2	45.0	42.8	41.0	39.0	37.1	35.1	33.4	31.9
477 1 738.5 0	48.5	46.3	43.9	42.1	39.7	38.1	36.3	35.3	33.6	32.0	30.6	29.1	27.8	26.2	25.0	23.8
478 2 738.5 0	1.5	1.5	34.1	36.8	32.6	19.0	18.9	31.7	28.5	29.8	20.4	1.0	1.0	1.0	21.4	18.0
479 3 739.0 0	48.3	46.2	43.8	42.0	39.6	37.9	36.2	35.2	33.6	32.0	30.6	29.1	27.7	26.2	25.0	23.8
480 4 739.7 0	1.1	1.0	5.6	5.4	3.1	5.1	2.6	2.5	2.6	2.6	2.4	1.3	1.8	2.5	3.9	5.0
481 5 739.2 0	17.5	16.7	15.8	15.1	14.3	13.7	13.0	12.7	12.1	11.5	11.0	10.4	9.9	9.4	8.9	8.5
482 6 739.9 0	17.5	16.7	15.8	15.1	14.3	13.7	13.1	12.7	12.1	11.5	11.0	10.4	9.9	9.4	9.0	8.5
483 7 799.5 0	20.2	19.3	18.3	17.5	16.5	15.8	15.1	14.7	14.0	13.3	12.7	12.1	11.5	10.9	10.4	9.9
484 8 739.5 0	17.6	16.9	16.0	15.3	14.4	13.8	13.2	12.8	12.2	11.6	11.1	10.5	10.0	9.5	9.0	8.6
485 9 739.7 0	17.7	16.9	16.0	15.4	14.5	13.9	13.2	12.8	12.2	11.6	11.1	10.6	10.1	9.5	9.1	8.7
486 10 739.5 0	17.8	17.0	16.1	15.4	14.5	13.9	13.3	12.9	12.3	11.7	11.2	10.7	10.1	9.6	9.1	8.7
487 11 739.4 0	17.5	16.7	15.8	15.2	14.3	13.7	13.1	12.7	12.1	11.5	11.0	10.5	10.0	9.4	9.0	8.5
488 12 799.8 0	20.3	19.4	18.4	17.6	16.6	15.9	15.2	14.7	14.1	13.4	12.8	12.2	11.6	11.0	10.4	9.9
489 13 739.2 0	48.3	46.1	43.7	41.9	39.5	37.9	36.2	35.1	33.5	31.9	30.5	29.0	27.6	26.1	24.9	23.8
490 14 799.7 0	45.6	43.6	41.4	39.7	37.4	35.8	34.2	33.2	31.7	30.2	28.8	27.4	26.1	24.7	23.5	22.4
491 15 800.1 0	3.0	2.7	3.7	2.5	2.4	2.2	2.3	2.1	2.5	2.5	2.3	1.8	2.3	0.7	2.1	0.6
492 16 799.4 0	45.3	43.2	41.0	39.3	37.1	35.5	33.9	32.9	31.4	29.9	28.6	27.2	25.9	24.5	23.3	22.2
493 17 739.7 0	43.4	46.2	43.9	42.1	39.6	38.1	36.3	35.3	33.6	32.0	30.6	29.1	27.7	26.2	24.9	23.8
494 18 550.0 0	57.2	54.6	51.8	49.7	46.8	44.9	42.9	41.6	39.7	37.8	36.1	34.4	32.8	31.0	29.5	28.1
495 19 798.9 0	45.4	43.4	41.2	39.5	37.2	35.7	34.1	33.1	31.6	30.0	28.7	27.3	26.0	24.6	23.4	22.3
496 0 0.0 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497 0 0.0 0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	25.4	24.3	26.3	28.0	29.3	31.5	27.4	31.3	33.0	35.1	33.9	36.1	33.1	34.8	32.4	32.6
DURCHSATZ (KG/S)	0.3266	0.2983	0.2674	0.2391	0.2149	0.1924	0.1763	0.1647	0.1496	0.1333	0.1212	0.1080	0.0972	0.0871	0.0786	0.0718
EL. ENERGIE (KW)	499.1	461.6	415.8	375.3	334.3	305.5	280.1	258.1	235.7	213.4	196.4	176.5	161.1	144.7	130.4	118.5
WAERMEENERGIE (KW)	501.9	465.5	420.5	374.6	340.0	306.5	278.6	261.3	238.0	215.0	197.3	175.7	160.6	144.9	129.6	117.1
WAERMEBILANZ (O/O)	0.5	0.8	1.1	-0.2	1.7	0.3	-0.5	1.3	1.0	0.8	0.5	-0.5	-0.3	0.1	-0.6	-1.2
REYNOLDSZAHL*E-04	6.167	5.627	5.036	4.494	4.041	3.604	3.311	3.088	2.802	2.484	2.257	2.005	1.802	1.611	1.456	1.330
DRUCKVERLUST (N/M**2)																
GES. X=1060.0 (MM)	61335.	51530.	41051.	33034.	26748.	22214.	18647.	16160.	13305.	10719.	9074.	7193.	5899.	4739.	3972.	3263.
BIS X= 560.0 (MM)	15430.	13028.	10537.	8440.	6951.	5544.	4783.	4176.	3458.	2818.	2385.	1977.	1506.	1312.	1102.	935.
BIS X= 624.0 (MM)	24566.	20617.	16927.	13533.	11111.	8887.	7586.	6421.	5375.	4327.	3798.	2915.	2553.	1954.	1675.	1375.
BIS X= 717.0 (MM)	30645.	25715.	21042.	16851.	13772.	11049.	9396.	7981.	6670.	5379.	4669.	3614.	3126.	2418.	2051.	1688.
BIS X= 810.0 (MM)	36221.	30950.	25292.	20257.	16522.	13291.	11232.	9574.	8006.	6457.	5561.	4331.	3702.	2886.	2433.	2007.
BIS X= 874.0 (MM)	46641.	39941.	32584.	26145.	21248.	17142.	14454.	12335.	10317.	8323.	7103.	5581.	4730.	3719.	3111.	2575.
BIS X= 967.0 (MM)	53535.	45419.	37017.	29982.	24354.	19669.	16560.	14130.	11807.	9531.	8107.	6375.	5364.	4232.	3529.	2927.
EINTR. DRUCK (BAR)	39.98	39.76	39.65	39.56	39.41	39.34	39.33	39.21	39.19	39.18	39.16	39.11	39.04	38.94	38.87	38.84
EINTR. TEMP. GRADC	189.8	188.3	188.6	191.2	189.3	192.0	190.5	191.6	192.0	194.8	194.1	196.9	196.1	196.8	197.3	198.4

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	466.5	463.6	456.6	448.2	439.2	435.0	425.2	418.7	411.0	409.0	403.9	398.0	389.9	387.0	377.9	372.8
2	1	348.1	330	366.6	365.7	364.2	362.4	360.0	360.5	356.2	354.9	352.3	354.9	354.0	354.5	351.9	352.9	348.0	346.6
3	1	388.1	150	427.0	424.2	420.2	413.7	407.0	406.2	403.3	395.7	390.2	392.8	390.8	390.2	387.4	388.1	384.1	384.2
4	1	388.1	330	441.0	437.8	432.4	427.3	422.3	420.5	414.2	410.5	405.3	407.6	405.0	405.0	402.1	402.7	399.6	399.6
5	1	487.7	255	443.4	444.1	440.8	438.1	435.7	435.1	432.5	428.0	425.7	429.9	429.3	430.5	430.0	431.4	428.1	429.0
6	1	487.7	120	452.8	455.0	452.6	453.7	451.8	453.1	449.6	446.3	445.0	450.0	449.0	449.5	448.5	450.6	447.4	448.1
7	1	738.0	150	528.5	530.3	527.6	526.5	522.7	524.4	522.1	517.6	516.0	521.2	521.6	522.6	522.7	525.8	522.7	524.1
8	1	738.0	330	569.8	573.6	571.0	571.9	567.0	571.2	568.7	565.4	564.7	570.6	571.0	572.5	571.7	574.5	570.3	571.4
9	1	795.4	120	557.6	559.3	556.9	556.2	552.4	556.0	552.8	551.1	549.3	555.6	556.3	557.1	556.9	560.5	557.2	559.5
10	1	795.4	255	570.5	574.3	573.5	574.7	571.2	577.3	573.9	571.4	573.6	578.6	579.7	581.4	582.2	584.1	580.8	581.5
11	1	987.0	150	633.4	636.0	633.6	632.2	626.7	632.2	627.3	623.3	623.1	630.2	631.1	633.7	634.1	636.9	634.8	636.1
12	1	987.0	330	679.9	683.4	680.9	680.1	674.3	680.5	678.1	674.6	675.3	680.5	681.7	682.7	682.5	683.5	678.8	679.0
13	1	1046.6	120	673.1	675.5	672.2	671.0	665.1	669.6	666.4	664.2	662.8	670.9	672.5	675.4	675.9	679.0	676.0	677.1
14	1	1046.6	255	647.7	649.7	648.4	648.7	644.4	649.6	647.1	645.4	645.7	653.5	650.2	659.6	661.6	665.6	663.3	664.9
15	2	358.5	0	424.5	420.6	414.5	409.0	400.0	398.1	389.5	386.5	381.9	381.1	377.6	376.1	370.3	368.0	361.8	358.9
16	2	388.0	0	455.7	452.1	446.4	443.5	436.0	435.4	427.3	425.7	420.8	421.0	419.8	420.7	416.4	416.9	413.6	414.3
17	2	388.0	210	433.5	430.1	426.3	421.7	414.5	415.4	408.1	406.2	402.8	403.6	403.4	404.4	399.9	401.0	398.1	397.9
18	2	398.0	0	467.4	465.9	459.3	455.1	446.5	446.4	437.2	436.0	430.0	431.1	429.4	430.1	425.5	425.1	420.1	418.9
19	2	488.1	30	471.7	471.9	468.5	467.2	461.4	462.7	455.4	454.2	451.8	454.5	453.7	455.7	455.0	454.1	450.5	451.2
20	2	488.1	165	458.2	456.4	453.1	450.8	445.1	445.1	438.0	436.0	432.2	435.7	435.7	436.9	433.8	435.7	431.6	433.3
21	2	738.0	0	537.4	538.0	536.3	534.2	529.7	532.8	529.1	528.6	526.5	531.5	533.1	536.2	535.4	539.4	536.8	538.6
22	2	738.0	210	537.2	536.8	534.2	532.6	526.9	531.4	525.6	527.4	524.7	529.2	530.8	534.1	533.3	537.1	534.7	536.7
23	2	797.8	30	579.4	582.5	582.4	583.4	579.1	582.9	577.8	579.2	579.5	584.2	585.0	588.5	587.1	589.3	585.0	586.4
24	2	797.8	165	586.4	587.9	585.0	582.9	577.5	583.4	572.2	573.1	570.1	572.7	572.9	575.3	574.7	576.9	574.0	574.0
25	2	987.2	0	629.8	633.0	631.5	631.7	629.8	635.5	632.3	627.3	627.8	654.0	656.0	659.8	660.2	664.0	660.4	661.6
26	2	987.2	210	653.6	654.1	652.0	649.6	644.6	648.5	643.1	637.8	637.0	642.7	644.7	648.1	648.4	652.5	649.4	650.3
27	2	21049.0	30	664.4	667.3	665.6	664.9	661.6	667.0	666.2	668.9	669.7	696.6	698.0	700.7	700.1	702.0	696.5	697.7
28	2	21049.0	165	680.9	683.1	681.1	680.6	675.9	*****	674.9	663.0	661.4	668.8	670.4	674.8	678.1	674.3	676.4	676.4
29	3	294.0	30	457.8	453.4	445.3	439.2	431.0	425.6	417.2	412.8	408.3	407.4	401.7	397.6	390.1	385.8	378.3	374.2
30	3	303.7	330	489.3	485.1	477.9	470.5	463.1	458.1	448.8	443.8	439.0	439.8	433.8	429.9	422.0	419.1	410.5	405.3
31	3	388.7	15	450.6	447.1	444.8	440.2	434.9	433.6	426.7	425.9	422.8	425.5	424.7	424.5	420.8	422.6	419.4	419.4
32	3	388.7	255	435.0	430.2	427.3	422.5	417.2	417.9	409.8	407.5	404.7	407.8	407.9	404.7	408.7	405.5	407.1	407.1
33	3	488.5	60	491.4	491.7	488.3	486.8	481.6	481.3	474.5	473.9	471.6	475.8	476.1	476.3	474.6	476.7	472.8	473.2
34	3	488.5	150	471.3	470.9	468.4	467.3	463.4	463.4	455.4	458.8	458.0	456.1	462.3	463.1	464.5	462.9	464.7	461.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
35	3 738.5 15	581.9	582.5	582.4	581.7	576.8	578.3	573.4	573.3	571.5	576.0	577.8	579.3	578.0	581.6	576.8	577.5
36	3 738.5 255	555.5	556.7	553.6	552.0	547.3	546.6	542.0	541.9	539.9	545.3	547.6	550.3	549.4	553.5	549.9	551.0
37	3 798.5 60	614.1	615.6	615.3	614.3	611.2	613.4	609.2	609.4	609.2	614.4	615.1	617.7	616.6	618.8	614.3	614.7
38	3 798.5 150	573.3	575.2	573.8	573.1	568.1	570.3	567.3	568.4	568.9	575.3	577.6	582.1	582.7	585.8	582.5	583.6
39	3 988.5 15	680.6	681.9	681.4	681.3	675.5	680.9	678.6	679.5	678.8	685.6	689.0	690.9	690.5	694.4	689.6	690.8
40	3 988.5 255	651.2	651.6	650.1	650.3	644.9	649.2	646.9	646.8	646.4	651.8	656.0	658.2	657.8	661.4	658.1	660.6
41	31049.0 60	741.3	744.0	743.9	744.9	737.4	741.7	737.3	736.9	734.8	739.4	741.5	743.0	741.2	743.6	736.7	737.4
42	31049.0 150	711.9	713.0	708.6	703.8	691.3	694.4	691.0	689.4	690.1	696.1	699.4	703.1	703.2	706.3	700.1	701.8
43	4 293.9 300	431.1	426.4	420.1	413.5	406.2	403.3	394.4	386.2	386.2	382.2	378.1	372.6	365.5	363.4	354.8	350.6
44	4 303.7 300	466.1	462.0	454.6	447.5	439.6	436.0	426.8	417.6	417.8	414.5	410.3	405.4	398.2	396.5	388.5	383.6
45	4 339.0 300	412.5	409.6	404.6	398.7	392.5	389.2	381.8	374.7	374.8	371.7	368.3	364.3	358.4	356.3	349.4	345.5
46	4 348.4 300	422.2	418.4	413.6	408.5	402.8	400.9	393.9	386.6	387.5	384.7	382.2	378.9	373.5	372.4	365.9	362.5
47	4 379.1 300	494.2	491.3	485.3	480.6	473.1	471.1	465.4	455.9	457.5	455.0	452.8	449.3	444.0	442.6	434.7	430.2
48	4 389.0 45	431.0	428.4	421.4	417.2	410.5	410.0	403.0	396.7	398.5	397.8	397.4	396.2	392.8	395.4	392.2	394.1
49	4 389.0 210	412.6	409.7	403.6	400.4	394.9	395.7	388.8	381.7	385.4	385.1	384.4	384.2	380.4	383.0	379.2	379.8
50	4 408.8 300	188.1	186.8	186.9	189.1	187.7	187.0	188.1	186.7	185.8	187.4	187.8	188.3	188.6	189.3	192.5	193.5
51	4 418.6 300	477.5	473.0	467.7	462.0	454.2	454.2	444.5	438.2	438.2	437.5	435.3	434.0	429.7	430.2	425.2	424.2
52	4 428.7 300	481.2	477.0	471.1	465.3	458.5	456.4	449.1	442.0	441.2	441.6	438.9	438.2	433.5	434.7	429.5	428.6
53	4 739.2 45	552.0	552.3	550.1	548.3	542.8	545.5	540.4	535.2	536.8	539.7	539.9	541.8	540.1	543.6	539.1	539.3
54	4 739.2 210	533.7	532.4	529.5	526.5	521.0	524.2	518.8	513.8	517.9	520.1	521.4	523.3	521.8	525.6	522.3	522.5
55	4 989.5 45	639.2	641.2	638.5	638.6	633.6	639.0	634.6	630.6	634.4	637.5	639.8	642.2	641.4	645.9	640.7	642.0
56	4 989.5 210	655.7	655.3	650.1	648.2	642.3	644.5	638.4	632.2	636.7	638.7	640.5	642.7	641.1	644.9	639.5	639.4
57	5 369.5 195	421.6	415.7	410.9	406.9	399.6	396.3	390.0	385.0	383.7	379.4	376.0	374.5	368.9	367.2	360.2	356.5
58	5 369.5 300	427.6	422.0	417.1	412.6	405.4	402.2	395.4	389.6	388.5	384.6	381.5	379.4	373.4	371.5	364.4	360.4
59	5 389.0 30	407.7	402.9	400.2	396.2	389.5	390.2	383.7	379.4	379.5	377.6	377.3	376.9	374.0	375.3	372.0	372.6
60	5 389.0 150	415.1	411.0	408.0	403.3	396.9	395.1	389.4	384.9	386.9	382.5	381.8	380.0	379.2	380.2	376.5	376.3
61	5 549.0 195	465.7	465.4	460.4	457.5	450.9	450.8	445.8	440.1	442.4	440.8	441.1	441.3	438.9	440.0	435.6	434.6
62	5 549.0 300	447.8	446.5	443.3	440.2	436.7	439.2	434.5	428.0	432.6	429.8	431.0	431.7	428.6	428.6	425.1	424.1
63	5 738.7 30	513.6	513.4	511.5	510.3	507.0	508.0	505.5	500.8	503.8	504.7	505.7	506.3	505.4	508.3	504.7	504.7
64	5 738.7 150	536.5	535.4	533.7	532.6	528.3	528.6	526.6	522.3	524.0	525.7	525.8	526.4	524.6	527.0	523.2	521.5
65	5 809.2 120	550.3	551.6	549.2	548.0	544.7	546.2	544.1	541.9	543.2	546.0	546.7	547.9	547.1	549.9	546.2	545.2
66	5 819.0 180	*****	*****	*****	*****	563.2	565.1	561.0	557.4	557.7	559.0	559.3	559.6	558.6	560.2	555.1	553.6
67	5 929.4 195	631.9	632.7	630.5	628.4	623.9	626.8	622.6	613.8	620.3	622.9	624.2	625.3	625.6	628.9	624.2	623.9
68	5 929.4 300	611.0	611.8	609.6	608.7	604.2	606.8	601.9	597.7	600.3	602.3	604.0	604.8	605.8	609.2	604.2	605.1
69	5 989.0 30	639.0	638.6	635.0	634.8	627.0	630.6	625.0	616.4	617.2	620.3	621.7	622.4	623.5	627.0	622.8	623.7
70	5 989.0 150	656.9	657.2	655.0	653.6	647.5	651.7	647.1	644.9	640.1	650.0	651.1	651.4	651.7	654.3	648.2	648.4
71	6 388.6 225	429.9	425.8	422.7	417.7	410.5	410.8	406.1	403.1	405.7	400.6	398.6	400.1	398.8	401.2	397.6	399.8
72	6 388.6 300	414.9	410.6	407.2	403.5	397.8	396.3	393.0	391.6	389.2	389.5	388.6	389.4	390.8	388.0	390.4	390.4
73	6 488.5 30	435.2	433.9	433.3	431.6	427.6	429.2	425.3	422.2	421.4	423.1	422.0	422.7	420.7	421.2	416.5	415.9
74	6 488.5 150	*****	*****	*****	*****	37.0	*****	57.2	437.7	434.3	435.0	433.5	434.2	432.4	433.3	427.8	426.4
75	6 739.4 225	560.4	560.4	557.6	555.3	549.4	551.1	547.9	544.8	541.3	542.3	541.8	542.1	541.2	543.1	538.2	537.9
76	6 739.4 300	549.2	549.0	545.0	542.6	537.0	539.1	535.2	531.9	528.2	528.5	527.5	529.0	528.6	530.3	527.0	528.1
77	6 798.8 30	567.0	566.8	564.6	563.5	557.8	560.2	555.8	552.9	549.5	551.0	550.2	552.2	550.8	552.7	547.8	547.3
78	6 798.8 30	571.2	571.7	570.5	569.3	564.1	566.8	562.2	560.4	556.1	558.0	557.0	558.9	557.9	559.8	554.6	553.6
79	6 829.0 180	548.0	548.8	548.9	549.2	546.3	549.9	546.2	547.3	543.4	545.6	544.6	547.7	546.8	549.7	545.7	544.2
80	6 839.0 240	557.6	557.0	555.0	554.6	549.9	552.7	548.6	547.3	542.7	543.2	541.5	543.0	540.8	542.0	536.6	535.3
81	6 988.8 225	671.5	672.0	669.6	668.4	661.6	666.6	661.5	658.6	656.3	653.0	653.6	661.3	660.9	662.8	659.3	658.0
82	6 988.8 300	663.7	662.3	662.3	661.6	653.6	653.6	653.7	647.5	645.7	647.1	648.0	650.4	650.5	652.7	649.4	648.6
83	61049.0 30	680.2	680.3	677.5	677.1	668.4	672.0	667.3	661.4	659.1	662.0	663.1	666.4	666.8	669.2	666.3	665.8
84	61049.0 150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	65.8	116.1	137.4	140.3	156.1
85	7 339.0 150	473.4	469.2	464.7	458.6	449.0	444.4	436.0	430.7	424.3	422.7	415.5	411.1	403.0	397.0	387.0	380.1
86	7 349.0 150	432.2	427.8	422.3	416.1	409.5	405.4	398.7	395.8	392.5	392.7	386.5	387.6	382.3	376.6	372.2	368.6
87	7 359.0 150	447.8	442.4	437.1	429.1	421.7	416.9	408.8	404.8	399.6	398.7	393.0	389.8	382.8	378.3	368.9	363.3
88	7 369.0 165	468.1	462.3	457.0	448.3	440.3	436.2	428.2	424.4	418.2	417.4	411.8	408.5	401.6	397.0	387.7	382.0
89	7 369.0 330	457.6	452.2	446.4	439.5	432.4	428.7	419.9	417.4	413.3	413.2	408.4	405.3	398.6	395.3	386.1	381.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
90	7 379.0	150 483.6	480.8	475.8	471.0	464.3	463.0	456.9	455.6	450.0	452.8	449.4	449.2	445.3	443.3	435.5	430.3
91	7 398.9	150 446.7	442.8	438.8	433.2	426.6	426.5	419.4	416.6	413.7	416.3	413.9	414.3	412.1	411.9	407.2	404.0
92	7 408.6	150 450.7	447.3	443.8	439.3	431.9	430.6	425.3	423.4	419.6	422.2	420.6	421.0	418.3	418.8	414.0	411.9
93	7 489.4	165 464.2	466.7	463.9	461.2	455.0	456.2	451.3	449.5	446.5	449.9	449.1	450.6	447.6	449.2	443.8	441.7
94	7 489.4	330 453.7	453.4	452.0	449.2	444.4	445.7	440.1	439.4	436.7	442.1	440.8	442.7	440.6	441.1	438.2	436.1
95	7 799.0	165 571.9	573.4	573.3	572.8	566.5	570.1	564.5	566.3	564.5	569.9	571.0	574.2	573.1	576.2	572.2	570.0
96	7 799.0	330 559.9	559.8	557.4	558.3	552.2	555.1	550.9	552.7	550.7	556.6	556.5	560.1	558.3	561.4	558.8	557.1
97	71049.0	165 190.4	189.1	189.0	191.1	188.5	191.1	191.3	192.6	193.4	194.7	191.8	195.6	195.7	194.3	194.8	197.1
98	71049.0	330 678.7	678.3	673.8	668.9	655.2	659.7	653.9	655.7	654.8	659.4	662.4	666.4	666.8	668.9	666.5	665.3
99	8 294.6	210 469.9	462.2	453.3	447.7	438.5	435.6	425.3	418.6	416.5	415.6	408.2	405.1	398.1	393.7	385.4	378.9
100	8 304.2	270 489.7	485.2	477.5	471.6	461.5	459.5	449.5	442.4	440.6	439.9	433.9	430.2	423.7	419.8	411.8	404.3
101	8 368.7	135 450.5	446.3	440.1	433.5	426.0	422.6	413.6	406.9	405.8	405.7	399.8	395.3	388.4	385.6	378.0	371.8
102	8 368.7	255 490.5	485.2	476.8	469.8	460.0	455.6	445.4	437.2	434.5	433.0	426.1	420.5	412.7	408.9	400.7	393.6
103	8 385.1	30 425.5	421.6	416.8	413.4	406.9	406.2	399.1	395.0	394.5	396.6	394.0	393.2	389.9	391.6	388.4	387.5
104	8 389.1	300 451.8	447.5	442.1	438.8	429.6	428.6	421.1	416.0	414.1	415.7	412.0	410.1	405.7	406.3	402.6	400.5
105	8 549.0	135 447.5	447.6	447.0	447.4	444.2	447.5	443.0	440.0	442.0	444.8	445.3	446.3	444.5	447.4	445.6	443.8
106	8 549.0	255 485.9	488.2	488.6	489.5	486.7	488.8	483.9	480.3	481.3	484.3	483.3	484.3	481.8	484.0	481.0	478.4
107	8 739.0	30 543.1	542.7	541.0	539.8	534.4	535.6	530.5	527.0	528.0	531.3	530.5	532.2	530.4	534.5	532.5	530.4
108	8 739.0	300 611.0	609.9	606.5	604.9	597.9	601.2	596.6	593.9	595.9	600.8	602.7	606.0	605.8	610.8	609.4	607.9
109	8 929.0	135 553.6	557.9	558.1	559.7	554.3	558.6	554.2	550.8	553.7	557.3	556.5	557.5	555.3	559.9	554.8	552.2
110	8 929.0	255 597.1	597.2	595.8	597.0	592.5	597.2	593.8	592.1	595.9	601.6	602.9	606.2	607.2	611.7	609.8	607.4
111	8 988.8	30 655.2	656.0	654.5	654.8	649.6	653.4	648.8	645.4	645.7	649.7	649.9	652.3	651.5	655.0	651.7	649.9
112	8 988.8	300 627.2	630.6	630.5	633.4	632.6	638.8	636.5	637.4	641.0	647.4	647.8	651.1	651.5	655.0	652.2	649.6
113	9 369.4	105 436.7	433.1	427.3	423.2	416.5	414.5	406.1	400.3	399.8	397.5	392.9	389.8	384.3	381.4	374.4	369.3
114	9 369.4	180 177.6	177.1	177.2	178.7	180.3	182.6	180.7	184.7	183.2	196.6	196.7	200.3	197.4	197.0	197.3	199.2
115	9 389.0	30 428.0	423.5	419.8	415.5	409.4	409.3	402.0	396.9	396.5	398.7	395.8	396.2	394.8	395.2	393.2	392.4
116	9 389.0	270 425.9	422.8	418.0	415.7	409.2	410.3	403.1	397.1	399.2	400.8	397.9	399.1	397.2	397.4	396.3	395.9
117	9 549.0	105 459.9	458.7	455.2	453.4	447.3	448.8	442.1	437.0	438.9	442.6	440.5	441.6	440.2	441.7	440.1	438.0
118	9 549.0	180 452.0	452.3	449.3	447.3	442.1	442.8	436.9	431.7	433.6	436.8	434.8	436.3	434.0	435.2	433.6	431.6
119	9 739.2	30 544.5	545.5	543.1	541.7	539.4	539.4	531.9	528.8	527.7	533.2	531.7	533.7	531.9	533.5	531.4	528.1
120	9 739.2	270 533.2	533.3	530.7	529.8	525.3	527.2	521.6	518.1	520.2	523.5	523.0	525.7	523.9	525.8	524.4	522.2
121	9 909.0	60 617.3	617.9	616.9	615.0	609.0	612.2	606.6	604.9	605.9	610.9	612.5	615.1	614.5	618.6	616.9	614.3
122	9 919.0	120 622.1	620.3	617.3	615.0	609.8	611.0	604.8	605.1	606.6	612.3	613.9	617.0	616.6	620.5	620.2	617.8
123	9 929.0	105 630.5	629.7	628.0	626.8	620.6	622.8	615.6	616.0	617.2	622.4	624.2	626.4	625.8	629.6	628.4	626.3
124	9 929.0	180 617.8	618.9	617.1	615.5	609.3	613.4	607.3	607.0	608.5	614.9	616.2	617.7	617.8	621.0	620.2	618.5
125	9 988.8	30 666.5	665.0	662.8	661.6	654.7	658.6	652.3	650.3	649.2	655.4	656.2	657.3	656.9	659.3	656.0	652.6
126	9 988.8	270 639.2	637.9	637.1	636.4	630.0	634.3	630.2	627.0	629.0	634.0	635.5	637.7	636.9	640.9	639.5	636.9
127	10 489.3	90 440.2	437.8	434.6	434.0	427.5	428.0	421.9	421.8	419.6	422.2	421.8	422.3	420.0	422.2	419.3	417.1
128	10 489.3	330 448.7	446.8	444.0	441.3	434.6	434.0	426.8	424.7	421.8	424.9	423.2	424.1	420.7	423.3	419.8	418.5
129	10 549.0	60 471.1	469.0	465.5	462.5	456.0	456.9	450.0	448.4	443.4	445.7	445.0	445.6	442.9	444.5	440.5	438.1
130	10 549.0	210 455.4	452.4	450.1	448.7	443.1	444.5	439.7	436.8	437.0	439.7	436.9	440.1	437.6	440.0	436.7	434.2
131	10 739.0	180 524.3	522.8	521.3	522.0	516.6	519.9	516.0	515.7	514.8	519.1	519.8	521.9	519.7	523.0	519.9	517.3
132	10 739.0	330 540.7	541.5	539.3	539.4	533.7	535.2	529.6	528.4	525.1	530.1	530.8	532.5	530.4	534.7	531.4	528.5
133	10 799.0	90 571.4	571.7	569.8	568.4	562.0	563.3	556.5	556.0	551.8	555.2	554.9	556.4	554.8	558.4	554.4	552.0
134	10 799.0	300 557.4	557.4	557.6	558.6	553.1	555.8	551.4	549.4	547.6	552.4	553.0	554.3	552.7	556.0	552.5	549.4
135	10 929.0	60 623.9	624.5	622.8	622.8	616.9	619.5	614.6	614.8	610.8	617.2	617.4	621.4	620.9	626.8	623.7	622.3
136	10 929.0	210 615.5	616.3	612.7	612.4	607.0	610.1	604.8	604.4	602.9	609.5	610.4	614.4	613.8	618.6	616.0	614.0
137	10 989.0	180 635.0	635.8	633.6	633.1	627.7	632.0	626.4	624.7	622.8	628.8	629.4	633.7	633.6	638.6	636.4	633.8
138	10 989.0	330 646.5	648.0	645.6	645.4	639.7	644.0	640.5	639.5	637.0	643.4	644.0	646.9	646.8	651.0	648.0	645.1
139	101049.0	90 682.1	683.1	682.5	679.7	674.0	676.2	670.6	669.9	664.7	670.4	670.6	673.7	675.9	682.3	678.8	675.4
140	101049.0	300 661.6	663.1	662.3	662.6	657.1	660.7	657.2	656.9	655.5	663.8	664.2	667.8	668.4	672.2	668.7	665.1
141	11 389.0	60 427.4	421.9	418.4	414.1	408.4	406.4	399.7	400.0	395.8	398.4	395.9	397.8	394.4	395.2	391.5	389.7
142	11 389.0	315 420.4	416.6	413.1	409.4	403.4	403.7	395.7	397.0	391.7	396.3	393.1	395.1	392.5	393.6	389.7	387.9
143	11 489.0	150 437.0	436.9	435.2	432.3	423.4	425.7	427.4	420.0	421.0	418.1	420.9	417.7	419.3	416.4	412.0	408.3
144	11 489.0	270 435.7	432.4	432.0	429.8	424.9	427.6	420.0	419.9	417.4	420.5	418.1	419.5	416.9	418.2	413.7	410.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	526.4	525.6	522.7	522.0	517.3	520.9	514.1	515.5	512.7	516.5	516.7	519.4	518.3	519.5	515.9	513.3
146	11	738.9	315	537.9	537.5	535.6	534.9	527.8	531.2	525.6	524.4	520.7	523.6	522.8	525.7	523.9	525.3	521.8	519.2
147	11	799.6	150	551.0	549.9	548.0	547.1	540.5	543.8	539.0	540.5	538.3	542.3	542.9	546.3	543.1	544.6	540.1	537.0
148	11	799.6	270	567.7	566.8	565.1	564.2	557.8	562.1	556.3	556.7	554.6	558.2	557.7	560.3	550.4	558.6	554.4	550.6
149	11	849.3	240	558.5	555.8	553.9	552.7	548.7	550.6	544.1	544.0	542.0	544.6	543.4	545.0	541.0	541.5	535.9	532.1
150	11	859.8	300	569.5	567.7	565.1	563.7	557.6	559.1	554.0	552.9	549.7	553.1	551.8	555.0	551.5	553.7	548.3	544.5
151	11	989.3	60	655.0	655.1	652.9	651.3	645.1	648.0	642.4	643.7	640.0	645.5	646.1	649.3	643.0	642.6	638.5	635.9
152	11	989.3	315	651.2	652.0	649.6	649.1	642.3	645.2	640.3	642.3	638.1	644.1	644.2	648.3	646.5	650.6	646.1	643.0
153	111049.2	150	695.2	694.4	690.2	688.7	680.6	682.7	675.1	677.8	672.5	677.2	677.2	677.2	679.4	673.4	674.3	668.2	664.6
154	111049.2	270	670.1	671.6	669.6	669.9	664.4	667.0	661.0	662.8	660.3	664.8	665.7	670.4	671.2	678.3	673.6	670.7	670.7
155	12	359.9	30	471.5	466.9	459.2	451.8	441.9	437.2	425.8	425.3	418.3	416.8	412.3	409.5	400.4	396.1	386.0	379.7
156	12	370.0	15	483.1	479.4	471.6	465.2	454.6	451.2	439.4	439.4	431.8	430.8	425.9	422.4	412.8	408.0	397.4	390.0
157	12	370.0	240	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
158	12	379.2	90	494.2	491.7	488.1	486.2	478.6	478.8	470.4	471.5	468.5	470.3	468.5	467.6	460.3	456.8	446.4	439.9
159	12	489.0	90	496.7	497.0	494.2	493.5	485.4	487.1	479.2	480.0	477.2	479.0	478.5	479.4	474.6	473.6	467.1	463.2
160	12	489.0	270	457.4	455.5	452.7	451.7	443.1	445.1	437.2	438.2	435.3	437.1	437.4	439.2	435.6	435.5	430.7	428.3
161	12	548.9	15	477.0	478.9	479.3	481.6	476.6	482.4	476.5	480.2	478.2	483.1	484.7	485.8	482.6	483.6	478.8	475.9
162	12	548.9	240	463.2	463.2	462.0	461.2	455.4	458.6	451.1	452.4	449.9	483.1	484.7	485.8	482.6	483.6	478.8	475.9
163	12	799.3	90	570.7	572.7	573.8	575.0	571.4	577.3	572.2	575.2	574.3	580.2	582.5	586.8	584.5	585.9	582.2	580.3
164	12	799.3	270	563.7	564.5	563.5	563.0	558.1	561.4	554.9	557.9	554.9	559.4	561.9	565.7	564.2	566.8	563.0	560.6
165	12	929.3	15	580.5	581.6	581.0	581.0	576.3	581.1	576.0	579.9	578.1	584.9	588.8	594.1	593.9	597.0	594.9	592.9
166	12	929.3	240	617.6	618.4	618.4	618.4	615.7	610.0	613.9	607.8	610.3	607.8	613.2	616.2	619.1	616.6	617.6	610.7
167	121049.5	90	641.1	646.1	647.5	651.5	649.8	656.9	653.2	657.4	656.7	664.1	667.5	673.3	674.1	678.1	675.0	673.1	673.1
168	121049.5	270	684.0	686.0	684.0	683.2	676.9	681.3	674.2	676.4	672.3	678.2	681.0	683.4	676.6	675.3	672.0	668.6	668.6
169	13	338.8	60	387.9	385.1	382.8	380.7	374.4	373.4	366.7	359.3	359.1	356.3	352.5	350.1	341.6	340.2	334.6	329.2
170	13	349.0	60	379.5	375.6	372.1	369.1	363.5	362.6	357.3	350.2	352.2	351.6	348.4	347.0	340.9	341.1	336.6	333.4
171	13	368.9	90	415.8	411.9	408.5	404.5	398.5	397.7	390.9	383.9	384.0	383.3	378.9	376.3	368.5	367.8	361.3	356.2
172	13	368.9	240	440.7	436.5	431.5	426.4	418.2	416.3	408.8	400.5	399.9	398.8	394.0	390.3	383.2	381.1	373.9	368.3
173	13	388.5	45	413.5	409.6	406.1	402.9	395.8	395.2	389.6	384.8	387.8	388.1	384.9	385.3	382.4	385.5	382.7	381.2
174	13	388.5	270	441.6	437.1	432.9	428.6	421.3	420.6	414.4	406.4	406.6	409.3	405.1	403.2	398.0	395.5	394.7	392.1
175	13	549.0	90	453.2	450.4	449.0	448.4	445.1	446.8	442.8	439.0	441.2	444.7	443.7	445.7	442.3	445.5	442.2	441.0
176	13	549.0	240	476.7	476.6	476.9	478.3	474.7	476.6	472.0	467.4	469.6	471.9	471.4	472.3	469.2	471.5	467.3	465.4
177	13	738.7	45	524.3	523.2	524.8	524.8	521.3	523.5	519.1	514.5	518.6	521.9	521.6	525.0	524.1	526.8	523.9	522.7
178	13	738.7	270	533.0	534.0	534.9	533.5	529.2	532.6	528.0	523.4	527.2	532.9	532.4	535.5	534.9	536.8	533.5	532.1
179	13	929.3	90	609.6	608.0	608.0	606.6	599.9	604.2	600.3	599.1	604.3	609.5	610.4	614.7	614.1	617.9	616.0	614.3
180	13	929.3	240	611.7	610.6	611.7	611.3	606.5	612.0	607.8	604.9	609.4	613.0	613.4	617.5	616.2	618.6	616.7	614.7
181	13	989.2	45	630.3	629.2	628.9	629.4	623.9	629.4	625.2	625.8	630.4	634.4	636.2	640.3	639.5	643.0	641.8	639.4
182	13	989.2	270	643.5	644.7	645.4	643.7	638.3	642.1	638.9	635.3	639.8	642.7	644.0	647.1	646.3	649.6	646.8	644.6
183	14	369.0	30	416.6	412.5	407.3	404.5	396.7	396.5	388.7	382.8	384.9	382.9	379.1	377.1	371.0	369.3	362.2	357.7
184	14	369.0	270	433.4	428.6	424.4	420.0	412.3	409.9	403.0	397.0	397.9	394.7	390.5	388.0	381.0	378.2	371.0	366.4
185	14	488.9	75	429.3	426.7	425.7	425.5	419.2	420.6	416.1	413.6	416.2	419.3	419.0	421.4	419.5	422.4	418.6	417.9
186	14	488.9	180	445.4	442.4	440.7	438.9	434.1	434.0	429.2	425.9	426.4	429.7	429.5	430.7	427.3	430.0	425.9	424.3
187	14	548.8	30	453.9	452.7	453.2	450.8	445.6	447.4	442.5	438.0	441.6	443.3	442.8	444.4	442.3	445.1	441.7	439.1
188	14	548.8	270	458.4	456.9	457.3	457.2	452.8	454.4	449.3	446.8	449.6	452.5	452.9	453.6	451.5	454.4	450.7	449.0
189	14	799.2	75	554.1	554.6	554.1	553.2	548.9	552.5	547.4	544.5	547.4	552.3	551.1	553.8	552.0	556.7	553.4	551.5
190	14	799.2	180	557.8	557.4	556.4	556.0	549.9	554.8	549.7	548.3	551.1	554.7	556.5	558.9	557.1	560.5	558.1	555.2
191	14	890.2	0	612.2	611.6	608.7	609.1	601.6	605.9	600.8	597.9	600.8	604.8	605.9	608.6	607.7	611.3	608.7	605.6
192	14	899.8	60	604.4	604.0	602.3	603.0	596.7	600.5	595.9	591.6	594.2	599.0	599.1	602.5	601.2	604.9	603.3	600.7
193	14	929.5	30	614.8	614.1	613.6	614.3	607.5	612.5	607.3	604.4	607.1	611.4	613.0	616.1	615.7	620.0	618.1	615.9
194	14	929.5	270	623.9	623.6	623.0	623.3	615.9	621.4	616.1	616.4	621.4	626.2	627.8	631.1	629.8	633.9	631.5	629.3
195	141049.2	75	664.4	664.7	666.3	666.8	666.8	659.0	665.4	660.1	652.1	655.5	659.1	661.4	665.7	665.6	669.4	667.5	664.1
196	141049.2	180	699.0	698.9	698.1	697.1	693.2	694.0	688.1	677.8	678.6	683.1	685.1	687.8	685.8	688.9	685.3	681.6	681.6
197	15	369.1	150	430.7	425.6	421.1	417.3	410.0	408.1	399.1	396.7	394.3	394.1	390.4	389.0	381.9	379.4	372.2	366.1
198	15	369.1	270	423.5	418.9	414.7	410.7	403.2	402.0	392.7	388.5	388.9	387.1	384.2	381.8	374.6	372.0	365.4	359.7
199	15	488.6	60	437.7	436.4	434.7	433.0	429.5	430.6	423.4	423.8	423.1	427.3	427.3	430.0	425.9	428.5	425.3	422.5

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
200 15 488.6 345	424.6	421.6	422.6	422.0	419.5	421.6	415.2	415.0	417.4	419.6	420.1	422.4	419.4	422.2	419.8	417.5
201 15 549.6 150	456.8	456.7	455.4	455.8	452.8	453.9	448.0	447.9	448.6	450.0	449.7	452.1	448.2	450.7	446.4	443.6
202 15 549.6 270	460.2	458.3	457.3	457.3	452.2	455.0	451.0	448.0	450.8	453.0	453.2	454.9	451.4	453.5	451.0	447.7
203 15 799.6 60	545.9	544.3	545.4	545.2	539.8	544.1	539.7	539.4	539.2	543.9	544.6	547.5	546.1	549.2	546.6	544.2
204 15 799.6 345	542.4	542.4	541.2	541.2	536.7	540.3	536.4	535.4	536.8	540.4	542.0	544.7	543.6	546.7	543.6	541.9
205 15 869.0 0	559.9	560.0	560.2	560.2	555.2	559.3	554.2	553.7	554.9	558.0	559.8	562.0	560.9	563.5	559.0	556.2
206 15 879.0 300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
207 15 929.2 150	622.8	622.6	622.3	622.8	616.6	621.9	617.0	617.4	618.1	621.2	624.5	628.3	626.8	630.3	626.5	624.4
208 15 929.2 270	612.7	613.2	612.7	614.1	609.1	613.6	610.4	606.6	609.9	612.8	616.0	619.6	619.5	623.7	620.2	618.5
209 151049.1 60	653.4	657.0	657.4	659.3	655.5	660.9	656.5	659.0	658.8	662.2	665.2	669.5	670.8	675.7	671.5	669.1
210 151049.1 345	655.7	658.4	656.4	656.9	649.6	656.0	651.1	649.6	651.5	655.8	659.3	665.0	667.7	673.9	670.8	668.6
211 16 368.5 150	467.0	462.1	455.1	449.7	439.8	437.2	425.7	423.0	419.4	416.5	411.8	409.0	400.7	395.0	385.1	378.6
212 16 368.5 285	425.9	422.0	416.9	412.7	404.5	404.9	394.3	394.2	390.0	389.1	385.8	384.0	376.9	372.8	365.0	359.4
213 16 418.6 210	425.5	424.7	421.3	419.3	414.6	415.0	408.4	410.0	409.7	411.2	410.9	413.7	410.1	410.4	406.0	403.8
214 16 428.5 210	431.3	429.6	427.0	425.1	420.0	421.4	414.2	414.6	415.0	417.2	417.8	419.3	416.5	416.9	412.5	410.6
215 16 488.5 120	486.9	485.1	485.0	484.4	478.1	482.5	475.1	474.6	475.8	477.4	477.0	478.5	474.0	473.2	466.5	463.6
216 16 488.5 330	435.3	435.7	433.7	433.3	429.7	432.8	424.7	427.2	424.9	427.6	427.8	429.6	427.2	427.4	421.9	420.7
217 16 548.6 150	492.1	492.9	492.8	493.5	489.8	492.5	486.9	487.4	487.1	489.4	490.2	491.0	488.4	487.6	482.9	479.4
218 16 548.6 285	463.1	462.6	460.8	461.2	455.1	458.3	451.9	452.4	451.1	453.4	453.6	454.8	452.9	454.4	449.0	446.6
219 16 798.9 120	570.7	572.2	572.1	574.5	571.4	577.8	575.0	578.2	577.4	582.8	584.9	588.9	587.1	588.6	583.9	581.2
220 16 798.9 330	542.1	541.5	541.2	541.2	533.9	539.1	535.2	536.3	536.6	541.4	542.9	548.6	547.8	550.6	547.6	545.4
221 16 929.0 150	599.5	601.2	600.0	601.4	595.3	600.7	597.0	599.8	600.1	605.2	608.0	612.1	611.5	613.6	610.3	607.9
222 16 929.0 285	620.4	619.3	617.4	618.3	611.0	616.0	611.3	612.9	613.7	617.2	620.2	624.6	623.7	626.6	624.2	621.1
223 161049.0 120	642.1	642.1	641.6	642.3	637.1	642.1	638.4	640.7	642.4	647.6	652.0	656.8	656.4	657.9	655.5	653.6
224 161049.0 330	686.4	685.0	682.5	683.5	675.9	679.7	673.2	674.1	672.5	675.6	677.7	679.3	677.1	676.7	672.4	669.6
225 17 368.7 30	422.9	417.7	413.4	413.1	402.1	401.4	394.3	389.3	388.9	388.6	385.0	383.3	376.0	372.6	365.6	361.3
226 17 368.7 210	440.4	435.3	431.3	427.5	419.5	417.8	410.5	405.6	404.4	402.3	398.9	397.3	389.6	386.5	379.5	374.4
227 17 388.4 0	407.3	402.9	399.9	399.7	392.4	391.9	386.4	383.3	384.1	386.4	385.0	385.9	382.2	384.6	382.1	381.6
228 17 388.4 135	432.1	429.0	426.0	425.5	418.3	418.6	412.7	410.1	411.7	413.1	411.3	412.1	408.0	408.8	406.0	403.6
229 17 418.8 150	444.0	443.0	439.9	438.7	430.8	430.4	425.0	421.5	422.6	423.7	422.0	422.8	417.3	417.0	411.9	408.8
230 17 428.8 210	451.0	449.8	446.6	446.3	438.5	438.9	433.1	429.4	429.2	430.0	428.7	429.5	424.5	424.9	419.7	416.8
231 17 549.0 30	461.6	460.0	458.6	457.6	450.8	453.1	448.1	444.7	445.7	447.8	448.7	449.9	446.5	447.8	444.8	442.4
232 17 549.0 210	493.8	493.9	493.5	492.8	488.1	491.8	487.0	484.7	484.6	486.3	486.9	487.2	484.0	485.2	481.2	479.1
233 17 739.2 0	540.3	539.2	538.6	538.4	533.2	536.8	533.8	529.8	532.2	534.8	536.4	537.4	535.6	538.2	534.7	532.8
234 17 739.2 135	536.5	537.1	538.2	537.9	533.2	538.4	534.5	533.5	535.9	540.0	542.0	543.3	541.7	543.4	540.1	537.2
235 17 928.9 30	623.0	621.4	621.0	620.9	615.7	620.2	615.6	612.9	616.3	619.1	622.6	623.6	622.5	625.2	621.4	618.5
236 17 928.9 210	612.2	613.4	614.5	616.0	609.6	615.7	612.3	609.8	613.0	616.5	619.3	621.3	619.7	621.2	617.8	614.3
237 17 989.1 0	652.9	654.4	652.7	652.4	645.3	650.6	647.1	644.9	647.1	651.4	653.4	655.6	654.1	656.5	653.4	650.3
238 17 989.1 135	645.4	644.3	642.8	641.6	635.0	639.5	634.9	632.2	633.9	638.0	641.0	643.1	642.8	644.9	642.3	639.7
239 18 294.0 0	391.9	386.1	382.5	379.3	371.7	370.2	362.9	360.3	359.5	357.8	354.9	351.5	344.6	342.3	335.9	329.6
240 18 304.0 0	415.7	411.1	407.7	403.3	396.2	394.4	387.9	384.8	383.6	383.1	380.2	377.5	371.4	369.0	363.1	355.9
241 18 359.2 0	395.8	390.8	386.9	383.2	376.2	375.1	368.4	364.2	365.8	361.9	359.1	356.0	349.5	346.4	340.8	333.6
242 18 369.1 90	409.0	405.7	401.8	398.3	392.4	392.0	385.4	383.0	382.3	381.3	378.7	376.4	370.7	368.4	362.4	356.9
243 18 369.1 285	415.6	411.6	407.7	404.7	397.9	396.9	389.9	387.0	386.5	384.4	381.3	378.9	371.9	369.4	362.9	356.0
244 18 378.9 0	457.3	453.8	448.8	447.3	439.9	439.8	434.3	432.1	432.2	431.1	429.4	427.3	423.4	420.9	414.6	408.3
245 18 389.1 90	395.4	392.2	388.0	386.6	381.9	382.8	376.9	375.4	378.2	379.0	378.9	378.8	376.5	378.3	375.3	373.3
246 18 389.1 285	410.8	407.2	403.1	400.8	396.0	396.1	389.9	389.1	392.3	392.2	391.6	391.9	388.8	389.5	386.4	383.5
247 18 409.2 0	415.1	413.0	410.1	409.5	403.9	405.1	399.0	397.1	399.9	400.5	403.3	401.0	398.5	399.7	396.5	392.7
248 18 429.3 0	421.2	419.9	417.2	416.4	411.8	412.7	408.0	405.4	408.1	409.5	408.8	410.8	408.2	408.5	406.4	402.7
249 18 549.5 90	446.2	447.2	446.1	447.1	444.3	446.4	442.1	441.5	443.1	446.6	447.3	449.6	448.0	449.9	447.7	444.5
250 18 549.5 285	448.5	448.2	447.2	446.8	443.1	445.7	440.0	439.1	441.8	446.2	446.3	447.6	446.4	448.0	445.9	443.8
251 18 930.2 90	609.6	611.3	609.4	609.1	603.2	608.2	604.5	604.0	605.9	610.9	613.4	616.6	615.9	619.0	616.9	612.9
252 18 930.2 285	620.1	625.7	624.9	624.9	618.5	624.2	619.8	617.1	619.8	624.5	626.1	628.6	627.5	629.4	627.5	623.4
253 19 369.0 180	468.4	463.6	458.6	452.9	444.5	441.4	432.8	430.9	427.0	424.5	420.5	417.8	409.8	405.6	397.1	390.1
254 19 369.0 270	441.4	437.0	432.6	428.8	420.8	418.1	410.2	409.0	405.2	403.4	400.1	397.9	390.2	386.9	379.2	372.5

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	398.5	90	445.9	443.3	440.7	437.6	431.9	430.9	424.8	424.9	424.2	425.1	424.5	425.0	420.5	419.3	413.5	409.1
256	19	408.4	150	483.1	480.0	476.2	472.1	463.7	462.7	455.4	453.9	452.4	451.1	449.9	449.8	445.2	443.7	438.1	432.1
257	19	488.5	15	447.2	446.5	446.6	445.1	439.7	441.3	435.7	436.6	437.2	438.2	439.3	440.7	438.4	439.4	435.7	433.0
258	19	488.5	135	488.3	490.3	488.6	489.7	484.7	486.9	482.0	482.0	482.7	485.0	485.5	486.6	483.2	483.6	479.2	474.7
259	19	548.8	180	478.6	478.0	477.2	476.0	471.9	473.9	469.7	469.4	469.7	473.3	474.8	476.5	474.9	477.5	475.8	472.6
260	19	548.8	270	505.6	507.5	508.0	508.2	503.7	506.8	503.1	503.3	503.6	507.4	509.0	510.2	508.0	510.1	506.6	503.0
261	19	798.4	15	583.1	584.6	583.1	582.4	576.8	580.4	576.9	578.5	577.8	580.0	583.7	585.9	584.5	587.2	583.4	580.1
262	19	798.4	135	556.4	561.6	563.7	567.0	565.5	570.1	567.8	569.3	569.4	573.7	576.9	580.5	580.1	583.0	580.8	577.7
263	19	928.5	180	617.6	621.2	620.9	621.9	619.0	623.3	620.8	621.8	622.8	627.4	632.0	634.2	634.3	637.4	633.4	629.3
264	19	928.5	270	621.1	625.4	624.9	625.6	*****	626.6	623.8	623.7	625.2	629.7	633.4	636.3	636.6	639.3	636.4	632.9
265	19	1048.7	15	25.7	24.6	26.6	28.2	29.7	31.9	27.7	31.7	33.4	35.5	34.3	36.6	33.5	35.2	32.9	33.1
266	19	1048.7	135	656.2	660.7	662.3	664.7	661.6	668.7	666.4	671.3	671.8	678.4	683.3	686.8	687.7	691.0	688.2	684.8
267	21	370.0	150	193.4	192.9	195.4	197.7	199.6	201.8	198.6	201.9	205.4	209.2	209.1	212.7	210.7	212.9	210.7	210.9
268	21	370.0	144	194.2	193.7	196.1	198.4	200.0	202.2	199.0	202.3	205.8	209.6	209.4	213.0	211.0	213.0	210.6	210.8
269	21	370.0	126	193.8	193.1	195.6	197.9	199.5	201.6	198.4	202.1	204.8	208.6	208.5	212.3	210.2	211.9	209.6	209.7
270	21	370.0	120	194.8	194.0	196.6	198.7	200.3	202.6	199.3	203.1	205.5	209.4	209.3	212.9	210.9	212.6	210.1	210.4
271	21	370.0	30	193.4	192.5	195.1	196.8	198.3	200.1	196.5	199.8	200.9	203.9	203.7	207.1	205.2	207.6	206.2	207.3
272	21	370.0	26	193.8	192.8	195.4	197.0	198.8	200.4	196.8	200.1	200.6	203.6	203.4	206.9	204.9	207.6	206.4	207.6
273	21	370.0	7	193.3	192.5	195.0	196.4	198.3	199.8	196.4	199.3	199.8	202.7	202.6	206.0	203.9	206.8	205.9	207.1
274	21	370.0	0	193.8	192.9	195.4	196.9	198.6	200.4	197.0	199.6	200.1	202.9	202.7	206.1	204.1	207.1	206.2	207.5
275	21	370.0	210	195.0	194.3	196.3	198.7	200.0	202.5	199.5	200.5	204.7	208.3	208.0	211.3	209.2	211.9	210.3	210.9
276	21	370.0	206	195.0	194.3	196.3	198.8	200.2	202.7	199.6	201.3	205.2	208.8	208.5	211.9	209.7	212.5	210.9	211.4
277	21	370.0	187	195.6	194.7	196.8	199.5	200.8	203.1	200.3	202.7	206.1	209.8	209.6	212.9	210.7	213.3	211.7	212.1
278	21	370.0	180	194.2	193.4	195.6	198.2	199.5	202.0	199.0	201.8	205.0	208.8	208.6	212.0	209.8	212.5	210.8	211.1
279	22	390.0	30	196.4	195.7	198.2	200.1	201.7	203.6	200.0	203.2	204.1	207.5	207.4	211.0	208.9	211.5	210.1	211.3
280	22	390.0	26	198.6	197.5	200.0	201.7	203.3	205.3	201.4	204.5	205.3	208.3	208.3	211.9	209.9	212.5	211.4	212.5
281	22	390.0	7	198.8	197.6	199.8	201.7	203.2	205.3	201.5	204.2	205.0	207.9	207.8	211.4	209.5	212.4	211.4	212.7
282	22	390.0	0	198.6	197.6	199.9	201.6	203.2	205.2	201.5	204.0	204.6	207.5	207.5	211.1	209.2	212.1	211.3	212.6
283	22	390.0	330	196.5	195.8	198.1	199.9	201.6	203.9	200.6	202.2	203.5	206.5	206.4	209.9	208.1	211.6	210.7	212.1
284	22	390.0	324	196.6	195.7	198.0	199.7	201.5	203.6	200.5	201.9	203.3	206.3	206.2	209.6	207.8	211.4	210.5	211.9
285	22	390.0	306	197.8	196.6	198.9	200.6	202.3	204.6	201.6	202.0	204.3	207.1	206.9	210.2	208.4	212.0	211.0	212.3
286	22	390.0	300	198.1	196.7	199.0	201.0	202.6	205.1	202.0	202.2	205.3	208.0	207.9	211.0	209.3	212.7	211.5	212.8
287	22	390.0	210	199.2	198.6	200.7	203.0	204.3	206.8	203.9	204.9	209.2	213.0	212.7	216.2	214.2	216.9	215.3	215.8
288	22	390.0	206	199.6	198.9	201.2	203.6	204.9	207.3	204.4	205.9	210.0	213.9	212.7	217.2	215.1	217.7	216.0	216.5
289	22	390.0	187	199.8	198.9	201.1	203.5	204.6	207.1	203.9	206.1	210.1	214.2	214.1	217.4	215.3	217.8	216.0	216.2
290	22	390.0	180	200.5	199.7	201.9	204.3	205.6	208.0	204.8	207.5	211.2	215.4	215.4	218.8	216.8	219.3	217.4	217.7
291	23	490.0	180	233.1	232.3	234.5	236.6	237.4	239.9	236.7	238.8	242.5	246.9	247.0	250.3	248.4	251.0	249.0	249.0
292	23	490.0	173	234.7	234.0	235.9	237.9	238.4	240.7	237.3	239.8	243.0	247.3	247.4	250.6	248.7	251.1	249.1	249.0
293	23	490.0	156	231.9	231.3	233.3	235.3	236.2	238.5	235.2	238.1	241.4	245.8	246.0	249.5	247.7	250.0	247.9	247.8
294	23	490.0	150	229.6	229.4	231.6	233.7	234.8	237.2	233.9	237.1	240.3	244.8	245.1	248.8	246.9	249.1	246.9	246.8
295	23	490.0	60	228.4	227.7	230.0	231.8	232.8	234.7	230.9	234.9	236.2	240.4	240.4	243.8	242.0	243.8	241.8	242.4
296	23	490.0	54	229.2	228.6	231.3	233.1	233.9	235.7	231.8	235.8	236.5	240.5	240.5	243.9	242.1	244.1	242.2	242.9
297	23	490.0	34	229.8	228.9	231.3	232.9	233.7	235.5	231.5	235.1	235.4	239.2	239.1	242.7	241.0	243.3	241.7	242.6
298	23	490.0	30	228.5	227.6	230.2	231.8	232.9	234.9	230.9	234.4	234.6	238.3	238.3	241.9	240.3	242.8	241.4	242.3
299	23	490.0	0	229.5	228.3	230.5	232.1	233.3	235.6	231.7	234.6	234.4	238.1	238.1	241.8	240.0	243.0	241.9	243.0
300	23	490.0	353	227.1	226.1	228.5	230.1	231.4	233.9	230.4	233.0	233.0	236.7	236.9	240.8	239.3	242.4	241.7	242.9
301	23	490.0	336	225.3	224.5	226.7	228.4	229.6	232.2	228.9	231.0	231.5	235.1	235.3	239.2	237.7	241.2	240.5	241.9
302	23	490.0	330	226.1	225.3	227.6	229.3	230.7	233.4	230.1	231.7	232.9	236.5	236.5	240.4	239.0	242.4	241.6	242.9
303	24	550.0	180	257.7	257.3	259.2	261.1	261.8	264.4	261.3	262.9	266.3	271.2	271.5	274.8	273.1	275.7	273.6	273.6
304	24	550.0	173	259.3	259.1	261.0	262.7	263.1	265.4	262.1	263.9	267.4	271.6	271.9	275.2	273.4	275.9	273.8	273.7
305	24	550.0	156	257.5	257.2	259.0	260.8	261.4	263.7	260.4	262.8	266.2	270.5	271.0	274.5	272.9	275.3	273.0	272.9
306	24	550.0	150	253.9	254.0	256.3	258.4	259.3	261.8	258.5	261.3	264.6	269.2	269.7	273.4	271.8	274.2	271.8	271.7
307	24	550.0	0	251.6	250.9	253.4	255.2	255.8	259.2	255.3	257.9	258.1	261.5	261.8	265.6	264.1	267.1	266.2	267.1
308	24	550.0	353	248.7	247.6	250.0	251.7	252.7	256.4	252.7	255.1	255.7	259.6	260.1	264.3	262.9	266.3	265.6	266.8
309	24	550.0	336	249.6	248.7	250.7	252.3	253.2	256.3	252.7	254.6	255.5	258.8	259.2	263.3	262.1	265.5	264.8	266.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
310 24 550.0 330	250.0	249.2	251.1	252.7	253.5	256.5	253.1	254.6	255.8	259.4	259.7	263.6	262.5	265.9	265.1	266.3
311 24 550.0 240	254.5	254.1	255.8	257.7	258.4	260.9	258.3	257.6	261.8	265.7	266.0	269.6	268.0	271.1	269.8	270.3
312 24 550.0 234	254.2	254.1	255.9	258.1	258.9	261.6	258.9	258.5	262.6	266.3	266.6	270.1	268.3	271.1	269.8	270.2
313 24 550.0 216	255.8	255.5	257.1	259.2	259.8	262.4	259.4	259.7	263.7	267.8	268.1	271.5	270.0	272.8	271.3	271.7
314 24 550.0 210	255.8	255.8	257.7	259.8	260.6	263.3	260.4	261.2	265.1	269.4	269.7	273.2	271.6	274.3	272.7	273.0
315 25 740.0 150	321.4	322.6	325.0	327.5	328.0	331.6	328.8	331.4	334.9	340.1	341.0	345.1	344.2	346.8	344.4	344.0
316 25 740.0 144	319.7	321.3	324.0	326.7	327.2	330.9	327.9	331.1	334.2	339.3	340.4	344.5	343.8	346.2	343.8	343.5
317 25 740.0 126	319.2	320.1	322.7	325.4	325.7	329.5	326.3	329.8	332.7	337.9	339.2	343.5	342.8	345.0	342.6	342.3
318 25 740.0 120	318.2	319.9	321.6	324.6	325.0	328.8	325.6	329.0	331.8	337.0	338.2	342.5	341.7	343.9	341.5	341.2
319 25 740.0 30	320.0	320.4	323.1	325.5	325.8	329.5	325.9	329.1	329.8	334.4	335.6	340.0	339.2	342.2	340.9	341.7
320 25 740.0 26	322.9	322.9	325.3	327.8	327.8	331.2	327.4	330.3	330.7	335.0	336.1	340.5	339.6	342.6	341.4	342.2
321 25 740.0 7	323.0	323.3	325.5	328.0	328.1	332.0	328.4	331.2	331.6	335.6	336.9	341.2	340.3	343.5	342.4	343.1
322 25 740.0 0	321.8	322.5	324.8	327.2	327.4	331.4	328.4	331.0	331.9	336.0	337.3	341.5	340.8	344.1	343.0	343.8
323 25 740.0 210	320.5	321.6	324.1	326.8	327.3	331.1	329.9	329.4	334.0	339.0	340.1	343.9	343.1	346.1	344.4	344.4
324 25 740.0 206	322.5	323.4	326.0	328.8	329.3	333.3	331.2	332.1	336.6	341.8	342.8	346.6	345.7	348.6	346.7	346.6
325 25 740.0 187	322.4	323.4	325.9	328.8	329.1	333.2	331.0	332.5	336.8	342.2	343.3	347.2	346.5	349.3	347.5	347.2
326 25 740.0 180	323.8	324.6	326.8	329.6	329.6	333.7	331.2	333.1	337.0	342.4	343.4	347.3	346.6	349.3	347.3	347.0
327.26 800.0 30	339.9	340.6	343.3	345.6	345.9	350.0	346.7	349.6	350.7	355.6	357.1	361.7	361.5	364.7	363.4	364.2
328 26 800.0 26	343.3	343.8	346.4	348.6	348.7	352.6	349.2	351.9	352.7	357.3	358.7	363.2	362.9	366.0	364.8	365.7
329 26 800.0 7	342.4	343.3	345.8	348.0	348.1	352.4	349.4	352.2	353.0	357.6	359.0	363.6	363.5	366.7	365.5	366.3
330 26 800.0 0	339.4	340.6	343.3	345.9	346.5	351.0	348.4	351.2	352.5	357.0	358.4	362.9	362.7	366.2	365.1	365.9
331 26 800.0 330	338.3	339.4	341.8	344.4	345.0	349.3	347.2	348.3	350.5	355.0	356.4	361.1	361.1	364.9	363.9	365.0
332 26 800.0 324	341.0	342.0	344.1	346.4	346.9	351.2	349.0	349.4	351.8	355.9	357.2	361.6	361.6	365.3	364.3	365.2
333 26 800.0 306	339.5	340.9	343.2	345.8	346.3	350.8	348.9	348.6	351.8	355.9	357.1	361.6	361.5	365.3	364.4	365.4
334 26 800.0 300	339.5	340.9	343.4	345.9	346.4	350.8	349.1	348.4	351.9	356.1	357.3	361.7	361.5	365.1	364.3	365.1
335 26 800.0 210	338.7	340.3	342.9	345.7	346.0	350.4	348.4	349.4	353.6	359.0	360.5	364.8	364.4	367.5	366.0	366.2
336 26 800.0 206	341.4	342.6	344.8	347.5	347.5	351.7	349.7	351.0	355.2	360.6	362.2	366.3	365.9	368.7	367.1	367.1
337 26 800.0 187	341.4	342.5	344.9	347.8	347.9	352.3	350.0	351.9	355.9	361.5	363.1	367.3	367.0	369.9	368.2	368.1
338 26 800.0 180	343.4	344.7	346.8	349.4	349.5	353.6	351.2	352.9	356.8	362.4	363.9	368.0	367.7	370.6	368.8	368.6
339 27 930.0 180	391.7	393.5	395.6	398.5	398.2	402.9	400.8	402.3	406.0	411.5	412.9	418.3	418.6	421.8	420.1	419.7
340 27 930.0 173	388.7	390.7	393.0	396.3	396.4	401.3	399.3	401.1	404.5	410.6	412.6	417.1	417.4	420.5	418.9	418.4
341 27 930.0 156	386.3	388.5	390.9	394.2	394.4	399.1	396.8	399.2	402.3	408.4	410.4	415.1	415.4	418.5	416.7	416.4
342 27 930.0 150	380.1	382.4	385.4	388.9	389.7	394.6	392.3	395.2	398.4	404.7	407.0	412.0	412.5	415.7	414.1	413.9
343 27 930.0 60	383.4	385.7	389.3	392.4	393.0	397.2	393.9	398.1	399.1	404.9	407.2	412.2	412.9	415.7	414.3	414.4
344 27 930.0 54	382.8	385.3	388.9	391.9	392.9	397.3	394.2	398.5	399.3	405.1	407.4	412.4	413.0	416.0	414.8	415.0
345 27 930.0 34	392.7	394.6	397.2	399.4	399.4	403.6	400.4	403.9	404.4	409.8	412.0	416.8	417.3	420.3	419.0	419.3
346 27 930.0 30	387.9	390.1	393.1	395.7	395.8	400.5	397.6	401.3	402.1	407.5	409.8	414.9	415.5	418.8	417.7	418.4
347 27 930.0 0	386.2	388.6	391.7	394.6	395.1	400.5	398.5	403.7	404.9	410.3	412.7	417.8	418.4	422.1	421.3	421.9
348 27 930.0 353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349 27 930.0 336	391.6	393.9	396.8	399.4	399.3	404.4	402.3	404.7	406.1	411.1	413.1	418.1	418.6	422.3	421.4	422.1
350 27 930.0 330	390.0	392.2	394.3	397.6	397.6	402.8	400.8	402.4	404.2	409.0	410.9	415.8	416.2	420.0	419.1	419.8
351 28 990.0 180	405.1	407.1	409.5	412.8	412.9	418.1	416.1	418.0	421.7	428.0	430.3	435.1	435.7	439.2	437.7	437.5
352 28 990.0 173	403.4	405.5	408.0	411.3	411.7	416.9	415.0	417.2	420.4	427.2	429.5	434.4	435.2	438.5	437.0	436.8
353 28 990.0 156	400.9	403.3	406.1	409.6	410.2	415.3	413.2	415.8	419.2	425.5	427.8	432.9	433.7	437.0	435.4	435.2
354 28 990.0 150	396.3	399.0	402.2	405.5	406.7	412.0	410.0	413.2	416.6	423.3	425.6	431.1	432.0	435.4	433.8	433.9
355 28 990.0 0	405.3	407.8	410.9	414.0	414.3	419.7	417.9	424.9	425.8	431.2	433.6	438.9	439.7	443.3	442.3	443.0
356 28 990.0 353	406.7	409.0	411.8	414.8	415.0	420.3	418.3	425.0	426.1	431.5	433.8	439.0	439.9	443.4	442.6	443.1
357 28 990.0 336	414.6	417.1	419.8	422.3	421.9	426.8	424.7	427.5	428.7	433.7	435.7	440.5	441.0	444.5	443.4	443.9
358 28 990.0 330	409.4	412.1	415.0	417.8	417.8	422.9	420.9	423.2	424.8	430.1	432.0	436.9	437.5	441.1	440.1	440.8
359 28 990.0 240	403.5	405.3	407.7	410.8	410.1	415.6	414.1	413.6	418.4	424.3	426.5	431.7	432.2	436.1	435.2	435.6
360 28 990.0 234	405.9	407.4	409.6	412.8	411.8	417.2	415.4	415.0	419.7	425.6	427.7	432.5	433.0	436.6	435.4	435.6
361 28 990.0 216	403.6	405.7	408.2	411.6	411.2	416.6	415.1	415.7	420.2	426.6	428.8	433.6	434.0	437.4	436.0	436.0
362 28 990.0 210	401.6	403.9	406.6	410.1	410.0	415.6	414.1	415.1	419.7	426.2	428.5	433.5	434.0	437.4	436.1	436.2
363 291050.0 150	412.5	415.6	419.0	422.6	423.5	428.7	426.9	430.7	434.2	441.3	444.1	449.8	451.2	454.6	453.4	453.3
364 291050.0 144	415.8	418.7	421.7	425.2	425.6	430.9	429.1	432.6	435.9	442.8	445.6	451.1	452.5	455.9	454.4	454.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

30

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	413.0	415.7	418.5	422.1	422.5	427.6	425.5	430.4	433.4	440.8	444.0	449.7	451.3	454.8	453.4	453.2
366	291050.0	120	412.1	415.0	418.1	421.6	422.0	425.9	425.1	429.9	432.6	440.2	443.3	449.4	451.1	454.5	453.1	453.1
367	291050.0	30	428.5	431.3	434.1	437.1	437.0	441.6	439.2	443.6	444.7	450.4	452.7	458.0	459.2	462.5	461.3	461.9
368	291050.0	26	429.2	431.7	434.8	438.2	437.9	442.7	440.3	446.0	446.6	452.3	454.6	459.8	460.9	464.2	463.0	463.7
369	291050.0	7	425.3	428.1	431.0	434.5	434.8	440.2	438.5	447.5	448.3	453.8	456.1	461.2	462.3	465.5	464.2	464.9
370	291050.0	0	427.1	430.0	432.7	435.9	435.9	441.2	439.5	448.7	449.7	455.0	457.2	462.1	463.0	466.1	464.9	465.5
371	291050.0	210	414.3	417.2	420.7	424.3	424.6	430.0	428.5	430.2	435.1	442.1	444.6	450.0	450.5	454.4	453.4	453.5
372	291050.0	206	417.0	419.2	422.1	425.7	425.8	431.7	430.3	431.9	436.9	443.8	446.6	451.9	453.0	456.7	455.6	455.4
373	291050.0	187	421.6	423.9	426.6	430.0	429.5	434.8	432.7	435.0	439.0	445.7	448.2	453.3	454.5	458.1	456.7	456.4
374	291050.0	180	419.1	421.5	424.4	427.9	427.9	433.5	431.6	434.5	438.3	445.1	447.6	452.8	454.0	457.5	456.2	455.9
375	01075.0	6	471.5	477.4	479.7	487.6	485.9	491.2	488.8	488.0	488.7	494.3	496.1	501.4	502.7	504.6	503.1	500.1
376	01075.0	5	453.1	457.3	456.9	462.3	461.6	469.1	468.9	492.6	495.0	500.7	503.0	507.7	506.6	506.8	503.3	503.3
377	01075.0	4	450.3	453.7	455.3	456.7	454.8	459.3	457.7	455.1	461.1	465.8	466.9	471.7	471.0	473.9	473.1	473.6
378	01075.0	2	479.7	483.0	482.3	486.9	486.6	492.6	492.2	489.1	492.8	496.7	498.3	504.3	504.7	506.6	503.5	497.5
379	01075.0	1	478.7	481.1	482.2	485.4	483.5	489.0	487.2	487.5	488.3	495.3	496.6	502.1	502.7	505.0	503.5	502.4
380	01075.0	2	475.8	477.5	478.3	481.5	475.9	481.5	480.6	483.6	483.5	490.0	492.1	496.4	495.4	497.3	494.4	493.0
381	01075.0	4	443.0	444.0	444.1	448.2	447.8	453.7	452.6	456.0	454.9	464.2	464.4	468.3	467.8	471.0	469.8	468.6
382	01075.0	4	425.6	426.4	427.0	428.1	427.0	431.2	430.2	429.3	434.3	440.2	442.3	449.0	449.8	454.2	455.8	454.6
383	01075.0	1	455.4	455.4	457.7	460.4	458.7	464.5	462.4	462.9	468.9	475.2	476.8	480.6	481.9	486.0	484.2	483.4
384	01075.0	1	449.9	451.0	454.7	457.0	455.7	461.5	459.9	460.6	463.2	470.9	473.5	480.0	484.7	491.3	488.6	487.1
385	01075.0	4	432.2	433.0	435.9	438.5	437.1	441.6	438.5	442.4	443.3	452.7	455.1	460.7	461.5	464.7	461.5	459.2
386	01075.0	3	474.0	474.9	477.0	481.2	480.1	488.3	488.1	491.7	496.2	502.4	503.7	510.2	510.1	512.9	510.8	508.4
387	01075.0	3	466.0	468.2	469.6	473.7	472.3	478.4	475.6	480.9	481.7	488.9	491.7	496.9	498.0	501.8	498.2	494.6
388	01075.0	5	451.5	452.6	455.4	458.1	457.5	465.8	466.7	475.8	478.4	485.5	486.9	491.9	493.2	496.6	494.2	493.5
389	01075.0	6	446.4	449.8	454.1	459.1	459.9	465.5	462.2	464.6	470.5	477.7	482.2	488.2	489.5	493.7	491.8	489.7
390	01113.0	0	499.7	501.2	503.0	506.8	504.2	511.5	505.9	506.5	506.6	512.3	515.1	520.3	521.3	524.6	523.2	520.8
391	01113.0	0	482.2	481.1	485.5	482.4	487.6	485.5	480.1	490.7	490.7	494.1	500.2	491.7	504.9	507.8	503.3	506.3
392	01113.0	0	482.4	488.2	491.6	490.5	494.0	497.8	494.3	500.1	498.3	507.9	511.3	513.5	515.2	516.7	513.4	511.5
393	01113.0	0	489.3	494.1	495.0	497.6	497.5	503.8	502.4	503.3	506.4	512.8	514.4	520.8	521.6	524.4	523.0	518.9
394	01113.0	0	485.7	488.2	490.5	494.5	493.7	500.4	498.9	498.5	501.8	507.4	507.0	513.7	516.2	519.7	517.6	514.5
395	01113.0	0	472.7	478.2	480.8	483.4	484.5	491.2	485.3	481.2	484.1	495.7	494.0	499.3	504.5	508.0	505.4	501.3
396	0 0.0	0	191.4	189.5	189.7	192.4	190.3	195.7	191.7	194.3	196.1	199.7	199.1	201.0	199.4	200.6	199.9	201.5
397	0 0.0	0	189.2	187.9	188.7	192.1	190.6	194.1	190.9	192.7	192.8	197.3	197.7	202.8	200.9	202.8	202.1	201.4
398	0 0.0	0	185.4	186.8	186.4	189.6	187.6	189.4	189.0	186.4	189.7	192.6	193.7	195.2	195.2	195.7	197.2	196.0
399	0 0.0	0	192.9	188.4	189.9	192.9	192.4	196.3	192.4	194.7	191.7	197.0	199.1	201.3	197.9	202.7	202.6	203.3
400	0 0.0	0	187.9	182.0	183.4	186.1	184.0	186.9	182.0	183.0	186.0	187.6	185.1	187.8	184.2	185.7	182.5	182.9
401	0 0.0	0	187.5	181.8	183.1	186.0	183.8	186.7	181.8	182.4	185.4	187.0	184.5	187.2	183.7	185.0	181.8	182.2
402	0 0.0	0	5585.0	5371.0	5102.0	4848.0	4582.0	4379.0	4192.0	4029.0	3852.0	3667.0	3514.0	3352.0	3183.0	3014.0	2862.0	2734.0
403	0 0.0	0	89.4	85.9	81.5	77.4	73.0	69.8	66.8	64.0	61.2	58.2	55.9	53.0	50.6	48.0	45.6	43.4
404	0 0.0	0	89.6	86.2	81.7	77.7	73.2	69.9	67.0	64.2	61.3	58.4	56.1	53.1	50.8	48.1	45.7	43.5
405	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407	4 389.5	0	4.9	4.7	4.5	4.2	4.0	3.8	3.6	3.5	3.3	3.2	3.0	2.9	2.7	2.6	2.4	2.3
408	5 389.5	0	4.8	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2	3.1	2.9	2.8	2.7	2.5	2.4	2.3
409	6 389.1	0	4.8	4.6	4.4	4.1	3.9	3.7	3.6	3.4	3.2	3.1	3.0	2.8	2.7	2.5	2.4	2.3
410	7 399.4	0	5.7	5.4	5.1	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5	3.3	3.1	3.0	2.8	2.7
411	8 389.6	0	5.2	5.0	4.7	4.5	4.2	4.0	3.8	3.7	3.5	3.3	3.2	3.0	2.9	2.7	2.6	2.5
412	9 369.9	0	4.3	4.1	3.9	3.7	3.4	3.3	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.2	2.1	2.0
413	10 489.3	0	10.2	9.8	9.2	8.8	8.3	7.9	7.5	7.2	6.9	6.6	6.3	5.9	5.7	5.4	5.1	4.9
414	11 389.5	0	4.8	4.6	4.4	4.1	3.9	3.7	3.6	3.4	3.3	3.1	3.0	2.8	2.7	2.5	2.4	2.3
415	12 489.5	0	10.4	10.0	9.5	9.0	8.4	8.1	7.7	7.4	7.0	6.7	6.4	6.1	5.8	5.5	5.2	5.0
416	4 990.0	0	36.8	35.4	33.6	31.9	30.0	28.7	27.5	26.3	25.2	23.9	23.0	21.8	20.8	19.7	18.7	17.8
417	5 989.5	0	36.6	35.2	33.4	31.8	29.9	28.6	27.3	26.3	25.0	23.8	22.9	21.7	20.7	19.6	18.7	17.8
418	61049.5	0	40.1	38.6	36.6	34.6	32.8	31.3	30.0	28.8	27.5	26.1	25.1	23.3	22.7	21.5	20.4	19.4
419	71049.5	0	40.2	38.7	36.7	34.8	32.8	31.3	30.0	28.8	27.5	26.1	25.1	23.8	22.7	21.5	20.4	19.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
420	8 989.3	0	36.8	35.4	33.5	31.9	30.0	28.7	27.5	26.3	25.1	23.9	22.9	21.8	20.8	19.7	18.7	17.8
421	9 988.8	0	36.8	35.4	33.5	31.8	30.0	28.7	27.4	26.3	25.1	23.9	22.9	21.7	20.8	19.7	18.7	17.8
422	101049.5	0	40.2	38.6	36.6	34.8	32.8	31.3	30.0	28.8	27.4	26.1	25.0	23.8	22.7	21.5	20.4	19.5
423	111049.7	0	40.1	38.6	36.6	34.7	32.7	31.3	29.9	28.7	27.4	26.1	25.0	23.7	22.6	21.5	20.4	19.4
424	121050.0	0	40.3	38.8	36.8	34.9	32.9	31.4	30.1	28.9	27.5	26.2	25.1	23.9	22.8	21.6	20.5	19.6
425	11047.1	0	44.5	42.8	40.6	38.6	36.3	34.7	33.3	31.9	30.4	28.9	27.8	26.4	25.2	23.9	22.7	21.6
426	21049.5	0	44.4	42.7	40.5	38.4	36.2	34.6	33.1	31.8	30.3	28.8	27.7	26.3	25.1	23.8	22.6	21.5
427	31049.5	0	44.4	42.8	40.5	38.5	36.3	34.7	33.2	31.8	30.3	28.9	27.7	26.3	25.1	23.8	22.6	21.6
428	13 989.7	0	48.2	46.4	44.0	41.8	39.4	37.7	36.1	34.6	33.0	31.4	30.2	28.6	27.3	25.9	24.6	23.4
429	141049.7	0	44.5	42.8	40.6	38.6	36.3	34.7	33.3	31.9	30.4	28.9	27.8	26.4	25.2	23.9	22.7	21.6
430	151049.6	0	44.5	42.9	40.6	38.6	36.4	34.8	33.3	31.9	30.5	29.0	27.8	26.4	25.2	23.9	22.7	21.6
431	161049.5	0	44.5	42.8	40.5	38.5	36.3	34.7	33.2	31.8	30.4	28.9	27.8	26.4	25.2	23.9	22.6	21.6
432	17 989.6	0	48.4	46.6	44.1	41.9	39.5	37.8	36.1	34.7	33.1	31.5	30.2	28.7	27.4	25.9	24.7	23.5
433	18 930.7	0	52.4	50.4	47.8	45.4	42.8	40.9	39.2	37.6	35.9	34.1	32.8	31.1	29.7	28.1	26.7	25.5
434	191049.2	0	44.6	42.9	40.6	38.6	36.4	34.8	33.3	31.9	30.5	29.0	27.8	26.4	25.2	23.9	22.7	21.6
435	1 388.6	0	84.7	81.5	77.3	73.4	69.2	66.2	63.3	60.8	58.0	55.2	53.0	50.3	48.0	45.5	43.3	41.2
436	2 388.5	0	84.3	81.2	76.9	73.1	68.9	65.9	63.1	60.5	57.8	55.0	52.7	50.1	47.9	45.4	43.0	41.1
437	3 389.2	0	84.3	81.1	76.9	73.0	68.8	65.8	63.0	60.5	57.8	55.0	52.7	50.1	47.8	45.3	43.0	41.0
438	13 389.0	0	84.5	81.3	77.1	73.3	69.0	66.0	63.2	60.6	57.9	55.1	52.8	50.2	48.0	45.4	43.2	41.1
439	14 489.4	0	78.8	75.8	71.9	68.3	64.3	61.6	59.0	56.5	54.0	51.4	49.3	46.8	44.7	42.4	40.2	38.4
440	15 489.1	0	78.6	75.7	71.7	68.2	64.2	61.4	58.8	56.4	53.9	51.3	49.2	46.7	44.6	42.3	40.2	38.2
441	16 419.1	0	82.8	79.7	75.5	71.8	67.6	64.7	61.9	59.4	56.7	54.0	51.8	49.1	47.0	44.5	42.3	40.3
442	17 388.9	0	84.7	81.5	77.3	73.4	69.1	66.2	63.4	60.8	58.0	55.2	53.0	50.3	48.0	45.6	43.2	41.2
443	18 389.6	0	84.8	81.6	77.3	73.5	69.3	66.2	63.4	60.8	58.1	55.2	53.0	50.3	48.1	45.6	43.2	41.2
444	19 399.0	0	83.8	80.6	76.5	72.6	68.4	65.5	62.7	60.1	57.4	54.6	52.4	49.7	47.5	45.0	42.8	40.7
445	1 348.6	0	86.5	83.3	78.9	75.0	70.7	67.6	64.7	62.0	59.2	56.4	54.1	51.4	49.0	46.4	44.1	42.0
446	2 359.0	0	85.8	82.6	78.3	74.4	70.1	67.1	64.1	61.6	58.8	55.9	53.6	51.0	48.7	46.1	43.8	41.8
447	3 294.5	0	88.5	85.2	80.7	76.8	72.3	69.2	66.2	63.5	60.6	57.7	55.3	52.5	50.2	47.6	45.1	43.0
448	4 294.4	0	1.1	1.1	1.0	0.9	0.9	0.9	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5
449	4 304.2	0	1.5	1.4	1.3	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7
450	4 348.9	0	3.2	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.0	2.0	1.9	1.8	1.7	1.6	1.5
451	4 379.6	0	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.1	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1
452	5 370.0	0	3.9	3.8	3.6	3.4	3.2	3.0	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9
453	7 349.5	0	3.4	3.2	3.1	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6
454	7 359.5	0	3.8	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.5	2.4	2.2	2.1	2.0	1.9	1.8
455	7 369.5	0	4.2	4.0	3.8	3.6	3.4	3.3	3.1	3.0	2.8	2.7	2.6	2.4	2.2	2.2	2.1	2.0
456	7 379.5	0	4.6	4.5	4.2	4.0	3.8	3.6	3.4	3.3	3.1	3.0	2.9	2.7	2.6	2.4	2.3	2.2
457	7 409.1	0	6.2	5.9	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.1	2.9
458	8 295.1	0	1.4	1.4	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.7
459	8 304.7	0	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8
460	8 369.2	0	4.3	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.7	2.6	2.5	2.4	2.2	2.1	2.0
461	9 369.9	0	4.3	4.1	3.9	3.7	3.4	3.3	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.2	2.1	2.0
462	12 370.5	0	4.3	4.1	3.9	3.7	3.4	3.3	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.2	2.1	2.0
463	13 369.4	0	85.5	82.3	78.0	74.1	69.8	66.8	63.9	61.3	58.5	55.7	53.4	50.7	48.3	45.9	43.7	41.5
464	14 369.5	0	85.6	82.4	78.1	74.1	69.9	66.9	64.0	61.4	58.6	55.8	53.5	50.8	48.5	45.9	43.7	41.6
465	15 369.6	0	85.5	82.3	78.0	74.1	69.8	66.8	63.9	61.4	58.5	55.7	53.4	50.8	48.5	46.0	43.6	41.5
466	16 369.0	0	85.6	82.4	78.1	74.2	70.0	67.0	64.0	61.4	58.7	55.9	53.6	50.9	48.6	46.1	43.7	41.6
467	17 369.2	0	85.7	82.5	78.2	74.3	70.0	67.0	64.0	61.5	58.7	55.9	53.6	50.8	48.7	46.0	43.7	41.7
468	18 294.5	0	88.7	85.4	80.9	76.9	72.5	69.3	66.3	63.6	60.8	57.8	55.4	52.6	50.3	47.7	45.2	43.1
469	18 304.5	0	88.3	85.0	80.6	76.6	72.1	69.0	66.0	63.4	60.6	57.6	55.2	52.4	50.0	47.5	45.1	42.9
470	18 359.7	0	86.2	83.0	78.6	74.7	70.4	67.3	64.4	61.8	59.4	56.1	53.8	51.1	48.9	46.5	44.0	41.8
471	18 369.6	0	85.8	82.6	78.3	74.3	70.1	67.1	64.1	61.5	58.8	55.9	53.6	50.9	48.7	46.1	43.8	41.7
472	18 379.4	0	85.4	82.2	77.9	74.0	69.7	66.7	63.9	61.3	58.5	55.7	53.4	50.7	48.4	45.8	43.6	41.4
473	18 389.6	0	84.8	81.6	77.4	73.5	69.2	66.3	63.4	60.8	58.1	55.3	53.0	50.3	48.0	45.5	43.3	41.2
474	18 409.7	0	83.6	80.5	76.3	72.4	68.3	65.4	62.5	60.0	57.3	54.5	52.3	49.6	47.5	45.0	42.7	40.6

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
475	18 429.8	0	82.4	79.4	75.2	71.5	67.4	64.4	61.6	59.1	56.5	53.7	51.5	48.9	46.8	44.3	42.0	40.1
476	19 369.5	0	85.4	82.2	77.9	74.0	69.8	66.7	63.9	61.3	58.5	55.7	53.4	50.7	48.5	45.9	43.6	41.5
477	1 738.5	0	63.9	61.6	58.4	55.4	52.2	50.0	47.8	45.9	43.8	41.7	40.0	38.0	36.3	34.4	32.6	31.1
478	2 738.5	0	2.5	8.6	8.5	17.2	200.0	200.0	200.0	0.0	43.4	41.2	39.5	37.6	35.9	34.0	32.3	30.7
479	3 739.0	0	63.8	61.4	58.2	55.2	52.1	49.8	47.7	45.8	43.7	41.5	39.9	37.9	36.1	34.3	32.5	31.0
480	4 739.7	0	12.0	3.9	2.2	2.0	1.9	3.6	1.5	3.3	2.6	2.1	2.0	0.6	1.9	1.7	1.3	1.4
481	5 739.2	0	22.8	22.0	20.8	19.8	18.7	17.8	17.1	16.4	15.6	14.9	14.2	13.5	12.9	12.2	11.6	11.1
482	6 739.9	0	22.9	22.0	20.9	19.8	18.7	17.9	17.1	16.4	15.6	14.9	14.2	13.5	12.9	12.2	11.6	11.0
483	7 799.5	0	26.5	25.5	24.2	22.9	21.6	20.7	19.8	19.0	18.1	17.2	16.5	15.7	15.0	14.2	13.5	12.8
484	8 739.5	0	23.1	22.2	21.1	20.0	18.9	18.0	17.3	16.5	15.8	15.0	14.4	13.6	13.0	12.3	11.7	11.1
485	9 739.7	0	23.2	22.3	21.1	20.0	18.9	18.1	17.3	16.6	15.8	15.0	14.4	13.7	13.1	12.4	11.8	11.2
486	10 739.5	0	23.3	22.4	21.3	20.2	19.0	18.2	17.4	16.7	15.9	15.1	14.5	13.8	13.1	12.4	11.8	11.2
487	11 739.4	0	22.9	22.0	20.9	19.8	18.7	17.9	17.1	16.4	15.6	14.9	14.2	13.5	12.9	12.2	11.6	11.0
488	12 799.8	0	26.7	25.7	24.3	23.1	21.8	20.8	19.9	19.1	18.2	17.3	16.6	15.8	15.1	14.3	13.5	12.9
489	13 739.2	0	63.7	61.3	58.1	55.2	52.1	49.8	47.7	45.7	43.6	41.5	39.8	37.8	36.1	34.2	32.6	30.9
490	14 799.7	0	60.2	58.0	54.9	52.2	49.2	47.0	45.1	43.2	41.2	39.2	37.6	35.7	34.2	32.3	30.7	29.3
491	15 800.1	0	3.8	4.8	3.8	3.3	4.4	3.2	3.2	2.9	3.8	2.4	2.4	2.5	2.9	2.6	2.2	1.8
492	16 799.4	0	59.7	57.5	54.5	51.8	48.8	46.7	44.7	42.8	40.9	38.9	37.4	35.5	33.9	32.1	30.5	29.0
493	17 739.7	0	63.9	61.5	58.3	55.3	52.2	49.9	47.8	45.9	43.7	41.6	39.9	37.9	36.3	34.3	32.6	31.1
494	18 550.0	0	75.4	72.6	68.8	65.4	61.6	58.9	56.4	54.1	51.7	49.1	47.2	44.6	42.8	40.6	38.5	36.6
495	19 798.9	0	59.9	57.7	54.7	51.9	49.0	46.8	44.8	43.0	41.0	39.0	37.5	35.6	34.0	32.2	30.6	29.2
496	0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

VERSUCH NR.	17	18
RAUMTEMPERATUR	35.6	35.6
DURCHSATZ (KG/S)	0.0653	0.0593
EL. ENERGIE (KW)	110.3	99.4
WAERMEENERGIE (KW)	109.5	98.2
WAERMEBILANZ(0/0)	-0.7	-1.2
REYNOLDSZAHL*E-04	1.207	1.097
DRUCKVERLUST (N/M**2)		
GES.X=1060.0(MM)	2648.	2221.
BIS X= 560.0(MM)	748.	638.
BIS X= 624.0(MM)	1065.	946.
BIS X= 717.0(MM)	1329.	1165.
BIS X= 810.0(MM)	1595.	1386.
BIS X= 874.0(MM)	2079.	1788.
BIS X= 967.0(MM)	2366.	2027.
EINTR.DRUCK (BAR)	38.79	38.77
EINTR.TEMP. GRADC	197.0	198.6

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	369.6	364.9
2	1	348.1	330	346.3	345.6
3	1	388.1	150	386.5	387.8
4	1	388.1	330	402.1	402.9
5	1	487.7	255	431.5	431.5
6	1	487.7	120	451.0	451.6
7	1	738.0	150	529.0	530.1
8	1	738.0	330	575.3	575.1
9	1	795.4	120	563.9	564.8
10	1	795.4	255	586.1	586.1
11	1	987.0	150	643.1	643.9
12	1	987.0	330	682.7	682.0
13	11046.6	120	693.4	683.9	
14	11046.6	255	674.7	675.4	
15	2	358.5	0	356.1	352.6
16	2	388.0	0	415.5	416.2
17	2	388.0	210	400.2	401.5
18	2	398.0	0	419.6	416.9
19	2	488.1	30	453.4	452.2
20	2	488.1	165	434.5	433.9
21	2	738.0	0	542.3	543.0
22	2	738.0	210	540.2	541.6
23	2	797.8	30	589.6	589.2
24	2	797.8	165	577.4	577.9
25	2	987.2	0	667.1	668.1
26	2	987.2	210	655.6	656.1
27	21049.0	30	703.6	704.0	
28	21049.0	165	680.8	681.5	
29	3	294.0	30	370.1	365.4
30	3	303.7	330	401.7	395.8
31	3	388.7	15	420.8	421.2
32	3	388.7	255	409.9	412.7
33	3	488.5	60	475.1	475.5
34	3	488.5	150	463.8	464.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

30

VERSUCH NR.			17	18	
35	3	738.5	15	582.6	581.9
36	3	738.5	255	555.9	556.6
37	3	798.5	60	619.6	618.7
38	3	798.5	150	587.8	588.2
39	3	988.5	15	697.6	697.1
40	3	988.5	255	665.3	665.7
41	31049.0	60	743.9	741.8	
42	31049.0	150	706.4	705.9	
43	4	293.9	300	349.5	343.8
44	4	303.7	300	382.7	376.9
45	4	339.0	300	344.5	340.0
46	4	348.4	300	362.9	358.5
47	4	379.1	300	430.5	424.1
48	4	389.0	45	398.3	399.4
49	4	389.0	210	383.9	385.1
50	4	408.8	300	191.4	192.9
51	4	418.6	300	426.0	423.6
52	4	428.7	300	430.6	427.7
53	4	739.2	45	544.9	543.5
54	4	739.2	210	529.2	528.7
55	4	989.5	45	648.1	646.9
56	4	989.5	210	641.0	639.1
57	5	369.5	195	355.2	350.7
58	5	369.5	300	358.9	354.7
59	5	389.0	30	375.1	377.0
60	5	389.0	150	378.7	380.2
61	5	549.0	195	436.9	435.9
62	5	549.0	300	427.4	426.7
63	5	738.7	30	508.4	507.7
64	5	738.7	150	524.8	522.6
65	5	809.2	120	548.6	546.8
66	5	819.0	180	557.1	555.0
67	5	929.4	195	627.9	627.1
68	5	929.4	300	609.5	609.0
69	5	989.0	30	628.1	627.6
70	5	989.0	150	651.6	650.0
71	6	388.6	225	403.1	405.8
72	6	388.6	300	393.5	395.6
73	6	488.5	30	417.6	416.8
74	6	488.5	150	40.3	61.0
75	6	739.4	225	541.1	540.0
76	6	739.4	300	531.3	530.4
77	6	798.8	30	550.5	548.6
78	6	798.8	30	556.6	554.5
79	6	829.0	180	547.5	545.4
80	6	839.0	240	536.9	535.1
81	6	988.8	225	662.4	660.8
82	6	988.8	300	653.5	652.1
83	61049.0	30	670.7	670.2	
84	61049.0	150	145.3	139.9	
85	7	339.0	150	377.7	371.7
86	7	349.0	150	367.4	364.6
87	7	359.0	150	360.7	356.0
88	7	369.0	165	378.9	373.8
89	7	369.0	330	378.2	373.0

TE R AX RAD T  
 NR NR. PCS POS  
 [MM] [GRD]GRAD C

3U

VERSUCH NR.			17	18	
90	7	379.0	150	428.5	423.8
91	7	398.9	150	405.4	405.3
92	7	408.6	150	413.2	412.6
93	7	489.4	165	444.0	443.7
94	7	489.4	330	438.9	439.2
95	7	799.0	165	574.9	575.1
96	7	799.0	330	562.0	562.2
97	7	1049.0	165	199.1	198.7
98	7	1049.0	330	670.9	671.6
99	8	294.6	210	379.5	373.7
100	8	304.2	270	404.7	359.0
101	8	368.7	135	372.5	367.7
102	8	368.7	255	393.3	388.1
103	8	389.1	30	392.8	394.6
104	8	389.1	300	404.3	405.2
105	8	549.0	135	449.5	450.8
106	8	549.0	255	483.5	483.6
107	8	739.0	30	536.7	537.4
108	8	739.0	300	615.1	616.3
109	8	929.0	135	557.1	557.1
110	8	929.0	255	614.0	614.7
111	8	988.8	30	650.0	650.7
112	8	988.8	300	654.9	655.6
113	9	369.4	105	367.7	363.9
114	9	369.4	180	196.3	197.7
115	9	389.0	30	396.6	398.8
116	9	389.0	270	402.0	403.8
117	9	549.0	105	442.2	441.1
118	9	549.0	180	435.5	435.0
119	9	739.2	30	533.2	532.0
120	9	739.2	270	527.6	527.6
121	9	909.0	60	618.9	619.6
122	9	919.0	120	625.3	626.9
123	9	929.0	105	632.1	632.8
124	9	929.0	180	627.1	627.9
125	9	988.8	30	650.4	650.4
126	9	988.8	270	641.0	641.3
127	10	489.3	90	418.2	418.3
128	10	489.3	300	419.1	419.4
129	10	549.0	60	439.1	438.7
130	10	549.0	210	435.6	435.7
131	10	739.0	180	520.8	520.8
132	10	739.0	330	531.5	532.3
133	10	799.0	90	555.0	554.3
134	10	799.0	300	552.6	551.5
135	10	929.0	60	626.9	626.4
136	10	929.0	210	618.2	618.2
137	10	989.0	180	639.9	639.9
138	10	989.0	330	650.2	649.3
139	10	1049.0	90	630.8	679.1
140	10	1049.0	300	669.7	668.8
141	11	389.0	60	393.7	395.0
142	11	389.0	315	390.8	390.8
143	11	489.0	150	410.2	408.3
144	11	489.0	270	411.3	409.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

30

VERSUCH NR.			17	18	
145	11	738.9	60	516.6	514.7
146	11	738.9	315	521.7	520.5
147	11	799.6	150	540.7	539.0
148	11	799.6	270	554.0	551.9
149	11	849.3	240	533.4	529.7
150	11	859.8	300	546.3	542.6
151	11	989.3	60	641.0	638.7
152	11	989.3	315	647.9	645.5
153	111049.2	150	670.9	667.4	
154	111049.2	270	676.1	672.6	
155	12	359.9	30	379.5	374.2
156	12	370.0	15	388.9	382.8
157	12	370.0	240	*****	*****
158	12	379.2	90	439.3	432.4
159	12	489.0	90	467.8	465.1
160	12	489.0	270	432.5	429.9
161	12	548.9	15	481.6	479.0
162	12	548.9	240	455.0	453.1
163	12	799.3	90	587.1	584.9
164	12	799.3	270	566.9	565.5
165	12	929.3	15	600.6	599.0
166	12	928.4	240	617.7	615.1
167	121049.5	90	681.7	680.1	
168	121049.5	270	675.6	673.0	
169	13	338.8	60	329.2	324.2
170	13	349.0	60	334.5	331.2
171	13	368.9	90	356.3	351.8
172	13	368.9	240	368.6	363.3
173	13	388.5	45	387.9	388.3
174	13	388.5	270	396.1	395.6
175	13	549.0	90	446.1	445.8
176	13	549.0	240	469.9	469.0
177	13	738.7	45	529.2	529.4
178	13	738.7	270	538.3	537.2
179	13	929.3	90	622.7	622.4
180	13	929.3	240	622.0	621.3
181	13	989.2	45	651.4	650.0
182	13	989.2	270	652.3	651.1
183	14	369.0	30	356.6	352.7
184	14	369.0	270	365.7	361.4
185	14	488.9	75	420.8	420.8
186	14	488.9	180	427.4	427.2
187	14	548.8	30	442.3	442.7
188	14	548.8	270	453.1	452.5
189	14	799.2	75	556.6	555.9
190	14	799.2	180	560.4	559.9
191	14	890.2	0	613.3	611.4
192	14	899.8	60	606.9	605.7
193	14	929.5	30	624.3	622.9
194	14	929.5	270	636.8	635.6
195	141049.2	75	672.1	670.7	
196	141049.2	180	697.8	685.6	
197	15	369.1	150	364.5	360.0
198	15	369.1	270	357.2	352.9
199	15	488.6	60	424.2	423.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3U

VERSUCH NR.				17	18
200	15	488.6	345	418.7	418.7
201	15	549.6	150	446.4	445.1
202	15	549.6	270	449.8	448.5
203	15	799.6	60	548.6	546.8
204	15	799.6	345	546.3	544.7
205	15	869.0	0	560.4	557.1
206	15	879.0	300	*****	*****
207	15	929.2	150	631.1	628.6
208	15	929.2	270	625.3	623.4
209	15	1049.1	60	676.8	673.7
210	15	1049.1	345	675.4	672.1
211	16	368.5	150	377.0	371.1
212	16	368.5	285	358.1	352.5
213	16	418.6	210	405.9	404.1
214	16	428.5	210	412.7	411.9
215	16	488.5	120	466.6	464.4
216	16	488.5	330	423.9	423.0
217	16	548.6	150	483.8	481.6
218	16	548.6	285	451.2	448.9
219	16	798.9	120	588.7	584.9
220	16	798.9	330	551.7	550.0
221	16	929.0	150	616.3	613.0
222	16	929.0	285	629.0	626.0
223	16	1049.0	120	660.8	658.0
224	16	1049.0	330	677.5	672.8
225	17	368.7	30	360.6	355.6
226	17	368.7	210	373.9	368.9
227	17	388.4	0	385.8	386.1
228	17	388.4	135	407.7	407.5
229	17	418.8	150	410.7	407.9
230	17	428.8	210	418.8	416.4
231	17	549.0	30	444.9	444.1
232	17	549.0	210	482.5	481.1
233	17	739.2	0	537.6	536.5
234	17	739.2	135	542.3	540.2
235	17	928.9	30	623.9	621.7
236	17	928.9	210	619.9	617.5
237	17	989.1	0	656.3	654.7
238	17	989.1	135	646.7	645.0
239	18	294.0	0	329.1	324.2
240	18	304.0	0	356.1	350.8
241	18	359.2	0	333.2	328.7
242	18	369.1	90	355.7	350.7
243	18	369.1	285	355.5	350.8
244	18	378.9	0	407.3	402.2
245	18	389.1	90	377.2	376.9
246	18	389.1	285	387.7	389.1
247	18	409.2	0	395.1	394.4
248	18	429.3	0	405.5	404.1
249	18	549.5	90	448.7	447.2
250	18	549.5	285	448.6	448.5
251	18	930.2	90	618.9	616.8
252	18	930.2	285	629.7	627.6
253	19	369.0	180	388.7	382.6
254	19	369.0	270	371.2	365.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

3U

VERSUCH NR.			17	18	
255	19	398.5	90	411.1	409.7
256	19	408.4	150	434.0	431.1
257	19	488.5	15	436.6	435.9
258	19	488.5	135	478.7	476.5
259	19	548.8	180	477.4	478.0
260	19	548.8	270	507.2	506.5
261	19	798.4	15	585.9	584.9
262	19	798.4	135	583.8	583.3
263	19	928.5	180	635.9	634.0
264	19	928.5	270	639.1	637.5
265	19	1048.7	15	36.1	36.1
266	19	1048.7	135	695.0	693.3
267	21	370.0	150	211.9	213.4
268	21	370.0	144	211.9	213.5
269	21	370.0	126	211.0	212.6
270	21	370.0	120	211.7	213.3
271	21	370.0	30	208.1	209.5
272	21	370.0	26	208.4	209.7
273	21	370.0	7	207.9	209.2
274	21	370.0	0	208.3	209.7
275	21	370.0	210	212.6	213.9
276	21	370.0	206	212.9	214.3
277	21	370.0	187	213.4	214.8
278	21	370.0	180	212.5	213.8
279	22	390.0	30	212.1	213.5
280	22	390.0	26	213.3	214.8
281	22	390.0	7	213.5	215.0
282	22	390.0	0	213.5	214.9
283	22	390.0	330	213.4	214.8
284	22	390.0	324	213.3	214.7
285	22	390.0	306	214.1	215.4
286	22	390.0	300	214.8	216.3
287	22	390.0	210	217.7	219.0
288	22	390.0	206	218.1	219.5
289	22	390.0	187	217.6	219.1
290	22	390.0	180	219.1	220.6
291	23	490.0	180	250.5	251.6
292	23	490.0	173	250.4	251.5
293	23	490.0	156	249.2	250.3
294	23	490.0	150	248.2	249.4
295	23	490.0	60	243.7	244.8
296	23	490.0	54	244.0	245.1
297	23	490.0	34	243.7	244.8
298	23	490.0	30	243.5	244.6
299	23	490.0	0	244.1	245.2
300	23	490.0	353	244.0	245.2
301	23	490.0	336	243.2	244.5
302	23	490.0	330	244.5	245.7
303	24	550.0	180	275.1	276.0
304	24	550.0	173	275.1	276.0
305	24	550.0	156	274.2	275.2
306	24	550.0	150	273.0	274.1
307	24	550.0	0	268.5	269.5
308	24	550.0	353	268.1	269.2
309	24	550.0	336	267.5	268.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

30

VERSUCH NR.		17	18
310	24 550.0	330 267.9	269.2
311	24 550.0	240 272.6	273.6
312	24 550.0	234 272.5	273.4
313	24 550.0	216 273.7	274.7
314	24 550.0	210 274.8	275.7
315	25 740.0	150 345.8	346.6
316	25 740.0	144 345.3	346.2
317	25 740.0	126 344.3	345.1
318	25 740.0	120 343.3	344.2
319	25 740.0	30 343.6	344.6
320	25 740.0	26 344.3	345.2
321	25 740.0	7 345.2	346.0
322	25 740.0	0 345.9	346.7
323	25 740.0	210 346.9	347.7
324	25 740.0	206 348.9	349.6
325	25 740.0	187 349.4	350.1
326	25 740.0	180 349.0	349.8
327	26 800.0	30 366.5	367.4
328	26 800.0	26 368.0	368.8
329	26 800.0	7 368.8	369.6
330	26 800.0	0 368.4	369.1
331	26 800.0	330 367.7	368.6
332	26 800.0	324 368.0	368.8
333	26 800.0	306 368.4	369.1
334	26 800.0	300 368.1	368.9
335	26 800.0	210 369.0	369.8
336	26 800.0	206 369.7	370.5
337	26 800.0	187 370.5	371.4
338	26 800.0	180 370.9	371.8
339	27 930.0	180 423.2	423.9
340	27 930.0	173 421.8	422.3
341	27 930.0	156 419.5	420.3
342	27 930.0	150 417.2	418.1
343	27 930.0	60 417.6	418.3
344	27 930.0	54 418.1	418.7
345	27 930.0	34 422.3	422.8
346	27 930.0	30 421.4	422.0
347	27 930.0	0 425.0	425.4
348	27 930.0	353 *****	*****
349	27 930.0	336 425.2	425.6
350	27 930.0	330 423.1	423.6
351	28 990.0	180 441.3	442.1
352	28 990.0	173 440.6	441.2
353	28 990.0	156 433.9	439.7
354	28 990.0	150 437.6	438.5
355	28 990.0	0 446.4	446.8
356	28 990.0	353 446.7	447.0
357	28 990.0	336 447.3	447.6
358	28 990.0	330 444.5	444.9
359	28 990.0	240 440.0	440.8
360	28 990.0	234 439.8	440.4
361	28 990.0	216 440.2	440.8
362	28 990.0	210 440.2	440.9
363	291050.0	150 457.4	458.3
364	291050.0	144 458.4	459.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3U

VERSUCH NR.		17	18	
365	291050.0	126	457.4	458.1
366	291050.0	120	457.2	458.0
367	291050.0	30	465.8	465.9
368	291050.0	26	467.5	467.6
369	291050.0	7	468.8	468.9
370	291050.0	0	469.4	469.5
371	291050.0	210	457.8	458.7
372	291050.0	206	459.7	460.4
373	291050.0	187	460.8	461.4
374	291050.0	180	460.2	460.9
375	01075.0	6	505.7	504.3
376	01075.0	5	508.4	508.4
377	01075.0	4	477.3	476.6
378	01075.0	2	495.5	494.3
379	01075.0	1	507.0	505.0
380	01075.0	2	496.9	495.0
381	01075.0	4	472.7	472.5
382	01075.0	4	464.6	464.3
383	01075.0	1	492.1	490.8
384	01075.0	1	491.5	491.1
385	01075.0	4	465.2	465.4
386	01075.0	3	516.3	514.9
387	01075.0	3	501.4	500.7
388	01075.0	5	498.6	499.3
389	01075.0	6	494.8	496.0
390	01113.0	0	525.9	523.6
391	01113.0	0	510.0	506.5
392	01113.0	0	517.5	515.9
393	01113.0	0	526.9	524.3
394	01113.0	0	521.7	520.8
395	01113.0	0	514.0	510.2
396	0 0.0	0	198.0	201.0
397	0 0.0	0	199.6	201.8
398	0 0.0	0	197.5	197.5
399	0 0.0	0	192.3	199.5
400	0 0.0	0	185.4	185.6
401	0 0.0	0	185.6	185.7
402	0 0.0	0	2637.0	2504.0
403	0 0.0	0	41.8	39.7
404	0 0.0	0	42.0	39.9
405	0 0.0	0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0
407	4 389.5	0	2.2	2.1
408	5 389.5	0	2.2	2.1
409	6 389.1	0	2.2	2.1
410	7 399.4	0	2.6	2.4
411	8 389.6	0	2.4	2.2
412	9 369.9	0	1.9	1.8
413	10 485.8	0	4.7	4.4
414	11 389.5	0	2.2	2.1
415	12 489.5	0	4.8	4.5
416	4 990.0	0	17.2	16.3
417	5 989.5	0	17.2	16.2
418	61049.5	0	18.8	17.8
419	71049.5	0	18.8	17.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

30

VERSUCH NR.			17	18	
420	8	989.3	0	17.2	16.3
421	9	988.8	0	17.2	16.3
422	10	1049.5	0	18.8	17.8
423	11	1049.7	0	18.8	17.8
424	12	1050.0	0	18.8	17.9
425	11	1047.1	0	20.8	19.8
426	21	1049.5	0	20.7	19.7
427	31	1049.5	0	20.8	19.7
428	13	989.7	0	22.6	21.4
429	14	1049.7	0	20.8	19.8
430	15	1049.6	0	20.9	19.8
431	16	1049.5	0	20.8	19.7
432	17	989.6	0	22.6	21.5
433	18	930.7	0	24.6	23.3
434	19	1049.2	0	20.9	19.8
435	1	388.6	0	39.7	37.6
436	2	388.5	0	39.6	37.6
437	3	389.2	0	39.5	37.5
438	13	389.0	0	39.6	37.6
439	14	489.4	0	37.0	35.0
440	15	489.1	0	36.9	35.0
441	16	419.1	0	38.9	36.8
442	17	388.9	0	39.8	37.7
443	18	389.6	0	39.7	37.7
444	19	399.0	0	39.4	37.3
445	1	348.6	0	40.5	38.5
446	2	359.0	0	40.3	38.1
447	3	294.5	0	41.5	39.3
448	4	294.4	0	0.5	0.5
449	4	304.2	0	0.7	0.6
450	4	348.9	0	1.5	1.4
451	4	379.6	0	2.0	1.9
452	5	370.0	0	1.8	1.7
453	7	349.5	0	1.6	1.5
454	7	359.5	0	1.7	1.6
455	7	369.5	0	1.9	1.8
456	7	379.5	0	2.1	2.0
457	7	409.1	0	2.8	2.7
458	8	295.1	0	0.6	0.6
459	8	304.7	0	0.8	0.8
460	8	369.2	0	1.9	1.8
461	9	369.9	0	1.9	1.8
462	12	370.5	0	1.9	1.8
463	13	369.4	0	40.1	38.0
464	14	369.5	0	40.2	38.1
465	15	369.6	0	40.1	38.0
466	16	369.0	0	40.2	38.0
467	17	369.2	0	40.1	38.1
468	18	294.5	0	41.6	39.3
469	18	304.5	0	41.4	39.2
470	18	359.7	0	40.5	38.2
471	18	369.6	0	40.2	38.1
472	18	379.4	0	40.1	38.0
473	18	389.6	0	39.7	37.6
474	18	409.7	0	39.3	37.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

3U

VERSUCH NR.			17	18	
475	18	429.8	0	38.7	36.6
476	19	369.5	0	40.1	37.9
477	1	738.5	0	30.0	28.5
478	2	738.5	0	29.7	28.1
479	3	739.0	0	29.9	28.3
480	4	739.7	0	3.0	3.7
481	5	739.2	0	10.7	10.1
482	6	739.9	0	10.7	10.1
483	7	799.5	0	12.4	11.7
484	8	739.5	0	10.8	10.2
485	9	739.7	0	10.8	10.2
486	10	739.5	0	10.9	10.3
487	11	739.4	0	10.6	10.1
488	12	799.8	0	12.4	11.8
489	13	739.2	0	29.9	28.3
490	14	799.7	0	28.3	26.7
491	15	800.1	0	2.1	2.0
492	16	799.4	0	28.1	26.5
493	17	739.7	0	29.9	28.4
494	18	550.0	0	35.4	33.6
495	19	798.9	0	28.1	26.6
496	0	0.0	0	0.0	0.0
497	0	0.0	0	-0.0	-0.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	26.9	26.5	25.9	28.6	26.6	28.9	30.4	31.6	32.7	32.7	31.6	31.4	31.6	31.6	32.0	29.8
DURCHSATZ (KG/S)	0.1307	0.1188	0.1071	0.0963	0.0912	0.0826	0.0736	0.0663	0.0590	0.0528	0.0474	0.0428	0.0386	0.0357	0.0325	0.0291
EL. ENERGIE (KW)	231.6	213.9	195.5	177.2	166.2	152.2	136.3	122.6	109.1	97.6	90.1	75.3	67.3	62.8	56.2	49.7
WAERMEENERGIE (KW)	235.1	216.0	196.5	179.0	170.5	154.6	138.2	124.4	110.3	98.2	89.8	75.3	67.0	61.8	55.1	48.3
WAERMEILANZ(O/O)	1.5	1.0	0.6	1.0	2.6	1.6	1.4	1.4	1.1	0.6	-0.3	0.1	-0.5	-1.5	-2.0	-2.9
REYNOLDSZAHL*E=04	2.663	2.425	2.182	1.956	1.852	1.669	1.483	1.334	1.186	1.060	0.949	0.868	0.783	0.727	0.662	0.593
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	39786.	33282.	27351.	22998.	20099.	16762.	13576.	11122.	8836.	7156.	5664.	4666.	3785.	3149.	2700.	2184.
BIS X= 560.0(MM)	9704.	8189.	6742.	5468.	4864.	4066.	3340.	2810.	2117.	1887.	1360.	1252.	1041.	791.	783.	705.
BIS X= 624.0(MM)	15701.	13044.	10903.	8802.	7810.	6375.	5323.	4327.	3414.	2819.	2261.	1941.	1608.	1278.	1184.	1022.
BIS X= 717.0(MM)	19665.	16380.	13632.	11031.	9751.	7995.	6630.	5407.	4265.	3500.	2810.	2378.	1955.	1583.	1434.	1221.
BIS X= 810.0(MM)	23811.	19842.	16460.	13352.	11762.	9664.	7959.	6509.	5136.	4205.	3356.	2819.	2315.	1885.	1675.	1411.
BIS X= 874.0(MM)	31158.	26012.	21510.	17498.	15362.	12681.	10392.	8530.	6734.	5498.	4394.	3648.	2999.	2476.	2167.	1807.
BIS X= 967.0(MM)	35579.	30010.	24782.	20187.	17697.	14604.	11920.	9798.	7744.	6291.	5009.	4150.	3398.	2821.	2449.	2029.
EINTR.DRUCK (BAR)	8.93	8.84	8.80	8.75	8.75	8.73	8.70	8.56	8.59	8.57	8.52	8.50	8.48	8.48	8.47	8.44
EINTR.TEMP. GRADC	98.3	95.1	94.7	95.4	94.5	98.0	99.4	100.3	103.3	104.4	104.8	105.4	107.0	106.2	108.9	110.4

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	346.7	336.9	329.5	324.8	316.8	312.4	306.3	298.5	291.1	283.5	271.8	264.7	258.3	255.0	250.3	241.4
2	1	348.1	330	282.3	278.0	275.8	276.9	272.7	273.8	273.7	269.2	267.2	264.1	257.5	253.6	250.1	249.0	247.2	241.3
3	1	388.1	150	330.5	326.0	324.5	323.6	319.4	319.3	320.5	318.7	319.8	319.9	315.6	315.7	315.8	318.1	318.2	312.6
4	1	388.1	330	347.9	343.3	340.6	340.5	336.4	337.1	338.1	335.5	336.9	337.1	331.2	328.9	326.5	325.9	323.1	315.5
5	1	487.7	255	375.9	373.4	373.3	374.6	371.9	373.8	375.8	372.8	375.1	374.4	367.7	366.6	368.3	372.6	377.5	382.5
6	1	487.7	120	397.7	394.9	395.4	395.0	392.3	394.5	396.1	395.0	397.2	396.5	390.3	388.7	390.7	396.3	401.0	405.9
7	1	738.0	150	472.5	471.2	472.7	474.4	472.5	475.7	478.7	476.2	480.3	479.3	471.4	469.8	472.3	477.4	483.2	490.2
8	1	738.0	330	528.0	526.2	527.2	528.5	527.0	529.3	531.7	527.8	530.8	528.6	519.1	516.1	517.0	520.8	524.6	528.8
9	1	795.4	120	511.8	510.5	511.7	514.2	513.4	516.0	519.7	517.3	520.9	520.4	512.3	511.4	515.2	521.5	530.0	537.7
10	1	795.4	255	536.6	536.2	538.0	539.3	538.5	540.8	543.2	540.2	543.4	542.0	532.9	532.5	536.2	542.8	550.2	555.9
11	1	987.0	150	598.6	598.3	600.5	602.5	603.1	606.6	610.8	608.3	612.5	611.8	601.7	599.7	601.8	607.2	612.7	618.3
12	1	987.0	330	662.9	661.3	661.6	661.0	665.9	660.5	662.4	657.3	659.6	656.0	646.2	643.7	644.6	647.9	650.6	649.3
13	11046.6	120	641.2	642.7	646.3	649.5	650.6	654.6	658.6	656.3	661.0	658.6	647.6	645.8	648.6	654.0	660.0	665.1	
14	11046.6	255	632.3	633.3	636.2	637.0	637.5	640.7	644.5	642.5	648.3	647.3	639.3	639.0	643.2	650.2	657.2	664.2	
15	2	358.5	0	312.6	306.6	300.8	298.9	294.3	292.7	289.5	283.9	280.7	275.6	265.5	259.9	254.5	250.2	246.5	240.1
16	2	388.0	0	363.0	359.1	355.7	355.6	354.2	355.5	356.9	353.2	355.2	355.5	349.8	348.9	347.9	346.6	343.8	337.0
17	2	388.0	210	344.6	340.6	338.8	339.1	336.3	338.1	338.9	336.5	339.9	339.8	334.6	336.2	337.3	337.5	337.0	332.0
18	2	398.0	0	375.5	371.2	367.9	366.8	364.9	365.3	364.4	359.3	358.4	354.7	346.0	344.0	343.7	344.3	345.8	344.7
19	2	488.1	30	402.2	399.5	398.4	399.2	398.5	400.8	402.7	398.6	401.1	399.3	391.2	389.3	389.8	391.4	395.2	399.6
20	2	488.1	165	380.9	379.0	377.0	378.4	377.5	379.4	382.0	377.7	381.5	379.8	372.3	371.2	371.5	373.4	377.2	382.3
21	2	738.0	0	484.8	484.3	485.4	487.8	488.4	491.9	502.6	493.9	499.3	498.3	491.2	491.0	493.7	496.4	505.4	512.2
22	2	738.0	210	483.1	482.4	483.4	486.3	486.8	490.5	496.6	492.2	497.6	497.1	489.8	489.9	492.7	497.7	505.2	512.6
23	2	797.8	30	544.6	544.0	543.6	545.1	546.0	549.0	552.1	547.7	550.9	549.2	539.9	538.8	543.7	551.7	562.8	569.1
24	2	797.8	165	532.6	531.1	532.1	533.2	534.0	536.8	539.2	535.3	538.5	536.4	526.8	524.6	526.2	530.4	538.2	547.3
25	2	987.2	0	625.2	625.1	627.0	628.3	630.2	633.6	640.0	634.9	639.1	638.6	629.9	629.1	632.8	635.7	641.2	641.1
26	2	987.2	210	609.2	609.3	612.2	614.2	616.8	620.9	624.5	622.5	626.2	625.2	615.3	613.1	616.6	621.3	628.9	632.6
27	21049.0	30	669.5	669.1	671.3	671.4	673.5	676.2	681.8	677.5	681.7	681.2	672.5	672.1	677.8	681.7	687.5	687.5	687.5
28	21049.0	165	638.4	638.7	643.0	643.6	646.9	650.8	655.1	652.1	655.1	654.6	643.6	640.6	644.8	650.2	658.6	664.2	
29	3	294.0	30	342.4	334.7	327.5	322.0	316.6	313.6	303.6	301.4	295.6	288.3	277.1	269.9	262.9	254.5	249.2	240.8
30	3	303.7	330	380.1	372.5	367.2	361.8	355.4	352.2	346.8	339.5	332.3	324.3	310.8	302.1	294.0	285.2	279.1	269.6
31	3	388.7	15	363.0	359.1	358.1	358.7	356.9	359.1	362.3	360.7	363.0	363.1	355.0	352.0	347.2	340.8	335.4	325.4
32	3	388.7	255	344.6	340.8	340.3	340.9	340.1	343.0	346.9	347.6	351.2	353.3	348.6	347.4	345.4	340.4	336.6	327.7
33	3	488.5	60	424.6	422.1	423.1	423.9	423.7	426.7	430.2	427.9	430.3	430.4	422.9	421.0	421.9	421.6	424.9	427.0
34	3	488.5	150	408.8	406.9	409.1	409.5	409.3	413.0	416.7	415.2	417.9	418.9	411.6	410.5	411.7	410.9	414.7	419.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
35	3 738.5 15	531.2	530.9	532.3	533.6	534.7	538.2	542.2	540.0	543.2	542.4	533.1	529.9	532.0	535.3	541.0	545.2
36	3 738.5 255	497.5	497.4	499.8	501.6	503.6	507.3	511.5	510.2	514.2	514.6	506.4	504.9	507.7	509.8	515.3	521.8
37	3 798.5 60	576.2	575.3	577.5	578.4	579.5	583.2	587.0	584.2	586.8	586.9	577.6	574.0	578.6	583.6	590.2	594.1
38	3 798.5 150	531.7	531.6	535.8	537.1	539.9	544.8	549.9	547.7	551.6	552.3	544.6	541.7	545.4	548.2	555.1	561.6
39	3 988.5 15	664.8	664.8	667.3	667.9	669.0	672.0	675.5	673.1	676.5	677.2	669.0	668.8	674.2	676.1	676.7	671.9
40	3 988.5 255	623.1	623.4	626.6	628.3	630.6	634.6	638.1	636.6	640.7	640.9	631.8	630.3	636.3	640.8	647.3	650.5
41	31049.0 60	724.4	725.0	726.3	726.6	728.3	730.3	732.2	728.2	730.8	728.8	719.8	720.6	728.0	729.2	728.4	720.7
42	31049.0 150	671.1	672.4	675.7	678.2	680.5	684.7	688.7	686.0	689.7	688.0	676.5	674.5	680.3	683.6	688.5	690.3
43	4 293.9 300	316.2	307.9	302.4	297.1	290.3	286.1	280.9	274.7	268.5	261.7	250.7	243.4	237.4	235.5	231.1	222.9
44	4 303.7 300	356.3	348.1	343.1	337.5	331.0	326.4	321.1	314.3	308.0	300.2	288.1	279.2	272.6	270.1	264.1	254.6
45	4 339.0 300	301.0	293.3	288.1	283.4	277.8	274.2	270.6	264.8	260.0	254.6	245.0	238.4	234.0	234.7	233.4	230.2
46	4 348.4 300	319.0	312.8	308.3	304.6	299.4	296.2	293.7	288.2	284.2	278.8	268.9	262.1	257.2	256.7	253.1	245.9
47	4 379.1 300	329.9	349.1	383.8	205.2	299.0	261.5	242.8	294.4	306.2	280.4	389.5	274.0	290.6	253.0	299.5	325.9
48	4 389.0 45	336.0	330.6	329.7	328.6	325.9	327.5	329.4	328.1	330.9	333.3	329.2	328.1	328.9	331.3	328.5	321.0
49	4 389.0 210	321.4	317.2	317.1	315.3	312.2	312.8	314.8	313.7	316.5	319.0	315.7	315.1	316.3	319.1	317.7	311.9
50	4 408.8 300	98.3	94.4	93.2	92.6	95.2	94.3	95.3	96.3	96.1	99.1	98.0	98.9	100.5	101.0	104.3	106.1
51	4 418.6 300	382.9	377.8	376.6	373.3	370.4	369.0	368.8	365.1	363.7	361.3	352.8	348.8	348.5	353.0	354.7	354.2
52	4 428.7 300	388.5	382.9	381.7	379.1	375.6	375.0	374.5	370.9	369.5	367.5	359.3	355.3	355.1	359.8	361.6	362.4
53	4 735.2 45	492.9	489.9	492.6	491.5	491.5	492.8	495.0	493.1	494.0	493.3	484.7	481.0	483.1	490.1	493.5	497.5
54	4 739.2 210	471.1	469.1	472.3	471.9	472.1	473.4	476.1	475.1	476.4	476.0	468.4	465.3	467.7	474.9	478.8	484.0
55	4 989.5 45	607.4	606.5	610.1	610.0	611.3	612.2	615.3	612.6	612.7	610.8	600.1	594.6	596.6	604.6	611.3	618.5
56	4 989.5 210	599.4	597.8	601.4	602.0	602.9	604.0	606.6	603.6	603.1	601.5	591.0	585.4	587.5	595.5	601.4	608.6
57	5 369.5 195	314.9	308.4	303.5	299.5	295.5	292.0	288.6	283.7	278.5	273.1	262.7	255.9	251.1	247.9	244.0	236.3
58	5 369.5 300	320.9	314.3	309.4	305.7	300.5	297.1	293.1	287.7	282.5	276.8	266.3	259.6	254.7	251.8	247.6	239.9
59	5 389.0 30	314.6	309.9	307.7	306.3	304.9	305.0	306.5	305.5	307.6	310.3	307.6	309.2	312.9	314.9	315.5	311.1
60	5 389.0 150	317.0	312.1	310.0	309.1	308.1	307.6	308.6	308.0	309.9	311.8	308.4	308.5	311.7	313.8	314.1	308.8
61	5 549.0 195	384.1	380.3	380.0	379.0	378.3	377.2	377.9	375.4	374.7	373.0	364.5	360.0	360.0	362.3	363.7	364.6
62	5 549.0 300	370.7	367.8	367.6	366.1	365.9	364.2	364.4	361.9	362.4	360.8	353.4	350.7	351.2	354.6	357.1	358.8
63	5 738.7 30	452.4	450.1	451.7	450.2	452.3	452.0	453.7	451.3	453.0	452.2	444.3	440.0	441.2	445.1	447.8	454.3
64	5 738.7 150	473.7	470.8	472.6	471.0	472.4	472.2	472.5	469.3	470.4	467.9	456.3	452.4	452.5	455.7	457.9	464.4
65	5 809.2 120	496.5	495.1	496.7	497.2	498.7	499.0	499.5	496.7	497.6	495.7	486.0	479.6	479.4	482.1	483.1	484.6
66	5 819.0 180	507.8	513.1	507.7	511.4	512.2	510.6	512.8	488.8	518.1	415.2	437.1	370.2	450.3	387.2	406.8	
67	5 929.4 195	584.2	582.8	585.7	586.3	588.4	589.3	585.5	587.5	587.7	586.2	575.3	569.1	570.2	577.2	579.9	577.7
68	5 929.4 300	561.7	560.8	563.5	564.5	565.9	567.5	568.0	566.2	567.5	567.0	556.8	551.5	553.6	560.8	564.4	563.9
69	5 989.0 30	585.1	583.8	586.7	587.3	589.8	591.1	591.6	589.6	591.4	590.2	579.5	573.5	574.9	580.7	586.2	597.9
70	5 989.0 150	617.5	616.1	619.0	618.9	621.0	620.9	621.0	617.3	617.2	614.1	601.5	593.4	593.6	599.7	606.6	618.0
71	6 388.6 225	337.2	333.2	330.9	331.2	331.3	333.2	335.2	335.4	340.3	342.1	338.1	337.5	337.2	333.7	330.1	322.1
72	6 388.6 300	323.9	320.3	319.0	320.0	322.3	324.5	325.1	329.7	332.9	330.0	330.6	331.2	329.1	325.9	318.6	
73	6 488.5 30	364.1	360.4	360.3	359.8	359.1	359.6	360.4	358.7	360.0	359.4	352.6	351.0	352.3	351.3	354.7	363.6
74	6 488.5 150	*****	*****	128.4	*****	93.3	*****	43.1	*****	*****	*****	177.4	*****	*****	247.1	*****	*****
75	6 739.4 225	495.0	491.6	491.4	490.8	492.7	493.6	494.5	491.4	493.1	491.5	482.7	478.1	479.5	480.4	485.7	496.8
76	6 739.4 300	480.1	477.1	477.2	476.6	478.7	480.1	482.0	479.5	481.8	481.6	473.1	469.6	471.4	473.0	477.9	489.2
77	6 798.8 30	507.1	504.2	505.2	504.4	505.7	506.6	507.3	503.2	505.5	503.6	495.0	490.8	491.4	490.4	492.0	499.4
78	6 798.8 30	514.1	511.6	512.7	511.6	513.9	514.3	515.1	510.0	511.6	510.1	500.4	493.3	495.8	493.9	495.9	504.0
79	6 829.0 180	496.7	493.7	494.0	495.1	497.0	498.5	499.5	496.0	496.9	495.0	484.8	478.3	476.1	473.3	471.7	471.2
80	6 839.0 240	494.1	490.2	490.2	489.2	490.1	490.2	490.0	485.1	486.2	484.8	473.9	469.5	468.6	466.5	464.7	462.0
81	6 988.8 225	629.9	627.7	630.3	630.0	633.0	634.1	635.1	630.9	633.0	631.1	619.3	612.4	614.2	618.7	628.7	639.0
82	6 988.8 300	619.4	617.1	619.7	619.9	622.4	624.2	625.0	621.3	624.0	622.8	611.1	605.1	607.4	611.9	622.1	633.3
83	61049.0 30	637.2	635.7	638.6	639.2	642.9	644.0	645.9	642.2	645.4	644.7	632.5	625.6	627.2	628.4	633.6	648.2
84	61049.0 150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
85	7 339.0 150	360.2	350.8	343.1	337.1	332.8	328.0	322.0	314.0	307.2	299.8	287.7	278.4	271.4	260.8	254.5	243.6
86	7 349.0 150	321.3	313.5	308.4	305.4	304.5	303.2	301.3	295.8	293.0	289.0	280.8	273.4	268.7	259.0	254.7	246.6
87	7 359.0 150	329.5	320.4	313.5	308.4	306.1	303.6	299.2	291.9	280.9	281.3	271.5	263.4	258.0	247.9	243.5	235.7
88	7 369.0 165	354.3	345.5	338.3	333.4	330.7	328.2	323.4	314.8	309.4	303.1	291.9	283.1	276.9	266.4	261.2	252.2
89	7 369.0 330	347.5	339.2	335.0	330.5	326.4	324.0	315.6	312.8	307.1	301.5	289.4	282.2	276.2	265.6	260.8	252.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
90	7 379.0	150 395.3	389.1	384.8	382.1	382.9	381.7	378.2	370.2	365.9	359.5	346.0	335.5	327.8	316.1	308.6	297.1
91	7 398.9	150 353.8	348.5	345.3	344.3	346.6	347.8	348.3	344.6	345.9	347.3	342.9	341.8	344.8	339.0	339.0	334.6
92	7 408.6	150 363.1	357.9	355.1	354.2	356.9	357.9	358.8	354.7	355.6	356.3	349.9	347.6	350.6	345.9	347.5	345.7
93	7 489.4	165 397.0	392.2	390.9	390.4	394.3	395.4	390.8	393.4	394.9	396.1	389.6	386.6	389.1	385.9	391.5	399.7
94	7 489.4	330 383.3	379.4	380.3	380.9	380.9	380.5	383.3	385.1	384.0	385.7	386.7	380.7	379.2	381.7	379.0	384.6
95	7 799.0	165 524.2	522.0	524.1	525.0	529.6	532.1	534.5	532.3	534.5	535.7	528.0	524.8	528.5	527.6	533.5	538.4
96	7 799.0	330 510.9	508.4	510.3	510.5	514.6	516.9	519.5	517.3	519.3	521.1	514.1	511.9	515.9	514.7	521.1	527.8
97	71049.0	165 102.2	97.2	96.2	98.3	94.9	99.5	100.2	102.6	105.3	105.5	105.6	105.1	107.4	107.2	110.3	112.5
98	71049.0	330 631.6	629.8	633.2	634.7	638.2	640.7	644.2	642.0	644.3	645.9	635.6	631.2	635.2	636.8	645.2	653.8
99	8 294.6	210 354.7	344.6	339.0	334.2	325.8	321.8	315.4	307.9	301.3	293.8	281.8	272.2	265.0	263.6	257.9	248.4
100	8 304.2	270 384.2	375.3	371.0	366.3	357.6	353.8	347.2	339.7	332.5	323.9	310.3	299.6	291.3	289.1	282.4	271.6
101	8 368.7	135 339.9	331.6	327.0	322.7	315.3	312.8	307.3	300.9	295.3	288.9	277.7	269.1	263.3	262.6	257.9	248.7
102	8 368.7	255 372.7	363.5	357.8	352.3	344.1	340.1	333.3	325.5	318.6	310.8	298.1	289.0	282.5	281.0	275.7	266.0
103	8 389.1	30 331.3	325.6	324.9	324.9	320.5	322.2	323.1	322.3	325.1	327.2	322.4	320.0	319.6	322.4	319.0	310.8
104	8 389.1	300 354.3	348.2	346.5	345.3	340.2	340.7	340.6	338.9	339.4	339.4	332.6	328.3	325.6	326.8	321.9	313.1
105	8 549.0	135 388.4	385.1	386.6	387.7	386.2	388.0	389.8	389.4	391.5	393.2	387.3	385.8	389.2	398.7	407.1	417.6
106	8 549.0	255 433.5	430.0	431.0	431.5	429.5	430.8	431.7	429.9	431.0	431.1	424.1	421.9	425.6	435.3	444.3	453.2
107	8 739.0	30 480.1	476.9	478.4	479.7	478.8	480.9	482.9	482.1	484.0	484.9	476.8	473.4	474.8	481.0	483.7	487.1
108	8 739.0	300 556.8	555.9	559.7	563.1	563.1	567.0	570.1	569.5	572.5	573.4	564.3	559.4	561.8	567.9	569.6	565.1
109	8 929.0	135 503.3	505.6	507.0	507.4	505.2	506.8	507.3	505.3	506.0	505.2	496.9	492.5	494.1	499.6	502.6	505.1
110	8 929.0	255 558.9	558.3	562.8	565.5	565.4	568.4	570.3	569.0	570.4	570.8	561.7	556.4	557.1	562.2	563.7	561.1
111	8 988.8	30 609.2	607.7	611.3	613.5	613.5	616.0	617.7	615.4	614.6	614.3	603.6	599.5	603.6	612.8	620.7	623.7
112	8 988.8	300 613.5	612.1	615.7	617.3	617.7	620.2	621.9	619.6	620.3	620.2	610.4	607.0	611.4	619.9	627.3	630.0
113	9 369.4	105 329.0	322.2	317.5	314.0	307.4	304.8	300.2	295.7	290.0	284.3	273.4	265.2	259.6	258.3	253.8	245.2
114	9 369.4	180 120.4	96.0	95.1	96.9	94.5	96.5	98.9	107.0	108.8	111.1	112.0	110.5	110.0	109.5	110.2	108.5
115	9 389.0	30 333.6	328.6	328.6	328.0	324.2	325.9	326.2	327.1	329.2	331.4	327.6	326.5	327.7	331.3	329.3	321.8
116	9 389.0	270 336.7	330.9	330.0	330.5	327.4	328.6	330.0	331.3	334.6	338.3	334.7	333.1	333.6	336.9	333.8	324.5
117	9 549.0	105 383.0	378.8	380.0	380.5	378.4	380.1	380.6	380.1	379.9	379.6	372.0	367.4	368.4	373.4	375.5	377.2
118	9 549.0	180 374.6	370.2	371.3	371.2	368.7	371.2	371.8	371.6	372.0	371.9	365.0	360.5	361.7	367.2	369.7	371.3
119	9 739.2	30 483.1	479.4	481.2	481.0	479.5	481.2	481.4	478.4	478.3	477.8	468.3	462.2	463.3	469.1	473.9	481.6
120	9 739.2	270 472.7	470.0	472.6	473.0	471.3	473.7	475.2	473.1	473.8	474.1	465.5	460.2	461.6	468.8	473.9	481.9
121	9 909.0	60 569.4	566.9	571.0	571.8	572.4	575.2	577.6	575.6	576.0	576.2	566.4	559.4	560.6	565.1	563.5	553.6
122	9 919.0	120 568.7	567.2	572.4	573.4	574.3	577.6	581.1	580.3	584.2	585.5	576.4	570.0	572.5	578.4	578.5	569.3
123	9 929.0	105 581.4	579.3	584.1	584.9	585.3	588.6	591.4	589.9	592.1	593.0	583.7	577.5	580.7	587.5	589.3	581.0
124	9 929.0	180 572.2	569.7	574.7	575.8	576.2	579.7	583.0	582.1	586.8	587.9	579.3	573.5	577.4	584.5	586.2	578.4
125	9 988.8	30 620.8	617.6	622.2	621.8	621.5	623.0	625.0	619.9	615.6	614.6	603.8	596.5	601.1	611.2	622.1	626.8
126	9 988.8	270 595.6	593.4	599.0	599.6	600.1	602.6	605.2	601.8	603.3	603.1	593.5	586.6	591.5	602.7	615.7	622.3
127	10 489.3	90 359.0	354.8	356.6	356.4	356.4	358.0	359.5	356.6	357.0	357.1	350.3	345.1	346.4	346.7	350.6	357.0
128	10 489.3	300 361.7	357.3	358.0	358.5	355.6	357.2	357.7	356.1	356.1	355.9	349.2	344.7	346.5	349.6	354.7	364.3
129	10 545.0	60 385.2	380.7	380.4	379.9	379.5	380.7	381.5	377.8	377.5	376.5	369.1	364.2	364.3	363.3	364.8	364.5
130	10 549.0	210 375.5	371.4	373.2	373.9	372.7	374.1	375.1	374.1	374.3	374.3	366.0	359.4	359.8	361.1	362.3	361.6
131	10 739.0	180 463.2	460.1	462.5	463.4	463.8	465.5	467.7	465.8	466.9	467.0	458.6	451.3	452.6	454.2	457.5	459.4
132	10 739.0	330 478.1	475.6	477.9	477.7	477.7	479.4	481.2	478.4	479.1	478.7	469.4	462.7	463.5	465.4	468.4	471.8
133	10 799.0	90 505.7	503.2	504.9	504.4	505.9	508.0	508.7	504.4	505.5	504.3	495.0	488.2	488.0	486.9	488.6	489.6
134	10 799.0	300 502.2	499.5	502.4	502.3	501.7	503.1	504.0	501.2	501.6	500.4	495.8	482.4	482.0	483.2	485.0	486.3
135	10 929.0	60 578.3	577.0	581.0	581.6	583.9	586.7	589.1	585.6	587.7	588.1	579.0	572.6	576.7	579.1	582.9	578.2
136	10 929.0	210 566.4	565.0	569.8	571.3	573.6	576.4	578.5	576.5	578.1	578.3	568.7	561.8	565.0	568.8	572.4	568.8
137	10 989.0	180 591.2	590.1	594.9	596.4	598.6	601.9	604.2	602.0	604.0	604.5	595.2	587.1	591.0	596.0	605.2	611.5
138	10 989.0	330 608.5	607.2	610.6	611.4	612.5	615.5	616.5	613.3	614.6	613.9	603.3	595.0	598.5	604.4	614.8	620.6
139	101049.0	90 647.6	645.1	648.2	647.6	650.6	652.7	654.4	649.3	650.2	648.5	637.0	627.2	628.3	629.5	637.2	648.9
140	101049.0	300 633.5	632.6	638.1	638.0	639.1	641.2	642.6	638.7	639.1	637.2	625.5	615.7	616.8	620.1	628.2	639.9
141	11 389.0	60 329.1	324.6	323.7	322.7	322.7	325.7	327.2	325.5	329.7	333.4	331.5	330.5	332.6	326.3	325.4	318.2
142	11 389.0	315 326.4	322.3	321.2	320.2	320.0	322.4	324.2	321.4	324.2	326.9	324.5	323.5	325.6	320.5	319.8	313.3
143	11 489.0	150 354.1	350.8	349.6	348.7	349.6	351.9	351.8	347.6	347.9	346.8	343.7	335.3	335.8	330.8	332.9	334.9
144	11 489.0	270 354.6	350.6	350.2	349.3	349.9	351.9	351.3	347.8	347.8	346.9	343.1	334.8	335.4	331.5	333.6	335.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

411

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	462.2	459.4	460.7	460.3	463.5	466.0	467.0	463.3	464.8	464.9	457.5	450.8	452.3	448.4	451.6	458.1
146	11	738.9	315	468.9	466.1	467.2	467.0	469.2	472.2	472.5	468.2	469.4	469.0	461.4	455.0	456.2	453.4	456.7	463.2
147	11	799.6	150	489.1	486.8	487.2	487.4	490.5	493.1	494.0	490.2	491.4	491.0	482.2	474.1	474.6	470.9	473.6	476.8
148	11	799.6	270	505.5	502.7	504.0	504.4	325.5	508.2	508.5	503.7	504.1	502.5	493.6	485.7	485.3	482.1	483.9	486.2
149	11	849.3	240	486.5	483.5	484.1	484.4	341.7	486.5	485.5	479.5	478.0	474.1	463.5	453.0	449.1	443.2	440.4	435.2
150	11	859.8	300	500.8	497.6	498.1	498.6	*****	500.7	500.0	493.7	492.9	489.3	477.4	467.1	462.6	455.1	450.9	441.7
151	11	989.3	60	602.2	600.1	601.9	603.2	397.4	608.9	610.6	604.8	606.9	605.9	595.6	585.7	586.6	585.2	593.0	605.6
152	11	989.3	315	609.2	607.0	609.4	610.5	420.3	616.0	617.2	611.6	613.2	612.0	601.5	592.5	593.6	592.9	600.5	612.2
153	111049.2	150	644.5	641.6	643.3	642.2	374.7	647.8	648.0	642.0	642.9	640.7	628.7	615.2	614.2	610.7	613.4	624.9	
154	111049.2	270	641.0	639.0	641.6	642.2	429.6	648.9	649.9	644.1	645.0	643.5	632.0	620.8	620.3	618.2	621.2	633.1	
155	12	359.9	30	347.8	339.2	331.6	327.3	506.6	322.9	318.2	311.7	306.7	301.1	291.1	281.7	276.2	267.1	262.7	255.2
156	12	370.0	15	365.2	356.8	349.0	344.3	485.6	338.7	332.6	324.9	318.8	311.8	300.2	289.6	283.0	273.4	268.1	259.7
157	12	370.0	240	*****	*****	*****	*****	499.8	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
158	12	379.2	90	409.9	404.2	400.3	397.8	606.4	395.3	391.2	383.3	376.7	368.8	354.7	340.2	331.2	320.1	312.2	301.1
159	12	489.0	90	424.8	420.1	418.8	418.5	613.9	421.7	422.4	419.1	419.7	419.5	413.3	407.2	412.0	411.9	420.2	424.3
160	12	489.0	270	377.4	373.9	372.8	372.9	645.5	377.1	379.3	375.9	377.6	378.6	373.2	368.3	371.1	368.2	374.1	382.1
161	12	548.9	15	428.9	426.3	426.1	426.9	646.4	432.2	433.8	430.7	433.1	434.2	428.6	423.7	428.2	428.5	437.4	445.7
162	12	548.9	240	396.1	393.3	393.4	395.0	397.7	401.8	404.9	402.2	405.2	406.9	402.2	397.0	400.4	398.8	406.1	415.3
163	12	799.3	90	534.0	532.5	534.4	536.4	540.1	544.1	546.4	544.4	547.9	549.2	543.0	538.6	545.4	547.0	554.1	558.3
164	12	799.3	270	512.0	509.8	511.0	513.3	517.4	521.3	524.4	521.7	525.4	526.8	521.2	516.4	521.2	521.5	528.1	534.2
165	12	929.3	15	539.4	537.4	541.0	543.9	549.3	553.7	558.1	555.7	558.9	560.0	554.2	548.9	551.7	548.0	548.8	546.3
166	12	928.4	240	566.6	564.8	567.5	569.0	573.6	577.1	580.4	576.3	579.0	579.0	570.4	562.7	564.1	560.4	561.9	559.5
167	121049.2	90	636.3	635.0	639.5	641.5	646.6	650.6	654.8	653.3	657.0	658.3	653.7	659.0	676.6	676.6	679.3	676.2	
168	121049.2	270	635.6	635.0	637.6	639.4	643.3	647.1	650.8	645.3	648.0	648.0	637.9	628.6	632.6	632.6	639.5	645.3	
169	13	338.8	60	281.6	273.9	269.8	266.8	258.9	257.5	252.2	247.9	243.4	238.3	230.0	222.9	218.2	218.5	215.6	208.2
170	13	349.0	60	275.3	269.8	266.8	265.1	259.7	259.5	256.8	254.0	251.2	247.8	240.2	234.0	230.7	231.6	229.0	222.1
171	13	368.9	90	311.2	304.5	299.8	296.9	291.4	289.4	285.4	280.1	275.6	270.1	260.1	251.6	246.6	246.2	242.3	233.9
172	13	368.9	240	329.1	321.6	316.0	312.5	306.6	304.4	299.4	292.7	287.2	281.5	270.7	262.4	257.0	256.1	252.3	243.5
173	13	388.5	45	317.2	312.8	311.4	312.8	309.2	312.4	312.8	313.2	315.7	318.7	314.2	313.1	314.0	316.7	317.7	310.3
174	13	388.5	270	341.9	336.8	333.3	332.2	328.1	328.8	327.3	324.7	324.4	325.1	318.8	315.0	315.0	317.7	315.9	307.9
175	13	549.0	90	382.9	380.2	380.8	381.2	380.4	383.1	384.0	382.3	383.8	384.1	377.0	372.4	374.2	379.5	382.5	384.6
176	13	549.0	240	414.8	411.3	411.5	411.9	410.3	413.2	413.0	409.4	409.3	409.2	402.2	397.9	400.5	406.6	411.7	416.2
177	13	738.7	45	468.9	465.5	469.0	470.0	469.9	473.5	474.7	473.6	475.2	476.1	467.7	461.4	462.7	468.1	471.5	474.1
178	13	738.7	270	478.0	475.2	478.7	479.4	479.0	481.8	482.9	480.8	482.1	482.0	474.2	468.5	470.2	475.3	479.2	482.7
179	13	929.3	90	563.8	561.5	566.8	568.8	569.6	574.5	576.6	576.3	579.7	580.2	571.5	563.9	567.1	572.8	575.5	571.4
180	13	929.3	240	569.4	566.4	570.7	571.8	572.2	575.9	577.6	576.0	578.1	578.0	569.2	561.3	563.2	567.4	569.1	565.8
181	13	989.2	45	593.9	596.6	601.9	603.4	604.1	608.5	609.7	608.8	613.9	614.3	604.7	596.0	599.9	607.2	614.1	618.0
182	13	989.2	270	605.2	603.0	606.8	608.6	609.5	613.4	615.8	614.0	615.8	616.0	606.9	600.2	605.0	611.4	617.9	619.9
183	14	369.0	30	306.8	300.2	297.0	295.0	289.2	287.6	284.2	281.8	277.1	272.2	261.6	251.7	246.7	245.2	241.5	233.4
184	14	369.0	270	321.9	315.0	311.5	307.3	302.0	295.6	290.9	286.0	280.5	269.5	260.4	255.2	253.6	249.5	240.9	
185	14	488.9	75	348.4	346.1	348.7	350.2	348.8	352.6	354.4	355.6	356.7	357.6	351.7	344.8	346.8	349.5	353.2	358.2
186	14	488.9	180	360.0	357.2	359.2	358.8	357.6	361.3	362.2	362.5	363.5	363.8	357.4	350.5	351.5	354.0	357.8	364.3
187	14	548.8	30	377.8	374.9	376.3	377.7	374.6	378.0	379.2	379.0	380.3	380.6	373.9	366.8	367.3	370.1	371.7	371.2
188	14	548.8	270	390.6	386.9	389.1	389.0	387.7	391.3	392.3	390.9	392.1	392.0	384.9	378.6	379.3	383.4	384.7	384.9
189	14	799.2	75	497.5	495.8	498.6	499.9	499.8	504.5	506.4	505.8	508.5	509.4	501.7	492.8	494.4	497.9	500.9	504.4
190	14	799.2	180	501.5	500.4	501.9	503.9	503.4	507.8	509.7	509.1	511.1	511.5	503.1	495.1	496.7	499.8	503.3	508.2
191	14	890.2	0	558.9	557.5	560.7	562.0	561.2	565.6	566.3	564.6	567.1	565.9	555.1	543.1	541.4	541.4	537.7	527.1
192	14	899.8	60	550.2	549.6	552.7	554.5	554.2	559.3	560.5	559.7	562.4	562.4	552.6	541.7	541.4	542.1	540.6	531.8
193	14	929.5	30	568.2	568.1	571.9	573.2	573.6	579.7	580.9	580.5	585.1	585.1	576.2	566.2	568.3	571.6	574.3	569.5
194	14	929.5	270	582.3	582.1	585.7	587.3	587.2	593.0	593.7	593.4	596.6	596.3	587.0	575.8	577.9	582.1	584.4	579.1
195	141049.2	75	622.9	623.0	627.7	629.8	629.5	635.8	636.7	636.3	639.8	639.8	630.2	618.0	620.3	625.1	631.7	638.3	
196	141049.2	180	649.0	648.1	652.2	652.8	653.0	658.1	658.1	658.1	656.3	657.2	656.0	644.7	627.0	629.8	634.7	641.6	647.9
197	15	369.1	150	320.8	313.9	310.3	306.7	303.0	302.8	298.9	293.9	289.8	284.4	274.2	264.0	258.8	251.8	247.9	239.3
198	15	369.1	270	313.0	306.2	302.8	299.1	294.4	293.9	289.5	286.2	282.1	276.6	266.3	255.6	250.7	245.9	242.1	233.8
199	15	488.6	60	362.3	358.5	360.1	360.9	361.4	365.3	366.1	364.1	365.5	365.8	363.0	353.9	355.1	352.8	355.5	358.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	351.7	349.0	350.1	351.7	351.3	355.7	356.6	356.3	358.7	359.0	353.5	346.1	347.9	347.7	350.5	353.4
201	15	549.6	150	386.0	382.8	383.6	383.8	384.1	388.1	388.0	386.3	388.2	387.9	381.4	374.4	375.4	373.7	375.5	375.9
202	15	549.6	270	389.4	385.5	386.8	387.7	386.6	390.9	390.9	390.2	392.0	391.6	384.5	375.9	376.9	376.7	377.7	377.5
203	15	799.6	60	487.5	486.2	489.1	490.0	491.7	496.6	498.3	495.8	498.8	499.2	491.6	483.3	484.4	483.2	485.7	488.9
204	15	799.6	345	485.8	484.3	487.4	489.0	489.4	494.7	495.9	493.9	497.1	497.1	490.0	481.5	483.3	482.9	485.5	488.3
205	15	869.0	0	503.6	501.8	504.5	504.4	504.8	509.2	509.7	506.7	507.8	505.7	495.2	483.9	481.1	476.4	471.7	461.4
206	15	879.0	300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
207	15	929.2	150	576.4	575.6	579.9	580.5	583.2	588.3	591.2	589.9	593.1	593.7	586.0	577.0	581.4	583.6	585.5	580.5
208	15	929.2	270	568.0	567.2	571.7	573.2	575.0	580.4	582.5	582.8	585.8	586.9	579.0	570.0	574.9	578.2	581.3	576.3
209	151049.1	60	635.6	633.8	638.6	638.9	641.9	647.1	649.0	645.5	647.8	648.0	638.2	626.3	628.3	629.1	635.5	645.3	645.3
210	151049.1	345	631.8	630.7	636.0	637.0	639.6	644.2	646.1	643.9	646.2	646.1	636.0	623.9	625.8	627.7	633.6	643.2	643.2
211	16	368.5	150	348.2	340.3	334.6	329.2	326.1	323.2	318.2	311.0	305.0	298.9	287.8	277.3	271.1	262.3	257.3	248.4
212	16	368.5	285	315.6	308.7	304.6	300.1	299.1	297.5	294.0	287.2	282.8	277.9	268.5	259.2	254.0	245.3	241.4	233.3
213	16	418.6	210	344.7	340.8	341.5	341.1	342.6	346.0	347.0	344.3	345.3	345.4	339.7	332.6	332.3	328.0	330.0	330.3
214	16	428.5	210	350.9	348.8	348.4	349.1	349.8	354.2	355.6	352.8	354.5	354.7	350.0	342.6	342.5	338.5	339.8	339.4
215	16	488.5	120	419.0	414.9	414.8	415.1	416.0	418.7	418.4	415.1	415.1	414.4	407.9	398.7	399.2	395.7	398.3	400.3
216	16	488.5	330	365.2	361.3	361.2	361.9	363.2	366.9	368.0	365.0	366.4	367.2	361.8	355.1	356.5	352.7	355.7	357.3
217	16	548.6	150	435.1	430.7	431.7	431.7	433.5	437.5	437.7	435.5	436.5	436.6	431.3	423.1	425.4	423.8	427.8	430.9
218	16	548.6	285	391.5	387.4	389.0	389.4	392.0	395.2	396.2	393.9	395.3	395.7	390.9	383.6	385.4	382.6	385.6	387.3
219	16	798.9	120	538.5	536.7	539.8	540.4	543.6	548.5	549.5	547.9	549.7	549.9	543.2	534.2	536.7	536.5	541.3	544.5
220	16	798.9	330	489.6	488.0	492.4	493.0	497.3	502.8	506.2	505.1	508.1	510.1	504.5	496.5	499.6	498.6	502.4	507.0
221	16	929.0	150	562.4	560.6	565.1	566.0	568.9	574.0	576.2	574.6	576.4	577.1	570.4	560.4	561.8	560.6	561.6	558.8
222	16	929.0	285	572.2	569.7	574.5	575.3	579.0	584.6	587.9	586.4	589.1	590.2	584.2	574.2	577.2	576.5	577.8	572.6
223	161049.0	120	614.2	612.1	617.6	618.0	622.2	627.8	629.7	628.6	631.1	632.2	626.4	618.3	623.4	625.8	635.7	645.1	645.1
224	161049.0	330	640.3	637.8	642.1	640.8	644.1	649.4	649.9	646.0	647.3	646.6	637.5	624.8	627.4	627.4	634.1	643.2	643.2
225	17	368.7	30	313.0	306.2	302.8	299.3	294.9	294.1	289.3	285.1	281.0	274.9	256.8	251.2	249.7	245.6	237.3	237.3
226	17	368.7	210	331.9	324.8	321.1	316.4	312.1	310.9	305.6	299.9	294.9	288.7	278.7	271.4	265.8	264.1	259.9	251.2
227	17	388.4	0	312.5	309.1	308.6	308.8	306.9	310.5	310.8	311.5	313.9	315.3	311.7	309.3	309.9	313.4	312.0	304.8
228	17	388.4	135	342.0	338.1	337.3	336.7	335.6	338.4	338.1	337.6	338.5	338.4	332.4	327.0	323.9	324.1	319.8	310.4
229	17	418.8	150	356.6	351.8	350.6	349.1	347.4	348.4	346.6	343.8	342.0	339.4	331.7	325.6	324.2	326.1	327.1	326.6
230	17	428.8	210	364.2	358.9	357.9	356.0	355.3	356.6	354.9	352.0	350.1	348.7	341.3	336.0	334.4	336.6	337.0	337.1
231	17	549.0	30	384.1	380.7	381.2	381.2	380.9	383.7	382.8	382.8	382.8	382.4	376.5	371.5	372.5	378.1	381.4	384.9
232	17	549.0	210	427.1	423.2	423.1	423.0	422.1	425.2	424.0	422.8	422.7	422.6	416.8	412.0	414.9	421.6	428.8	438.1
233	17	739.2	0	477.7	474.7	476.1	477.8	477.3	480.8	480.2	480.6	481.2	481.2	474.1	468.7	467.3	472.5	474.0	475.3
234	17	739.2	135	482.1	480.2	481.9	483.6	484.0	487.8	487.0	487.1	487.4	487.1	479.7	472.4	473.3	476.9	478.9	480.4
235	17	928.9	30	572.0	570.2	572.4	573.9	573.6	577.8	577.3	577.9	578.1	576.9	568.0	555.7	555.4	558.7	558.1	554.3
236	17	928.9	210	568.9	566.9	568.9	570.4	570.3	574.3	573.6	573.7	573.6	572.2	563.8	559.2	558.7	560.4	559.8	555.9
237	17	989.1	0	612.5	610.5	612.9	614.7	614.6	619.1	617.9	618.7	618.9	617.4	608.0	595.3	596.2	600.9	602.3	603.9
238	17	989.1	135	596.8	595.0	597.4	599.5	601.2	605.2	605.2	606.7	607.6	607.5	600.1	591.1	592.9	596.9	599.3	600.9
239	18	294.0	0	276.1	269.5	264.4	261.9	257.8	256.1	252.8	250.2	246.0	241.1	232.8	224.8	219.8	215.6	212.7	206.2
240	18	304.0	0	307.0	301.0	296.3	293.6	289.7	288.5	284.6	281.9	277.1	271.8	262.8	253.0	247.5	242.7	238.7	230.7
241	18	359.2	0	283.2	276.9	272.3	269.8	265.5	263.9	259.9	257.6	253.0	248.5	240.2	231.4	226.5	223.2	220.1	213.0
242	18	369.1	90	304.5	298.4	294.9	292.4	289.5	289.2	285.4	282.3	278.3	273.3	264.6	255.5	249.7	243.7	239.9	232.0
243	18	369.1	285	309.6	302.6	298.4	295.5	291.6	289.9	285.2	282.2	277.8	272.7	263.4	253.7	248.7	245.0	240.9	232.9
244	18	378.9	0	361.3	356.0	352.8	351.4	348.7	348.0	344.0	341.0	335.9	330.1	320.0	306.7	299.7	294.0	288.0	277.1
245	18	389.1	90	302.2	297.7	296.5	298.3	298.9	300.3	302.0	304.1	306.6	310.4	311.5	307.3	308.4	304.5	304.4	298.8
246	18	389.1	285	319.2	314.5	313.7	313.5	312.8	314.9	316.4	316.4	319.9	323.1	324.5	316.2	316.4	316.0	313.6	306.2
247	18	409.2	0	329.6	324.9	324.8	325.8	325.0	327.2	327.7	329.0	328.4	329.3	329.9	318.4	320.9	323.3	327.9	330.4
248	18	429.3	0	340.2	336.4	336.2	337.7	336.7	339.2	340.4	341.8	341.9	342.9	344.5	331.2	331.9	332.9	336.2	341.0
249	18	549.5	90	379.9	377.4	378.2	380.8	380.8	384.7	386.4	388.6	388.9	390.6	394.1	380.2	381.8	381.4	384.5	387.7
250	18	549.5	285	382.0	379.4	380.8	382.5	381.7	386.0	387.6	390.0	391.3	393.3	399.1	383.7	386.9	390.2	393.8	397.2
251	18	930.2	90	565.0	563.6	566.5	569.0	571.0	576.1	576.4	578.4	578.8	579.4	587.2	559.7	561.3	561.5	563.0	561.8
252	18	930.2	285	576.9	575.3	578.2	580.5	581.1	585.5	585.3	587.8	587.9	588.1	596.3	567.6	569.2	571.6	573.8	572.1
253	19	369.0	180	356.9	349.7	343.9	339.8	335.8	334.1	328.1	323.1	316.1	310.3	306.0	289.3	283.1	275.0	269.4	260.6
254	19	369.0	270	332.7	326.0	321.0	317.4	313.8	312.9	307.5	302.9	297.0	291.7	287.7	271.7	266.1	257.6	253.1	245.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

40

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	398.5	90	356.9	352.9	351.0	351.1	349.8	352.6	350.6	350.0	348.7	349.7	356.6	339.7	341.1	336.9	335.4	329.9
256	19	408.4	150	389.6	384.7	382.6	382.0	380.5	381.8	379.3	378.0	375.5	373.8	379.3	359.6	359.3	354.5	353.2	348.1
257	19	488.5	15	375.5	373.1	373.1	374.2	375.5	379.7	380.1	380.8	382.5	384.8	394.9	375.2	378.4	377.4	382.7	390.1
258	19	488.5	135	428.2	425.7	425.8	426.3	426.9	430.3	429.4	429.4	429.2	429.5	438.9	416.1	417.2	415.5	417.9	420.1
259	19	548.8	180	414.7	413.2	414.1	416.2	418.0	423.0	424.8	427.2	429.1	432.6	444.3	423.4	428.3	428.1	434.8	441.9
260	19	548.8	270	453.5	451.7	452.8	454.7	456.0	460.6	461.8	462.1	463.8	466.1	479.6	456.5	460.9	461.0	466.4	470.0
261	19	798.4	15	530.8	530.1	532.3	533.9	535.7	541.3	542.2	542.8	544.4	546.7	561.0	531.8	535.8	536.2	541.0	544.2
262	19	798.4	135	526.1	524.5	526.9	529.9	531.7	537.3	539.4	540.9	543.0	546.4	561.5	535.8	542.6	545.4	553.2	559.5
263	19	928.5	180	586.3	585.7	587.8	590.5	592.8	597.9	598.9	599.0	599.6	600.8	613.5	582.6	583.3	580.7	580.1	573.7
264	19	928.5	270	586.5	586.1	589.2	592.4	594.9	599.8	601.7	601.8	603.1	604.9	618.6	587.3	588.7	587.5	586.9	580.1
265	191048.7	15	27.1	26.8	26.2	28.9	26.9	29.2	30.6	*****	*****	33.0	*****	31.9	31.9	31.3	32.4	30.2	
266	191048.7	135	649.0	648.8	653.6	656.8	659.6	665.4	667.8	668.6	671.1	674.6	692.6	662.7	668.8	670.7	675.5	672.9	
267	21	370.0	150	108.1	104.8	103.9	107.2	106.5	110.3	114.0	117.7	119.4	121.6	122.0	122.7	120.8	122.6	121.5	
268	21	370.0	144	108.0	104.8	104.0	107.0	106.8	110.6	114.3	117.8	119.6	121.8	121.6	122.2	122.7	120.4	122.2	121.1
269	21	370.0	126	107.9	104.8	104.0	107.1	106.7	110.9	114.6	117.9	119.7	122.1	122.0	122.1	122.8	120.0	121.8	120.8
270	21	370.0	120	108.8	105.8	104.9	107.9	107.5	111.6	115.4	118.7	120.5	123.0	122.7	122.9	123.6	120.8	122.7	121.7
271	21	370.0	30	107.7	104.2	103.1	105.5	104.4	108.2	111.1	113.7	115.4	117.9	117.5	119.2	120.2	118.3	120.3	119.5
272	21	370.0	26	107.8	104.4	103.4	105.4	104.6	108.3	111.1	113.5	115.1	117.5	117.3	118.9	119.9	118.3	120.3	119.5
273	21	370.0	7	107.5	104.2	103.3	105.6	104.2	107.9	110.6	112.7	114.5	116.8	116.6	118.2	119.2	118.2	120.3	119.5
274	21	370.0	0	108.1	104.7	103.7	106.0	104.4	107.9	110.6	112.6	114.5	116.8	116.5	118.0	119.1	118.6	120.7	119.8
275	21	370.0	210	108.6	105.2	104.5	107.7	105.6	109.2	112.4	115.8	117.2	119.2	118.7	120.1	120.9	121.7	123.7	122.5
276	21	370.0	206	108.2	105.1	104.4	107.7	105.7	109.5	112.9	116.2	117.8	119.7	119.3	120.5	121.3	121.8	123.7	122.5
277	21	370.0	187	108.1	105.1	104.5	108.0	106.4	110.2	113.7	117.2	118.9	120.8	120.3	121.2	121.9	121.6	123.5	122.2
278	21	370.0	180	107.3	104.3	103.7	107.2	106.0	109.7	113.2	116.8	118.5	120.6	120.3	120.9	121.6	120.9	122.7	121.5
279	22	390.0	30	111.6	108.0	106.9	109.7	108.4	112.2	115.4	118.2	119.8	122.1	122.0	123.3	124.3	122.2	124.0	123.1
280	22	390.0	26	113.2	109.5	108.6	111.3	109.8	113.5	116.6	119.2	120.9	123.0	122.8	124.3	125.2	123.5	125.4	124.5
281	22	390.0	7	113.3	109.8	109.0	111.6	110.0	113.6	116.6	118.7	120.6	122.8	122.6	124.0	124.9	124.0	125.9	125.0
282	22	390.0	0	113.4	109.7	108.8	111.4	109.5	113.2	116.1	118.5	120.1	122.3	122.1	123.5	124.4	123.9	125.9	125.0
283	22	390.0	330	113.0	109.1	108.0	111.0	108.4	111.9	114.8	117.7	119.0	121.2	120.9	122.4	123.4	123.8	125.8	124.8
284	22	390.0	324	113.0	109.2	108.2	111.1	108.4	111.9	114.8	117.6	119.0	121.0	121.0	122.3	123.3	123.9	126.0	125.0
285	22	390.0	306	113.4	109.7	108.7	111.8	108.8	112.2	115.1	117.9	119.3	121.3	121.1	122.4	123.3	124.6	126.4	125.3
286	22	390.0	300	113.6	109.9	109.2	112.3	109.2	112.8	115.7	118.5	119.8	121.7	121.7	122.8	123.7	125.0	126.8	125.7
287	22	390.0	210	113.7	110.1	109.4	112.5	110.7	114.5	117.8	121.2	122.6	124.5	124.1	125.3	126.1	126.8	128.6	127.4
288	22	390.0	206	113.6	110.2	109.6	112.8	111.1	115.0	118.3	121.8	123.2	125.2	124.8	125.8	126.5	126.8	128.6	127.4
289	22	390.0	187	113.4	110.0	109.4	112.7	111.4	115.4	118.9	122.4	124.0	126.0	125.6	126.3	126.9	126.5	128.3	127.1
290	22	390.0	180	114.5	111.2	110.7	114.0	113.0	117.0	120.6	124.2	126.2	127.8	127.6	128.1	128.7	127.8	129.6	128.4
291	23	490.0	180	148.2	145.0	144.7	147.8	146.7	150.6	153.9	157.2	158.5	159.8	158.9	158.0	158.0	156.4	157.5	155.1
292	23	490.0	173	148.7	145.4	145.0	148.1	147.2	151.1	154.4	157.6	158.9	160.2	159.4	158.4	158.3	156.3	157.4	155.1
293	23	490.0	156	148.1	144.6	144.2	147.6	147.0	151.0	154.4	157.7	159.0	160.3	159.4	158.5	158.2	155.7	156.8	154.4
294	23	490.0	150	147.8	144.4	143.8	147.1	146.6	150.6	154.1	157.5	158.8	159.9	159.3	158.4	158.1	155.4	156.5	154.1
295	23	490.0	60	145.1	141.6	140.9	143.5	143.1	146.9	150.2	153.0	154.5	156.1	155.8	155.5	155.6	152.1	153.3	151.3
296	23	490.0	54	145.6	142.0	141.2	143.7	142.9	146.7	149.9	152.6	154.2	155.7	155.3	155.1	155.2	151.8	153.1	151.1
297	23	490.0	34	145.5	141.7	140.8	143.5	142.4	146.2	149.4	152.0	153.4	154.9	154.4	154.5	154.6	151.6	152.9	150.9
298	23	490.0	30	145.4	141.6	140.7	143.4	142.0	145.8	148.9	151.5	152.8	154.5	154.0	154.1	154.2	151.7	153.0	151.0
299	23	490.0	0	145.6	141.8	141.2	143.9	142.0	145.7	148.6	150.9	152.3	153.7	153.5	153.4	153.7	152.2	153.6	151.6
300	23	490.0	353	144.6	141.0	140.5	143.2	141.2	144.9	147.8	150.1	151.5	153.1	152.8	152.9	153.2	152.1	153.5	151.6
301	23	490.0	336	143.6	139.8	139.3	142.3	140.0	143.7	146.5	149.4	150.8	152.3	152.0	152.2	152.5	151.8	153.2	151.1
302	23	490.0	330	144.7	141.0	140.3	143.3	140.8	144.4	147.3	150.1	151.5	153.0	152.5	152.8	153.1	152.5	153.9	151.8
303	24	550.0	180	174.1	171.0	170.7	173.8	172.9	176.8	180.0	183.0	184.1	185.1	184.2	182.4	182.0	179.6	180.4	177.0
304	24	550.0	173	174.4	171.4	170.8	174.0	173.2	177.1	180.4	183.3	184.5	185.5	184.6	182.8	182.2	179.5	180.3	176.9
305	24	550.0	156	173.7	170.5	170.2	173.6	173.0	177.1	180.3	183.5	184.7	185.6	184.6	182.7	182.1	178.8	179.5	176.1
306	24	550.0	150	172.9	169.6	169.3	172.7	172.3	176.3	179.8	183.0	184.2	185.2	184.1	182.5	181.8	178.4	179.1	175.8
307	24	550.0	0	170.0	166.4	166.3	169.0	167.3	170.9	173.9	176.1	177.6	178.7	178.3	177.4	177.3	175.2	176.1	173.1
308	24	550.0	353	168.4	165.2	165.3	168.1	166.5	170.1	173.3	175.5	177.0	178.3	177.9	177.0	176.5	175.2	176.1	173.2
309	24	550.0	336	168.5	165.1	165.0	167.8	166.0	169.5	172.7	175.0	176.4	177.6	177.2	176.5	176.2	175.0	175.7	172.7

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
310	24	550.0	330	170.0	166.4	166.0	169.0	166.7	170.3	173.2	175.8	177.1	178.3	177.6	177.1	176.9	175.7	176.5	173.3
311	24	550.0	240	172.0	168.8	168.5	171.6	169.4	172.9	175.7	178.2	179.3	180.3	179.6	178.6	178.5	178.6	179.5	176.2
312	24	550.0	234	172.1	169.0	168.5	171.4	169.4	172.9	175.8	178.2	179.4	180.3	179.6	178.4	178.5	178.4	179.4	176.2
313	24	550.0	216	172.6	169.3	168.9	172.1	170.3	174.1	177.2	179.9	181.1	181.9	181.1	180.1	179.9	179.3	180.3	177.0
314	24	550.0	210	173.6	170.3	169.8	173.0	171.5	175.2	178.3	181.2	182.2	183.1	182.2	181.2	180.8	179.8	180.7	177.4
315	25	740.0	150	252.8	250.3	250.9	254.5	254.5	258.9	262.4	264.6	265.8	266.1	264.8	261.3	259.9	255.4	256.5	253.1
316	25	740.0	144	251.6	249.1	249.7	253.3	253.7	258.1	261.5	263.8	265.2	265.5	264.7	260.8	259.5	254.8	255.8	252.6
317	25	740.0	126	250.6	248.4	249.2	252.8	253.4	258.0	261.4	263.5	264.9	265.4	264.7	260.3	259.1	254.0	255.0	251.7
318	25	740.0	120	250.5	248.3	249.0	252.5	253.2	257.8	261.2	263.3	264.8	265.2	264.6	260.3	259.0	253.8	254.7	251.5
319	25	740.0	30	250.9	248.2	248.8	252.0	251.4	255.7	259.2	261.0	262.6	263.2	262.1	259.1	257.9	253.4	254.4	251.2
320	25	740.0	26	252.3	249.5	250.1	253.0	252.3	256.4	259.8	261.6	263.2	263.7	263.0	259.5	258.4	254.4	255.4	252.2
321	25	740.0	7	254.1	251.5	252.1	254.9	253.9	257.8	261.1	262.4	263.9	264.4	264.0	260.0	259.0	255.5	256.4	253.1
322	25	740.0	0	254.9	252.1	252.7	255.4	254.2	258.1	261.1	262.7	264.2	264.6	264.0	260.3	259.2	256.0	256.9	253.5
323	25	740.0	210	252.2	249.9	250.5	254.0	253.1	257.1	260.2	262.6	263.8	264.1	262.8	259.8	258.6	256.5	257.6	254.1
324	25	740.0	206	254.1	251.8	252.5	256.0	255.2	259.3	262.3	264.6	265.8	266.0	265.0	261.2	260.0	257.6	258.5	255.0
325	25	740.0	187	253.5	251.4	252.3	256.0	255.6	259.9	263.1	265.5	266.8	267.0	266.3	262.0	260.8	257.9	258.8	255.4
326	25	740.0	180	253.4	251.3	252.1	255.9	255.6	259.9	263.2	265.5	266.8	267.1	266.3	262.0	260.8	257.4	258.4	255.0
327	26	800.0	30	274.4	272.1	273.1	276.2	276.3	280.7	284.3	286.2	288.1	288.4	287.3	283.5	282.0	277.1	277.8	273.9
328	26	800.0	26	276.2	273.9	274.8	278.0	277.7	282.0	285.6	287.3	289.2	289.5	288.7	284.5	283.1	278.5	279.1	275.2
329	26	800.0	7	277.6	275.3	276.3	279.0	278.8	282.9	286.4	287.8	289.4	289.8	289.3	284.7	283.3	279.3	279.7	275.7
330	26	800.0	0	277.6	275.3	276.2	279.1	278.2	282.3	285.7	287.1	288.9	289.1	288.5	284.0	282.6	278.8	279.2	275.2
331	26	800.0	330	275.8	273.5	274.5	277.9	276.6	280.5	283.9	285.6	287.3	287.5	286.2	282.8	281.3	278.2	278.8	274.8
332	26	800.0	324	277.1	274.7	275.7	279.1	277.4	281.2	284.4	286.0	287.5	287.6	286.6	282.7	281.3	278.5	279.1	275.0
333	26	800.0	306	276.8	274.5	275.6	279.0	277.2	280.9	284.0	285.6	287.0	287.2	286.5	282.2	280.9	278.5	279.0	274.9
334	26	800.0	300	276.7	274.5	275.5	278.9	276.9	280.6	283.6	285.2	286.7	286.8	286.1	281.9	280.5	278.3	278.7	274.3
335	26	800.0	210	273.8	271.9	273.1	276.9	276.2	280.4	283.9	286.2	287.8	288.0	286.8	283.4	282.0	279.3	280.1	276.1
336	26	800.0	206	275.0	273.0	274.4	278.1	277.7	281.8	285.2	287.5	289.0	289.1	288.1	283.9	282.6	279.7	280.4	276.3
337	26	800.0	187	275.0	273.2	274.7	278.6	278.5	282.8	286.4	288.8	287.8	290.5	290.0	285.1	283.7	280.3	281.0	277.0
338	26	800.0	180	275.4	273.6	274.9	278.9	278.9	283.3	286.9	289.4	290.9	291.0	290.6	285.5	284.1	280.3	281.0	277.0
339	27	930.0	180	332.6	331.5	333.7	337.8	338.3	342.9	346.7	348.9	350.9	350.8	350.6	342.8	342.4	338.3	339.1	335.1
340	27	930.0	173	331.4	330.3	332.5	336.6	337.2	341.9	345.7	347.9	349.9	349.9	350.1	342.8	341.3	337.0	337.9	333.9
341	27	930.0	156	329.7	328.4	330.5	334.7	335.8	340.5	344.6	346.7	348.7	348.7	348.5	342.0	340.6	335.7	336.7	332.8
342	27	930.0	150	326.1	324.9	327.3	331.7	333.1	338.0	342.2	344.5	346.3	347.0	346.5	340.8	339.4	334.1	335.3	331.6
343	27	930.0	60	329.4	328.2	330.7	334.4	335.6	340.4	344.4	346.8	347.9	348.2	348.7	342.4	340.9	334.6	335.5	331.6
344	27	930.0	54	330.4	329.3	331.6	335.4	336.3	341.1	345.0	346.2	348.4	348.8	349.4	342.7	341.3	335.1	336.1	332.2
345	27	930.0	34	335.7	334.2	336.1	339.9	340.4	344.9	348.7	349.8	351.6	351.7	351.4	345.2	343.3	337.4	338.3	334.4
346	27	930.0	30	334.2	332.9	335.0	338.7	339.2	343.7	347.6	348.9	351.0	351.0	350.3	344.7	342.9	337.2	338.2	334.3
347	27	930.0	0	338.4	337.0	339.2	342.9	342.7	346.9	350.7	351.7	353.6	353.6	353.5	347.0	345.0	340.5	341.2	337.1
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349	27	930.0	336	339.5	337.8	339.8	343.4	342.7	346.7	350.2	351.3	352.9	352.6	352.1	346.0	343.9	339.7	340.3	336.1
350	27	930.0	330	338.0	336.0	337.9	341.5	340.5	344.4	347.7	349.0	350.6	350.4	349.5	344.0	341.9	338.1	338.7	334.5
351	28	990.0	180	351.7	350.8	353.3	357.8	358.5	363.3	367.3	369.5	371.7	371.6	371.6	365.0	363.4	358.9	359.9	355.9
352	28	990.0	173	350.9	349.8	352.5	357.0	357.9	362.8	366.8	369.1	371.2	371.3	371.4	364.4	363.0	358.3	359.3	355.4
353	28	990.0	156	349.6	348.5	351.2	355.8	357.1	362.1	366.3	368.6	370.7	370.8	370.6	364.3	362.7	357.4	358.6	355.0
354	28	990.0	150	346.7	345.8	348.7	353.4	355.0	360.2	364.7	367.0	369.3	369.5	368.8	363.4	362.0	356.3	357.6	354.0
355	28	990.0	0	362.9	361.7	364.2	367.7	367.7	371.9	375.6	376.4	378.3	377.0	377.6	370.8	368.5	363.1	363.7	359.6
356	28	990.0	353	363.8	362.4	364.9	368.4	368.1	372.2	375.8	376.6	378.3	378.1	377.8	370.6	368.2	362.1	363.5	359.4
357	28	990.0	336	365.8	363.9	365.8	369.2	368.5	372.4	375.7	376.4	377.8	377.2	376.2	369.8	367.3	362.2	362.7	358.4
358	28	990.0	330	362.5	360.6	362.5	365.9	365.0	368.9	372.3	373.3	374.8	374.2	373.4	367.6	365.1	360.3	360.9	356.7
359	28	990.0	240	349.2	348.5	351.3	355.9	355.6	360.1	364.0	366.1	368.2	368.2	368.1	362.5	361.1	358.3	359.3	355.4
360	28	990.0	234	350.7	349.8	352.5	357.0	356.7	361.1	364.9	366.8	368.7	368.6	368.6	362.9	361.4	358.5	359.4	355.1
361	28	990.0	216	350.8	349.9	352.7	357.1	357.1	361.7	365.5	367.5	369.5	369.3	368.8	364.1	362.4	358.9	359.8	355.6
362	28	990.0	210	350.3	349.4	352.2	356.6	356.9	361.5	365.5	367.6	369.7	369.5	368.9	364.3	362.5	358.7	359.7	355.5
363	29	1050.0	150	368.1	367.8	371.1	376.1	377.9	383.4	388.0	390.1	392.5	392.3	391.6	385.7	383.6	377.5	378.1	373.4
364	29	1050.0	144	369.4	369.1	372.3	377.1	379.0	384.5	389.0	390.9	393.3	393.2	393.0	386.3	384.2	377.8	378.3	373.7

TE R AX RAD T  
 NR NR. PGS PDS  
 (MM) (GRD)GRAD C

40

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
365 291050.0	126	367.6	367.4	370.9	375.7	378.0	383.7	338.1	390.1	392.5	392.8	393.2	386.1	384.3	377.8	378.2	373.8
366 291050.0	120	366.6	366.5	370.0	374.7	377.2	382.8	387.3	389.3	391.8	392.0	392.5	385.9	384.3	377.4	377.9	373.4
367 291050.0	30	383.4	382.4	385.2	389.0	389.6	394.0	397.8	398.7	400.6	400.1	399.1	392.4	389.5	382.5	382.6	377.6
368 291050.0	26	385.7	384.8	387.6	391.4	391.7	396.1	399.9	400.6	402.4	401.8	401.3	393.9	390.9	384.1	384.0	379.0
369 291050.0	7	387.9	387.0	389.8	393.5	393.5	397.7	401.5	402.0	403.8	403.1	403.1	394.7	391.6	385.2	385.0	379.9
370 291050.0	0	389.5	388.3	390.9	394.6	394.3	398.4	402.0	402.4	404.0	403.3	403.0	394.7	391.5	385.2	384.8	379.6
371 291050.0	210	369.1	368.8	372.1	376.9	377.5	382.5	386.5	388.7	390.8	390.5	389.6	385.0	382.9	378.4	378.8	373.8
372 291050.0	206	370.1	369.8	373.2	378.0	378.8	383.6	387.9	390.1	392.4	392.3	392.0	386.3	384.2	379.9	380.4	375.3
373 291050.0	187	371.7	371.4	374.6	379.4	380.4	385.4	389.6	391.6	393.9	393.9	394.1	386.6	384.6	380.0	380.3	375.4
374 291050.0	180	371.4	370.9	374.1	378.4	380.0	385.1	389.4	391.3	393.7	393.7	393.7	386.5	384.4	379.4	379.7	375.0
375 01075.0	6	443.6	442.0	443.5	445.8	443.5	446.5	446.5	445.3	445.0	444.2	450.7	431.6	425.1	423.4	416.4	406.7
376 01075.0	5	432.6	432.0	434.9	439.0	439.3	442.9	446.5	447.3	449.6	450.6	458.2	437.8	436.4	430.2	424.6	415.9
377 01075.0	4	395.4	396.4	400.3	404.7	403.8	406.7	409.1	409.9	408.9	408.9	412.8	394.4	391.6	390.4	387.0	378.7
378 01075.0	2	430.0	430.4	434.4	438.0	435.7	439.9	439.6	439.0	431.9	431.0	439.8	412.9	410.2	411.2	406.3	397.6
379 01075.0	1	432.7	433.5	437.8	440.8	440.5	444.9	445.7	446.2	446.5	445.1	453.3	425.8	423.2	421.3	416.6	404.3
380 01075.0	2	422.6	423.7	427.2	429.6	431.4	435.6	437.8	436.9	437.7	437.7	446.3	419.9	418.6	411.9	407.3	399.6
381 01075.0	4	385.6	386.3	389.2	392.9	396.1	401.5	405.5	406.0	408.2	409.0	413.0	393.1	389.9	383.2	381.2	376.2
382 01075.0	4	368.7	368.6	373.1	377.8	376.9	381.2	384.4	387.9	391.1	392.8	401.1	383.5	382.8	384.6	382.5	377.3
383 01075.0	1	402.8	403.0	408.3	413.5	413.0	417.5	420.7	423.5	428.0	428.2	437.1	410.7	408.1	405.6	405.7	396.1
384 01075.0	1	405.1	407.2	411.8	416.4	418.9	424.0	428.2	428.0	428.8	429.8	438.7	413.3	411.5	407.3	403.7	395.8
385 01075.0	4	375.2	376.5	380.7	384.8	388.0	394.2	398.6	400.4	403.2	404.1	410.8	394.3	393.9	387.7	385.6	380.0
386 01075.0	3	433.2	435.3	438.7	443.2	445.1	448.4	451.3	453.1	453.8	453.7	461.4	428.9	426.1	426.7	422.8	413.4
387 01075.0	3	419.8	421.4	425.7	429.5	431.2	436.8	440.3	440.3	440.7	441.0	449.5	423.3	420.3	415.4	411.4	403.8
388 01075.0	5	415.0	415.1	417.5	420.6	422.0	426.8	430.3	432.8	435.1	437.2	443.6	425.8	424.5	420.1	418.1	410.7
389 01075.0	6	408.3	409.4	414.4	419.7	423.1	429.1	433.1	434.9	435.8	437.1	443.2	423.9	422.5	416.1	410.9	405.4
390 01113.0	0	455.9	457.2	461.0	464.9	465.2	468.6	469.5	470.3	468.9	468.3	477.0	449.8	446.8	445.8	442.6	434.4
391 01113.0	0	435.1	436.6	433.7	444.3	444.5	450.4	452.3	451.3	455.4	455.2	457.6	438.4	434.1	430.3	424.9	423.4
392 01113.0	0	442.5	443.2	446.7	451.4	453.6	458.2	461.8	461.6	462.7	461.6	468.5	443.3	440.7	435.1	432.2	427.0
393 01113.0	0	448.2	449.1	452.6	457.5	459.1	464.6	467.6	468.9	470.5	470.6	478.6	450.8	448.4	445.7	442.9	435.3
394 01113.0	0	446.2	445.6	449.6	454.4	455.4	459.1	461.4	461.6	463.1	463.0	470.9	444.6	442.5	443.2	440.0	433.2
395 01113.0	0	437.5	436.7	441.0	444.2	445.8	447.8	450.9	454.5	455.6	454.1	461.0	437.4	432.8	433.0	426.1	425.1
396 0 0.0	0	98.3	97.4	97.7	95.2	97.7	99.5	103.8	103.6	108.8	108.6	111.1	111.5	111.4	107.7	110.2	111.8
397 0 0.0	0	94.6	91.2	91.6	95.6	90.2	98.6	98.4	98.8	102.9	104.5	104.7	106.2	108.7	108.9	110.8	111.2
398 0 0.0	0	95.3	92.5	92.8	92.4	92.7	94.6	96.9	96.9	99.5	101.7	101.0	101.9	103.3	107.7	107.9	109.6
399 0 0.0	0	93.7	93.3	93.6	92.7	95.4	98.3	100.4	99.3	103.0	105.1	107.2	109.6	109.9	102.7	107.2	107.1
400 0 0.0	0	66.8	65.0	65.2	67.3	66.4	69.4	70.7	66.5	72.8	71.2	69.5	69.0	69.3	69.5	70.7	67.2
401 0 0.0	0	66.8	64.9	65.0	67.2	66.0	69.0	70.4	66.2	72.5	70.9	69.0	68.8	69.0	69.3	70.4	67.0
402 0 0.0	0	3861.0	3712.0	3546.0	3378.0	3273.0	3130.0	2962.0	2814.0	2655.0	2511.0	2404.0	2206.0	2092.0	2018.0	1906.0	1794.1
403 0 0.0	0	60.0	57.6	55.1	52.4	50.8	48.6	46.0	43.6	41.1	38.9	37.5	34.1	32.2	31.1	29.5	27.7
404 0 0.0	0	60.1	57.7	55.2	52.5	50.9	48.7	46.1	43.7	41.2	39.0	37.5	34.1	32.3	31.2	29.6	27.7
405 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407 4 389.5	0	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.3	2.1	2.0	1.9	1.7	1.6	1.6	1.5	1.4
408 5 389.5	0	3.1	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.7	1.6	1.6	1.5	1.4
409 6 389.1	0	3.1	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.7	1.6	1.5	1.5	1.4
410 7 399.4	0	3.6	3.5	3.2	3.2	3.1	2.9	2.8	2.6	2.5	2.3	2.2	2.0	1.9	1.8	1.7	1.6
411 8 389.6	0	3.3	3.2	3.0	2.9	2.8	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.7	1.6	1.5
412 9 369.9	0	2.7	2.6	2.5	2.3	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
413 10 489.8	0	6.6	6.4	6.1	5.8	5.6	5.3	5.0	4.8	4.5	4.3	4.1	3.7	3.5	3.4	3.2	3.0
414 11 389.5	0	3.1	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.7	1.6	1.6	1.5	1.4
415 12 489.5	0	6.8	6.5	6.2	5.9	5.7	5.5	5.2	4.9	4.6	4.3	4.2	3.8	3.6	3.5	3.3	3.1
416 4 990.0	0	24.6	23.6	22.6	21.5	20.8	19.9	18.9	17.9	16.9	16.0	15.3	13.9	13.2	12.7	12.1	11.4
417 5 989.5	0	24.5	23.5	22.5	21.4	20.7	19.8	18.8	17.8	16.8	15.9	15.3	13.9	13.2	12.7	12.0	11.3
418 61049.5	0	26.9	25.8	24.7	23.5	22.8	21.8	20.6	19.5	18.5	17.4	16.7	15.3	14.4	13.9	13.2	12.4
419 71049.5	0	26.9	25.8	24.7	23.5	22.8	21.8	20.6	19.5	18.4	17.4	16.8	15.2	14.4	13.9	13.2	12.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

40

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
420 8 989.3 0	24.6	23.6	22.6	21.5	20.8	19.9	18.8	17.8	16.9	15.9	15.3	13.9	13.2	12.7	12.1	11.3
421 9 988.8 0	24.6	23.6	22.6	21.5	20.8	19.9	18.8	17.9	16.8	15.9	15.3	13.9	13.2	12.7	12.0	11.3
422 101049.5 0	26.9	25.8	24.7	23.5	22.8	21.8	20.6	19.5	18.5	17.4	16.7	15.2	14.4	13.9	13.2	12.4
423 111049.7 0	26.8	25.8	24.6	23.5	22.7	21.7	20.5	19.5	18.4	17.4	16.7	15.2	14.4	13.9	13.2	12.4
424 121050.0 0	27.0	25.9	24.8	23.6	22.9	21.8	20.7	19.6	18.5	17.5	16.8	15.3	14.5	14.0	13.2	12.5
425 11047.1 0	29.8	28.6	27.4	26.1	25.3	24.2	22.9	21.7	20.5	19.3	18.6	16.9	16.0	15.5	14.6	13.8
426 21049.5 0	29.7	28.5	27.3	26.0	25.2	24.1	22.8	21.6	20.4	19.3	18.5	16.9	15.9	15.4	14.6	13.8
427 31049.5 0	29.8	28.6	27.3	26.0	25.2	24.1	22.8	21.6	20.4	19.3	18.6	16.9	16.0	15.5	14.6	13.7
428 13 989.7 0	32.4	31.1	29.7	28.3	27.4	26.2	24.8	23.5	22.2	21.0	20.2	18.4	17.4	16.8	15.9	15.0
429 141049.7 0	29.9	28.6	27.4	26.1	25.3	24.2	22.9	21.7	20.5	19.4	18.6	17.0	16.0	15.5	14.7	13.8
430 151049.6 0	29.9	28.7	27.4	26.1	25.3	24.2	22.9	21.7	20.5	19.3	18.6	16.9	16.0	15.5	14.6	13.8
431 161049.5 0	29.9	28.6	27.4	26.1	25.2	24.1	22.8	21.7	20.5	19.3	18.6	16.9	16.0	15.5	14.6	13.8
432 17 989.6 0	32.5	31.2	29.8	28.4	27.5	26.3	24.9	23.6	22.3	21.1	20.2	18.4	17.5	16.9	15.5	15.1
433 18 930.7 0	35.3	33.8	32.3	30.8	29.8	28.5	27.0	25.6	24.2	22.8	22.0	20.0	19.0	18.3	17.3	16.3
434 191049.2 0	29.9	28.7	27.4	26.1	25.3	24.2	22.9	21.7	20.5	19.4	18.6	16.9	16.1	15.5	14.6	13.8
435 1 388.6 0	42.3	200.0	19.0	11.8	9.9	7.8	6.2	4.0	4.8	4.2	3.7	3.6	3.2	3.4	3.0	17.9
436 2 388.5 0	56.8	54.4	52.1	49.6	48.1	46.0	43.6	41.2	39.0	36.9	35.5	32.2	30.5	29.5	27.8	26.3
437 3 389.2 0	56.8	54.4	52.1	49.6	48.1	46.0	43.5	41.3	39.0	36.8	35.4	32.2	30.4	29.5	27.9	26.3
438 13 389.0 0	56.9	54.5	52.2	49.7	48.2	46.1	43.6	41.4	39.1	36.9	35.5	32.3	30.5	29.6	27.9	26.3
439 14 489.4 0	53.1	50.9	48.7	46.4	45.0	43.0	40.7	38.6	36.4	34.5	33.2	30.1	28.5	27.6	26.1	24.5
440 15 489.1 0	53.0	50.8	48.6	46.3	44.9	42.9	40.6	38.5	36.4	34.3	33.1	30.1	28.4	27.6	25.9	24.5
441 16 419.1 0	55.7	53.4	51.1	48.7	47.2	45.2	42.8	40.6	38.3	36.2	34.8	31.6	30.0	29.0	27.4	25.8
442 17 388.9 0	57.0	54.7	52.3	49.8	48.3	46.2	43.7	41.4	39.1	36.9	35.6	32.3	30.6	29.7	28.0	26.4
443 18 389.6 0	57.1	54.7	52.4	49.9	48.3	46.2	43.8	41.5	39.2	37.0	35.6	32.4	30.7	29.7	28.0	26.4
444 19 395.0 0	56.4	54.1	51.8	49.3	47.8	45.7	43.3	41.0	38.8	36.6	35.2	32.1	30.3	29.3	27.8	26.1
445 1 348.6 0	58.2	55.8	53.4	50.9	49.3	47.1	44.6	42.3	39.9	37.7	36.3	33.0	31.3	30.3	28.6	26.9
446 2 359.0 0	57.7	55.4	53.0	50.5	48.9	46.8	44.3	42.0	39.6	37.5	36.1	32.8	31.0	30.0	28.4	26.8
447 3 294.5 0	59.5	57.1	54.6	52.0	50.4	48.2	45.6	43.2	40.9	38.6	37.2	33.7	31.9	31.0	29.2	27.5
448 4 294.4 0	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3
449 4 304.2 0	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4
450 4 348.9 0	2.0	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.4	1.3	1.2	1.1	1.1	1.0	1.0	0.9
451 4 379.6 0	2.8	2.7	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.5	1.5	1.4	1.3	1.2
452 5 370.0 0	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1
453 7 349.5 0	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	1.0
454 7 359.5 0	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.3	1.3	1.2	1.1	1.1
455 7 369.5 0	2.7	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2
456 7 379.5 0	3.0	2.8	2.7	2.6	2.5	2.4	2.2	2.1	2.0	1.9	1.8	1.6	1.5	1.5	1.4	1.3
457 7 409.1 0	4.0	3.8	3.6	3.5	3.3	3.2	3.0	2.8	2.7	2.5	2.4	2.2	2.1	2.0	1.9	1.8
458 8 295.1 0	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4
459 8 304.7 0	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.5
460 8 369.2 0	2.7	2.6	2.5	2.4	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
461 9 369.9 0	2.7	2.6	2.5	2.3	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
462 12 370.5 0	2.7	2.6	2.5	2.4	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
463 13 369.4 0	57.5	55.2	52.8	50.3	48.7	46.7	44.2	41.9	39.5	37.3	35.9	32.6	30.9	29.9	28.3	26.7
464 14 369.5 0	57.6	55.2	52.9	50.4	48.8	46.7	44.3	41.8	39.6	37.3	36.0	32.7	30.9	29.9	28.3	26.7
465 15 369.6 0	57.5	55.2	52.8	50.3	48.7	46.7	44.2	41.9	39.5	37.4	35.9	32.6	30.9	30.0	28.2	26.6
466 16 369.0 0	57.6	55.3	52.9	50.4	48.8	46.7	44.2	41.9	39.6	37.4	36.0	32.7	31.0	29.9	28.3	26.7
467 17 369.2 0	57.6	55.3	52.9	50.4	48.8	46.8	44.3	42.0	39.6	37.4	35.9	32.6	30.9	30.0	28.4	26.6
468 18 294.5 0	59.7	57.2	54.8	52.2	50.5	48.3	45.8	43.4	40.9	38.7	37.2	33.9	32.0	31.0	29.2	27.5
469 18 304.5 0	59.4	56.9	54.5	51.9	50.3	48.2	45.6	43.2	40.8	38.5	37.0	33.6	31.8	30.8	29.2	27.5
470 18 359.7 0	19.6	55.6	10.4	8.4	7.4	7.0	7.0	8.1	8.3	8.8	9.3	10.7	9.9	8.8	8.4	8.0
471 18 369.6 0	57.7	55.4	53.0	50.5	48.9	46.8	44.3	42.0	39.7	37.4	36.0	32.7	30.9	30.0	28.3	26.8
472 18 379.4 0	57.4	55.1	52.7	50.2	48.7	46.6	44.1	41.8	39.5	37.2	35.9	32.6	30.9	29.8	28.3	26.6
473 18 389.6 0	57.0	54.7	52.4	49.9	48.3	46.3	43.8	41.5	39.1	37.0	35.6	32.3	30.7	29.7	28.0	26.4
474 18 409.7 0	56.3	54.0	51.7	49.2	47.7	45.6	43.2	40.9	38.6	36.5	35.2	31.9	30.2	29.2	27.7	26.1

160

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

40

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
475 18 429.8	0	55.5	53.2	50.9	48.5	47.0	45.0	42.6	40.4	38.1	36.0	34.6	31.5	29.8	28.9	27.2	25.7
476 19 369.5	0	57.5	55.1	52.7	50.2	48.7	46.6	44.1	41.8	39.5	37.3	35.9	32.6	30.9	29.9	28.3	26.6
477 1 738.5	0	43.1	41.3	39.5	37.7	36.5	34.9	33.1	31.3	29.6	27.9	26.9	24.5	23.1	22.4	21.2	20.0
478 2 738.5	0	42.6	40.9	39.1	37.3	36.1	34.6	32.7	31.0	29.2	27.7	26.7	24.2	22.9	22.2	20.9	19.8
479 3 739.0	0	42.9	41.2	39.4	37.6	36.4	34.8	33.0	31.3	29.5	27.9	26.8	24.3	23.0	22.3	21.2	19.9
480 4 739.7	0	2.1	2.6	2.5	2.0	2.5	1.8	1.7	1.7	1.5	1.3	1.3	1.2	1.2	1.0	1.0	0.9
481 5 739.2	0	15.2	14.5	13.9	13.2	12.8	12.3	11.6	11.0	10.4	9.8	9.4	8.6	8.1	7.9	7.4	7.0
482 6 739.9	0	15.2	14.5	13.9	13.3	12.8	12.3	11.6	11.0	10.4	9.8	9.4	8.6	8.1	7.8	7.4	7.0
483 7 799.5	0	17.7	16.9	16.2	15.4	14.9	14.3	13.5	12.8	12.1	11.4	10.9	10.0	9.4	9.1	8.6	8.1
484 8 739.5	0	15.3	14.7	14.1	13.4	12.9	12.4	11.7	11.1	10.5	9.9	9.5	8.6	8.2	7.9	7.5	7.1
485 9 739.7	0	15.4	14.7	14.1	13.4	13.0	12.4	11.7	11.1	10.5	9.9	9.5	8.7	8.2	8.0	7.5	7.1
486 10 739.5	0	15.5	14.8	14.2	13.5	13.1	12.5	11.8	11.2	10.6	10.0	9.6	8.7	8.3	8.0	7.6	7.1
487 11 739.4	0	15.2	14.5	13.9	13.2	12.8	12.3	11.6	11.0	10.4	9.8	9.4	8.6	8.1	7.9	7.4	7.0
488 12 799.8	0	17.8	17.0	16.3	15.5	15.0	14.4	13.6	12.9	12.1	11.5	11.0	10.0	9.5	9.2	8.7	8.2
489 13 739.2	0	42.9	41.1	39.4	37.5	36.3	34.8	32.9	31.2	29.4	27.8	26.8	24.3	23.0	22.3	21.1	19.8
490 14 799.7	0	40.6	38.9	37.2	35.5	34.3	32.9	31.1	29.5	27.8	26.3	25.3	23.0	21.8	21.0	19.9	18.8
491 15 800.1	0	3.3	3.2	2.8	2.4	2.4	2.7	2.7	2.0	2.2	2.1	2.2	0.6	1.7	1.9	1.5	1.3
492 16 799.4	0	40.2	38.5	36.9	35.2	34.1	32.6	30.9	29.3	27.7	26.1	25.0	22.8	21.6	20.9	19.7	18.6
493 17 736.7	0	43.1	41.2	39.5	37.6	36.5	34.9	33.0	31.3	29.6	27.9	26.9	24.5	23.1	22.3	21.2	19.9
494 18 550.0	0	50.8	48.7	46.6	44.4	43.0	41.2	39.0	36.9	35.0	33.0	31.6	28.8	27.3	26.3	24.9	23.5
495 19 798.9	0	40.4	38.7	37.0	35.3	34.2	32.7	31.0	29.4	27.7	26.2	25.2	22.9	21.6	21.0	19.8	18.7
496 0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

DATUM

9. 5.80

40

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27
RAUMTEMPERATUR	30.2	27.8	26.9	25.8	23.6	29.5	25.7	31.5	29.3	28.6	27.0
DURCHSATZ (KG/S)	0.0262	0.0211	0.0171	0.0139	0.0112	0.0089	0.0071	0.0056	0.0046	0.0034	0.0025
EL. ENERGIE (KW)	44.4	37.2	30.7	26.6	22.9	20.2	17.3	14.6	12.9	11.2	8.2
WAERMEENERGIE (KW)	43.3	35.6	29.1	25.0	21.0	17.9	15.0	12.2	10.5	8.6	6.2
WAERMEBILANZ(0/0)	-2.5	-4.3	-5.4	-6.1	-8.3	-11.1	-13.4	-16.1	-18.6	-23.7	-24.7
REYNOLDSZAHL*E-04	0.534	0.429	0.345	0.278	0.221	0.173	0.138	0.107	0.087	0.063	0.046
DRUCKVERLUST (N/M**2)											
GES.X=1060.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
BIS X= 560.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
BIS X= 624.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
BIS X= 717.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
BIS X= 810.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
BIS X= 874.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
BIS X= 967.0(MM)	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
EINTR.DRUCK (BAR)	8.43	8.42	8.42	8.49	8.43	8.45	8.46	8.46	8.49	8.55	8.61
EINTR.TEMP. GRADC	111.3	111.5	113.1	115.5	116.7	118.3	115.6	114.5	113.3	113.6	113.3

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	236.5	229.9	223.7	221.1	218.1	219.7	211.7	207.3	201.1	196.6	190.9
2	1	348.1	330	239.4	236.2	233.5	234.3	234.1	236.8	230.4	224.7	218.1	213.6	206.4
3	1	388.1	150	309.3	302.0	294.0	290.4	287.3	291.8	289.5	284.7	280.5	279.7	270.4
4	1	388.1	330	311.7	306.6	300.9	299.3	296.8	303.0	303.1	294.7	287.5	283.9	272.8
5	1	487.7	255	394.1	421.4	424.9	423.6	416.7	414.8	404.3	392.6	384.1	378.5	364.6
6	1	487.7	120	415.5	435.4	433.6	429.4	421.0	417.8	406.8	395.3	387.7	383.2	368.8
7	1	738.0	150	503.6	525.6	522.4	525.0	521.9	525.4	523.6	518.3	517.2	520.3	514.9
8	1	738.0	330	537.6	546.7	539.0	538.8	533.8	536.2	533.9	529.3	527.8	528.3	519.4
9	1	795.4	120	552.1	578.7	575.5	574.4	568.3	569.5	564.5	556.7	555.2	559.4	554.5
10	1	795.4	255	567.3	586.5	580.0	577.2	570.8	572.0	567.6	561.0	559.4	562.0	554.5
11	1	987.0	150	628.5	642.8	636.3	638.3	642.7	654.5	657.3	655.8	661.0	675.0	675.4
12	1	987.0	330	653.9	663.3	654.9	652.9	653.3	661.0	661.7	658.4	659.8	667.7	664.4
13	1	1046.6	120	677.7	693.8	683.6	681.8	682.2	691.2	692.0	689.0	695.0	710.9	710.0
14	1	1046.6	255	675.8	692.1	682.7	680.4	680.6	688.9	691.5	689.0	692.4	703.7	703.6
15	2	358.5	0	237.9	234.2	232.3	235.2	237.7	248.3	247.2	240.9	234.6	230.3	220.8
16	2	388.0	0	333.0	326.8	317.4	313.5	308.5	312.1	308.6	301.8	296.7	293.3	278.5
17	2	388.0	210	329.1	320.5	309.3	304.2	299.2	302.1	297.4	292.2	288.9	288.4	274.7
18	2	398.0	0	345.6	347.0	339.5	335.5	329.8	332.4	327.4	319.3	313.8	310.1	293.6
19	2	488.1	30	410.9	443.6	445.5	440.9	431.1	427.2	414.7	400.0	391.2	386.2	370.6
20	2	488.1	165	396.3	440.9	446.4	441.6	431.8	428.0	415.4	400.2	390.5	383.5	365.6
21	2	738.0	0	523.8	542.4	536.4	535.1	532.4	539.5	536.2	527.0	525.0	527.6	520.1
22	2	738.0	210	524.2	542.9	536.9	535.5	533.4	540.2	536.7	527.5	525.2	528.3	520.3
23	2	797.8	30	577.6	595.6	587.5	580.7	574.1	578.6	575.3	566.6	565.0	568.8	560.4
24	2	797.8	165	563.8	597.7	591.0	584.5	577.4	580.7	574.6	563.3	561.0	566.7	560.4
25	2	987.2	0	645.0	651.3	642.7	642.5	644.6	655.9	659.4	656.5	659.1	670.3	668.1
26	2	987.2	210	638.2	645.4	637.0	639.0	643.1	655.4	657.7	653.9	659.4	676.9	679.1
27	2	1049.0	30	690.2	697.9	687.4	685.1	683.9	692.2	693.4	689.7	693.4	706.8	704.9
28	2	1049.0	165	671.8	688.8	679.3	680.4	681.8	691.5	692.0	687.8	694.3	715.4	717.8
29	3	294.0	30	237.2	231.6	225.2	221.3	214.6	216.5	208.9	202.2	196.4	193.0	184.2
30	3	303.7	330	265.3	259.7	252.9	248.9	240.8	241.4	232.6	224.1	217.0	212.4	201.2
31	3	388.7	15	320.7	315.5	309.9	310.5	308.0	313.7	305.0	300.7	296.3	294.9	279.5
32	3	388.7	255	322.9	314.3	305.1	301.8	296.7	302.2	298.3	293.0	292.2	293.0	278.2
33	3	488.5	60	434.7	450.6	445.2	441.3	431.4	428.4	415.3	400.6	395.2	393.3	375.5
34	3	488.5	150	429.1	450.8	446.7	442.7	432.6	430.1	417.1	401.1	395.4	392.4	373.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27	
35	3 738.5 15	554.2	568.2	559.8	556.6	550.5	555.2	551.9	542.0	539.0	540.2	525.9
36	3 738.5 255	535.0	558.6	553.5	551.5	546.5	552.4	550.5	540.3	537.6	540.5	526.4
37	3 798.5 60	601.0	613.0	600.3	593.6	585.8	590.1	586.6	576.2	573.7	575.4	560.8
38	3 798.5 150	574.1	605.2	598.0	592.7	584.6	589.1	585.9	575.0	573.2	577.2	563.9
39	3 988.5 15	672.3	677.0	670.0	670.7	669.3	676.8	678.9	673.2	673.5	679.8	669.8
40	3 988.5 255	656.1	665.9	659.6	663.2	663.4	672.3	675.4	671.8	674.7	684.9	676.4
41	31049.0 60	720.3	723.7	711.3	708.3	704.2	709.2	709.2	702.6	703.4	710.4	700.6
42	31049.0 150	698.8	712.4	703.7	705.2	702.8	708.2	708.7	703.8	706.5	717.6	709.5
43	4 293.9 300	218.9	211.8	206.2	203.6	200.5	200.9	194.2	188.9	182.5	179.1	171.7
44	4 303.7 300	249.6	241.9	235.4	232.1	227.7	226.7	218.6	211.3	203.8	199.4	189.4
45	4 339.0 300	229.2	221.7	220.6	219.8	216.8	218.9	210.9	203.4	196.0	193.3	186.5
46	4 348.4 300	242.5	235.8	231.8	233.0	233.8	238.4	233.9	226.9	219.2	215.2	205.6
47	4 375.1 300	275.0	175.8	211.9	291.8	198.6	293.4	291.2	218.5	208.0	215.4	226.8
48	4 389.0 45	316.5	307.7	297.1	293.2	288.3	289.7	287.1	283.6	280.5	279.8	266.2
49	4 389.0 210	309.0	302.8	293.7	290.4	285.5	287.1	284.4	280.4	277.3	277.3	264.3
50	4 408.8 300	108.3	107.9	111.1	116.9	121.5	115.8	109.1	110.8	110.8	108.6	108.1
51	4 418.6 300	357.2	362.2	354.6	351.7	344.9	344.2	336.6	327.1	322.4	319.5	302.7
52	4 428.7 300	366.8	375.4	368.2	365.4	358.0	356.7	348.2	337.6	332.6	329.1	311.9
53	4 739.2 45	507.1	527.9	522.4	523.1	518.6	523.6	521.2	513.7	512.8	518.7	508.4
54	4 739.2 210	495.7	518.3	514.9	515.9	513.5	520.8	515.1	510.8	509.7	515.4	506.0
55	4 989.5 45	627.8	639.8	630.7	631.9	635.1	647.2	650.7	648.5	655.1	670.5	667.7
56	4 989.5 210	619.1	636.0	630.0	634.3	635.8	647.4	651.4	648.0	652.6	666.7	665.1
57	5 369.5 195	232.3	226.0	220.5	220.6	220.4	227.5	229.7	231.6	228.4	228.9	220.8
58	5 369.5 300	236.1	229.6	225.0	225.5	225.9	233.0	234.9	235.7	231.1	230.5	221.2
59	5 389.0 30	307.7	299.9	290.0	285.9	281.8	284.4	281.2	277.1	271.9	270.2	255.1
60	5 389.0 150	305.9	299.3	289.3	284.9	280.3	282.9	279.2	275.3	271.1	269.9	255.6
61	5 549.0 195	381.5	456.8	463.7	456.9	443.9	437.5	421.7	403.3	392.5	386.1	367.7
62	5 549.0 300	374.1	447.7	456.5	450.9	439.0	432.9	417.5	399.2	388.4	382.6	364.6
63	5 738.7 30	471.4	507.3	508.1	509.1	505.0	510.7	507.9	499.0	496.5	503.5	495.8
64	5 738.7 150	481.7	514.8	512.5	512.6	508.1	514.0	510.7	500.9	497.9	504.2	496.1
65	5 809.2 120	499.5	562.4	566.6	564.6	556.1	558.9	552.1	539.2	537.4	547.7	542.1
66	5 819.0 180	495.0	*****	*****	*****	70.2	*****	120.6	76.0	*****	*****	*****
67	5 929.4 195	574.8	574.8	563.6	569.5	577.4	596.6	609.0	605.7	610.7	631.9	633.1
68	5 929.4 300	563.3	567.5	559.4	566.5	576.0	596.2	607.2	603.1	608.3	629.3	630.7
69	5 989.0 30	610.4	629.0	620.8	625.6	630.0	644.1	647.4	640.0	647.8	673.6	676.1
70	5 989.0 150	625.2	636.3	624.3	628.4	631.4	645.3	648.8	641.9	648.1	672.9	674.7
71	6 388.6 225	316.6	309.8	298.8	293.3	286.6	291.5	289.1	283.5	280.1	278.7	262.8
72	6 388.6 300	313.4	306.9	296.8	291.9	285.4	290.0	288.1	282.5	279.8	279.1	262.6
73	6 488.5 30	384.7	427.4	423.4	416.4	403.9	401.8	390.0	373.1	363.9	357.6	336.0
74	6 488.5 150	99.9	209.7	*****	86.8	160.3	335.0	110.1	320.2	*****	345.0	138.4
75	6 739.4 225	512.3	536.8	529.4	527.6	522.1	529.4	526.8	513.2	509.3	515.9	504.9
76	6 739.4 300	507.1	534.2	526.8	525.0	519.8	526.8	524.3	510.6	506.9	514.2	503.7
77	6 798.8 30	524.5	579.9	575.3	570.0	561.2	565.3	560.1	545.5	543.5	554.1	544.9
78	6 798.8 300	528.2	579.2	575.5	570.4	561.2	564.8	558.9	543.6	540.6	550.8	541.9
79	6 829.0 180	483.2	521.8	520.3	523.6	521.6	533.4	532.5	526.1	529.2	547.3	545.8
80	6 839.0 240	471.1	504.0	499.9	502.3	502.7	515.6	516.1	511.1	516.5	538.6	539.8
81	6 988.8 225	644.5	648.7	637.3	640.6	643.1	658.2	661.5	652.4	658.4	682.5	683.0
82	6 988.8 300	638.9	647.1	636.1	641.1	644.3	659.4	662.7	654.6	659.6	683.2	682.0
83	61049.0 30	667.6	691.7	681.2	683.9	682.5	693.4	694.6	687.5	694.6	720.2	718.6
84	61049.0 150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
85	7 339.0 150	238.6	233.7	229.1	228.6	221.7	225.6	220.6	212.8	206.0	202.8	193.5
86	7 349.0 150	243.7	240.3	237.6	242.3	239.6	247.4	242.8	233.2	225.6	221.3	210.0
87	7 359.0 150	232.6	228.4	225.1	228.7	230.6	246.2	249.2	243.3	236.3	233.5	222.5
88	7 369.0 165	247.9	242.1	236.0	235.7	232.9	245.8	251.1	248.5	244.9	244.1	233.2
89	7 369.0 330	247.9	242.4	237.1	237.3	233.7	245.5	249.2	247.0	243.6	243.5	233.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

40

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27	
90	7 379.0	150 290.3	281.5	271.9	268.8	262.3	270.9	273.3	269.9	266.1	264.6	250.7
91	7 398.9	150 332.5	329.4	319.7	316.2	307.8	312.3	310.1	303.4	300.0	298.2	280.8
92	7 408.6	150 345.5	345.8	336.0	332.4	323.4	326.8	323.1	314.6	310.8	308.6	290.3
93	7 489.4	165 413.9	438.6	431.9	426.9	414.6	413.0	402.4	386.8	378.9	375.0	355.2
94	7 489.4	330 406.2	432.8	428.0	423.5	411.4	409.9	399.2	384.0	376.4	373.5	354.6
95	7 799.0	165 550.0	580.4	573.6	571.1	562.6	568.3	564.8	554.2	554.0	561.8	548.9
96	7 799.0	330 541.8	574.1	569.0	567.9	561.5	569.5	566.0	555.1	554.2	562.7	549.6
97	71049.0	165 112.4	111.0	112.6	116.6	118.5	119.7	117.4	114.1	112.2	111.7	114.2
98	71049.0	330 667.6	688.6	680.7	685.4	683.4	692.7	694.3	688.0	692.7	712.6	705.4
99	8 294.6	210 243.0	234.9	226.8	223.0	217.0	217.9	211.0	204.9	198.2	195.1	185.2
100	8 304.2	270 265.7	257.7	248.4	243.7	236.4	236.1	228.3	220.8	213.4	209.8	197.8
101	8 368.7	135 243.8	236.9	230.8	230.8	230.0	237.7	239.3	239.3	237.1	239.5	229.3
102	8 368.7	255 260.8	254.6	248.8	250.1	249.0	255.6	255.4	251.2	245.7	244.9	232.2
103	8 389.1	30 305.5	298.8	290.0	288.2	283.9	287.7	284.2	278.2	276.8	280.5	265.8
104	8 389.1	300 307.8	302.4	295.2	295.7	252.7	296.7	292.8	284.9	281.4	282.8	267.1
105	8 549.0	135 432.9	467.7	465.5	460.8	448.4	445.0	431.9	416.6	410.0	409.1	390.1
106	8 549.0	255 462.4	479.4	469.9	463.3	449.8	445.6	433.5	419.8	414.8	414.5	395.1
107	8 739.0	30 498.3	526.3	522.6	524.1	519.3	525.9	524.5	516.2	514.6	519.6	505.1
108	8 739.0	300 565.9	572.9	569.0	578.9	583.5	602.5	612.1	610.8	616.6	631.7	622.3
109	8 929.0	135 515.3	536.1	529.4	528.5	523.3	528.5	526.6	518.3	516.8	521.0	506.3
110	8 929.0	255 565.0	576.4	575.5	586.6	590.3	607.2	615.2	612.5	615.4	626.3	615.7
111	8 988.8	30 628.5	638.4	629.5	634.0	635.1	647.2	652.6	648.7	652.1	665.6	656.8
112	8 988.8	300 636.5	644.5	635.1	637.8	637.0	648.3	653.5	649.7	651.6	662.5	652.8
113	9 369.4	105 240.9	233.5	227.2	227.1	225.2	233.5	235.9	240.5	237.9	239.0	227.4
114	9 369.4	180 108.7	104.0	100.8	99.3	98.8	102.3	101.1	103.8	102.2	102.2	100.8
115	9 389.0	30 317.3	309.3	297.2	292.4	285.4	287.8	284.7	283.2	280.3	279.5	261.4
116	9 389.0	270 318.9	309.7	297.5	291.6	284.6	288.3	286.6	284.4	280.4	279.3	260.5
117	9 549.0	105 396.6	463.3	467.0	460.3	444.8	439.1	424.2	405.6	395.9	388.1	365.8
118	9 549.0	180 389.9	457.8	462.6	456.3	441.3	436.3	421.7	403.2	391.7	386.6	364.4
119	9 739.2	30 496.2	521.6	513.9	512.4	508.1	515.8	513.0	501.1	496.7	503.9	490.2
120	9 739.2	270 496.9	522.3	513.9	513.1	508.5	515.6	513.5	501.6	497.0	504.2	490.6
121	9 909.0	60 548.1	543.8	531.3	537.9	546.9	572.5	588.9	585.8	590.8	612.6	608.8
122	9 919.0	120 564.0	559.3	545.8	551.7	558.9	582.1	597.3	593.7	598.7	621.1	616.8
123	9 929.0	105 576.5	572.7	558.4	563.6	570.1	591.2	604.6	600.3	604.8	627.7	623.4
124	9 929.0	180 573.9	570.1	556.3	562.5	569.4	591.5	605.5	601.5	605.5	627.7	623.4
125	9 988.8	30 630.4	634.8	620.3	624.4	626.2	640.6	645.5	637.4	642.0	667.0	663.7
126	9 988.8	270 627.3	631.5	618.0	622.5	623.8	639.6	645.5	638.6	643.8	668.1	664.4
127	10 489.3	90 377.9	427.1	424.7	419.8	407.5	407.0	394.6	378.1	366.6	359.4	335.3
128	10 489.3	300 386.7	430.2	424.8	419.1	407.5	406.5	394.0	377.8	366.2	358.9	334.7
129	10 549.0	60 381.7	462.4	470.1	464.5	449.8	446.3	431.1	411.5	399.2	393.8	371.2
130	10 549.0	210 376.1	459.3	469.9	464.9	449.8	445.8	430.6	410.8	398.5	393.0	370.0
131	10 739.0	180 473.2	512.7	514.6	515.6	510.2	519.1	515.1	503.1	499.7	507.0	492.3
132	10 739.0	330 485.3	518.3	516.0	517.3	511.6	519.8	515.8	504.3	500.8	507.9	492.8
133	10 799.0	90 503.1	561.9	568.5	567.6	558.4	563.1	555.6	541.1	538.8	550.1	536.7
134	10 799.0	300 501.7	559.3	562.4	561.8	552.8	556.8	545.1	535.2	532.7	543.5	529.9
135	10 929.0	60 574.1	572.0	560.3	568.1	572.9	597.3	610.0	604.2	610.0	632.9	627.0
136	10 929.0	210 567.6	570.5	558.4	564.6	569.2	593.8	607.6	602.6	607.8	631.0	624.6
137	10 989.0	180 619.1	630.4	617.3	621.3	622.4	639.9	643.6	636.2	642.9	669.8	665.3
138	10 989.0	330 624.8	630.8	616.5	621.1	622.7	638.9	642.2	634.6	641.0	668.1	663.9
139	101049.0	90 663.8	682.8	669.0	670.3	666.7	679.5	678.7	671.1	680.0	710.7	706.9
140	101049.0	300 653.9	676.0	661.0	663.2	660.8	672.8	671.6	664.2	672.3	703.2	699.9
141	11 389.0	60 313.2	305.7	293.7	288.1	279.8	287.0	285.7	283.5	277.6	275.2	255.1
142	11 389.0	315 308.9	302.4	291.1	286.4	277.8	284.1	281.7	279.7	275.2	274.1	255.5
143	11 489.0	150 350.4	409.4	413.3	410.6	398.4	399.3	387.0	370.7	359.7	352.0	326.7
144	11 489.0	270 349.9	409.1	414.1	412.1	399.1	399.6	387.3	370.9	360.2	352.7	327.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27	
145	11 738.9	60 475.7	510.6	507.4	509.1	502.4	513.3	510.7	500.2	497.4	505.3	490.6
146	11 738.9	315 480.1	515.7	513.2	514.5	507.6	517.0	513.5	502.2	499.4	506.7	491.1
147	11 799.6	150 495.0	556.0	559.4	560.8	551.4	558.0	551.9	538.7	537.1	549.1	535.3
148	11 799.6	270 502.7	564.0	568.5	567.6	556.8	562.2	554.7	540.8	538.8	550.1	535.5
149	11 849.3	240 437.8	473.7	501.8	520.8	521.2	537.6	539.7	534.0	539.7	561.3	556.1
150	11 859.8	300 438.4	450.5	459.9	486.9	502.4	532.0	551.9	548.3	554.2	576.1	570.2
151	11 989.3	60 619.6	635.1	625.7	629.3	629.3	646.2	649.0	641.9	647.4	674.0	667.9
152	11 989.3	315 625.9	637.0	627.6	631.4	631.1	647.9	651.4	644.0	650.2	677.3	671.2
153	111049.2	150 650.4	680.9	671.6	672.4	668.6	682.4	682.2	674.6	682.6	712.8	706.4
154	111049.2	270 657.9	682.8	673.3	674.7	671.1	683.8	684.1	676.7	685.7	716.6	710.2
155	12 359.9	30 252.3	248.7	244.1	245.1	243.8	256.2	250.2	243.4	236.4	233.2	219.6
156	12 370.0	15 255.7	251.2	245.8	246.0	243.1	258.6	256.8	251.8	246.0	244.5	230.7
157	12 370.0	240 987.1	478.5	832.5	418.2	453.4	461.9	393.7	410.6	448.5	358.7	371.6
158	12 379.2	90 294.9	288.6	281.3	279.1	272.0	283.8	282.1	274.4	267.8	265.3	248.9
159	12 489.0	90 431.2	446.3	436.6	432.7	420.0	419.2	406.4	392.1	384.3	381.8	359.8
160	12 489.0	270 397.4	430.6	426.2	424.1	412.4	412.9	400.8	386.6	378.6	375.5	353.0
161	12 548.9	15 456.4	483.9	475.3	469.8	454.8	453.8	441.3	426.3	419.1	418.0	395.8
162	12 548.9	240 429.8	473.0	472.4	469.6	455.8	454.3	440.9	425.2	417.1	415.1	392.4
163	12 799.3	90 566.6	583.0	569.9	567.2	557.5	563.1	561.3	554.6	555.9	562.3	546.1
164	12 799.3	270 546.5	575.5	566.4	566.0	556.8	562.4	558.2	549.5	550.0	558.5	544.0
165	12 929.3	15 550.0	568.7	569.4	580.7	584.9	603.2	610.2	607.3	612.3	626.3	615.0
166	12 928.4	240 561.2	572.7	567.6	575.4	579.3	599.6	607.2	605.2	611.8	628.9	618.5
167	121049.5	90 677.5	684.7	671.1	668.6	665.5	677.7	680.2	676.5	680.0	693.7	682.5
168	121049.5	270 656.5	674.4	663.6	665.3	663.1	677.3	679.6	675.5	680.7	700.6	690.8
169	13 338.8	60 204.3	198.5	195.1	193.9	189.3	194.2	190.0	185.8	181.6	179.4	172.0
170	13 349.0	60 218.7	213.9	212.1	215.2	212.3	218.3	214.7	209.5	204.3	201.4	191.2
171	13 368.9	90 229.3	221.6	215.3	213.9	211.8	222.1	228.3	226.1	226.1	226.7	215.9
172	13 368.9	240 238.7	232.2	226.4	226.2	224.3	233.5	236.4	235.1	231.1	229.6	217.1
173	13 388.5	45 305.6	298.2	287.7	283.0	275.9	280.2	278.0	276.3	274.5	274.1	256.5
174	13 388.5	270 303.1	297.5	289.1	286.2	280.1	284.7	282.6	279.0	275.9	274.0	255.8
175	13 549.0	90 396.6	452.1	461.0	456.9	443.2	440.4	427.4	413.0	404.7	401.8	378.4
176	13 549.0	240 427.7	460.2	459.4	455.2	442.4	439.8	427.9	416.1	410.1	409.4	386.9
177	13 738.7	45 486.6	518.8	515.6	516.3	509.7	518.4	515.8	505.9	506.5	515.4	498.3
178	13 738.7	270 493.8	521.1	516.0	515.9	508.8	517.7	515.1	506.9	508.3	516.6	499.9
179	13 929.3	90 569.7	569.8	560.5	567.4	571.3	591.7	601.3	601.2	609.7	631.2	619.2
180	13 929.3	240 565.7	574.8	569.0	574.7	577.6	597.1	605.5	604.2	610.9	627.0	614.3
181	13 989.2	45 623.3	630.8	620.1	623.9	624.1	639.2	642.7	640.2	648.1	670.5	658.7
182	13 989.2	270 623.8	634.4	624.5	626.3	624.3	637.7	642.0	640.5	646.9	664.1	652.1
183	14 369.0	30 229.0	222.1	216.2	214.7	211.8	223.1	225.5	230.0	228.8	229.8	217.7
184	14 369.0	270 236.1	229.3	223.5	222.2	219.2	231.4	234.4	237.1	234.2	233.4	219.5
185	14 488.9	75 374.6	417.5	417.3	412.0	397.5	397.6	385.2	371.2	361.3	354.2	327.6
186	14 488.9	180 384.2	424.7	420.7	413.8	398.7	398.5	386.3	371.9	361.7	354.0	327.2
187	14 548.8	30 383.6	453.8	465.9	460.6	443.6	440.5	424.8	406.7	395.4	390.1	364.8
188	14 548.8	270 398.7	464.0	469.8	462.3	444.7	441.0	425.3	407.1	395.9	390.2	364.5
189	14 799.2	75 520.5	566.1	564.5	562.0	551.6	557.3	549.1	537.3	536.2	548.4	531.6
190	14 799.2	180 524.2	565.9	561.5	558.5	549.0	554.2	547.5	537.5	537.1	549.1	532.7
191	14 890.2	0 522.1	522.3	512.5	520.3	529.4	558.2	580.2	581.6	588.0	610.7	599.0
192	14 899.8	60 528.9	533.1	523.3	530.6	538.5	566.7	585.9	587.0	594.0	617.8	606.5
193	14 929.5	30 568.7	573.6	561.9	568.1	573.2	596.4	607.4	606.4	612.6	637.1	625.6
194	14 929.5	270 577.2	579.0	567.1	572.8	578.1	601.3	612.6	609.7	614.4	637.6	625.8
195	141049.2	75 651.6	680.4	667.1	668.4	664.3	678.2	677.5	673.4	682.9	714.0	702.3
196	141049.2	180 659.1	682.8	668.5	668.6	664.6	678.0	678.5	675.3	684.5	715.0	702.3
197	15 369.1	150 235.8	231.3	226.5	225.4	222.2	234.8	236.1	237.8	232.9	233.1	213.5
198	15 369.1	270 230.0	224.6	219.1	217.6	214.7	227.8	230.0	233.7	229.7	231.0	218.0
199	15 488.6	60 373.7	422.5	424.9	418.0	403.3	404.1	391.5	376.4	365.7	358.8	331.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

40

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27	
200	15 488.6 345	368.8	418.7	421.9	415.7	401.2	402.0	389.7	374.8	364.5	357.8	330.3
201	15 549.6 150	390.7	461.7	468.6	459.9	442.6	441.2	425.9	409.2	398.3	394.5	368.9
202	15 549.6 270	390.5	463.9	476.5	468.6	450.6	448.3	432.1	414.0	402.3	397.1	370.7
203	15 799.6 60	504.3	553.2	556.1	556.2	546.2	554.0	547.2	537.5	536.4	549.1	532.7
204	15 799.6 345	503.4	553.2	557.5	557.3	547.2	553.8	546.8	537.1	535.7	547.7	531.3
205	15 869.0 0	457.3	463.1	461.8	477.6	492.7	528.3	556.6	558.9	565.9	589.2	579.8
206	15 879.0 300	208.0	141.5	212.0	*****	*****	*****	*****	*****	*****	*****	*****
207	15 929.2 150	576.9	575.0	564.0	570.4	575.7	601.3	613.5	613.0	618.4	642.0	630.3
208	15 929.2 270	573.6	574.8	563.8	569.0	574.5	599.9	610.2	609.9	615.6	640.6	629.6
209	151049.1 60	658.9	675.3	662.9	665.3	662.4	676.6	676.6	673.2	683.1	714.2	704.7
210	151049.1 345	658.4	679.5	666.4	667.4	664.1	678.0	676.8	673.0	682.9	714.5	704.7
211	16 368.5 150	244.5	239.6	234.0	232.5	228.1	238.0	238.2	237.2	232.3	231.9	219.5
212	16 368.5 285	229.8	224.5	218.5	217.1	214.0	225.1	227.8	229.9	226.5	228.8	217.7
213	16 418.6 210	337.7	355.0	351.9	347.6	337.4	340.0	332.4	322.3	316.8	315.8	294.4
214	16 428.5 210	346.9	367.9	366.0	361.9	351.6	353.8	344.8	333.5	327.3	325.4	303.1
215	16 488.5 120	409.7	440.8	439.2	434.4	420.8	419.0	405.2	390.9	383.1	379.8	355.5
216	16 488.5 330	369.1	420.7	427.0	423.7	410.5	409.9	396.7	382.2	374.1	369.7	345.0
217	16 548.6 150	440.0	477.0	479.5	474.6	459.7	456.6	441.9	426.6	418.4	416.2	392.9
218	16 548.6 285	397.7	461.0	477.2	473.5	458.4	456.3	440.8	423.5	413.6	409.9	385.4
219	16 798.9 120	555.4	582.7	573.6	570.4	560.8	568.3	566.0	556.0	556.6	564.1	546.8
220	16 798.9 330	522.4	564.7	563.1	564.1	555.8	562.9	557.1	548.1	548.4	558.0	541.9
221	16 929.0 150	559.4	575.5	571.1	576.8	580.0	599.2	607.2	607.8	613.5	629.6	616.8
222	16 929.0 285	569.7	572.2	564.5	571.4	575.7	596.6	604.8	605.7	613.5	635.2	623.7
223	161049.0 120	656.5	676.5	665.3	663.9	661.0	673.7	676.1	674.4	680.0	697.5	687.0
224	161049.0 330	656.8	672.7	660.8	662.3	660.1	673.3	673.7	670.4	678.9	705.2	696.1
225	17 368.7 30	232.6	226.4	220.3	218.5	215.2	225.6	228.3	232.0	229.6	229.6	218.7
226	17 368.7 210	246.3	242.4	237.1	235.7	232.6	244.3	243.8	239.5	234.3	232.3	219.9
227	17 388.4 0	300.5	295.4	286.4	282.6	275.1	280.4	278.8	276.5	273.8	273.7	257.4
228	17 388.4 135	303.7	298.5	290.6	287.9	281.0	287.3	287.1	282.0	276.4	274.4	258.0
229	17 418.8 150	328.9	340.8	339.1	339.4	332.0	335.8	330.2	322.1	315.9	313.9	295.2
230	17 428.8 210	340.1	354.4	353.1	354.2	346.8	350.4	342.6	333.6	327.3	325.3	305.5
231	17 549.0 30	394.6	443.8	462.1	460.5	448.2	446.5	432.0	419.2	411.8	410.4	387.4
232	17 549.0 210	449.3	474.0	471.6	465.5	451.3	448.8	436.0	423.9	418.4	418.1	395.4
233	17 739.2 0	484.1	518.3	515.3	518.0	513.9	520.1	518.2	513.9	514.9	521.5	503.0
234	17 739.2 135	489.5	517.9	514.4	516.8	511.8	518.2	516.8	513.4	514.9	520.6	502.5
235	17 928.9 30	554.2	568.9	565.2	573.5	579.3	599.9	608.3	609.7	617.0	635.0	620.6
236	17 928.9 210	556.3	573.6	572.5	580.5	587.9	604.1	608.6	607.8	612.8	625.1	611.2
237	17 989.1 0	609.9	633.7	625.7	628.9	627.8	642.5	646.2	645.4	652.1	670.5	656.1
238	17 989.1 135	606.2	629.7	624.5	629.3	629.5	642.9	646.7	645.2	650.2	664.4	650.7
239	18 294.0 0	202.6	199.0	194.9	191.1	184.4	189.2	184.5	180.2	173.8	170.1	160.9
240	18 304.0 0	226.3	222.9	218.5	214.4	206.8	210.4	204.5	198.5	191.3	186.8	175.2
241	18 359.2 0	209.1	203.5	198.7	199.3	199.3	214.8	217.3	217.8	212.6	212.8	202.5
242	18 369.1 90	227.5	222.5	216.8	215.0	210.8	220.8	222.4	223.8	221.1	223.3	212.9
243	18 369.1 285	227.9	221.8	215.7	213.4	209.8	220.9	224.1	225.9	222.4	223.7	213.0
244	18 378.9 0	269.7	260.8	250.4	244.7	237.1	244.1	244.3	245.3	242.4	244.2	230.6
245	18 389.1 90	295.1	292.0	282.9	282.9	270.2	270.2	272.7	270.5	266.6	268.0	251.3
246	18 389.1 285	300.2	294.0	283.9	278.4	269.9	275.8	274.0	272.0	268.7	269.4	251.9
247	18 409.2 0	332.5	337.2	327.6	320.9	310.6	314.0	308.7	301.5	297.2	297.4	276.7
248	18 429.3 0	347.8	362.6	355.4	348.8	337.9	340.6	333.3	323.3	317.8	316.8	294.3
249	18 549.5 90	398.3	453.2	459.4	453.6	438.9	437.1	424.9	411.1	403.6	404.4	382.1
250	18 549.5 285	405.7	451.8	457.5	452.7	438.8	437.4	425.1	411.1	403.8	404.3	381.3
251	18 930.2 90	561.7	576.4	572.0	579.3	565.1	604.6	614.2	615.1	621.7	641.1	624.6
252	18 930.2 285	570.4	580.4	571.8	576.1	582.1	603.9	613.5	613.9	620.6	640.1	623.9
253	19 369.0 180	255.4	251.8	246.4	245.9	242.6	252.9	252.9	249.6	243.7	243.5	228.3
254	19 369.0 270	240.5	236.6	230.9	229.7	226.2	237.4	239.5	240.2	237.0	239.8	226.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27			
255	19	398.5	90	326.0	327.3	320.5	318.9	312.4	317.2	311.2	303.9	303.2	302.1	280.3
256	19	408.4	150	345.2	349.6	342.6	341.4	335.4	339.6	331.3	321.1	316.0	316.8	293.3
257	19	488.5	15	402.0	433.7	429.6	425.4	413.7	413.8	400.8	385.5	379.1	379.7	355.3
258	19	488.5	135	425.1	445.0	437.5	432.5	420.0	417.9	404.3	389.3	382.7	383.9	360.0
259	19	548.8	180	452.9	491.2	487.3	479.2	462.9	459.5	444.5	428.1	420.9	422.9	397.9
260	19	548.8	270	474.7	496.7	486.7	477.4	460.8	456.5	442.7	427.9	422.2	425.1	400.9
261	19	798.4	15	550.2	581.8	575.5	573.2	565.0	570.4	566.7	559.3	559.6	568.8	547.5
262	19	798.4	135	565.4	586.5	575.1	570.2	561.5	566.2	562.4	555.8	557.0	564.8	544.7
263	19	928.5	180	570.4	583.0	582.3	590.3	595.1	612.6	621.3	619.5	622.9	635.0	616.8
264	19	928.5	270	575.0	581.6	576.2	583.6	589.6	609.7	621.3	621.4	626.4	641.6	622.5
265	191048.7	15	30.6	28.2	27.3	26.2	24.0	29.9	30.2	32.0	29.7	29.0	27.4	
266	191048.7	135	671.3	683.5	672.5	671.2	668.3	677.7	680.5	678.6	682.6	695.6	679.9	
267	21	370.0	150	123.0	123.1	124.8	127.3	128.5	138.4	142.6	148.0	150.1	155.5	159.4
268	21	370.0	144	122.6	122.9	124.7	127.2	128.4	138.5	142.5	148.0	149.9	155.3	159.1
269	21	370.0	126	122.4	122.8	124.8	127.7	129.0	139.1	143.1	148.3	150.2	155.4	159.1
270	21	370.0	120	123.3	123.7	125.7	128.6	129.7	139.7	143.8	149.1	151.0	156.2	160.0
271	21	370.0	30	121.4	121.4	123.5	127.2	129.5	139.0	142.6	147.9	149.9	155.4	159.7
272	21	370.0	26	121.4	121.4	123.6	127.6	129.9	139.4	143.0	148.1	150.2	155.7	159.5
273	21	370.0	7	121.2	121.3	123.6	128.0	130.7	139.9	143.4	148.3	150.2	155.6	159.6
274	21	370.0	0	121.6	121.5	123.7	127.9	130.5	139.6	143.1	148.2	150.2	155.6	159.7
275	21	370.0	210	123.7	123.0	124.4	126.9	128.3	137.9	141.8	147.3	149.6	155.2	159.2
276	21	370.0	206	123.6	123.1	124.6	127.0	128.3	138.1	142.0	147.5	149.7	155.3	159.2
277	21	370.0	187	123.4	123.2	124.8	127.4	128.5	138.3	142.3	147.7	149.8	155.2	159.0
278	21	370.0	180	122.8	122.7	124.4	127.0	128.1	138.0	142.0	147.4	149.4	154.9	158.7
279	22	390.0	30	124.9	124.9	127.2	131.2	133.7	143.6	147.8	153.4	156.3	163.1	168.6
280	22	390.0	26	126.2	126.3	128.6	132.8	135.6	145.3	149.3	155.0	157.7	164.6	170.1
281	22	390.0	7	126.7	126.8	129.2	133.8	136.7	146.1	149.9	155.2	157.8	164.6	170.1
282	22	390.0	0	126.6	126.7	129.0	133.3	136.4	145.8	149.5	155.0	157.7	164.5	170.0
283	22	390.0	330	126.4	126.2	128.2	132.1	135.3	145.1	148.8	154.4	157.4	164.5	170.1
284	22	390.0	324	126.5	126.3	128.3	132.1	135.3	145.0	148.7	154.4	157.4	164.6	170.3
285	22	390.0	306	126.7	126.4	128.3	132.2	135.6	145.1	148.8	154.4	157.2	164.3	169.8
286	22	390.0	300	127.0	126.6	128.5	132.3	135.6	145.1	149.0	154.6	157.4	164.4	169.9
287	22	390.0	210	128.5	127.8	129.3	132.1	133.7	143.9	149.1	154.1	157.2	164.2	169.6
288	22	390.0	206	128.5	128.0	129.6	132.1	133.6	143.8	148.2	154.2	157.2	164.1	169.6
289	22	390.0	187	128.2	127.9	129.6	132.2	133.6	143.9	148.2	154.1	156.9	163.8	169.2
290	22	390.0	180	129.7	129.4	131.1	133.8	135.2	145.5	149.9	155.7	158.5	165.3	170.7
291	23	490.0	180	155.5	154.7	156.5	160.5	165.0	178.7	188.0	199.6	209.5	224.8	235.1
292	23	490.0	173	155.5	154.8	156.8	160.7	165.1	178.7	188.0	199.6	209.4	224.6	234.9
293	23	490.0	156	155.0	154.5	156.6	160.4	164.7	178.3	187.5	199.0	208.6	223.7	234.1
294	23	490.0	150	154.7	154.4	156.5	160.2	164.4	178.0	187.1	198.4	207.8	222.7	233.3
295	23	490.0	60	152.5	152.6	155.3	160.3	165.1	178.8	187.7	198.7	208.3	223.6	234.4
296	23	490.0	54	152.3	152.6	155.4	160.5	165.4	178.9	187.8	198.9	208.4	223.8	234.6
297	23	490.0	34	152.0	152.2	155.0	160.1	165.3	178.8	187.9	199.0	208.5	223.7	234.4
298	23	490.0	30	152.1	152.1	154.9	160.1	165.5	179.0	188.0	199.2	208.8	223.7	234.4
299	23	490.0	0	152.5	152.3	155.1	160.6	166.5	180.0	188.9	200.4	210.3	225.6	236.1
300	23	490.0	353	152.5	152.3	155.0	160.5	166.6	179.9	188.8	200.2	210.2	225.7	236.1
301	23	490.0	336	152.0	151.8	154.4	159.8	166.0	179.8	188.8	200.2	210.1	225.3	235.6
302	23	490.0	330	152.6	152.2	154.7	159.9	166.2	180.0	189.0	200.3	210.1	225.1	235.4
303	24	550.0	180	176.7	175.1	177.5	183.4	191.4	208.6	221.1	235.3	247.6	264.8	275.1
304	24	550.0	173	176.6	175.3	177.9	183.8	191.6	208.6	221.3	235.5	247.7	264.9	275.3
305	24	550.0	156	175.9	175.1	177.8	183.4	191.1	208.0	220.5	234.5	246.7	264.0	274.7
306	24	550.0	150	175.8	175.0	177.7	183.1	190.6	207.4	219.8	233.7	245.7	262.9	273.8
307	24	550.0	0	173.2	172.5	176.0	183.3	193.0	210.1	222.8	237.4	249.6	266.7	276.9
308	24	550.0	353	173.4	172.7	176.0	183.3	193.1	210.1	222.8	237.5	250.0	267.1	277.2
309	24	550.0	336	172.9	172.2	175.5	182.9	193.0	210.3	223.0	237.3	249.4	266.2	276.3

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.		17	18	19	20	21	22	23	24	25	26	27		
310	24	550.0	330	173.5	172.7	176.0	183.1	193.2	210.4	222.8	236.7	248.8	265.5	275.7
311	24	550.0	240	175.9	174.3	176.8	182.8	191.5	208.6	221.3	235.8	248.3	265.5	275.8
312	24	550.0	234	175.9	174.3	176.6	182.3	190.8	207.8	220.5	235.2	247.7	265.1	275.3
313	24	550.0	216	176.6	174.8	177.0	182.7	191.0	208.1	220.6	234.9	247.3	264.5	274.9
314	24	550.0	210	176.9	175.1	177.5	183.1	191.3	208.2	220.6	234.7	247.0	263.9	274.4
315	25	740.0	150	253.8	257.1	263.9	272.5	285.5	307.8	325.0	342.4	358.0	377.9	390.5
316	25	740.0	144	253.4	257.1	264.1	272.8	286.0	308.5	325.8	343.3	358.9	379.1	391.6
317	25	740.0	126	252.5	256.6	263.8	272.7	285.9	308.7	326.1	343.5	359.1	379.2	391.5
318	25	740.0	120	252.4	256.2	263.2	272.1	285.5	308.3	325.7	343.3	358.9	378.9	391.3
319	25	740.0	30	252.3	255.7	263.2	274.3	289.7	312.3	330.0	346.9	361.9	380.5	392.0
320	25	740.0	26	253.2	256.8	264.3	275.6	291.3	314.0	331.6	348.6	363.5	382.1	393.2
321	25	740.0	7	254.1	257.9	265.2	276.5	292.1	314.7	332.3	349.4	364.4	383.1	393.8
322	25	740.0	0	254.4	257.9	265.0	276.0	291.7	314.2	331.9	349.2	364.2	382.8	393.6
323	25	740.0	210	254.5	256.8	263.0	271.4	284.1	306.3	323.9	341.7	357.4	377.0	389.7
324	25	740.0	206	255.4	257.9	264.2	272.6	285.4	307.7	325.6	343.3	359.0	378.6	390.9
325	25	740.0	187	255.9	258.9	265.4	274.0	286.6	309.0	326.9	344.4	360.0	379.8	391.9
326	25	740.0	180	255.5	258.8	265.4	274.1	286.7	309.2	327.0	344.5	360.1	379.9	391.9
327	26	800.0	30	274.7	278.8	288.0	301.6	320.5	345.9	365.7	383.4	399.1	418.3	429.3
328	26	800.0	26	275.9	280.2	289.6	303.5	322.7	348.2	367.9	385.6	401.2	420.3	430.9
329	26	800.0	7	276.4	280.7	290.0	303.9	322.9	348.4	368.2	386.2	401.9	421.2	431.5
330	26	800.0	0	275.8	280.0	289.0	302.6	321.7	347.0	366.9	385.1	400.9	420.0	430.4
331	26	800.0	330	275.3	278.9	287.7	300.5	319.4	344.4	364.1	382.4	398.0	416.8	428.0
332	26	800.0	324	275.3	279.1	287.9	301.1	320.0	345.2	364.9	383.3	398.9	417.8	428.7
333	26	800.0	306	275.3	279.3	288.0	301.3	320.0	345.0	364.7	382.2	398.7	418.2	429.1
334	26	800.0	300	275.0	279.1	287.8	301.1	319.7	344.7	364.5	382.9	398.3	417.9	429.0
335	26	800.0	210	276.0	278.9	286.9	297.2	313.3	338.5	359.4	378.9	395.7	416.1	428.4
336	26	800.0	206	276.3	279.5	287.4	297.9	313.9	339.4	360.4	379.9	396.8	417.1	429.1
337	26	800.0	187	277.2	280.8	289.0	299.7	315.4	341.2	362.1	381.3	398.3	418.7	430.4
338	26	800.0	180	277.2	281.2	289.6	300.4	316.2	342.1	362.8	381.9	398.8	419.2	430.8
339	27	930.0	180	335.8	343.0	353.8	365.5	382.3	408.4	428.7	447.4	463.9	484.6	497.1
340	27	930.0	173	334.8	342.7	353.6	365.3	382.2	408.4	428.4	446.9	463.4	484.2	496.8
341	27	930.0	156	333.8	341.3	352.1	363.7	380.8	407.0	427.0	445.7	462.3	483.0	495.8
342	27	930.0	150	332.6	340.0	350.9	362.4	379.8	406.1	426.1	445.0	461.5	482.1	495.1
343	27	930.0	60	333.6	342.0	353.6	368.2	386.4	411.9	431.3	448.7	464.5	484.5	496.3
344	27	930.0	54	334.3	343.0	354.6	369.6	387.9	413.4	432.5	449.5	465.1	485.1	496.8
345	27	930.0	34	336.1	343.7	354.9	369.6	388.1	413.6	432.5	449.3	464.6	484.7	496.6
346	27	930.0	30	335.8	342.9	354.0	368.5	387.2	412.3	431.2	448.2	463.4	483.3	495.4
347	27	930.0	0	338.6	346.0	357.0	371.8	390.4	415.0	433.6	450.6	465.9	485.9	497.4
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349	27	930.0	336	337.4	344.5	355.4	369.9	388.4	412.7	431.1	448.3	463.5	483.6	495.8
350	27	930.0	330	335.8	342.7	353.7	367.8	386.1	410.5	429.0	446.4	461.5	481.3	494.0
351	28	990.0	180	357.0	364.3	374.9	387.0	405.7	434.0	457.2	477.7	494.8	516.3	529.9
352	28	990.0	173	356.7	364.5	375.3	387.4	406.2	434.6	457.5	478.1	495.3	517.1	530.4
353	28	990.0	156	356.2	363.8	374.7	386.6	405.5	433.8	456.4	477.0	494.4	515.6	529.2
354	28	990.0	150	355.3	362.9	373.9	385.7	404.8	433.0	455.3	476.0	493.4	514.5	528.3
355	28	990.0	0	361.1	368.6	379.7	395.1	415.2	441.6	462.2	480.8	496.5	517.1	529.5
356	28	990.0	353	360.7	368.2	379.2	394.5	414.6	440.8	461.2	479.9	495.8	516.8	529.2
357	28	990.0	336	359.8	366.9	378.0	393.0	413.1	438.9	459.2	478.0	493.9	514.5	527.8
358	28	990.0	330	358.2	365.1	376.3	390.9	410.8	436.7	457.2	476.0	491.7	512.4	526.2
359	28	990.0	240	356.7	363.5	374.3	387.2	406.3	433.7	456.1	476.3	493.4	515.4	529.2
360	28	990.0	234	356.3	363.0	373.5	386.3	405.3	432.8	455.1	475.6	492.9	514.9	528.5
361	28	990.0	216	356.4	362.5	373.2	385.6	404.5	432.0	454.3	474.8	492.0	513.5	527.6
362	28	990.0	210	356.4	362.5	373.0	385.1	403.8	431.3	453.9	474.5	491.5	512.8	527.1
363	29	1050.0	150	374.3	382.1	393.8	406.2	426.9	456.6	480.3	501.1	518.6	540.9	554.3
364	29	1050.0	144	374.7	382.9	394.9	407.8	428.9	458.9	482.3	502.9	520.5	542.6	555.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRO)GRAD C

VERSUCH NR.		17	18	19	20	21	22	23	24	25	26	27	
365	291050.0	126	375.0	384.1	395.9	409.1	430.2	460.2	483.7	504.3	521.7	544.0	557.1
366	291050.0	120	374.8	383.8	395.2	408.2	429.2	459.3	482.9	503.3	520.7	543.3	556.4
367	291050.0	30	378.9	386.7	398.7	414.4	435.3	462.5	483.7	501.6	517.5	539.3	552.2
368	291050.0	26	380.2	388.3	400.3	416.3	437.5	464.6	485.7	503.6	519.6	541.4	553.8
369	291050.0	7	381.2	389.6	401.5	417.6	438.9	465.5	486.8	505.0	521.0	543.0	555.2
370	291050.0	0	380.8	389.0	400.9	416.9	438.2	464.9	485.8	504.0	520.0	542.3	554.7
371	291050.0	210	374.2	380.3	391.5	404.3	424.6	453.7	477.7	498.5	516.3	539.1	553.1
372	291050.0	206	375.5	382.0	393.0	405.8	426.3	455.9	480.3	501.1	518.6	541.6	555.2
373	291050.0	187	375.8	383.1	394.1	406.9	427.3	457.7	482.5	503.1	521.0	544.2	557.3
374	291050.0	180	375.6	383.2	394.5	407.1	427.5	457.8	482.3	503.1	520.7	543.7	556.9
375	01075.0	6	405.8	419.9	436.8	465.5	488.5	518.9	540.9	558.1	573.9	595.3	603.7
376	01075.0	5	416.0	434.2	446.9	476.4	500.6	532.9	556.1	570.8	584.4	606.0	606.7
377	01075.0	4	377.8	388.5	399.5	426.7	452.1	485.1	513.5	531.4	547.9	588.9	608.6
378	01075.0	2	392.1	383.7	383.8	402.0	421.6	447.4	467.9	485.0	523.1	589.7	596.7
379	01075.0	1	394.6	388.5	385.0	408.0	427.2	452.2	469.1	487.2	519.1	591.3	597.6
380	01075.0	2	395.8	391.8	390.6	411.0	429.6	463.2	479.5	500.2	532.4	607.7	617.1
381	01075.0	4	377.8	390.5	404.5	436.7	459.1	495.1	519.1	539.9	567.3	603.4	614.7
382	01075.0	4	378.1	385.7	396.6	414.3	436.7	475.0	503.2	522.3	554.5	597.8	607.5
383	01075.0	1	390.2	385.0	376.4	391.6	408.6	438.2	450.4	465.9	501.5	570.7	584.7
384	01075.0	1	392.8	384.9	384.3	402.2	419.6	450.2	468.1	487.9	526.8	596.2	605.1
385	01075.0	4	379.4	390.6	397.4	414.3	430.7	468.0	496.5	520.7	549.8	597.8	610.3
386	01075.0	3	407.5	399.0	397.7	415.9	429.7	460.3	485.1	511.5	548.1	611.2	615.4
387	01075.0	3	398.7	397.5	401.7	426.5	444.0	476.9	500.4	524.0	554.7	614.0	621.6
388	01075.0	5	411.4	435.3	450.7	466.7	490.1	530.4	556.6	574.5	589.6	615.2	616.4
389	01075.0	6	404.3	428.5	451.3	469.6	488.0	525.9	545.8	568.2	592.4	614.7	614.5
390	01113.0	0	431.4	436.0	439.2	463.3	482.8	512.1	526.8	541.3	565.0	616.6	612.8
391	01113.0	0	424.1	435.7	443.6	465.4	475.0	497.9	510.0	524.2	546.0	586.1	585.9
392	01113.0	0	428.0	435.0	439.1	455.8	475.9	503.9	519.6	528.4	545.1	579.8	582.1
393	01113.0	0	434.9	440.8	443.8	461.6	477.6	510.5	531.8	546.4	569.0	603.0	600.8
394	01113.0	0	430.9	436.8	439.2	460.8	476.9	502.5	518.9	538.9	561.0	596.7	595.7
395	01113.0	0	425.3	433.7	439.2	459.9	474.3	501.6	511.9	528.6	548.6	587.5	588.5
396	0 0.0	0	113.2	114.2	115.6	115.7	113.1	120.3	118.2	118.9	116.7	118.5	117.0
397	0 0.0	0	111.3	113.1	113.2	112.8	113.5	117.2	117.8	114.2	113.6	115.6	113.8
398	0 0.0	0	110.7	109.6	112.9	112.9	117.3	113.6	113.6	112.4	118.7	117.7	112.6
399	0 0.0	0	109.6	114.6	114.4	115.9	112.4	120.1	114.1	117.5	110.2	113.1	112.0
400	0 0.0	0	67.8	65.7	64.4	65.7	61.2	66.3	66.3	67.4	64.6	63.7	61.9
401	0 0.0	0	67.6	65.4	64.2	65.6	61.1	66.2	66.2	67.3	64.5	63.6	61.8
402	0 0.0	0	1692.6	1546.9	1406.5	1304.6	1209.8	1137.9	1050.6	969.5	908.2	844.9	726.8
403	0 0.0	0	26.2	24.1	21.8	20.4	18.9	17.7	16.5	15.0	14.2	15.3	11.3
404	0 0.0	0	26.3	24.2	21.9	20.4	18.9	17.8	16.5	15.2	14.2	13.3	11.3
405	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407	4 389.5	0	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.7	0.7	0.7	0.6
408	5 389.5	0	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.7	0.7	0.6	0.5
409	6 389.1	0	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.7	0.7	0.6	0.5
410	7 395.4	0	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.8	0.6
411	8 389.6	0	1.4	1.3	1.1	1.1	1.0	0.9	0.9	0.8	0.7	0.7	0.6
412	9 369.9	0	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.5
413	10 489.8	0	2.9	2.6	2.4	2.2	2.0	1.9	1.8	1.6	1.5	1.4	1.2
414	11 389.5	0	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.7	0.7	0.6	0.5
415	12 489.5	0	2.9	2.7	2.4	2.2	2.1	1.9	1.8	1.6	1.5	1.4	1.2
416	4 990.0	0	10.7	9.9	9.0	8.4	7.8	7.3	6.7	6.2	5.8	5.4	4.6
417	5 989.5	0	10.7	9.8	9.0	8.3	7.7	7.2	6.7	6.1	5.8	5.4	4.6
418	61049.5	0	11.8	10.8	9.8	9.1	8.5	8.0	7.3	6.7	6.4	6.0	5.0
419	71049.5	0	11.7	10.8	9.8	9.1	8.5	7.9	7.3	6.7	6.4	6.0	5.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27	
420	8 989.3	0 10.7	9.9	8.9	8.3	7.7	7.2	6.7	6.1	5.8	5.4	4.6
421	9 988.8	0 10.7	9.8	9.0	8.4	7.7	7.3	6.7	6.2	5.8	5.4	4.6
422	101049.5	0 11.8	10.8	9.8	9.1	8.5	7.9	7.3	6.7	6.4	6.0	5.0
423	111049.7	0 11.7	10.8	9.8	9.1	8.5	8.0	7.3	6.7	6.3	5.9	5.0
424	121050.0	0 11.8	10.9	9.8	9.1	8.5	8.0	7.4	6.7	6.4	5.9	5.0
425	11047.1	0 13.0	12.0	10.9	10.1	9.4	8.8	8.2	7.5	7.1	6.6	5.6
426	21049.5	0 13.0	12.0	10.9	10.1	9.4	8.8	8.1	7.5	7.0	6.6	5.6
427	31049.5	0 13.0	12.0	10.9	10.1	9.4	8.8	8.2	7.5	7.1	6.6	5.6
428	13 989.7	0 14.1	13.0	11.8	11.0	10.2	9.6	8.9	8.2	7.7	7.2	6.1
429	141049.7	0 13.1	12.0	10.9	10.1	9.4	8.8	8.2	7.5	7.1	6.6	5.6
430	151049.6	0 13.1	12.0	10.9	10.2	9.4	8.8	8.2	7.5	7.1	6.7	5.6
431	161049.5	0 13.0	12.0	10.9	10.1	9.4	8.8	8.2	7.5	7.1	6.6	5.7
432	17 989.6	0 14.2	13.1	11.9	11.1	10.2	9.6	8.9	8.2	7.7	7.3	6.2
433	18 930.7	0 15.4	14.1	12.9	12.0	11.1	10.4	9.7	8.9	8.4	7.9	6.6
434	191049.2	0 13.0	12.0	10.9	10.1	9.4	8.8	8.2	7.5	7.1	6.6	5.7
435	1 388.6	0 17.0	15.7	14.1	13.2	12.3	11.5	10.6	9.7	9.3	8.7	7.3
436	2 388.5	0 24.8	22.8	20.8	19.3	17.9	16.8	15.6	14.3	13.4	12.6	10.8
437	3 389.2	0 24.8	22.8	20.7	19.3	18.0	16.8	15.6	14.4	13.5	12.6	10.7
438	13 389.0	0 24.8	22.9	20.8	19.4	18.0	16.8	15.6	14.4	13.4	12.6	10.7
439	14 489.4	0 23.2	21.3	19.4	18.0	16.7	15.7	14.6	13.3	12.6	11.9	10.1
440	15 489.1	0 23.1	21.3	19.3	18.0	16.7	15.7	14.6	13.4	12.6	11.8	10.0
441	16 419.1	0 24.4	22.4	20.4	18.9	17.6	16.5	15.4	14.0	13.2	12.4	10.5
442	17 388.9	0 24.9	22.9	20.8	19.3	18.0	16.9	15.6	14.4	13.5	12.7	10.8
443	18 389.6	0 24.9	23.0	20.8	19.4	18.0	16.9	15.7	14.3	13.6	12.6	10.7
444	19 399.0	0 24.7	22.7	20.6	19.2	17.8	16.7	15.5	14.3	13.3	12.5	10.7
445	1 348.6	0 25.4	23.4	21.2	19.8	18.4	17.2	16.0	14.6	13.8	12.9	11.0
446	2 359.0	0 25.3	23.2	21.0	19.6	18.3	17.1	15.8	14.5	13.6	12.8	10.9
447	3 294.5	0 26.0	23.9	21.7	20.2	18.7	17.6	16.3	15.0	14.1	13.2	11.2
448	4 294.4	0 0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
449	4 304.2	0 0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2
450	4 348.9	0 0.8	0.8	0.7	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.4
451	4 379.6	0 1.2	1.1	1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.5
452	5 370.0	0 1.0	1.0	0.9	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.4
453	7 349.5	0 0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.5	0.5	0.4	0.4
454	7 359.5	0 1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4
455	7 369.5	0 1.1	1.0	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.6	0.5
456	7 379.5	0 1.2	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.5
457	7 409.1	0 1.7	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.7
458	8 295.1	0 0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
459	8 304.7	0 0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2
460	8 369.2	0 1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.5
461	9 369.9	0 1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.5
462	12 370.5	0 1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.5
463	13 369.4	0 25.1	23.1	21.0	19.5	18.1	17.1	15.8	14.5	13.7	12.8	10.9
464	14 369.5	0 25.1	23.1	21.0	19.6	18.2	17.0	15.8	14.5	13.6	12.8	10.8
465	15 369.6	0 25.1	23.1	21.0	19.5	18.1	17.1	15.8	14.5	13.7	12.8	10.9
466	16 369.0	0 25.2	23.2	21.0	19.6	18.2	17.1	15.8	14.5	13.7	12.8	10.9
467	17 369.2	0 25.2	23.2	21.1	19.6	18.2	17.0	15.9	14.5	13.6	12.8	10.9
468	18 294.5	0 26.0	23.9	21.7	20.2	18.8	17.6	16.3	15.0	14.1	13.2	11.2
469	18 304.5	0 25.9	23.8	21.7	20.2	18.6	17.5	16.3	15.0	14.1	13.2	11.2
470	18 359.7	0 7.4	6.0	5.5	5.2	4.5	17.2	16.0	14.6	13.7	13.0	10.9
471	18 369.6	0 25.2	23.2	21.1	19.6	18.2	17.1	15.8	14.5	13.6	12.8	10.9
472	18 379.4	0 25.1	23.1	20.9	19.5	18.2	17.0	15.7	14.4	13.6	12.8	10.8
473	18 389.6	0 25.0	22.9	20.9	19.3	18.1	16.9	15.7	14.4	13.5	12.7	10.8
474	18 409.7	0 24.6	22.6	20.5	19.1	17.7	16.6	15.6	14.2	13.3	12.5	10.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

40

VERSUCH NR.	17	18	19	20	21	22	23	24	25	26	27	
475 18 429.8	0	24.3	22.3	20.3	18.8	17.6	16.4	15.2	14.0	13.2	12.5	10.5
476 19 369.5	0	25.1	23.1	21.0	19.5	18.1	17.0	15.8	14.4	13.6	12.8	10.8
477 1 738.5	0	18.8	17.3	15.7	14.6	13.6	12.8	11.8	10.9	10.2	9.6	8.1
478 2 738.5	0	18.6	17.1	15.5	14.5	13.5	12.6	11.7	10.7	10.1	9.5	8.0
479 3 739.0	0	18.7	17.3	15.7	14.6	13.6	12.7	11.8	10.9	10.2	9.6	8.1
480 4 739.7	0	0.9	12.3	11.8	11.2	10.6	10.1	9.5	8.8	8.3	7.8	6.7
481 5 739.2	0	6.6	6.1	5.5	5.1	4.8	4.5	4.1	3.8	3.5	3.3	2.8
482 6 739.9	0	6.6	6.1	5.5	5.1	4.7	4.4	4.1	3.8	3.5	3.3	2.8
483 7 799.5	0	7.7	7.1	6.4	6.0	5.5	5.2	4.8	4.4	4.1	3.9	3.2
484 8 739.5	0	6.7	6.1	5.6	5.1	4.8	4.5	4.1	3.8	3.6	3.3	2.8
485 9 739.7	0	6.7	6.1	5.6	5.2	4.8	4.5	4.2	3.8	3.6	3.3	2.8
486 10 739.5	0	6.7	6.2	5.6	5.2	4.8	4.5	4.2	3.8	3.6	3.4	2.8
487 11 739.4	0	6.6	6.1	5.5	5.1	4.8	4.4	4.1	3.8	3.5	3.3	2.8
488 12 799.8	0	7.7	7.1	6.4	6.0	5.6	5.2	4.8	4.4	4.1	3.9	3.3
489 13 739.2	0	18.7	17.2	15.7	14.6	13.5	12.7	11.8	10.8	10.2	9.6	8.1
490 14 799.7	0	17.7	16.3	14.8	13.7	12.8	12.0	11.1	10.2	9.6	9.0	7.7
491 15 800.1	0	17.5	16.0	14.4	13.5	12.4	11.6	11.0	9.9	9.9	8.9	7.6
492 16 799.4	0	17.6	16.1	14.7	13.7	12.7	11.9	11.0	10.1	9.5	9.0	7.6
493 17 739.7	0	18.8	17.3	15.7	14.6	13.6	12.8	11.9	10.8	10.2	9.6	8.1
494 18 550.0	0	22.2	20.4	18.6	17.3	16.1	15.0	13.9	12.8	12.0	11.4	9.6
495 19 798.9	0	17.6	16.2	14.7	13.7	12.7	12.0	11.1	10.2	9.6	9.0	7.6
496 0 0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

DATUM 10. 6.80

50

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	29.6	28.3	31.4	26.5	31.2	28.6	31.9	28.7	28.7	30.3	26.0	30.1	21.7	18.4	25.3	18.0
DURCHSATZ (KG/S)	0.0275	0.0245	0.0212	0.0193	0.0172	0.0155	0.0140	0.0127	0.0113	0.0101	0.0092	0.0082	0.0075	0.0067	0.0059	0.0053
EL. ENERGIE (KW)	48.8	43.2	38.5	35.0	32.9	30.5	28.2	24.5	23.1	21.0	19.6	18.5	17.6	14.7	14.5	14.0
WAERMEENERGIE (KW)	47.5	41.6	36.5	33.2	31.0	28.7	26.5	23.6	21.7	19.8	18.1	16.9	15.7	13.5	12.6	12.0
WAERMEBILANZ(0/0)	-2.7	-3.7	-5.1	-5.3	-5.6	-5.8	-6.1	-3.7	-6.3	-5.8	-7.5	-8.6	-10.7	-7.9	-12.7	-14.1
REYNOLDSZAHL*E-04	0.568	0.506	0.436	0.397	0.351	0.315	0.281	0.253	0.222	0.198	0.179	0.159	0.146	0.133	0.114	0.103
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	2051.	1624.	1260.	1092.	918.	781.	664.	574.	474.	425.	355.	310.	269.	232.	195.	175.
BIS X= 560.0(MM)	552.	447.	351.	306.	259.	226.	198.	169.	147.	130.	115.	104.	96.	86.	78.	70.
BIS X= 624.0(MM)	883.	704.	556.	477.	405.	351.	307.	262.	226.	201.	180.	160.	145.	127.	115.	108.
BIS X= 717.0(MM)	1065.	859.	669.	582.	492.	427.	369.	310.	268.	241.	210.	188.	167.	148.	129.	119.
BIS X= 810.0(MM)	1242.	1005.	780.	675.	574.	498.	430.	367.	315.	280.	248.	218.	191.	170.	156.	139.
BIS X= 874.0(MM)	1638.	1312.	1021.	876.	745.	642.	553.	474.	403.	360.	313.	278.	248.	215.	190.	175.
BIS X= 967.0(MM)	1864.	1498.	1169.	1008.	859.	741.	639.	552.	471.	415.	367.	317.	290.	255.	225.	200.
EINTR.DRUCK (BAR)	7.54	7.53	7.53	7.54	7.53	7.53	7.55	7.58	7.58	7.61	7.62	7.63	7.63	7.63	7.61	7.61
EINTR.TEMP. GRADC	93.8	96.5	98.7	96.8	99.1	97.5	98.1	112.4	113.4	114.7	116.7	114.7	110.9	105.7	115.0	104.7

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	225.0	220.1	218.9	213.4	216.1	212.6	213.6	212.7	213.4	214.3	209.8	213.2	201.7	190.5	199.8	194.2
2	1	348.1	330	231.2	228.2	228.4	223.9	227.6	225.4	226.9	226.6	229.1	230.1	225.5	229.9	219.1	206.1	216.0	210.8
3	1	388.1	150	299.7	296.1	293.1	287.0	288.7	285.9	285.7	279.4	281.2	281.1	277.5	284.1	275.9	260.4	275.0	272.7
4	1	388.1	330	303.4	299.8	297.7	293.0	296.1	294.3	294.9	289.2	291.6	290.9	287.8	296.8	289.9	271.5	283.6	279.4
5	1	487.7	255	380.8	395.9	412.0	417.0	425.0	425.4	425.3	409.5	411.4	407.1	400.1	403.4	390.3	363.1	378.0	375.7
6	1	487.7	120	401.0	415.0	426.1	427.7	433.1	431.9	430.7	414.0	415.4	410.3	402.7	405.4	392.2	365.7	380.9	378.9
7	1	738.0	150	326.0	119.0	*****	*****	143.0	*****	*****	*****	*****	*****	*****	*****	*****	484.7	505.1	508.6
8	1	738.0	330	527.9	538.5	540.2	536.7	541.4	541.6	543.3	527.4	531.2	529.0	524.7	530.5	521.7	499.1	518.9	521.7
9	1	795.4	120	540.1	559.6	571.8	573.0	579.1	579.5	579.6	561.2	564.7	561.3	555.6	561.9	552.1	525.1	544.2	547.2
10	1	795.4	255	558.3	572.9	580.2	579.3	584.2	584.0	584.0	566.1	569.4	566.2	560.8	566.1	556.6	531.7	551.0	553.8
11	1	987.0	150	618.6	632.1	637.7	637.1	642.7	644.3	647.2	633.4	642.8	644.1	643.4	653.6	646.7	620.1	644.4	650.7
12	1	987.0	330	647.3	657.2	660.1	658.3	662.7	663.2	664.4	652.2	657.9	658.5	655.1	663.1	655.6	632.8	652.6	656.1
13	1	1046.6	120	668.4	683.6	688.8	686.6	691.0	691.0	691.5	675.1	682.3	681.7	679.6	689.0	681.8	653.9	678.5	684.8
14	1	1046.6	255	667.0	683.8	689.5	687.3	691.0	691.0	692.0	679.9	685.7	685.5	682.7	691.1	684.2	660.1	682.0	686.7
15	2	358.5	0	227.8	223.9	223.6	219.3	223.5	222.0	225.0	228.8	233.8	237.8	234.5	244.9	237.1	222.2	233.4	227.8
16	2	388.0	0	327.4	321.8	317.7	311.1	312.9	309.6	309.0	312.4	313.1	314.4	313.6	305.9	297.1	277.9	292.7	289.3
17	2	388.0	210	323.0	318.0	312.0	304.5	305.2	300.5	299.7	294.3	295.9	294.8	288.1	294.0	284.5	267.2	283.6	282.1
18	2	398.0	0	338.1	337.3	337.5	332.8	335.5	332.9	332.7	326.0	327.4	325.4	319.3	325.0	315.3	294.4	309.2	306.0
19	2	488.1	30	400.9	416.2	433.4	438.8	446.5	445.6	443.9	429.3	429.9	424.0	414.8	416.2	401.7	371.5	386.5	383.5
20	2	488.1	165	385.3	406.6	431.0	439.7	448.0	447.1	445.7	429.4	430.2	424.2	415.2	416.9	402.4	371.8	386.8	383.6
21	2	738.0	0	513.1	525.2	531.5	530.6	535.8	535.7	536.3	522.1	527.9	526.7	523.3	530.0	520.3	490.9	511.7	514.7
22	2	738.0	210	513.4	525.9	532.5	531.8	536.5	536.9	537.0	523.2	529.1	527.8	524.5	531.0	521.0	491.4	512.4	515.1
23	2	797.8	30	571.4	580.7	588.2	587.3	590.6	589.4	588.3	571.9	575.0	572.1	567.5	573.6	564.0	536.1	556.1	558.7
24	2	797.8	165	551.3	570.4	587.0	589.9	594.3	592.7	590.4	572.9	576.4	572.1	567.1	571.9	561.0	529.3	549.8	552.6
25	2	987.2	0	639.7	645.2	645.0	642.3	646.9	649.1	651.0	640.0	648.2	649.8	648.8	657.4	651.2	626.9	648.9	653.5
26	2	987.2	210	631.0	638.7	638.0	635.0	640.6	642.7	644.4	632.7	643.1	644.6	644.3	652.5	644.6	615.4	641.1	648.1
27	2	1049.0	30	687.5	693.1	692.4	689.2	693.4	693.9	695.3	682.5	688.5	687.9	685.5	692.1	684.9	659.1	681.6	686.7
28	2	1049.0	165	663.7	676.8	679.6	677.2	682.4	684.6	686.2	673.2	681.8	681.2	679.3	686.6	678.2	646.9	673.3	681.4
29	3	294.0	30	225.5	220.9	219.1	212.6	214.7	211.2	212.9	216.6	216.1	215.1	208.2	211.4	200.3	186.6	194.5	186.7
30	3	303.7	330	255.6	250.3	248.4	242.4	244.6	241.4	242.7	243.4	242.7	240.9	233.6	236.3	224.3	208.4	216.6	208.8
31	3	388.7	15	315.5	310.3	307.2	301.3	304.9	304.3	307.1	306.6	309.7	309.6	304.9	310.1	299.5	279.7	292.5	287.5
32	3	388.7	255	315.4	309.2	304.5	297.2	299.2	297.0	298.0	296.2	298.0	297.5	293.1	298.7	288.7	270.6	284.6	281.2
33	3	488.5	60	431.1	439.1	444.7	442.3	447.1	446.1	446.0	433.3	433.9	427.9	419.5	420.2	405.3	375.3	389.2	385.9
34	3	488.5	150	422.1	433.2	443.3	442.8	448.3	447.5	447.1	434.4	435.0	429.3	421.0	422.0	406.8	375.9	389.3	385.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
35	3 738.5	15 551.5	559.1	562.9	559.2	563.2	563.4	563.9	550.9	554.4	552.4	547.9	552.5	542.3	516.0	533.7	534.1	
36	3 738.5	255 524.8	539.0	550.0	549.6	555.2	556.4	557.3	544.5	548.5	547.0	543.2	549.0	539.5	510.8	529.9	531.0	
37	3 798.5	60 599.5	605.7	608.8	603.2	605.5	603.9	602.5	588.1	590.9	588.5	583.7	587.6	577.6	551.8	569.5	570.2	
38	3 798.5	150 565.6	581.8	597.8	597.8	601.8	601.5	600.7	585.5	588.1	585.4	580.7	585.1	575.1	546.2	565.5	567.1	
39	3 988.5	15 670.6	672.5	671.6	668.9	674.7	678.2	680.6	672.5	676.0	674.7	672.3	678.8	671.8	648.5	668.4	670.4	
40	3 988.5	255 651.0	657.9	660.3	658.3	665.1	669.5	672.6	662.8	668.5	667.9	666.0	673.2	666.2	639.4	662.3	667.2	
41	31049.0	60 723.4	723.7	721.3	716.2	719.9	721.1	722.3	710.5	712.9	710.9	706.8	712.6	704.3	679.9	699.5	702.0	
42	31049.0	150 697.6	705.6	708.9	706.4	711.5	714.9	716.8	705.2	709.1	706.3	703.0	709.3	700.4	672.3	695.2	700.3	
43	4 293.9	300 205.9	201.9	200.4	193.8	196.2	192.2	193.4	192.3	192.2	192.6	187.8	190.9	180.4	169.9	180.4	173.8	
44	4 303.7	300 237.5	232.8	230.7	224.0	226.4	222.4	223.0	219.9	219.5	218.8	213.3	216.1	204.8	191.7	202.4	195.6	
45	4 339.0	300 218.4	214.8	214.7	210.0	213.6	210.4	211.8	213.3	212.9	213.7	208.5	212.3	200.2	190.2	201.1	193.9	
46	4 348.4	300 230.6	227.2	226.1	220.5	223.7	221.7	223.7	224.2	226.6	228.2	224.5	229.5	219.1	205.8	218.3	212.0	
47	4 375.1	300 *****	*****	*****	*****	*****	*****	*****	341.0	434.3	406.0	409.9	394.8	454.8	361.2	414.2	373.7	
48	4 389.0	45 308.7	303.3	299.1	291.1	292.5	288.3	287.7	280.5	281.0	279.7	275.2	279.4	270.2	255.7	273.1	271.8	
49	4 389.0	210 301.3	297.3	294.3	286.9	288.8	285.2	285.4	279.0	279.5	278.0	273.4	277.1	267.2	252.2	269.5	267.7	
50	4 408.8	300 88.6	89.5	93.6	93.1	94.3	94.2	94.5	109.3	108.0	109.4	114.4	114.2	112.2	118.5	115.2	114.6	
51	4 418.6	300 346.2	349.7	352.7	348.1	351.7	349.7	349.0	337.2	337.7	334.4	329.5	331.9	320.2	298.7	315.0	312.9	
52	4 428.7	300 355.4	361.4	366.2	362.6	366.7	364.5	364.1	351.2	351.4	347.9	342.4	344.3	331.9	309.2	325.3	323.0	
53	4 735.2	45 495.9	509.0	519.6	518.0	524.1	525.7	526.2	510.6	513.6	511.2	509.0	514.6	505.7	479.5	501.6	504.8	
54	4 739.2	210 482.4	497.4	510.0	509.1	515.4	517.5	519.6	505.4	509.2	507.9	506.7	513.4	504.1	477.3	499.2	502.2	
55	4 989.5	45 622.1	631.4	635.6	631.9	636.8	639.9	641.6	626.8	634.1	635.2	635.6	644.2	637.0	610.9	636.9	644.1	
56	4 989.5	210 611.3	622.7	630.0	629.5	635.4	639.9	643.2	630.4	636.2	637.1	637.2	645.2	638.0	612.8	639.2	645.5	
57	5 369.5	195 221.8	217.0	215.5	209.6	213.4	210.4	212.0	213.4	215.0	218.4	216.2	223.6	214.8	207.5	225.2	222.2	
58	5 369.5	300 224.0	219.1	217.5	211.9	215.7	213.1	214.5	216.3	218.7	222.3	220.6	228.2	219.3	212.2	229.2	225.4	
59	5 389.0	30 296.6	291.5	287.9	280.6	283.0	279.4	278.9	274.7	274.8	274.4	270.4	275.2	264.8	251.4	268.8	265.5	
60	5 389.0	150 297.2	292.2	289.2	282.3	284.3	280.7	280.7	275.9	275.6	275.6	271.7	276.2	264.9	249.9	267.0	263.9	
61	5 549.0	195 365.3	400.3	451.5	464.5	471.8	469.2	464.4	443.0	439.9	432.7	424.3	423.6	406.9	375.8	391.0	385.9	
62	5 549.0	300 356.1	388.9	438.3	452.4	461.3	459.4	455.7	435.6	433.1	426.2	418.5	418.2	402.1	371.8	386.9	381.9	
63	5 738.7	30 454.8	474.4	493.2	497.4	506.0	508.1	508.2	493.1	496.6	494.6	492.7	499.0	489.4	458.8	482.4	484.3	
64	5 738.7	150 466.2	485.3	500.7	503.9	512.1	513.3	513.1	497.6	500.8	498.4	497.1	502.6	492.6	461.0	484.8	486.2	
65	5 809.2	120 482.5	508.3	544.2	556.6	567.6	568.8	567.4	547.8	549.2	545.2	541.8	545.2	533.4	498.2	521.5	524.3	
66	5 819.0	180 483.5	509.0	547.2	559.7	570.0	570.2	567.9	548.1	549.2	544.7	541.6	545.0	533.4	498.6	522.9	525.9	
67	5 929.4	195 572.6	569.0	565.0	559.9	565.7	567.4	570.0	558.1	568.7	573.0	577.4	588.8	586.3	554.4	585.2	593.1	
68	5 929.4	300 559.5	558.7	558.0	554.5	561.3	564.1	567.6	557.2	567.5	572.1	576.9	588.3	585.1	553.7	584.3	591.2	
69	5 989.0	30 599.7	611.8	617.5	615.7	622.9	626.0	628.1	613.4	622.6	623.9	625.5	633.9	627.2	590.4	620.9	628.8	
70	5 989.0	150 619.0	626.2	627.4	623.4	629.8	631.4	632.8	616.0	624.7	626.3	627.6	635.5	628.8	591.4	622.5	630.3	
71	6 388.6	225 306.6	300.1	296.5	289.3	290.9	287.1	287.1	284.3	283.2	283.1	278.5	284.1	275.3	258.8	276.2	272.9	
72	6 388.6	300 306.6	300.5	296.8	289.5	291.2	287.4	287.2	284.8	284.1	284.2	279.5	285.1	276.1	259.8	277.3	273.8	
73	6 488.5	30 362.7	389.3	415.7	419.0	425.0	422.2	420.4	406.7	404.1	398.8	390.8	391.3	377.2	347.2	361.8	355.9	
74	6 488.5	150 368.6	394.2	419.5	422.2	428.5	426.2	424.9	411.4	408.5	402.8	394.7	395.1	380.8	350.1	364.6	358.5	
75	6 739.4	225 496.8	512.3	523.3	523.6	530.1	530.6	530.4	516.4	519.0	517.5	515.1	520.4	510.4	474.9	497.6	496.9	
76	6 739.4	300 489.7	507.1	520.3	520.8	527.3	527.3	527.4	513.4	516.4	514.7	512.0	517.1	507.6	472.6	495.4	495.0	
77	6 798.8	30 501.2	532.4	564.8	570.4	577.5	577.0	574.7	557.2	559.1	554.8	550.7	554.4	543.4	505.2	529.0	529.4	
78	6 798.8	30 507.3	537.6	565.5	570.9	578.9	578.4	576.8	558.8	560.2	555.5	551.2	554.6	543.0	504.0	527.6	527.3	
79	6 829.0	180 464.5	481.6	503.0	508.1	517.0	519.6	522.7	515.3	520.2	520.3	519.8	525.1	516.5	484.0	510.5	512.8	
80	6 839.0	240 457.6	466.4	482.3	487.1	495.8	497.9	501.7	493.1	498.9	500.1	499.9	506.8	499.4	466.7	494.2	498.3	
81	6 988.8	225 *****	*****	*****	*****	*****	*****	*****	900.7	631.1	640.0	639.9	640.5	648.9	642.9	602.6	634.3	613.8
82	6 988.8	300 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	965.9	1010.6	*****	*****	944.0	934.9	908.5
83	61049.0	30 654.6	675.4	682.1	678.4	685.7	687.9	690.3	672.6	680.4	678.0	676.9	683.5	677.5	637.2	669.1	676.6	
84	61049.0	150 661.4	678.3	681.9	676.8	684.1	685.3	687.4	669.6	677.2	674.7	673.7	679.8	81.3	*****	55.6	*****	
85	7 339.0	150 226.3	221.3	220.1	214.2	218.7	217.4	221.2	226.0	226.1	225.5	219.9	221.7	209.5	193.5	201.9	193.5	
86	7 349.0	150 232.3	228.1	227.5	222.4	228.1	228.4	234.7	241.7	244.3	245.1	240.9	243.5	231.9	213.6	222.9	214.3	
87	7 359.0	150 220.6	216.5	216.0	210.6	215.7	214.8	221.0	230.9	236.4	240.9	239.8	246.0	238.4	222.6	234.2	226.5	
88	7 369.0	165 236.7	231.7	229.9	223.5	227.5	225.3	229.4	235.8	239.2	241.8	240.6	247.1	240.9	225.8	239.2	233.6	
89	7 369.0	330 236.9	231.4	229.6	223.5	227.8	226.0	230.0	235.9	238.5	240.8	239.4	245.6	239.8	224.6	237.8	232.2	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
90	7 379.0	150 282.4	275.2	271.0	262.5	265.8	262.3	265.1	266.6	268.2	268.5	266.0	270.9	264.2	246.2	260.6	255.2
91	7 398.9	150 323.6	321.1	319.2	312.2	315.5	312.7	314.7	312.8	313.4	311.2	306.8	309.7	301.1	278.7	293.2	288.1
92	7 408.6	150 336.1	335.5	335.3	328.9	332.4	329.4	331.9	328.6	329.0	325.8	320.9	323.1	313.8	289.4	303.8	298.5
93	7 489.4	165 402.3	417.9	430.4	428.8	434.6	432.0	432.3	420.5	419.2	412.0	404.6	404.0	391.5	357.9	373.0	367.5
94	7 489.4	330 394.6	410.1	424.2	423.7	429.3	426.9	427.5	416.1	415.0	408.7	401.6	400.6	387.9	354.7	369.9	364.8
95	7 799.0	165 538.9	555.6	570.2	569.7	577.2	576.7	578.0	564.0	566.1	562.0	559.1	561.4	552.6	517.6	540.9	542.5
96	7 799.0	330 530.5	548.1	564.3	564.6	572.5	573.2	574.9	561.6	564.9	563.0	560.8	563.7	555.4	520.7	543.7	544.6
97	71049.0	165 95.7	98.0	100.6	96.5	99.4	97.5	97.4	111.0	115.2	117.6	119.0	114.4	111.0	107.3	116.7	103.8
98	71049.0	330 662.6	674.2	690.8	678.2	686.9	690.1	693.4	684.7	689.5	687.4	685.8	690.6	685.4	652.1	678.5	683.1
99	8 294.6	210 230.9	225.7	224.2	216.5	219.0	213.9	215.4	212.3	210.5	210.0	205.4	207.1	196.7	183.4	194.3	186.5
100	8 304.2	270 258.5	252.8	250.7	242.6	244.9	239.6	239.9	233.1	231.1	229.8	224.9	226.2	215.6	200.2	211.5	203.8
101	8 368.7	135 235.0	230.5	229.2	221.5	225.5	222.1	225.4	222.7	224.1	226.5	225.4	231.5	225.3	213.9	230.6	225.9
102	8 368.7	255 250.1	245.8	244.9	238.5	242.9	240.1	243.5	241.0	242.5	244.5	243.3	248.8	241.9	227.5	242.5	236.3
103	8 389.1	30 298.8	294.2	292.0	284.0	287.2	283.3	284.8	277.8	278.6	277.6	275.1	278.6	270.5	252.9	269.0	263.8
104	8 389.1	300 301.1	296.6	295.0	288.0	292.5	289.6	292.0	285.6	287.1	286.6	284.4	287.8	279.6	260.7	276.1	270.3
105	8 549.0	135 422.2	444.0	463.9	465.5	473.7	470.6	468.6	448.7	445.9	439.1	432.7	431.4	419.3	387.0	404.3	400.6
106	8 549.0	255 453.4	467.1	476.0	472.5	477.4	473.1	470.9	451.1	447.5	440.0	433.5	432.3	421.0	390.2	407.9	405.0
107	8 739.0	30 489.9	506.7	520.8	520.6	529.0	529.2	531.3	516.7	518.6	515.2	514.4	518.8	513.2	484.2	507.2	508.1
108	8 739.0	300 565.1	568.0	570.2	566.9	577.2	581.2	588.0	578.5	585.8	589.4	594.9	604.2	604.6	578.0	606.0	609.8
109	8 929.0	135 508.2	522.1	532.0	529.5	536.7	535.7	537.2	522.5	523.9	520.3	519.1	523.0	516.7	489.0	510.9	511.6
110	8 929.0	255 565.1	570.1	574.4	572.3	584.0	590.1	597.6	588.8	594.4	597.4	601.5	610.1	609.0	584.6	609.8	612.4
111	8 988.8	30 628.7	635.4	636.8	632.2	639.9	642.5	647.7	634.8	639.3	639.4	641.2	647.8	646.0	618.9	645.1	648.1
112	8 988.8	300 638.3	643.4	643.9	638.3	645.8	647.6	651.7	639.8	643.3	643.4	644.5	650.8	648.6	624.3	648.4	650.5
113	9 369.4	105 235.0	230.0	228.1	220.9	224.3	220.3	222.7	220.4	221.4	223.8	223.5	231.9	223.6	213.9	231.2	228.3
114	9 369.4	180 85.0	87.8	92.7	86.0	90.8	88.8	87.5	85.6	86.5	90.5	90.9	102.0	97.7	92.2	96.9	83.9
115	9 389.0	30 316.4	311.1	306.4	297.5	299.8	294.3	294.4	286.2	284.5	281.9	279.7	284.4	275.3	258.8	274.9	271.7
116	9 389.0	270 315.5	310.1	305.4	296.6	298.5	293.3	293.4	284.6	282.5	280.6	278.5	283.6	275.0	259.2	275.2	272.2
117	9 549.0	105 391.2	429.1	466.1	471.1	478.5	473.0	470.2	448.5	443.7	434.3	427.9	426.5	412.5	378.4	393.0	386.6
118	9 549.0	180 383.1	421.3	459.7	465.8	474.0	469.4	467.1	445.4	440.6	431.4	425.1	423.6	410.1	376.3	390.9	384.5
119	9 739.2	30 492.3	509.9	518.4	515.4	523.1	520.3	520.6	502.6	505.0	501.4	502.0	505.9	498.5	463.3	486.6	486.0
120	9 739.2	270 492.8	511.8	521.2	517.7	524.5	521.7	522.2	503.6	506.4	502.5	502.9	506.6	498.9	463.5	486.3	486.2
121	9 909.0	60 550.1	546.9	540.4	533.4	540.0	539.7	544.5	532.1	543.1	547.0	556.8	569.8	572.2	537.3	568.3	574.1
122	9 919.0	120 566.1	563.1	555.7	548.0	554.5	554.5	558.3	545.5	556.0	559.2	567.5	578.5	580.2	543.8	575.4	581.4
123	9 929.0	105 578.2	576.0	569.0	561.1	567.4	566.9	570.9	557.2	567.0	569.3	577.4	587.2	587.9	550.9	582.1	588.0
124	9 929.0	180 575.2	573.9	566.2	558.0	565.0	565.3	569.8	556.7	567.0	569.3	577.4	587.2	588.6	552.5	583.5	589.1
125	9 988.8	30 631.7	636.8	631.9	624.9	632.3	632.1	635.0	616.9	624.5	622.0	627.4	632.9	631.2	590.9	620.4	626.5
126	9 988.8	270 627.0	633.9	629.3	621.8	628.6	628.1	631.9	615.1	622.4	620.4	626.9	632.9	630.9	591.6	621.6	628.1
127	10 489.3	90 361.2	391.0	417.8	421.2	431.1	428.7	427.6	412.8	410.2	402.4	397.1	394.9	382.0	350.9	364.3	358.8
128	10 489.3	300 365.8	394.9	418.9	421.4	430.2	426.6	425.8	410.6	408.2	400.6	396.1	394.3	381.7	351.1	364.2	358.4
129	10 549.0	60 365.0	398.9	452.1	467.1	481.2	478.8	477.0	458.1	454.3	444.1	437.8	433.6	419.8	384.5	397.6	391.3
130	10 549.0	210 365.5	398.5	450.3	466.0	480.5	478.1	475.8	456.0	452.5	442.4	436.6	432.3	418.5	383.8	396.9	390.7
131	10 739.0	180 467.9	488.7	506.7	508.6	520.8	521.2	523.9	508.9	512.0	507.0	508.5	510.8	501.5	464.1	485.3	486.0
132	10 739.0	330 477.4	496.5	510.5	510.7	521.9	521.5	523.6	508.7	512.2	507.2	509.0	511.8	502.9	465.5	486.9	487.6
133	10 799.0	90 496.6	523.8	554.0	562.2	576.3	576.7	577.7	559.1	561.2	552.9	552.6	552.5	542.0	500.3	522.0	523.5
134	10 799.0	300 492.3	521.0	550.0	557.1	570.7	570.2	570.9	552.3	554.1	546.3	546.0	545.7	535.7	495.1	517.0	518.6
135	10 929.0	60 575.4	573.6	567.1	559.2	567.6	568.8	574.0	563.0	574.1	572.6	581.4	593.3	593.0	553.9	583.3	589.8
136	10 929.0	210 569.1	569.7	565.7	558.5	566.7	567.4	571.9	560.0	570.5	569.7	579.0	590.9	591.0	552.0	581.4	588.1
137	10 989.0	180 618.3	627.8	626.2	619.0	627.9	628.1	631.4	615.3	624.5	620.4	626.4	633.4	628.8	584.8	614.3	622.0
138	10 989.0	330 624.4	630.9	626.9	618.7	627.2	626.9	629.1	612.9	621.9	617.8	623.1	630.4	627.4	584.1	613.8	621.5
139	101049.0	90 659.3	678.3	680.3	672.2	681.2	680.5	682.2	662.1	668.9	661.6	666.0	670.1	663.9	617.0	647.7	657.1
140	101049.0	300 650.8	670.9	673.5	667.4	675.6	674.5	675.2	654.1	661.4	654.3	659.1	662.8	657.5	612.1	642.7	651.9
141	11 389.0	60 308.5	304.5	299.0	290.6	293.8	289.9	290.8	289.1	289.2	286.1	283.6	286.3	276.8	259.1	273.5	271.3
142	11 389.0	315 304.4	300.5	295.2	287.0	290.0	286.7	287.9	286.3	286.1	282.9	280.7	283.3	273.2	256.0	270.0	268.1
143	11 489.0	150 337.6	369.9	402.0	407.8	419.6	418.6	418.8	407.3	406.0	397.6	393.3	391.3	378.0	346.0	357.7	352.6
144	11 489.0	270 336.8	368.0	401.1	407.8	420.0	419.1	419.4	407.7	406.2	397.6	393.3	391.4	378.3	346.7	358.2	352.8

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

SU

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
145 11 738.9 60	462.3	487.9	501.5	501.1	513.0	514.7	516.6	505.2	509.4	503.9	505.3	506.4	497.8	461.2	482.9	483.8
146 11 738.9 315	468.7	492.4	505.8	506.3	518.7	519.8	522.2	505.6	513.9	507.5	508.5	509.2	500.3	463.7	485.1	486.0
147 11 799.6 150	481.8	517.0	546.5	552.4	568.3	570.6	571.2	556.0	558.4	550.1	550.5	549.7	539.9	498.9	520.8	522.6
148 11 799.6 270	491.6	523.8	553.5	561.3	577.2	578.6	578.4	561.2	563.3	553.8	553.7	553.0	542.7	501.0	522.9	524.5
149 11 849.3 240	432.1	442.6	460.9	474.3	503.9	517.9	527.6	521.8	529.1	524.8	528.0	532.4	526.1	488.5	514.7	520.0
150 11 859.8 300	436.1	436.9	441.6	442.8	461.3	472.4	487.1	494.3	509.9	509.6	518.8	531.0	534.5	501.2	529.7	535.5
151 11 989.3 60	615.7	628.3	628.6	623.7	634.7	637.1	640.1	626.6	635.3	631.0	637.0	641.2	637.7	594.6	623.4	630.3
152 11 989.3 315	622.1	634.4	633.7	626.7	637.3	639.9	642.3	628.0	636.7	631.7	637.7	641.9	638.9	594.6	624.4	631.7
153 111049.2 150	642.1	665.0	674.9	671.0	682.4	683.4	685.5	668.2	675.3	669.1	674.2	676.5	670.9	625.5	655.0	663.0
154 111049.2 270	648.2	674.2	681.3	675.0	685.5	686.7	688.1	670.1	676.9	669.6	674.2	676.2	671.2	625.0	655.9	664.6
155 12 359.9 30	243.6	241.0	240.1	234.3	240.2	238.5	241.9	248.3	252.4	253.7	253.3	254.7	242.1	222.5	232.4	226.1
156 12 370.0 15	246.5	243.4	241.7	236.3	241.6	239.9	242.9	247.7	251.6	253.3	255.7	259.4	248.2	229.1	240.4	235.5
157 12 370.0 240	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
158 12 379.2 90	288.1	283.4	280.1	273.5	279.0	276.9	278.5	279.2	280.2	277.8	280.8	285.1	274.3	251.9	263.3	257.9
159 12 489.0 90	426.8	437.7	441.8	436.8	443.9	441.7	440.7	428.6	428.2	418.5	414.6	411.0	399.1	365.7	380.5	375.8
160 12 489.0 270	388.2	410.6	424.7	424.0	433.0	431.9	431.5	420.6	420.7	411.3	407.7	404.9	393.1	359.4	373.9	369.4
161 12 548.9 15	448.8	466.9	478.4	476.4	485.1	482.1	480.0	464.0	462.8	452.2	448.3	444.6	433.5	398.6	414.4	410.8
162 12 548.9 240	423.4	447.6	468.9	472.4	483.1	481.6	480.0	465.0	464.5	453.4	449.4	445.4	433.4	397.4	412.8	408.7
163 12 799.3 90	559.7	576.2	578.6	572.1	580.3	579.8	579.8	565.6	567.5	560.1	560.5	561.4	556.8	526.3	547.7	549.3
164 12 799.3 270	537.0	559.8	569.5	565.8	576.7	577.2	578.0	563.5	566.3	558.3	558.2	558.1	552.1	517.4	539.1	540.6
165 12 929.3 15	540.1	554.0	560.6	560.6	574.9	580.9	588.0	586.7	595.8	596.0	601.7	607.3	606.9	578.7	601.8	605.5
166 12 928.4 240	554.6	562.6	564.3	561.3	574.2	579.1	585.7	579.9	590.2	589.7	597.0	603.1	602.7	571.9	597.1	601.5
167 121049.5 90	671.5	684.8	682.1	675.2	683.3	683.9	685.7	675.1	679.5	676.4	679.3	683.0	681.3	654.2	675.6	677.6
168 121049.5 270	653.4	666.7	670.0	664.9	675.4	677.5	680.6	668.7	675.5	671.2	676.0	680.0	678.5	645.7	670.3	673.8
169 13 338.8 60	198.2	195.0	194.0	188.0	192.7	189.7	191.9	189.9	189.4	189.8	186.4	190.8	178.1	171.5	173.5	171.6
170 13 349.0 60	212.1	209.2	208.5	202.7	208.5	207.6	211.7	210.5	210.9	211.2	209.0	213.4	201.7	192.6	196.0	193.8
171 13 368.9 90	223.4	219.4	216.9	209.3	213.0	209.6	211.5	209.0	210.0	211.5	211.1	219.0	210.4	204.9	212.9	214.8
172 13 368.9 240	231.5	227.5	225.4	218.8	223.5	220.6	222.7	220.4	221.6	223.1	222.7	230.5	223.2	214.4	222.0	220.6
173 13 388.5 45	301.4	298.2	293.3	285.3	289.1	284.2	284.3	275.5	274.4	272.2	269.6	274.2	263.9	251.2	260.7	262.5
174 13 388.5 270	298.3	295.4	291.9	285.0	290.1	286.5	286.3	278.3	277.6	275.1	273.2	278.6	270.0	255.5	265.7	264.9
175 13 549.0 90	392.5	418.0	450.3	459.5	474.8	472.4	469.5	448.0	445.3	435.0	431.2	428.6	416.4	386.0	398.3	396.5
176 13 549.0 240	423.7	443.2	449.3	461.0	472.2	469.6	466.9	446.9	444.7	435.0	431.4	429.2	418.4	389.2	403.3	401.9
177 13 738.7 45	*****	*****	*****	514.9	526.9	96.8	47.6	*****	58.8	*****	*****	*****	505.5	*****	*****	*****
178 13 738.7 270	489.2	507.4	517.9	515.9	526.9	526.8	526.7	509.9	512.2	508.4	509.5	513.2	507.1	478.5	497.1	500.1
179 13 929.3 90	573.6	575.0	568.8	561.5	572.8	574.4	576.8	564.0	574.8	576.1	583.0	590.9	590.3	561.4	587.1	595.2
180 13 929.3 240	565.1	571.8	571.8	567.4	579.8	581.7	584.5	573.3	582.7	584.7	591.0	597.9	598.0	572.9	598.1	602.3
181 13 989.2 45	623.7	633.9	630.2	623.0	634.0	634.7	635.9	619.8	628.2	626.3	630.9	636.2	634.5	603.4	628.1	635.9
182 13 989.2 270	624.0	633.9	633.7	627.7	638.5	638.2	638.5	623.8	630.6	628.6	632.1	637.9	637.0	612.3	635.4	641.1
183 14 369.0 30	223.8	219.1	216.9	210.3	214.2	210.5	212.4	213.4	215.6	216.8	215.5	223.1	210.8	204.3	213.3	216.5
184 14 369.0 270	231.7	226.8	224.3	217.4	222.1	218.0	215.6	219.2	221.4	223.0	222.6	231.1	219.2	212.9	221.3	222.9
185 14 488.9 75	373.0	398.3	417.7	417.9	427.6	424.3	422.0	406.5	404.3	395.2	389.5	389.4	374.0	346.6	355.2	352.5
186 14 488.9 180	382.3	409.9	426.3	423.4	431.5	426.8	423.7	408.0	405.9	396.5	390.9	390.5	375.0	348.0	356.0	353.1
187 14 548.8 30	383.4	416.0	456.6	466.8	480.7	477.2	474.1	453.7	450.7	439.3	432.6	430.6	414.8	382.9	391.7	388.1
188 14 548.8 270	398.1	431.1	466.8	473.4	484.9	480.6	476.7	455.1	451.5	439.7	432.8	430.8	415.0	383.2	392.1	388.6
189 14 799.2 75	520.2	545.8	568.3	568.8	580.5	578.8	577.2	557.7	559.3	549.6	548.8	549.7	539.0	501.5	520.1	523.3
190 14 799.2 180	522.3	547.4	567.6	565.1	575.3	573.5	571.4	552.3	554.1	544.5	543.2	544.8	535.0	498.4	518.0	521.4
191 14 890.2 0	525.5	522.8	518.2	511.4	521.9	524.0	528.5	519.0	532.4	534.4	545.1	559.8	563.6	532.8	560.4	568.5
192 14 899.8 60	532.1	531.7	529.0	522.9	533.7	535.7	539.1	530.0	542.7	543.5	554.0	567.7	569.9	538.5	565.7	573.9
193 14 929.5 30	572.4	574.3	570.4	562.9	573.7	574.9	577.7	566.3	577.6	576.5	584.9	594.7	593.5	558.4	585.7	593.1
194 14 929.5 270	580.8	581.8	576.0	567.4	577.7	578.8	581.5	569.8	581.3	580.5	588.2	597.5	596.6	562.1	588.9	595.9
195 141049.2 75	651.7	670.7	678.4	673.3	684.3	684.1	683.6	664.5	671.5	663.9	666.4	671.1	665.5	623.8	652.6	661.5
196 141049.2 180	659.3	675.6	680.8	674.0	684.3	683.4	683.1	664.7	671.1	664.1	666.2	670.8	665.5	626.4	655.0	663.7
197 15 369.1 150	227.0	223.0	222.0	216.5	222.1	220.3	223.6	228.0	230.0	230.9	229.5	236.0	222.1	212.0	223.5	220.8
198 15 369.1 270	222.2	217.6	216.4	210.2	215.4	212.9	215.9	219.5	221.6	223.5	222.4	229.5	215.4	207.0	219.3	216.9
199 15 488.6 60	366.4	392.3	417.1	420.8	432.8	429.7	427.5	414.1	411.5	402.2	395.3	394.7	377.8	348.8	359.8	354.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRC)GRAD C

SU

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	364.4	389.1	414.4	418.4	430.7	427.7	424.4	411.1	408.6	399.9	393.3	393.0	376.4	347.3	358.0	352.9
201	15	549.6	150	382.7	415.4	457.6	467.6	481.0	476.8	472.5	454.7	451.3	440.8	432.7	430.5	412.7	379.5	391.0	386.4
202	15	549.6	270	386.6	417.6	461.3	473.9	489.0	485.7	481.2	462.4	458.4	447.4	439.1	437.0	419.1	385.5	396.2	391.0
203	15	799.6	60	500.0	525.9	548.4	552.2	568.3	569.7	569.3	554.1	556.0	547.5	544.4	546.4	534.8	497.0	517.7	519.8
204	15	799.6	345	501.7	526.6	550.7	554.3	570.2	571.3	570.9	554.6	556.5	547.7	544.6	546.2	534.5	497.2	517.5	519.6
205	15	869.0	0	459.8	457.7	457.9	452.9	466.7	472.8	483.5	486.9	502.4	506.7	516.3	535.2	540.4	510.6	537.6	544.6
206	15	879.0	300	166.7	*****	*****	*****	133.8	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
207	15	929.2	150	582.9	579.3	572.3	563.2	573.9	576.5	581.0	575.0	585.3	585.0	590.3	602.1	599.6	565.2	592.0	599.4
208	15	929.2	270	580.8	578.6	573.0	564.1	574.6	576.7	580.8	572.2	583.0	582.4	587.2	598.6	596.6	562.6	589.4	596.8
209	15	1049.1	60	659.7	671.8	674.2	666.0	677.3	679.3	680.6	666.1	672.5	666.3	666.4	672.5	666.0	625.7	653.8	663.2
210	15	1049.1	345	659.0	675.6	678.9	670.7	681.7	682.7	683.6	667.3	673.7	667.0	666.9	672.9	666.2	624.8	652.9	662.3
211	16	368.5	150	236.2	232.2	230.5	224.6	230.5	228.4	231.8	235.5	236.5	236.7	233.1	238.6	226.3	213.0	224.0	219.6
212	16	368.5	285	221.0	217.2	215.5	208.7	214.1	211.5	215.4	220.7	222.2	223.8	221.2	227.4	214.3	203.7	216.8	214.1
213	16	418.6	210	328.8	338.3	347.2	344.5	354.1	352.2	352.8	348.0	346.8	341.2	334.1	336.2	321.4	296.8	308.2	303.9
214	16	428.5	210	339.1	350.1	360.6	355.3	369.3	367.4	368.1	362.3	361.1	354.9	347.4	349.3	334.0	308.0	319.6	314.7
215	16	488.5	120	404.0	418.9	435.3	435.7	447.5	445.4	444.1	432.2	430.1	420.8	411.8	411.4	396.0	364.5	377.7	373.5
216	16	488.5	330	362.1	385.1	414.5	421.2	435.1	433.6	432.2	421.2	419.5	410.5	402.3	402.8	387.1	356.0	369.4	364.7
217	16	548.6	150	436.7	451.9	473.0	477.6	491.8	489.7	487.4	472.3	469.6	459.1	449.7	448.7	433.5	400.1	414.1	410.3
218	16	548.6	285	393.7	416.4	456.2	471.7	490.1	488.6	485.9	470.6	468.2	457.9	448.7	447.8	431.5	397.0	410.7	405.9
219	16	798.9	120	553.9	573.2	580.5	576.1	587.5	586.3	585.2	571.9	572.9	566.5	562.4	567.0	558.0	526.7	547.5	550.2
220	16	798.9	330	516.6	543.0	559.4	559.7	575.3	576.7	577.0	564.4	567.0	560.4	555.8	555.5	549.5	514.8	536.2	539.2
221	16	929.0	150	559.0	567.8	569.9	566.7	580.3	584.5	588.7	584.4	593.0	594.3	595.7	605.9	602.7	575.7	600.1	605.5
222	16	929.0	285	572.9	571.3	567.1	560.6	573.5	577.4	581.9	577.6	587.4	588.7	590.5	601.2	598.0	567.3	594.1	601.1
223	16	1049.0	120	652.9	672.3	673.3	667.4	679.4	680.5	681.6	669.4	675.3	673.6	671.8	679.3	675.6	648.3	671.2	675.7
224	16	1049.0	330	656.2	677.6	670.0	663.0	675.6	676.8	678.0	665.6	672.5	669.8	668.3	675.5	669.7	635.1	661.1	668.0
225	17	368.7	30	227.7	223.7	221.1	213.4	219.1	214.4	215.2	214.9	216.2	217.3	215.6	223.5	211.4	204.3	218.1	217.5
226	17	368.7	210	240.6	236.9	235.9	229.0	234.3	231.7	232.7	232.3	233.2	234.2	234.0	243.1	230.3	216.9	226.8	222.8
227	17	388.4	0	300.1	295.5	291.7	282.8	288.2	283.8	282.7	277.6	277.1	274.8	270.5	277.2	265.1	250.4	262.6	261.0
228	17	388.4	135	302.7	297.7	293.6	285.1	291.2	287.7	287.6	283.1	282.7	280.5	277.0	284.8	273.4	256.7	268.6	265.0
229	17	418.8	150	323.7	329.8	335.6	331.4	341.8	340.8	340.9	333.6	333.7	329.8	324.7	329.4	317.0	295.7	308.7	305.0
230	17	428.8	210	335.1	342.0	348.2	344.6	356.2	355.4	355.7	347.7	348.2	344.3	338.6	342.9	329.7	306.9	319.8	316.1
231	17	549.0	30	393.7	411.9	441.9	454.8	475.6	474.3	470.9	454.0	452.3	443.7	435.1	436.4	420.9	391.0	405.6	402.9
232	17	549.0	210	444.2	461.1	471.8	470.0	482.9	479.2	474.7	457.6	455.4	446.2	437.3	438.6	424.9	394.9	410.6	408.7
233	17	739.2	0	483.8	501.3	515.1	512.6	526.6	527.1	527.1	514.6	518.3	512.8	508.1	515.0	505.5	478.5	500.6	505.0
234	17	739.2	135	488.2	505.0	514.7	511.0	525.5	525.4	525.5	514.3	517.4	512.1	508.1	515.3	506.7	480.7	503.0	506.9
235	17	928.9	30	557.2	563.1	566.0	562.0	578.2	581.2	584.7	577.6	587.4	588.5	593.0	602.6	598.0	574.3	600.1	607.0
236	17	928.9	210	557.2	565.7	571.3	568.6	585.6	589.9	592.9	588.6	597.5	598.1	597.5	607.8	602.5	580.8	603.7	608.1
237	17	989.1	0	612.4	627.1	633.0	628.2	642.7	642.0	642.7	629.9	636.2	634.5	633.7	644.5	639.2	613.7	639.0	644.4
238	17	989.1	135	606.3	620.8	628.6	625.8	643.6	645.1	646.5	636.5	641.9	640.4	638.7	648.2	642.5	620.3	643.4	647.2
239	18	294.0	0	195.1	193.1	192.8	187.4	192.5	189.1	190.5	191.4	190.0	189.2	183.5	186.8	169.2	161.9	168.0	160.9
240	18	304.0	0	220.5	217.6	216.3	211.1	217.0	213.5	214.7	214.1	212.4	210.6	204.4	207.3	189.5	179.9	186.2	179.1
241	18	359.2	0	203.2	200.4	198.9	192.3	197.5	194.8	197.7	201.9	205.1	208.0	208.0	216.6	202.2	196.2	206.4	201.4
242	18	369.1	90	221.4	218.6	216.7	210.4	215.8	212.7	214.8	216.2	216.8	217.0	213.7	220.6	206.6	200.4	211.9	207.9
243	18	369.1	235	223.1	219.7	217.2	210.2	215.2	211.4	213.0	214.2	215.5	216.0	214.0	221.2	207.8	202.6	214.4	210.5
244	18	378.9	0	268.1	262.4	256.6	247.8	252.1	247.1	247.1	244.4	244.1	242.4	237.8	243.3	228.6	220.8	233.4	230.2
245	18	389.1	90	292.3	290.7	287.4	279.5	285.8	281.5	281.2	277.2	276.7	273.6	268.0	272.9	258.3	245.4	258.4	254.7
246	18	389.1	285	300.3	296.6	291.4	282.6	288.1	282.9	282.0	277.3	276.8	274.0	268.7	274.1	259.9	247.6	260.5	257.4
247	18	409.2	0	331.1	335.5	334.6	327.3	334.5	329.0	327.4	319.1	318.2	313.7	306.9	311.0	295.5	278.3	290.4	286.0
248	18	429.3	0	345.7	355.9	360.0	354.6	363.7	358.5	356.8	346.6	345.5	340.1	332.8	336.1	319.9	299.6	311.6	306.6
249	18	549.5	90	393.8	418.9	446.8	455.2	472.4	469.2	465.4	448.9	446.4	436.8	427.4	429.3	413.1	382.9	398.3	394.3
250	18	549.5	285	404.9	426.2	450.0	455.4	472.3	469.4	464.6	448.4	445.9	436.9	427.9	429.3	413.0	382.9	398.3	394.4
251	18	930.2	90	566.5	572.7	572.0	568.1	584.7	589.1	592.7	586.5	596.5	597.9	598.2	609.6	604.1	579.4	606.0	611.7
252	18	930.2	285	577.1	581.8	579.1	573.0	587.8	590.1	591.5	582.9	593.7	596.4	598.0	609.6	603.6	578.5	604.9	610.3
253	19	369.0	180	247.8	245.1	244.2	238.6	245.8	243.9	246.7	249.1	250.8	250.9	247.1	253.6	241.1	227.7	239.3	233.3
254	19	369.0	270	233.2	230.8	229.2	223.3	229.9	227.9	230.3	232.9	234.5	235.4	232.1	239.3	227.3	216.2	229.2	225.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

5U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	398.5	90	324.4	323.7	321.9	316.1	325.0	323.3	324.6	320.5	321.1	317.7	311.1	314.8	300.8	279.8	294.4	289.1
256	19	408.4	150	343.8	344.3	344.4	338.5	348.3	347.1	348.1	342.7	343.3	339.7	332.4	335.7	320.8	297.0	310.9	305.1
257	19	488.5	15	398.0	416.8	429.5	428.2	441.1	438.5	436.6	423.9	422.5	415.3	405.9	407.1	390.4	358.9	373.6	368.1
258	19	488.5	135	425.8	436.0	442.4	437.7	449.1	446.1	443.9	430.9	428.9	420.9	410.7	411.4	395.0	363.4	378.1	372.8
259	19	548.8	180	451.8	470.9	488.0	487.6	501.6	497.7	493.2	475.6	471.9	462.1	451.4	451.8	434.9	401.0	416.5	411.5
260	19	548.8	270	476.2	487.0	494.1	488.5	499.8	495.3	490.5	473.2	469.1	459.3	448.3	449.0	433.3	400.1	416.8	412.5
261	19	798.4	15	552.5	566.9	580.0	578.6	592.7	591.5	589.2	574.8	575.0	569.5	563.6	570.5	560.8	530.5	553.1	552.1
262	19	798.4	135	568.4	579.0	586.1	580.3	592.2	589.1	585.9	571.5	571.7	566.5	560.3	566.8	558.0	530.3	552.6	551.9
263	19	928.5	180	575.2	577.9	580.5	578.9	595.7	600.6	605.1	599.5	606.8	609.1	609.2	621.9	617.5	593.5	617.3	618.5
264	19	928.5	270	553.6	615.4	595.5	582.4	590.6	595.2	605.3	48.7	*****	58.0	*****	603.8	616.3	589.5	615.4	618.0
265	19	1048.7	15	30.1	28.8	31.9	27.0	31.7	29.0	32.4	29.3	29.3	30.9	26.5	30.7	22.3	19.0	25.9	18.6
266	19	1048.7	135	679.3	683.1	686.2	680.3	692.4	691.7	690.3	679.0	682.6	681.2	677.4	687.3	682.5	660.3	681.8	682.4
267	21	370.0	150	106.4	108.6	114.1	111.9	118.3	117.5	122.6	134.2	135.9	140.2	137.7	143.7	136.2	135.0	143.7	139.1
268	21	370.0	144	106.3	108.4	114.0	111.8	118.3	117.5	122.7	134.5	136.3	140.6	138.1	144.1	136.5	135.1	143.7	139.1
269	21	370.0	126	106.2	108.5	113.8	111.8	118.4	117.7	123.2	135.2	137.0	141.4	138.9	144.8	137.2	135.8	144.3	139.6
270	21	370.0	120	105.9	108.2	113.5	111.4	118.0	117.3	122.6	135.1	136.9	141.2	138.6	144.6	137.1	135.7	144.3	139.7
271	21	370.0	30	104.6	106.6	111.6	109.4	115.8	115.0	120.3	132.2	134.4	139.5	137.2	143.6	137.4	136.8	145.3	140.4
272	21	370.0	26	105.1	107.0	111.8	109.5	116.0	115.2	120.4	132.2	134.6	139.6	137.3	143.7	137.6	136.9	145.5	140.6
273	21	370.0	7	105.6	107.2	112.0	109.7	116.2	115.4	120.5	132.1	134.7	139.8	137.5	143.9	137.9	137.2	145.7	140.8
274	21	370.0	0	105.8	107.5	112.2	110.0	116.4	115.4	120.3	131.5	134.0	139.0	136.8	143.2	137.2	136.8	145.5	140.6
275	21	370.0	210	107.4	109.2	114.3	111.4	117.6	116.3	121.0	131.1	132.8	137.4	135.2	141.4	134.3	133.8	142.4	138.2
276	21	370.0	206	107.5	109.3	114.4	111.6	117.8	116.6	121.4	131.5	133.2	137.6	135.4	141.6	134.3	133.7	142.4	138.2
277	21	370.0	187	107.9	109.6	114.6	111.9	118.2	117.2	122.2	132.6	134.1	138.4	135.9	142.3	134.6	133.9	142.7	138.6
278	21	370.0	180	107.0	109.0	114.1	111.5	117.9	116.9	121.8	132.6	134.2	138.5	135.9	142.1	134.4	133.7	142.4	138.2
279	22	390.0	30	109.3	110.9	116.1	114.0	120.6	119.9	125.4	137.5	139.7	145.1	143.1	149.6	143.7	143.4	152.0	147.5
280	22	390.0	26	109.5	111.0	116.1	114.0	120.5	119.9	125.2	137.5	139.9	145.2	143.1	149.7	144.0	143.5	152.3	147.9
281	22	390.0	7	110.2	111.9	117.0	114.7	121.2	120.6	125.8	137.7	140.2	145.5	143.4	150.0	144.2	143.8	152.6	148.1
282	22	390.0	0	109.9	111.6	116.8	114.6	121.1	120.2	125.3	136.9	139.4	144.7	142.6	149.1	143.4	143.2	152.1	147.9
283	22	390.0	330	109.6	111.3	116.5	114.2	120.4	119.4	124.2	135.1	137.6	142.9	141.1	147.6	141.9	142.3	151.3	147.1
284	22	390.0	324	109.7	111.4	116.7	114.3	120.5	119.4	124.1	134.6	137.1	142.5	140.8	147.4	141.6	142.1	151.1	147.0
285	22	390.0	306	109.7	111.8	116.9	114.3	120.5	119.4	124.2	134.2	136.8	142.2	140.4	147.4	141.7	142.0	151.0	147.0
286	22	390.0	300	110.2	112.2	117.3	114.5	120.7	119.6	124.5	134.4	136.8	142.1	140.4	147.5	142.0	142.1	151.2	146.7
287	22	390.0	210	111.1	113.3	118.5	115.8	122.1	121.0	125.8	136.3	138.0	142.8	140.9	147.1	140.2	140.1	149.0	145.1
288	22	390.0	206	111.5	113.7	118.8	116.1	122.4	121.3	126.2	137.0	138.6	143.2	141.1	147.4	140.1	139.9	148.9	145.1
289	22	390.0	187	111.7	113.9	119.0	116.3	122.7	121.7	126.8	137.7	139.4	144.0	141.7	148.0	140.5	140.0	149.0	145.1
290	22	390.0	180	111.1	113.3	118.6	115.9	122.4	121.5	126.7	138.1	139.8	144.4	142.1	148.3	140.8	140.2	149.2	145.3
291	23	490.0	180	135.9	138.0	143.0	141.0	148.1	148.2	154.2	168.4	171.1	177.8	177.2	185.4	181.0	183.9	195.9	196.2
292	23	490.0	173	135.9	138.0	143.2	141.2	148.3	148.5	154.6	168.8	171.5	178.2	177.5	185.5	181.0	183.9	195.8	195.9
293	23	490.0	156	135.4	137.6	142.9	141.1	148.3	148.4	154.6	169.2	171.9	178.5	177.7	185.7	181.1	184.1	195.7	195.5
294	23	490.0	150	135.1	137.4	142.8	141.1	148.3	148.4	154.6	169.5	172.1	178.8	177.9	185.8	181.2	184.3	195.7	195.2
295	23	490.0	60	133.9	135.8	141.2	139.6	146.9	147.2	153.6	169.5	172.5	179.6	179.0	187.2	183.3	186.5	197.8	197.0
296	23	490.0	54	134.1	135.9	141.2	139.6	147.0	147.3	153.8	169.4	172.5	179.7	178.9	187.2	183.3	186.7	198.1	197.2
297	23	490.0	34	134.1	135.9	141.2	139.6	146.9	147.2	153.5	169.0	172.2	179.5	178.9	187.2	183.5	187.2	198.6	197.8
298	23	490.0	30	134.3	136.0	141.4	139.8	147.0	147.2	153.6	169.2	172.2	179.6	179.1	187.4	183.9	187.9	199.2	198.3
299	23	490.0	0	135.1	136.8	141.9	140.1	147.3	147.5	153.6	168.3	171.7	179.2	178.8	187.4	184.1	188.0	200.1	199.6
300	23	490.0	353	134.2	135.8	141.0	139.1	146.3	146.4	152.4	167.3	170.8	178.3	177.9	186.6	183.3	187.3	199.4	198.9
301	23	490.0	336	133.4	135.2	140.5	138.7	145.7	145.7	151.7	166.6	170.0	177.8	177.5	186.2	183.0	187.1	199.1	198.7
302	23	490.0	330	133.6	135.5	140.8	138.9	145.9	145.8	151.8	166.6	169.9	177.7	177.4	186.0	182.9	187.1	198.9	198.3
303	24	550.0	180	156.8	158.2	162.7	160.8	168.5	169.8	177.3	194.2	198.0	206.7	207.7	217.4	214.8	218.9	232.6	234.6
304	24	550.0	173	156.8	158.2	162.8	161.0	168.9	170.1	177.7	194.6	198.5	206.9	207.8	217.5	214.8	218.8	232.5	234.5
305	24	550.0	156	156.2	157.8	162.8	161.2	169.1	170.3	177.9	195.0	198.8	207.3	207.9	217.5	214.7	219.0	232.2	233.8
306	24	550.0	150	156.2	157.9	163.0	161.6	169.4	170.6	178.0	195.4	199.2	207.8	208.2	217.6	214.7	219.2	232.1	233.5
307	24	550.0	0	156.2	157.3	162.1	160.5	168.3	169.6	176.9	194.3	199.2	208.9	210.1	220.4	219.0	224.2	238.0	239.3
308	24	550.0	353	156.5	157.6	162.4	160.7	168.5	169.6	176.8	193.9	193.8	208.5	209.7	220.0	218.7	224.0	237.9	239.2
309	24	550.0	336	155.6	157.0	162.0	160.4	168.1	169.2	176.5	193.7	198.6	208.4	209.7	220.1	218.7	224.3	237.8	239.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
310	24	550.0	330	155.3	156.8	161.8	160.3	168.0	169.0	176.4	193.5	198.3	208.2	209.4	219.6	218.1	223.9	237.1	238.3
311	24	550.0	240	156.4	157.8	162.5	160.5	168.0	168.9	176.0	191.8	196.1	205.4	206.5	216.7	214.6	220.4	233.6	235.5
312	24	550.0	234	156.5	157.9	162.5	160.3	167.8	168.6	175.7	191.4	195.7	204.8	205.9	215.9	213.7	219.4	232.8	234.8
313	24	550.0	216	156.8	158.2	162.8	160.6	168.1	169.0	176.1	192.3	196.4	205.5	206.4	216.3	213.9	219.3	232.5	234.4
314	24	550.0	210	157.1	158.5	163.1	161.0	168.6	169.6	176.8	193.2	197.2	206.3	207.0	216.8	214.2	219.4	232.4	234.1
315	25	740.0	150	235.6	238.9	246.4	248.4	259.0	263.1	273.1	295.4	300.6	312.3	315.0	326.5	326.2	334.5	349.1	352.5
316	25	740.0	144	235.5	238.8	246.5	248.6	259.3	263.4	273.5	295.8	301.2	313.1	315.8	327.5	327.2	335.4	349.9	353.3
317	25	740.0	126	235.1	238.3	246.2	248.4	259.3	263.6	273.6	295.9	301.4	313.3	316.1	328.0	327.7	335.5	350.1	353.5
318	25	740.0	120	235.1	238.2	246.0	248.0	258.9	263.0	273.1	295.4	301.0	312.9	315.8	327.6	327.6	335.5	350.1	353.5
319	25	740.0	30	236.7	239.6	246.8	248.8	259.5	263.9	274.6	298.4	304.6	317.5	320.4	332.5	333.2	341.7	355.7	358.5
320	25	740.0	26	237.5	240.2	247.5	249.4	260.2	264.8	275.5	298.9	305.4	318.4	321.6	333.7	334.6	342.7	357.0	359.8
321	25	740.0	7	238.4	241.1	248.4	250.3	261.2	265.9	276.4	298.6	305.1	318.1	321.4	333.7	334.7	342.4	357.4	360.4
322	25	740.0	0	238.4	241.2	248.4	250.2	261.0	265.5	275.9	297.9	304.2	317.2	320.6	332.8	333.9	342.1	357.1	360.0
323	25	740.0	210	236.4	239.3	246.3	247.5	257.7	261.4	271.1	292.1	297.2	309.2	312.0	323.7	323.7	332.6	347.3	351.4
324	25	740.0	206	237.4	240.3	247.3	248.5	258.9	262.8	272.5	293.3	298.6	310.4	313.4	325.4	325.3	333.7	348.7	352.9
325	25	740.0	187	238.2	241.2	248.1	249.3	260.2	264.3	274.0	294.6	299.9	311.6	314.6	326.7	326.4	334.0	349.5	353.7
326	25	740.0	180	237.9	241.0	248.0	249.4	260.3	264.4	274.3	295.4	300.7	312.2	315.1	327.1	326.8	334.3	349.8	353.9
327	26	800.0	30	259.4	262.4	270.4	273.7	285.5	291.3	303.3	329.7	337.1	351.7	355.9	368.9	370.6	379.3	393.9	397.3
328	26	800.0	26	261.0	264.0	272.0	275.1	287.1	293.2	305.3	331.2	338.9	353.5	357.7	370.9	372.7	381.1	395.9	399.4
329	26	800.0	7	262.0	264.8	272.8	275.9	288.1	294.0	305.9	330.7	338.3	352.9	357.4	370.8	372.8	380.9	396.3	400.0
330	26	800.0	0	261.3	264.1	272.1	275.1	287.1	292.9	304.7	329.2	336.7	351.3	355.9	369.1	371.3	379.7	395.0	398.8
331	26	800.0	330	260.3	263.3	271.2	274.3	285.8	291.2	302.8	327.3	334.5	349.1	353.4	366.5	368.5	378.1	392.9	396.5
332	26	800.0	324	260.3	263.3	271.3	274.2	285.9	291.4	303.0	327.3	334.7	349.3	353.8	367.0	369.0	378.4	393.4	397.3
333	26	800.0	306	259.9	262.9	271.0	273.9	285.6	291.1	302.7	326.4	333.9	348.3	352.8	366.1	368.1	377.3	392.8	396.8
334	26	800.0	300	259.6	262.7	270.8	273.6	285.4	290.8	302.5	326.2	333.6	348.0	352.5	366.0	367.8	377.1	392.5	396.6
335	26	800.0	210	259.7	262.4	269.9	272.3	283.5	288.5	299.5	322.7	329.1	343.0	347.1	360.3	361.5	371.4	387.0	392.1
336	26	800.0	206	260.1	262.8	270.3	272.7	284.2	289.3	300.4	323.4	329.9	343.6	348.0	361.2	362.4	371.9	387.8	392.9
337	26	800.0	187	260.8	263.7	271.2	273.6	285.0	290.9	302.8	327.3	334.5	349.1	353.4	366.5	368.5	378.1	392.9	396.5
338	26	800.0	180	260.8	263.8	271.6	274.2	286.1	291.6	302.9	326.0	332.7	346.0	350.5	363.7	364.7	373.3	389.5	394.6
339	27	930.0	180	321.9	326.0	335.6	340.7	354.6	361.3	373.2	396.2	402.9	417.1	421.4	434.6	435.9	445.9	461.2	465.1
340	27	930.0	173	320.8	325.1	335.1	340.4	354.4	361.3	373.2	396.2	403.0	417.1	421.4	434.7	435.8	445.5	460.8	464.6
341	27	930.0	156	319.4	323.8	333.9	339.4	352.8	359.6	371.7	395.9	402.5	416.7	420.9	434.1	435.4	445.5	460.4	463.8
342	27	930.0	150	317.9	322.4	332.6	338.2	351.5	358.3	370.7	395.5	402.1	416.4	420.5	433.6	435.0	445.5	460.0	463.2
343	27	930.0	60	320.1	324.4	334.7	340.4	354.2	361.4	374.1	400.4	407.4	421.3	425.6	438.8	440.6	448.9	463.6	466.9
344	27	930.0	54	321.1	325.4	335.6	341.3	355.4	362.6	375.2	401.5	408.7	422.5	426.8	440.0	441.6	449.6	464.4	467.7
345	27	930.0	34	323.2	327.0	336.6	342.0	355.6	362.7	375.3	401.9	409.0	423.1	427.2	440.2	441.8	450.2	464.6	467.7
346	27	930.0	30	323.5	327.2	336.6	341.8	355.1	362.2	374.9	401.1	408.3	422.5	426.5	439.4	440.9	449.6	463.8	466.7
347	27	930.0	0	326.9	330.6	340.2	345.0	358.7	365.6	378.1	403.1	410.2	424.1	428.2	441.3	442.8	450.8	465.4	468.7
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349	27	930.0	336	325.6	329.4	339.0	343.8	357.2	364.0	376.3	401.0	408.0	422.0	425.9	438.7	440.2	448.9	463.2	466.6
350	27	930.0	330	323.6	327.5	337.0	342.0	355.3	361.9	374.3	399.1	405.8	420.1	423.9	436.7	438.2	447.3	461.5	464.8
351	28	990.0	180	343.5	348.0	358.4	364.0	377.7	384.9	397.3	422.3	429.5	445.2	450.5	464.6	467.0	478.9	493.7	497.3
352	28	990.0	173	343.1	347.8	358.5	364.2	378.1	385.4	397.8	422.7	430.0	445.6	450.8	465.1	467.5	479.2	494.0	497.8
353	28	990.0	156	342.3	347.2	357.9	363.8	377.4	384.5	397.1	422.8	430.0	445.6	450.6	464.8	467.3	479.3	493.7	496.9
354	28	990.0	150	341.0	346.1	356.8	363.0	376.4	383.4	396.3	422.5	429.5	445.2	450.1	464.2	466.8	478.9	493.0	495.9
355	28	990.0	0	349.7	353.9	363.9	369.4	383.2	390.5	403.4	430.2	437.7	452.9	457.7	471.6	473.9	482.8	497.4	500.6
356	28	990.0	353	349.7	353.9	363.9	369.2	382.9	390.1	402.9	429.3	436.8	452.0	456.8	470.7	473.0	481.8	496.4	500.1
357	28	990.0	336	348.1	352.4	362.5	368.0	381.5	388.6	401.4	428.0	435.4	450.7	455.2	468.8	471.0	480.4	494.9	498.3
358	28	990.0	330	346.3	350.6	360.9	366.4	379.6	386.6	399.5	426.3	433.4	449.0	453.5	466.8	469.0	478.8	493.0	496.6
359	28	990.0	240	344.4	348.5	358.7	363.9	377.1	383.6	396.0	420.9	428.3	444.0	449.2	463.4	466.0	477.3	492.8	496.9
360	28	990.0	234	344.3	348.3	358.4	363.3	376.4	382.8	395.1	419.6	427.1	442.9	448.1	462.4	464.9	476.2	491.8	495.9
361	28	990.0	216	343.8	347.8	357.6	362.7	375.8	382.4	394.8	419.8	427.0	442.7	447.9	461.8	464.2	475.9	490.9	495.0
362	28	990.0	210	343.3	347.5	357.3	362.7	375.8	382.5	395.1	420.1	427.1	442.8	447.9	461.7	464.0	475.9	490.7	494.5
363	29	1050.0	150	361.7	366.6	377.3	383.6	397.6	405.3	418.9	443.8	451.6	468.0	473.1	487.4	489.9	500.3	514.5	518.4
364	29	1050.0	144	362.3	367.3	378.2	384.6	398.9	406.8	420.5	445.5	453.6	469.8	475.2	489.6	492.1	501.9	516.6	520.3

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

511

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	362.3	368.0	378.9	385.4	399.8	407.8	421.5	446.4	454.6	470.8	476.3	490.9	493.6	502.9	517.7	521.9
366	291050.0	120	361.6	367.7	378.5	384.7	399.0	406.9	420.8	445.5	453.8	470.0	475.4	490.0	492.4	501.7	516.6	520.7
367	291050.0	30	368.2	372.1	382.3	388.5	402.6	410.6	424.3	451.6	459.2	474.8	479.3	492.6	494.7	502.9	517.0	521.2
368	291050.0	26	369.8	373.7	384.0	390.1	404.5	412.6	426.2	453.1	461.0	476.6	481.3	495.0	497.1	504.5	519.1	523.1
369	291050.0	7	371.2	375.1	385.6	391.5	406.1	414.2	427.6	453.6	461.7	477.4	482.2	495.9	498.0	505.0	520.1	524.3
370	291050.0	0	370.2	374.1	384.6	390.4	404.8	412.7	426.2	452.2	460.4	476.1	480.9	494.5	496.6	503.8	518.9	523.1
371	291050.0	210	362.8	366.4	376.3	381.8	395.5	402.7	416.1	440.6	448.4	464.8	470.0	483.4	485.9	496.3	511.2	516.1
372	291050.0	206	364.2	367.8	377.7	383.2	397.4	405.2	418.2	442.3	450.3	466.7	472.0	486.0	488.5	498.6	514.0	518.6
373	291050.0	187	364.4	368.3	378.5	384.2	398.9	397.2	419.9	442.7	451.5	467.9	474.2	487.5	490.3	504.3	519.9	528.1
374	291050.0	180	363.9	368.0	378.4	384.3	398.8	406.9	419.8	443.5	451.7	468.0	473.5	487.6	490.4	500.3	515.4	520.0
375	01075.0	6	402.9	403.4	423.3	427.5	449.4	462.1	478.6	496.9	507.3	523.4	529.8	547.1	549.8	549.0	567.9	573.9
376	01075.0	5	409.3	412.4	428.4	435.2	455.3	468.0	482.5	500.3	515.3	530.9	540.4	559.3	563.6	558.4	578.4	583.0
377	01075.0	4	370.8	371.6	380.4	382.3	402.1	413.9	429.0	442.7	456.7	471.0	482.3	504.7	509.9	506.1	534.1	548.6
378	01075.0	2	391.5	378.9	379.7	373.9	388.2	392.1	400.4	403.4	416.1	424.0	431.8	451.3	455.0	436.0	465.3	482.9
379	01075.0	1	394.0	382.7	380.8	372.3	384.4	388.3	393.6	397.0	415.7	422.1	429.9	445.9	450.2	426.3	462.3	479.1
380	01075.0	2	393.9	382.1	379.7	374.2	390.5	397.2	408.4	415.0	431.5	437.8	445.8	465.3	468.2	438.2	478.6	494.0
381	01075.0	4	368.2	367.9	379.6	383.4	403.3	413.2	431.4	457.3	472.6	483.4	493.6	515.3	520.3	511.1	541.4	551.4
382	01075.0	4	369.9	369.8	379.3	380.6	398.5	405.3	416.1	428.4	442.7	459.2	471.6	494.5	506.7	501.5	531.8	546.5
383	01075.0	1	387.8	381.4	380.0	371.8	383.1	386.9	394.5	395.0	407.8	415.5	423.5	442.0	439.4	407.5	447.2	465.4
384	01075.0	1	388.5	379.7	381.2	370.9	383.9	391.5	403.1	408.9	424.7	429.3	436.2	452.3	449.3	419.8	461.0	479.1
385	01075.0	4	365.3	371.6	380.5	382.5	402.1	409.4	421.2	430.8	445.2	452.8	461.8	484.6	492.1	484.7	516.3	532.0
386	01075.0	3	405.9	398.3	394.3	387.8	399.7	402.5	411.6	413.2	428.5	434.4	439.1	456.8	460.7	437.8	480.9	502.7
387	01075.0	3	395.3	386.6	389.5	386.8	406.0	416.0	428.7	439.4	452.6	458.4	466.2	483.2	488.3	468.5	505.8	523.3
388	01075.0	5	401.6	408.8	432.4	439.2	460.3	473.3	484.1	497.6	514.1	531.6	540.6	558.6	564.0	563.8	585.4	590.0
389	01075.0	6	396.8	398.2	426.8	439.7	460.7	470.5	481.2	493.1	507.1	524.1	534.3	553.2	563.3	568.4	585.7	587.2
390	01113.0	0	430.1	424.4	429.8	425.2	443.1	449.8	458.8	464.5	481.0	489.2	496.4	512.7	515.3	491.4	526.6	538.8
391	01113.0	0	421.9	420.6	429.0	428.4	445.4	455.3	465.5	471.2	486.5	493.7	499.9	511.1	512.5	489.5	518.9	532.9
392	01113.0	0	420.6	419.9	427.0	425.8	444.2	453.1	464.1	471.6	483.9	490.9	495.3	512.5	510.2	492.3	517.5	527.5
393	01113.0	0	434.0	430.1	435.9	433.3	450.3	458.0	468.4	475.0	486.0	496.1	503.1	519.7	520.3	499.6	534.1	544.4
394	01113.0	0	428.7	424.6	431.0	429.0	446.1	452.7	461.7	465.6	479.1	487.1	494.8	504.7	509.7	490.2	523.8	539.2
395	01113.0	0	422.2	419.1	427.2	424.9	443.8	452.3	460.6	469.1	482.4	490.9	495.1	507.3	511.6	492.1	522.0	535.5
396	0 0.0	0	94.0	97.8	99.0	99.1	100.9	100.5	102.4	120.8	120.3	122.5	123.2	118.8	114.2	99.4	114.4	99.8
397	0 0.0	0	97.0	100.9	101.8	97.9	101.8	97.9	98.4	108.5	110.0	109.5	113.3	111.6	106.3	97.4	113.6	100.3
398	0 0.0	0	94.2	94.9	99.3	96.4	103.0	95.7	98.3	105.2	110.0	105.9	107.7	109.4	108.6	102.0	113.3	107.2
399	0 0.0	0	89.7	95.4	94.4	96.9	94.6	99.4	99.5	122.5	113.1	117.8	121.2	120.7	113.1	106.1	113.3	103.7
400	0 0.0	0	96.8	94.7	97.4	92.8	96.3	92.8	96.9	89.1	89.2	92.4	88.9	93.0	84.4	79.8	85.7	77.3
401	0 0.0	0	96.8	94.6	97.4	92.7	96.2	92.7	96.7	89.2	89.2	92.5	88.8	93.0	84.4	79.8	85.7	77.4
402	0 0.0	0	1778.0	1669.5	1573.5	1497.5	1452.5	1398.6	1346.3	1255.0	1215.8	1162.9	1120.8	1088.3	1060.7	976.9	964.1	944.3
403	0 0.0	0	27.5	25.9	24.5	23.4	22.6	21.8	20.9	19.5	19.0	18.0	17.5	17.0	16.6	15.0	15.0	14.8
404	0 0.0	0	27.5	26.0	24.4	23.3	22.7	21.9	21.0	19.6	19.1	18.1	17.5	17.0	16.7	15.1	15.2	14.7
405	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406	0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407	4 389.5	0	1.4	1.3	1.2	1.1	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7
408	5 389.5	0	1.3	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7
409	6 389.1	0	1.3	1.3	1.2	1.1	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7
410	7 399.4	0	1.6	1.5	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8
411	8 389.6	0	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8
412	9 369.9	0	1.2	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6
413	10 489.8	0	3.0	2.8	2.6	2.5	2.4	2.3	2.3	2.1	2.0	1.9	1.9	1.8	1.8	1.6	1.6	1.6
414	11 389.5	0	1.3	1.3	1.2	1.1	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7
415	12 489.5	0	3.0	2.8	2.7	2.6	2.5	2.4	2.3	2.1	2.1	2.0	1.9	1.9	1.8	1.6	1.6	1.6
416	4 990.0	0	11.2	10.6	10.0	9.5	9.2	9.0	8.6	8.0	7.8	7.4	7.1	6.9	6.8	6.1	6.1	6.0
417	5 989.5	0	11.1	10.5	9.9	9.5	9.2	8.9	8.5	7.9	7.7	7.3	7.1	6.9	6.7	6.1	6.1	6.0
418	61049.5	0	12.2	11.6	10.9	10.4	10.1	9.8	9.4	8.7	8.5	8.1	7.8	7.6	7.4	6.8	6.7	6.6
419	71049.5	0	12.3	11.6	10.9	10.4	10.1	9.8	9.4	8.7	8.5	8.1	7.8	7.6	7.4	6.7	6.7	6.6

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
420	8 989.3	0	11.2	10.5	10.0	9.5	9.2	8.9	8.6	8.0	7.7	7.4	7.1	6.9	6.8	6.2	6.1	6.0
421	9 988.8	0	11.2	10.6	10.0	9.5	9.3	8.9	8.6	8.0	7.7	7.4	7.1	7.0	6.8	6.1	6.1	6.0
422	101045.5	0	12.3	11.6	10.9	10.4	10.1	9.8	9.4	8.7	8.5	8.1	7.8	7.6	7.4	6.7	6.7	6.6
423	111049.7	0	12.3	11.6	10.9	10.4	10.1	9.8	9.4	8.7	8.5	8.0	7.8	7.6	7.4	6.7	6.7	6.6
424	121050.0	0	12.3	11.6	11.0	10.4	10.1	9.8	9.4	8.7	8.5	8.1	7.8	7.6	7.4	6.7	6.7	6.6
425	11047.1	0	13.7	12.9	12.1	11.6	11.2	10.9	10.4	9.8	9.5	9.0	8.7	8.5	8.3	7.5	7.5	7.3
426	21049.5	0	13.6	12.8	12.1	11.5	11.2	10.8	10.4	9.7	9.5	8.9	8.7	8.4	8.3	7.5	7.4	7.3
427	31049.5	0	13.6	12.9	12.1	11.6	11.2	10.9	10.4	9.7	9.5	9.0	8.7	8.5	8.3	7.5	7.5	7.4
428	13 989.7	0	14.9	14.0	13.2	12.6	12.3	11.8	11.3	10.6	10.3	9.7	9.5	9.2	9.0	8.2	8.1	8.0
429	141049.7	0	13.7	12.9	12.2	11.6	11.3	10.9	10.5	9.7	9.5	9.0	8.7	8.5	8.3	7.5	7.5	7.4
430	151049.6	0	13.6	12.8	12.1	11.6	11.3	10.9	10.4	9.7	9.5	9.0	8.7	8.4	8.3	7.5	7.5	7.4
431	161049.5	0	13.6	12.8	12.1	11.6	11.2	10.9	10.4	9.7	9.5	9.0	8.7	8.5	8.3	7.5	7.5	7.3
432	17 989.6	0	14.9	14.0	13.2	12.7	12.2	11.8	11.4	10.6	10.4	9.8	9.5	9.2	9.0	8.2	8.1	8.0
433	18 930.7	0	16.2	15.2	14.3	13.7	13.3	12.9	12.3	11.5	11.2	10.6	10.3	10.0	9.8	8.9	8.8	8.7
434	191049.2	0	13.7	12.9	12.2	11.6	11.2	10.9	10.4	9.7	9.5	9.0	8.7	8.5	8.3	7.5	7.5	7.3
435	1 388.6	0	12.4	11.8	11.4	11.2	11.1	10.9	10.4	10.4	10.1	9.7	9.5	9.5	9.5	8.6	8.6	8.3
436	2 388.5	0	26.0	24.5	23.1	22.1	21.4	20.7	20.0	18.5	18.0	17.1	16.6	16.1	15.8	14.3	14.3	14.0
437	3 389.2	0	26.0	24.6	23.1	22.1	21.4	20.8	19.9	18.5	18.0	17.1	16.6	16.1	15.7	14.3	14.2	14.0
438	13 389.0	0	26.0	24.5	23.1	22.1	21.6	20.8	19.9	18.6	18.0	17.1	16.6	16.1	15.8	14.3	14.3	14.0
439	14 489.4	0	24.3	22.9	21.6	20.6	20.0	19.4	18.6	17.3	16.9	15.9	15.5	15.1	14.8	13.4	13.3	13.1
440	15 489.1	0	24.2	22.8	21.5	20.5	20.0	19.4	18.5	17.3	16.8	15.9	15.5	15.0	14.7	13.3	13.3	13.1
441	16 419.1	0	25.6	24.0	22.7	21.7	21.1	20.4	19.5	18.2	17.7	16.8	16.3	15.8	15.5	14.0	14.0	13.7
442	17 388.9	0	26.1	24.6	23.2	22.2	21.5	20.8	19.9	18.6	18.1	17.2	16.7	16.2	15.8	14.3	14.3	14.2
443	18 389.6	0	26.2	24.6	23.3	22.2	21.5	20.9	20.0	18.6	18.1	17.2	16.7	16.2	15.8	14.4	14.3	14.0
444	19 399.0	0	25.9	24.3	23.0	21.9	21.3	20.6	19.8	18.4	17.9	17.0	16.5	16.0	15.7	14.3	14.3	13.9
445	1 348.6	0	26.6	25.1	23.7	22.7	21.9	21.3	20.4	18.9	18.5	17.5	17.0	16.5	16.1	14.6	14.5	14.3
446	2 359.0	0	26.5	24.9	23.5	22.4	21.8	21.1	20.3	18.9	18.3	17.3	16.9	16.4	16.0	14.5	14.5	14.2
447	3 294.5	0	27.3	25.6	24.2	23.1	22.4	21.7	20.8	19.4	18.9	17.9	17.4	16.9	16.4	14.9	14.8	14.7
448	4 294.4	0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
449	4 304.2	0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
450	4 348.9	0	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5
451	4 379.6	0	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6
452	5 370.0	0	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6
453	7 349.5	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5
454	7 359.5	0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6
455	7 369.5	0	1.2	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6
456	7 379.5	0	1.3	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7
457	7 409.1	0	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.2	1.2	1.1	1.1	1.0	0.9	0.9	0.9	0.9
458	8 295.1	0	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
459	8 304.7	0	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
460	8 369.2	0	1.2	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6
461	9 369.9	0	1.2	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6
462	12 370.5	0	1.2	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6
463	13 369.4	0	26.3	24.8	23.5	22.4	21.7	21.0	20.2	18.8	18.3	17.3	16.8	16.3	15.9	14.6	14.4	14.2
464	14 369.5	0	26.3	24.8	23.4	22.4	21.7	21.1	20.1	18.8	18.3	17.3	16.8	16.4	16.0	14.5	14.4	14.1
465	15 369.6	0	26.4	24.8	23.5	22.4	21.7	21.0	20.1	18.8	18.3	17.3	16.8	16.3	15.9	14.5	14.4	14.2
466	16 369.0	0	26.4	24.8	23.5	22.5	21.7	21.0	20.1	18.8	18.3	17.3	16.8	16.4	16.0	14.5	14.4	14.1
467	17 369.2	0	26.4	24.9	23.5	22.4	21.8	21.0	20.2	18.8	18.3	17.4	16.9	16.4	16.0	14.5	14.4	14.1
468	18 294.5	0	27.2	25.7	24.2	23.1	22.5	21.7	20.8	19.4	18.9	17.9	17.4	16.9	16.5	15.0	14.9	14.6
469	18 304.5	0	27.1	25.6	24.1	23.0	22.4	21.6	20.7	19.4	18.8	17.9	17.3	16.9	16.4	14.9	14.8	14.5
470	18 359.7	0	26.5	25.0	23.6	22.5	21.8	21.2	20.3	19.0	18.4	17.4	16.9	16.5	16.1	14.6	14.5	14.3
471	18 369.6	0	26.4	24.9	23.5	22.4	21.7	21.1	20.3	18.9	18.4	17.4	16.9	16.4	16.0	14.5	14.4	14.2
472	18 379.4	0	26.3	24.9	23.4	22.3	21.7	21.1	20.1	18.8	18.2	17.3	16.8	16.3	15.9	14.5	14.4	14.1
473	18 389.6	0	26.1	24.7	23.3	22.2	21.5	20.8	20.0	18.7	18.1	17.2	16.6	16.2	15.8	14.5	14.2	14.0
474	18 409.7	0	25.7	24.3	22.0	21.9	21.3	20.6	19.7	18.4	17.9	17.0	16.4	16.0	15.6	14.2	14.1	13.8

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (ERD)GRAD C

5U

VERSUCH NR.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
475	18	429.8	0	25.4	24.0	22.6	21.6	20.9	20.3	19.5	18.2	17.6	16.7	16.2	15.8	15.4	14.0	13.9	13.6
476	19	369.5	0	26.3	24.8	23.4	22.4	21.7	21.0	20.1	18.8	18.3	17.3	16.8	16.4	15.9	14.6	14.4	14.2
477	1	738.5	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
478	2	738.5	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
479	3	739.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
480	4	739.7	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
481	5	739.2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
482	6	739.9	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
483	7	799.5	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
484	8	739.5	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
485	9	739.7	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
486	10	739.5	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
487	11	739.4	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
488	12	799.8	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
489	13	739.2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
490	14	799.7	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
491	15	800.1	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
492	16	799.4	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
493	17	739.7	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
494	18	550.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
495	19	798.9	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
496	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

DATUM 10. 6.80

50

VERSUCH NR. 17  
RAUMTEMPERATUR 24.3  
DURCHSATZ (KG/S) 0.0046  
EL. ENERGIE (KW) 12.7  
WAERMEENERGIE(KW) 10.7  
WAERMEBILANZ(0/0) -15.6  
REYNOLDSZAHL\*E-04 0.088  
DRUCKVERLUST  
(N/M\*\*2)  
GES.X=1060.0(MM) 142.  
BIS X= 560.0(MM) 66.  
BIS X= 624.0(MM) 97.  
BIS X= 717.0(MM) 105.  
BIS X= 810.0(MM) 125.  
BIS X= 874.0(MM) 154.  
BIS X= 967.0(MM) 181.  
EINTR.DRUCK (BAR) 7.61  
EINTR.TEMP. GRADC 113.2

TE NR.	R NR.	AX PGS (MM)	RAD POS (GRD)	T GRAD C
1	1	338.8	270	198.6
2	1	348.1	330	214.8
3	1	388.1	150	276.9
4	1	388.1	330	282.4
5	1	487.7	255	377.8
6	1	487.7	120	381.7
7	1	738.0	150	90.0
8	1	738.0	330	527.8
9	1	795.4	120	553.3
10	1	795.4	255	559.8
11	1	987.0	150	660.1
12	1	987.0	330	664.1
13	1	11046.6	120	694.7
14	1	11046.6	255	695.4
15	2	358.5	0	230.7
16	2	388.0	0	292.5
17	2	388.0	210	286.8
18	2	398.0	0	309.2
19	2	488.1	30	384.9
20	2	488.1	165	384.8
21	2	738.0	0	519.8
22	2	738.0	210	520.7
23	2	797.8	30	565.0
24	2	797.8	165	558.2
25	2	987.2	0	662.7
26	2	987.2	210	658.4
27	2	21049.0	30	696.6
28	2	21049.0	165	693.0
29	3	294.0	30	189.8
30	3	303.7	330	211.0
31	3	388.7	15	290.4
32	3	388.7	255	285.9
33	3	488.5	60	388.7
34	3	488.5	150	387.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

50

VERSUCH NR.				17
35	3	738.5	15	538.5
36	3	738.5	255	535.5
37	3	798.5	60	575.1
38	3	798.5	150	571.8
39	3	988.5	15	677.7
40	3	988.5	255	676.3
41	3	1049.0	60	709.7
42	3	1049.0	150	709.7
43	4	293.9	300	179.3
44	4	303.7	300	200.2
45	4	339.0	300	199.4
46	4	348.4	300	216.9
47	4	379.1	300	428.1
48	4	389.0	45	278.0
49	4	389.0	210	274.5
50	4	408.8	300	117.1
51	4	418.6	300	317.7
52	4	428.7	300	327.8
53	4	739.2	45	512.1
54	4	739.2	210	510.0
55	4	989.5	45	654.9
56	4	989.5	210	656.3
57	5	369.5	195	229.0
58	5	369.5	300	231.1
59	5	389.0	30	271.1
60	5	389.0	150	270.5
61	5	549.0	195	387.8
62	5	549.0	300	383.7
63	5	738.7	30	490.4
64	5	738.7	150	491.8
65	5	809.2	120	530.6
66	5	819.0	180	532.9
67	5	929.4	195	603.4
68	5	929.4	300	601.5
69	5	989.0	30	640.1
70	5	989.0	150	641.3
71	6	388.6	225	277.1
72	6	388.6	300	277.8
73	6	488.5	30	356.6
74	6	488.5	150	359.0
75	6	739.4	225	500.6
76	6	739.4	300	498.9
77	6	798.8	30	534.8
78	6	798.8	30	532.4
79	6	829.0	180	521.7
80	6	839.0	240	509.0
81	6	988.8	225	651.9
82	6	988.8	300	904.1
83	6	1049.0	30	689.6
84	6	1049.0	150	68.1
85	7	339.0	150	195.5
86	7	349.0	150	215.9
87	7	359.0	150	228.0
88	7	369.0	165	236.4
89	7	369.0	330	235.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRO)GRAD C

50

VERSUCH NR. 17

90	7	375.0	150	257.6
91	7	398.9	150	290.7
92	7	408.6	150	301.2
93	7	489.4	165	369.0
94	7	489.4	330	366.7
95	7	799.0	165	549.5
96	7	799.0	330	551.6
97	7	1049.0	165	115.8
98	7	1049.0	330	693.7
99	8	294.6	210	192.8
100	8	304.2	270	209.5
101	8	368.7	135	234.8
102	8	368.7	255	242.7
103	8	389.1	30	273.3
104	8	389.1	300	277.9
105	8	549.0	135	406.5
106	8	549.0	255	411.5
107	8	739.0	30	517.2
108	8	739.0	300	622.0
109	8	929.0	135	520.5
110	8	929.0	255	622.9
111	8	988.8	30	659.2
112	8	988.8	300	660.8
113	9	369.4	105	236.9
114	9	369.4	180	86.8
115	9	389.0	30	280.0
116	9	389.0	270	280.0
117	9	549.0	105	389.8
118	9	549.0	180	387.7
119	9	739.2	30	493.2
120	9	739.2	270	493.2
121	9	909.0	60	586.5
122	9	919.0	120	593.6
123	9	929.0	105	600.1
124	9	929.0	180	600.8
125	9	988.8	30	639.4
126	9	988.8	270	641.3
127	10	489.3	90	359.8
128	10	489.3	300	359.6
129	10	549.0	60	391.7
130	10	549.0	210	391.5
131	10	739.0	180	491.6
132	10	739.0	330	493.0
133	10	799.0	90	529.6
134	10	799.0	300	525.2
135	10	929.0	60	600.3
136	10	929.0	210	599.2
137	10	989.0	180	633.5
138	10	989.0	330	633.0
139	10	1049.0	90	669.7
140	10	1049.0	300	665.0
141	11	389.0	60	273.0
142	11	389.0	315	270.7
143	11	489.0	150	351.5
144	11	489.0	270	352.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

50

VERSUCH NR.	17
145	11 738.9 60 487.8
146	11 738.9 315 490.1
147	11 799.6 150 527.8
148	11 799.6 270 529.4
149	11 849.3 240 529.6
150	11 859.8 300 544.8
151	11 989.3 60 640.3
152	11 989.3 315 641.7
153	111049.2 150 674.0
154	111049.2 270 675.8
155	12 359.9 30 228.4
156	12 370.0 15 238.4
157	12 370.0 240 *****
158	12 379.2 90 260.4
159	12 489.0 90 377.9
160	12 489.0 270 371.2
161	12 548.9 15 413.5
162	12 548.9 240 411.0
163	12 799.3 90 557.7
164	12 799.3 270 548.6
165	12 929.3 15 616.6
166	12 928.4 240 613.5
167	121049.5 90 687.5
168	121049.5 270 684.6
169	13 338.8 60 178.4
170	13 349.0 60 200.0
171	13 368.9 90 222.8
172	13 368.9 240 227.3
173	13 388.5 45 270.5
174	13 388.5 270 271.8
175	13 549.0 90 400.5
176	13 549.0 240 407.5
177	13 738.7 45 *****
178	13 738.7 270 510.0
179	13 929.3 90 608.8
180	13 929.3 240 614.0
181	13 989.2 45 647.9
182	13 989.2 270 651.9
183	14 369.0 30 225.2
184	14 369.0 270 230.1
185	14 488.9 75 354.7
186	14 488.9 180 355.0
187	14 548.8 30 389.7
188	14 548.8 270 390.4
189	14 799.2 75 530.1
190	14 799.2 180 528.9
191	14 890.2 0 579.7
192	14 899.8 60 585.6
193	14 929.5 30 604.8
194	14 929.5 270 606.9
195	141049.2 75 675.3
196	141049.2 180 677.7
197	15 369.1 150 226.1
198	15 369.1 270 223.3
199	15 488.6 60 355.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

5U

VERSUCH NR. 17  
 200 15 488.6 345 353.8  
 201 15 549.6 150 386.9  
 202 15 549.6 270 391.4  
 203 15 799.6 60 524.9  
 204 15 799.6 345 524.9  
 205 15 869.0 0 554.9  
 206 15 879.0 300 \*\*\*\*\*  
 207 15 929.2 150 609.0  
 208 15 929.2 270 606.9  
 209 151049.1 60 674.8  
 210 151049.1 345 674.2  
 211 16 368.5 150 224.0  
 212 16 368.5 285 219.4  
 213 16 418.6 210 307.0  
 214 16 428.5 210 317.6  
 215 16 488.5 120 374.9  
 216 16 488.5 330 365.4  
 217 16 548.6 150 411.6  
 218 16 548.6 285 405.9  
 219 16 798.9 120 557.0  
 220 16 798.9 330 545.3  
 221 16 929.0 150 614.7  
 222 16 929.0 285 610.7  
 223 161049.0 120 684.9  
 224 161049.0 330 678.7  
 225 17 368.7 30 225.0  
 226 17 368.7 210 228.8  
 227 17 388.4 0 268.7  
 228 17 388.4 135 270.4  
 229 17 418.8 150 309.5  
 230 17 428.8 210 320.7  
 231 17 549.0 30 407.0  
 232 17 549.0 210 413.9  
 233 17 739.2 0 513.2  
 234 17 739.2 135 515.3  
 235 17 928.9 30 618.4  
 236 17 928.9 210 618.4  
 237 17 989.1 0 655.4  
 238 17 989.1 135 657.0  
 239 18 294.0 0 166.0  
 240 18 304.0 0 183.3  
 241 18 359.2 0 206.9  
 242 18 369.1 90 214.7  
 243 18 369.1 285 216.6  
 244 18 378.9 0 236.0  
 245 18 389.1 90 259.7  
 246 18 389.1 285 262.9  
 247 18 409.2 0 290.5  
 248 18 429.3 0 311.0  
 249 18 549.5 90 397.9  
 250 18 549.5 285 398.1  
 251 18 930.2 90 622.9  
 252 18 930.2 285 622.2  
 253 19 369.0 180 237.0  
 254 19 369.0 270 230.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

50

VERSUCH NR.			17
255	19	398.5	90 293.6
256	19	408.4	150 308.7
257	19	488.5	15 371.7
258	19	488.5	135 376.2
259	19	548.8	180 414.8
260	19	548.8	270 416.6
261	19	798.4	15 559.8
262	19	798.4	135 560.3
263	19	928.5	180 627.9
264	19	928.5	270 628.1
265	19	1048.7	15 24.9
266	19	1048.7	135 692.0
267	21	370.0	150 148.5
268	21	370.0	144 148.3
269	21	370.0	126 148.7
270	21	370.0	120 148.7
271	21	370.0	30 149.3
272	21	370.0	26 149.7
273	21	370.0	7 150.0
274	21	370.0	0 149.9
275	21	370.0	210 148.0
276	21	370.0	206 148.0
277	21	370.0	187 148.1
278	21	370.0	180 147.8
279	22	390.0	30 157.1
280	22	390.0	26 157.5
281	22	390.0	7 157.8
282	22	390.0	0 157.6
283	22	390.0	330 157.3
284	22	390.0	324 157.3
285	22	390.0	306 157.2
286	22	390.0	300 157.1
287	22	390.0	210 155.5
288	22	390.0	206 155.4
289	22	390.0	187 155.3
290	22	390.0	180 155.4
291	23	490.0	180 210.6
292	23	490.0	173 210.3
293	23	490.0	156 209.8
294	23	490.0	150 209.2
295	23	490.0	60 210.8
296	23	490.0	54 211.0
297	23	490.0	34 211.6
298	23	490.0	30 212.2
299	23	490.0	0 213.8
300	23	490.0	353 213.3
301	23	490.0	336 213.1
302	23	490.0	330 212.8
303	24	550.0	180 250.6
304	24	550.0	173 250.5
305	24	550.0	156 249.6
306	24	550.0	150 249.1
307	24	550.0	0 255.0
308	24	550.0	353 255.2
309	24	550.0	336 255.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

5U

VERSUCH NR.	T	R	AX	RAD	T
	NR	NR.	PCS	POS	
			(MM)	(GRD)	GRAD C
310	24	550.0	330		254.1
311	24	550.0	240		251.9
312	24	550.0	234		251.2
313	24	550.0	216		250.7
314	24	550.0	210		250.3
315	25	740.0	150		370.5
316	25	740.0	144		371.3
317	25	740.0	126		371.5
318	25	740.0	120		371.5
319	25	740.0	30		375.5
320	25	740.0	26		376.9
321	25	740.0	7		377.5
322	25	740.0	0		377.3
323	25	740.0	210		369.8
324	25	740.0	206		371.3
325	25	740.0	187		372.1
326	25	740.0	180		372.2
327	26	800.0	30		414.7
328	26	800.0	26		416.7
329	26	800.0	7		417.6
330	26	800.0	0		416.5
331	26	800.0	330		414.4
332	26	800.0	324		415.1
333	26	800.0	306		415.0
334	26	800.0	300		414.8
335	26	800.0	210		411.0
336	26	800.0	206		411.9
337	26	800.0	187		370.7
338	26	800.0	180		413.6
339	27	930.0	180		483.0
340	27	930.0	173		482.5
341	27	930.0	156		481.5
342	27	930.0	150		480.8
343	27	930.0	60		484.1
344	27	930.0	54		484.9
345	27	930.0	34		484.7
346	27	930.0	30		483.8
347	27	930.0	0		485.9
348	27	930.0	353	*****	
349	27	930.0	336		484.3
350	27	930.0	230		482.5
351	28	990.0	180		515.3
352	28	990.0	173		515.8
353	28	990.0	156		514.6
354	28	990.0	150		513.7
355	28	990.0	0		518.1
356	28	990.0	353		517.7
357	28	990.0	336		516.0
358	28	990.0	330		514.2
359	28	990.0	240		515.1
360	28	990.0	234		514.2
361	28	990.0	216		512.8
362	28	990.0	210		512.3
363	29	1050.0	150		536.2
364	29	1050.0	144		538.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

50

VERSUCH NR.				T
365	291050.0	126		539.5
366	291050.0	120		538.8
367	291050.0	30		538.8
368	291050.0	26		540.6
369	291050.0	7		542.0
370	291050.0	0		541.1
371	291050.0	210		534.3
372	291050.0	206		536.9
373	291050.0	187		539.0
374	291050.0	180		538.3
375	01075.0	6		591.2
376	01075.0	5		599.4
377	01075.0	4		573.7
378	01075.0	2		514.4
379	01075.0	1		510.0
380	01075.0	2		522.8
381	01075.0	4		577.9
382	01075.0	4		569.7
383	01075.0	1		493.9
384	01075.0	1		505.7
385	01075.0	4		558.9
386	01075.0	3		535.7
387	01075.0	3		550.5
388	01075.0	5		605.5
389	01075.0	6		603.9
390	01113.0	0		562.9
391	01113.0	0		557.0
392	01113.0	0		543.4
393	01113.0	0		561.7
394	01113.0	0		561.0
395	01113.0	0		555.6
396	0 0.0	0		103.8
397	0 0.0	0		116.0
398	0 0.0	0		113.6
399	0 0.0	0		107.5
400	0 0.0	0		82.5
401	0 0.0	0		82.5
402	0 0.0	0		903.9
403	0 0.0	0		14.0
404	0 0.0	0		14.2
405	0 0.0	0		-0.0
406	0 0.0	0		-0.0
407	4 389.5	0		0.7
408	5 389.5	0		0.7
409	6 389.1	0		0.7
410	7 399.4	0		0.8
411	8 389.6	0		0.7
412	9 369.9	0		0.6
413	10 489.8	0		1.5
414	11 389.5	0		0.7
415	12 489.5	0		1.5
416	4 990.0	0		5.7
417	5 989.5	0		5.8
418	61049.5	0		6.3
419	71049.5	0		6.3

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

SU

VERSUCH NR.			17
420	8	989.3	0 5.7
421	9	988.8	0 5.7
422	10	1049.5	0 6.3
423	11	1049.7	0 6.3
424	12	1050.0	0 6.4
425	11	1047.1	0 7.0
426	21	1049.5	0 7.0
427	31	1049.5	0 7.0
428	13	989.7	0 7.6
429	14	1049.7	0 7.0
430	15	1049.6	0 7.0
431	16	1049.5	0 7.0
432	17	989.6	0 7.6
433	18	930.7	0 8.3
434	19	1049.2	0 7.1
435	1	388.6	0 7.9
436	2	388.5	0 13.4
437.	3	389.2	0 13.3
438	13	389.0	0 13.4
439	14	489.4	0 12.5
440	15	489.1	0 12.5
441	16	419.1	0 13.2
442	17	388.9	0 13.4
443	18	389.6	0 13.5
444	19	399.0	0 13.3
445	1	348.6	0 13.7
446	2	359.0	0 13.6
447	3	294.5	0 14.0
448	4	294.4	0 0.1
449	4	304.2	0 0.2
450	4	348.9	0 0.4
451	4	379.6	0 0.6
452	5	370.0	0 0.6
453	7	349.5	0 0.5
454	7	359.5	0 0.5
455	7	369.5	0 0.6
456	7	379.5	0 0.6
457	7	409.1	0 0.9
458	8	295.1	0 0.2
459	8	304.7	0 0.2
460	8	369.2	0 0.6
461	9	369.9	0 0.6
462	12	370.5	0 0.6
463	13	369.4	0 13.6
464	14	369.5	0 13.5
465	15	369.6	0 13.6
466	16	369.0	0 13.5
467	17	369.2	0 13.6
468	18	294.5	0 14.0
469	18	304.5	0 14.0
470	18	359.7	0 13.6
471	18	369.6	0 13.6
472	18	379.4	0 13.5
473	18	389.6	0 13.5
474	18	409.7	0 13.3

TE	R	AX	RAD	T
NR	NR.	POS	POS	
		(MM)	(GRD)	GRAD C

VERSUCH NR.				17
475	18	429.8	0	13.1
476	19	369.5	0	13.5
477	1	738.5	0	0.0
478	2	738.5	0	0.0
479	3	739.0	0	0.0
480	4	739.7	0	0.0
481	5	739.2	0	0.0
482	6	739.9	0	0.0
483	7	799.5	0	0.0
484	8	739.5	0	0.0
485	9	739.7	0	0.0
486	10	739.5	0	0.0
487	11	739.4	0	0.0
488	12	799.8	0	0.0
489	13	739.2	0	0.0
490	14	799.7	0	0.0
491	15	800.1	0	0.0
492	16	799.4	0	0.0
493	17	739.7	0	0.0
494	18	550.0	0	0.0
495	19	798.9	0	0.0
496	0	0.0	0	0.0
497	0	0.0	0	0.0

DATUM 19. 5.80

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
RAUMTEMPERATUR	24.4	24.4	24.4	27.4	27.0	29.7	30.9	31.5	31.1	30.7	31.4	30.9	34.7	35.3
DURCHSATZ (KG/S)	0.4691	0.4117	0.3683	0.3267	0.2955	0.2768	0.2518	0.2244	0.2028	0.1819	0.1632	0.1470	0.1313	0.1187
EL. ENERGIE (KW)	178.0	157.0	140.6	126.7	115.0	108.4	99.5	89.0	80.8	72.6	66.1	59.6	54.3	50.1
WAERMEENERGIE (KW)	181.1	159.3	142.4	128.6	116.5	110.0	101.0	90.6	81.6	72.6	66.4	59.6	54.2	49.8
WAERMEBILANZ(0/0)	1.7	1.4	1.3	1.5	1.3	1.4	1.5	1.8	0.9	0.0	0.5	0.0	-0.2	-0.8
REYNOLDSZAHL*E-04	10.157	8.891	7.935	6.996	6.312	5.893	5.348	4.752	4.283	3.846	3.436	3.096	2.750	2.479
DRUCKVERLUST (N/M**2)														
GES.X=1060.0(MM)	49965.	38481.	30577.	24110.	20275.	17833.	14803.	11846.	9687.	7890.	6371.	5274.	4288.	3614.
BIS X= 560.0(MM)	12057.	9304.	7534.	5868.	4866.	4344.	3614.	2843.	2363.	1952.	1490.	1336.	1103.	985.
BIS X= 624.0(MM)	19466.	15058.	12087.	9468.	7813.	6791.	5777.	4506.	3763.	3059.	2468.	2073.	1757.	1437.
BIS X= 717.0(MM)	24569.	18974.	15182.	11907.	9799.	8535.	7208.	5648.	4711.	3804.	3089.	2575.	2169.	1780.
BIS X= 810.0(MM)	29929.	23099.	18440.	14462.	11385.	10363.	8731.	6867.	5694.	4619.	3758.	3117.	2610.	2148.
BIS X= 874.0(MM)	38933.	30041.	23962.	18800.	15427.	13481.	11317.	8930.	7370.	5972.	4862.	4021.	3345.	2757.
BIS X= 967.0(MM)	44590.	34362.	27680.	21753.	17842.	15575.	13055.	10319.	8534.	6909.	5613.	4618.	3831.	3165.
EINTR.DRUCK (BAR)	13.66	13.64	13.59	13.52	13.52	13.49	13.45	13.43	13.33	13.31	13.28	13.28	13.25	13.25
EINTR.TEMP. GRADC	113.7	115.3	117.1	118.6	119.8	121.2	121.8	123.4	126.6	126.8	127.2	127.8	130.1	129.8

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	424.3	416.7	411.7	409.8	403.9	400.1	398.4	394.9	392.9	385.1	381.6	377.9	376.4	373.4
2	1	348.1	330	381.4	376.2	373.1	373.8	370.8	368.7	367.4	364.9	362.9	359.0	358.0	355.6	355.6	355.2
3	1	388.1	150	407.0	403.1	399.3	398.1	394.1	392.6	389.1	387.8	383.9	380.1	379.4	376.7	378.3	378.6
4	1	388.1	330	422.2	417.3	414.4	413.3	409.1	407.2	404.4	401.9	398.3	393.7	392.6	389.3	390.2	389.8
5	1	487.7	255	410.7	411.9	413.8	419.4	419.6	420.6	422.6	424.8	425.9	425.1	426.8	427.2	431.1	433.8
6	1	487.7	120	427.6	431.9	435.4	442.1	443.3	443.6	446.1	447.4	447.6	446.4	445.8	445.8	448.7	450.6
7	1	738.0	150	511.2	512.9	515.9	521.4	522.0	523.3	525.7	528.4	529.8	529.4	530.3	531.5	536.5	540.6
8	1	738.0	330	547.7	550.6	553.3	559.4	560.0	560.8	562.7	564.2	565.2	562.9	563.8	564.5	567.4	570.1
9	1	795.4	120	546.1	547.5	550.1	555.9	556.9	559.3	562.2	565.1	567.5	567.1	568.7	569.9	573.7	577.6
10	1	795.4	255	554.8	558.1	562.7	569.4	571.4	572.9	576.3	579.9	582.0	581.4	583.0	585.2	588.3	591.9
11	1	987.0	150	647.2	647.3	647.9	649.3	648.9	650.2	651.6	654.3	655.3	654.0	655.1	657.5	661.3	665.9
12	1	987.0	330	669.6	672.2	675.6	681.9	681.1	682.6	682.8	684.6	684.7	681.0	681.2	681.6	684.1	686.8
13	11046.6	120	699.8	698.8	697.6	697.5	695.7	694.3	695.5	697.5	696.6	694.8	696.2	698.6	701.9	706.1	
14	11046.6	255	664.4	663.7	665.8	670.2	670.8	672.3	674.9	677.6	680.7	680.1	682.6	685.5	690.0	694.4	
15	2	358.5	0	444.7	437.2	430.6	427.6	421.1	416.6	412.2	406.4	400.2	392.7	388.3	382.7	379.3	375.5
16	2	388.0	0	457.8	450.5	446.0	444.8	439.6	436.9	433.8	430.2	426.6	419.3	417.2	414.6	413.8	413.4
17	2	388.0	210	430.5	423.9	421.9	420.7	417.3	414.8	412.7	409.9	407.9	402.5	400.8	399.3	400.0	400.9
18	2	398.0	0	457.7	452.5	448.5	447.1	442.9	440.4	437.7	434.5	431.4	425.3	423.3	420.3	419.5	418.8
19	2	488.1	30	441.1	440.1	440.4	443.3	442.9	443.8	445.5	445.7	446.6	444.5	444.5	444.4	447.2	448.2
20	2	488.1	165	431.1	431.4	431.9	434.2	432.8	434.3	434.8	435.5	436.7	434.7	434.5	434.4	437.3	438.2
21	2	738.0	0	530.2	530.4	531.8	536.7	537.0	538.7	540.9	542.9	544.3	542.3	543.7	544.9	548.4	551.9
22	2	738.0	210	529.0	529.3	530.9	535.2	536.1	536.4	539.0	540.8	542.2	540.7	541.1	542.5	546.3	549.3
23	2	797.8	30	562.3	564.2	567.2	573.4	574.9	576.9	580.0	581.7	584.1	582.6	583.0	584.9	588.0	590.0
24	2	797.8	165	580.3	579.4	579.6	583.3	581.5	583.0	584.5	584.8	585.1	583.5	582.8	583.7	586.6	588.2
25	2	987.2	0	636.2	636.4	637.6	643.4	644.2	647.8	650.7	653.6	657.4	658.0	659.6	663.4	668.4	671.8
26	2	987.2	210	666.5	664.2	664.4	666.9	666.1	667.6	668.3	669.6	669.6	669.0	669.5	672.1	675.2	678.6
27	21049.0	30	677.1	676.6	676.3	680.3	680.4	683.1	685.7	689.9	691.6	692.7	695.5	699.5	704.3	707.3	
28	21049.0	165	687.6	688.3	690.4	695.8	695.9	698.8	700.0	703.0	702.6	702.2	703.1	705.5	708.6	711.9	
29	3	294.0	30	479.3	467.7	458.5	451.0	441.7	436.4	430.5	423.1	415.6	407.0	399.4	389.9	383.4	377.1
30	3	303.7	330	531.1	519.0	509.8	502.2	492.6	487.0	481.0	473.2	465.1	456.1	448.2	438.3	431.3	424.8
31	3	388.7	15	440.8	437.0	432.8	431.6	426.8	424.7	423.8	421.0	418.9	416.2	413.5	410.5	410.0	409.3
32	3	388.7	255	423.9	418.9	414.6	414.2	409.5	408.5	408.6	406.1	404.9	403.6	401.4	399.5	400.3	400.1
33	3	488.5	60	467.0	467.4	467.3	471.4	469.7	471.3	473.1	472.5	472.0	471.0	470.2	469.2	470.4	471.2
34	3	488.5	150	456.3	456.3	455.1	459.3	458.1	460.2	462.1	462.3	462.9	462.1	461.7	462.0	464.4	465.3

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
35	3 738.5 15	554.3	557.1	561.1	566.9	568.1	571.8	574.1	576.1	577.6	576.3	576.9	576.7	580.1	581.1
36	3 738.5 255	545.6	543.7	543.7	547.9	546.6	548.6	550.5	552.5	553.2	552.9	553.8	555.4	559.7	561.2
37	3 798.5 60	595.0	598.1	600.2	606.2	607.0	610.9	613.5	615.3	616.0	615.2	615.1	614.2	616.8	616.7
38	3 798.5 150	574.9	574.9	576.8	581.8	581.7	585.6	587.3	588.8	590.0	589.6	590.1	590.5	594.1	595.4
39	3 988.5 15	682.1	682.6	684.4	690.3	691.6	693.8	696.5	698.2	698.8	697.4	697.9	698.4	701.5	702.3
40	3 988.5 255	667.2	666.1	667.0	671.4	671.0	673.9	676.3	678.1	678.3	677.3	678.4	680.6	684.1	686.1
41	31049.0 60	706.0	710.0	713.6	721.6	723.9	728.0	731.6	733.6	732.9	730.9	731.8	732.1	734.7	735.3
42	31049.0 150	717.7	717.9	717.9	721.6	720.3	723.4	724.9	724.8	717.6	716.3	718.2	719.9	723.2	724.8
43	4 293.9 300	425.4	415.0	406.8	402.4	393.3	388.4	382.8	374.7	368.2	360.6	354.0	348.0	344.1	339.6
44	4 303.7 300	487.6	476.8	468.0	462.9	453.2	447.9	441.6	433.1	425.3	416.4	409.3	402.7	397.9	393.0
45	4 339.0 300	389.7	383.1	375.1	378.6	373.6	371.2	371.6	369.9	365.3	362.3	357.6	353.8	353.0	350.0
46	4 348.4 300	404.9	396.0	391.2	389.3	383.6	380.7	379.4	375.4	373.1	368.7	364.9	361.6	361.5	359.7
47	4 379.1 300	*****	434.2	*****	480.6	442.9	334.0	460.7	404.9	*****	*****	*****	339.9	*****	*****
48	4 389.0 45	410.6	405.4	401.3	400.8	396.3	395.0	393.1	390.2	388.9	385.1	383.8	381.7	384.1	384.4
49	4 389.0 210	395.5	391.0	388.4	388.9	385.6	383.2	381.9	379.5	378.5	374.4	373.7	372.5	373.9	375.1
50	4 408.8 300	110.6	113.3	115.1	116.6	117.9	116.1	118.6	118.6	123.1	120.9	123.0	123.5	125.8	126.7
51	4 418.6 300	450.5	446.2	442.4	441.6	437.6	434.4	432.9	429.4	426.7	421.1	413.8	415.6	416.4	416.1
52	4 428.7 300	454.2	450.6	447.2	446.7	442.4	440.4	438.3	434.8	431.9	426.6	424.0	420.9	421.8	421.5
53	4 735.2 45	540.7	539.6	538.8	543.0	541.9	541.8	541.6	541.5	542.0	539.7	539.9	540.4	544.7	546.9
54	4 739.2 210	523.1	522.0	521.3	526.1	524.6	524.9	525.2	526.2	526.7	526.9	527.3	528.5	533.2	536.4
55	4 989.5 45	645.8	645.4	644.9	648.6	647.3	649.0	650.4	652.4	653.4	653.8	655.1	656.8	662.2	665.9
56	4 989.5 210	653.3	650.3	649.1	652.6	649.6	649.7	650.2	651.5	651.8	651.2	651.8	653.3	658.0	662.1
57	5 369.5 195	429.3	421.9	415.8	413.2	405.8	404.6	401.7	396.5	390.5	384.7	379.7	374.7	373.6	371.3
58	5 369.5 300	431.3	424.0	417.3	415.9	408.5	406.6	403.7	398.3	392.4	386.9	381.9	377.1	376.1	373.6
59	5 389.0 30	380.0	375.1	374.0	374.9	370.0	371.3	371.0	368.3	365.5	363.3	360.0	360.0	362.2	363.3
60	5 389.0 150	383.1	377.6	377.2	376.5	371.7	373.7	372.0	369.7	367.0	364.3	362.5	360.5	362.9	364.2
61	5 549.0 195	433.9	429.6	*****	432.0	428.7	*****	409.3	431.1	430.4	429.0	428.8	427.8	431.2	433.5
62	5 549.0 300	415.7	414.0	414.1	418.9	416.7	418.5	419.1	419.6	420.6	419.5	420.0	419.3	423.8	425.9
63	5 738.7 30	501.6	500.0	501.6	507.1	506.6	509.2	510.7	512.2	513.2	512.8	513.9	513.5	518.5	522.1
64	5 738.7 150	522.7	520.6	521.5	526.3	524.6	527.5	528.2	528.8	527.9	526.6	526.6	525.4	529.2	532.4
65	5 809.2 120	543.5	542.6	544.2	550.5	549.9	553.3	554.7	556.9	556.3	555.2	555.6	555.4	559.0	562.6
66	5 819.0 180	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	744.2	155.5	103.6
67	5 929.4 195	633.3	630.1	630.7	634.9	633.6	635.3	636.1	637.4	635.8	633.8	634.2	634.2	639.2	642.6
68	5 929.4 300	618.3	615.0	613.8	616.1	615.7	616.5	617.7	619.5	618.8	617.3	618.7	618.9	625.5	629.2
69	5 989.0 30	652.2	649.1	647.9	651.6	651.5	652.8	654.2	655.7	654.8	653.0	654.4	654.7	659.9	663.6
70	5 989.0 150	662.1	658.5	658.5	660.2	665.4	667.6	668.8	670.1	668.0	666.0	666.4	666.7	671.2	674.4
71	6 388.6 225	415.3	407.8	404.2	403.6	398.8	400.1	399.4	398.1	393.3	390.1	388.9	386.5	388.3	389.9
72	6 388.6 300	397.6	392.3	389.3	388.6	385.3	386.9	385.7	385.3	381.0	378.7	373.7	376.5	378.7	381.0
73	6 488.5 30	412.9	410.3	410.7	415.6	414.5	417.2	418.4	419.5	418.3	416.3	417.5	415.2	417.6	419.9
74	6 488.5 150	425.0	422.0	421.3	426.3	424.4	427.0	419.1	428.0	*****	137.6	*****	*****	120.9	*****
75	6 739.4 225	550.5	546.1	545.4	548.8	547.1	550.9	551.0	551.5	549.0	545.8	547.2	544.6	547.3	549.5
76	6 739.4 300	542.8	539.3	538.6	543.2	541.2	544.4	545.1	545.0	542.4	539.3	539.9	537.8	540.2	542.5
77	6 798.8 30	563.4	560.2	559.7	564.5	563.0	565.9	567.4	568.2	566.6	563.9	565.2	563.1	563.5	567.8
78	6 798.8 30	563.0	560.2	559.9	564.5	563.5	567.5	569.2	570.0	568.2	565.5	566.9	564.8	567.2	569.9
79	6 829.0 180	529.2	528.8	530.2	535.2	535.1	539.4	542.3	543.0	543.9	542.1	543.9	542.3	546.1	549.0
80	6 839.0 240	543.1	540.5	540.7	545.1	544.7	546.7	549.8	548.7	547.5	547.3	*****	*****	*****	*****
81	6 988.8 225	675.1	672.7	672.4	679.5	677.3	680.9	682.6	682.7	680.5	677.5	679.6	677.3	681.8	685.2
82	6 988.8 300	670.5	668.9	669.3	677.3	675.7	678.4	679.6	680.4	677.4	674.0	675.8	674.0	678.2	681.9
83	61049.0 30	697.4	695.5	695.4	701.3	699.3	702.4	703.2	704.0	699.7	696.5	699.1	697.2	701.5	705.4
84	61049.0 150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
85	7 339.0 150	450.4	447.2	445.4	446.5	439.6	438.7	435.6	430.8	424.4	416.0	412.1	404.6	399.9	395.8
86	7 349.0 150	437.7	429.9	422.1	419.5	411.3	410.6	407.0	402.7	396.8	390.1	387.4	381.6	379.0	376.3
87	7 359.0 150	465.3	455.3	445.6	441.9	432.2	431.0	426.0	419.9	412.1	403.8	395.3	392.2	388.2	384.7
88	7 369.0 165	489.0	478.7	469.0	465.2	455.5	454.2	449.1	443.4	435.6	426.9	422.7	415.2	411.1	407.8
89	7 369.0 330	481.9	472.2	463.6	460.9	452.6	450.5	445.5	440.5	432.9	424.6	423.4	413.1	409.3	406.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRO)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
90	7 379.0	150 469.1	460.3	452.4	452.0	445.5	444.8	442.4	439.9	434.3	427.8	426.5	421.8	420.5	420.1
91	7 398.9	150 426.4	421.2	415.4	417.4	412.5	412.6	411.4	410.3	406.5	400.9	400.9	396.9	398.0	398.6
92	7 408.6	150 430.8	426.3	420.9	423.8	418.9	420.0	418.6	417.4	414.0	408.3	409.6	404.9	406.2	406.6
93	7 489.4	165 444.1	441.6	440.1	446.1	444.0	447.4	448.7	449.4	447.2	443.3	444.6	442.0	445.0	445.7
94	7 489.4	330 432.0	430.9	430.0	435.8	434.1	436.1	439.2	439.6	438.2	436.3	437.7	434.7	439.1	440.2
95	7 799.0	165 359.7	358.5	358.5	366.2	364.6	368.5	371.6	374.0	373.6	371.1	373.9	372.3	377.2	380.7
96	7 799.0	330 554.1	551.5	551.0	558.4	556.2	560.5	562.4	564.9	566.6	564.3	568.3	565.9	571.6	574.3
97	71049.0	165 113.3	115.0	116.0	117.9	118.6	120.3	121.0	122.9	126.2	128.0	127.3	127.2	132.9	130.9
98	71049.0	330 695.7	690.7	687.8	693.6	688.7	690.9	691.2	691.8	685.6	682.9	687.4	686.2	692.9	697.0
99	8 294.6	210 487.4	473.9	462.3	458.7	448.2	441.6	435.0	427.0	418.7	409.7	402.3	394.1	391.5	387.7
100	8 304.2	270 529.2	515.7	504.2	500.1	490.0	483.0	476.0	467.9	457.8	448.4	441.7	432.8	430.3	426.8
101	8 368.7	135 474.6	465.1	457.1	454.7	469.4	****	87.7	429.1	421.2	414.3	408.7	402.2	401.5	400.0
102	8 368.7	255 502.3	490.7	481.3	477.5	467.5	461.5	455.0	447.7	439.1	430.6	424.6	416.8	415.0	413.0
103	8 389.1	30 403.7	398.6	374.6	396.3	391.8	390.3	388.7	386.4	384.0	380.3	379.3	377.1	380.8	384.2
104	8 389.1	300 424.3	418.3	414.1	414.6	409.2	406.1	403.5	400.7	396.4	392.4	390.7	387.2	390.1	392.7
105	8 549.0	135 434.0	433.4	433.8	441.2	440.5	442.4	444.1	446.8	446.9	446.8	448.4	447.7	454.0	459.6
106	8 549.0	255 462.3	461.4	461.8	469.9	469.7	471.0	472.5	474.0	473.0	471.5	472.0	469.9	474.7	479.0
107	8 739.0	30 533.0	530.2	529.0	534.8	531.6	532.7	532.9	533.0	532.0	531.1	532.7	531.1	536.0	541.3
108	8 739.0	300 621.6	616.7	614.7	620.6	616.9	617.7	618.9	619.5	619.1	618.2	620.3	619.9	626.2	632.3
109	8 929.0	135 542.1	541.7	542.0	549.5	547.5	549.0	550.0	550.4	548.5	547.0	547.7	546.0	550.3	554.4
110	8 929.0	255 603.9	600.9	601.3	609.0	607.3	608.3	611.4	613.8	615.5	615.4	618.2	617.7	623.4	629.4
111	8 988.8	30 657.6	654.1	654.3	661.5	658.3	659.1	660.8	661.8	661.4	659.6	662.0	661.0	666.2	671.8
112	8 988.8	300 637.3	635.3	636.6	645.5	644.4	646.9	650.7	653.6	656.5	655.9	659.1	658.7	664.4	670.1
113	9 369.4	105 459.7	450.4	444.7	442.3	434.2	430.1	425.6	420.1	413.0	406.1	401.5	395.5	394.6	392.9
114	9 369.4	180 101.6	104.7	108.4	114.2	115.0	117.9	119.4	121.2	126.2	125.9	126.7	126.1	129.7	131.0
115	9 385.0	30 407.4	402.1	398.0	399.6	259.8	397.7	391.3	388.9	319.3	199.4	226.8	231.5	231.7	235.8
116	9 389.0	270 406.2	400.6	396.9	398.6	393.8	391.7	390.9	388.1	384.7	380.7	380.8	377.7	380.7	382.9
117	9 549.0	105 438.5	437.1	437.4	442.4	440.7	441.3	442.8	442.9	440.4	438.4	439.2	437.2	441.4	444.7
118	9 549.0	180 428.9	428.5	429.3	435.5	434.9	435.7	436.8	437.2	435.4	433.3	434.3	432.2	436.8	440.1
119	9 739.2	30 529.9	527.4	528.3	534.3	531.4	533.4	533.4	533.7	533.2	531.1	533.6	531.8	536.5	540.4
120	9 739.2	270 527.4	525.3	525.7	531.7	530.0	531.2	532.0	531.6	530.5	528.5	530.8	529.2	533.7	537.8
121	9 909.0	60 623.7	619.7	618.7	624.6	620.9	623.6	623.1	623.3	622.3	619.9	623.4	622.0	627.9	633.4
122	9 919.0	120 632.4	628.0	626.5	631.4	628.0	631.1	630.9	630.3	628.9	626.5	629.5	628.8	634.5	640.3
123	9 929.0	105 639.0	634.8	634.3	639.4	636.0	639.1	638.5	636.9	634.5	637.5	636.3	642.0	647.6	
124	9 929.0	180 632.2	628.7	628.2	633.7	631.3	635.6	635.9	635.7	634.1	632.1	634.9	633.5	639.2	644.5
125	9 988.8	30 663.9	660.9	661.1	667.6	664.4	666.9	667.6	667.7	666.3	664.3	667.8	665.7	671.0	676.0
126	9 988.8	270 649.3	646.3	647.4	653.7	651.5	655.3	657.0	657.4	657.2	655.2	659.1	657.7	663.4	669.2
127	10 489.3	90 416.1	412.0	412.0	415.6	412.8	416.1	416.3	417.8	414.9	413.0	414.8	412.4	416.3	418.5
128	10 489.3	300 427.8	423.0	421.4	424.7	421.5	422.8	423.2	422.2	419.0	416.4	417.8	414.4	418.2	420.2
129	10 549.0	60 443.2	438.6	438.9	442.0	439.1	441.8	442.2	442.5	438.9	437.9	439.2	436.0	440.4	442.4
130	10 549.0	210 432.2	430.1	430.0	434.8	432.0	435.5	436.2	436.5	434.4	432.6	434.2	431.4	435.8	438.8
131	10 739.0	180 517.3	515.0	513.8	519.3	517.3	521.4	522.9	524.8	523.0	522.2	525.2	523.6	529.0	533.4
132	10 739.0	330 530.6	528.1	528.3	534.1	531.4	534.8	534.8	535.4	534.0	532.0	534.8	532.0	537.0	541.1
133	10 799.0	90 564.1	560.6	559.4	564.5	561.6	566.1	566.5	566.5	564.4	562.0	564.5	561.3	566.0	570.4
134	10 799.0	300 552.0	549.2	550.1	556.6	554.8	558.6	559.2	560.7	559.8	557.8	560.3	557.8	563.0	567.3
135	10 929.0	60 631.0	627.7	627.2	633.5	630.3	634.9	634.4	635.3	632.9	631.2	634.2	631.9	636.8	642.1
136	10 929.0	210 622.5	619.3	619.2	624.3	621.1	624.3	625.0	626.3	624.7	622.5	626.2	625.0	631.4	636.7
137	10 989.0	180 652.4	649.1	649.1	655.1	652.7	656.3	657.3	658.8	656.5	654.0	657.7	656.0	662.0	666.8
138	10 989.0	330 654.3	652.0	654.0	662.4	659.5	662.9	663.1	665.8	663.5	660.6	664.5	662.7	667.9	673.0
139	101049.0	90 697.6	692.8	693.5	700.3	696.9	700.5	700.8	702.8	699.2	696.2	699.3	696.5	701.2	705.6
140	101049.0	300 673.8	670.8	673.6	681.9	680.1	683.8	685.0	688.2	685.8	683.0	687.8	686.2	692.6	697.5
141	11 389.0	60 402.2	394.9	390.7	389.5	383.6	385.1	383.8	383.0	378.6	375.4	375.6	371.3	373.7	374.3
142	11 389.0	315 397.3	390.8	387.0	387.5	381.4	382.4	382.0	381.5	377.7	373.9	374.8	370.2	373.4	374.0
143	11 489.0	150 406.1	403.1	402.3	405.6	403.0	406.7	407.9	409.7	407.1	404.3	406.0	402.3	405.7	406.9
144	11 489.0	270 403.7	401.5	401.7	405.8	403.2	406.2	407.8	408.5	406.6	404.1	405.7	402.3	406.0	407.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14			
145	11	738.9	60	515.7	511.5	511.7	514.9	512.2	516.3	517.7	518.0	516.9	515.8	518.2	515.4	520.6	523.8
146	11	738.9	315	523.8	520.6	520.6	524.9	522.2	526.8	527.3	527.7	525.8	523.6	525.7	521.9	526.9	530.1
147	11	799.6	150	546.1	542.4	541.6	546.3	543.6	548.6	548.9	550.4	549.5	547.7	550.9	547.9	553.1	556.8
148	11	799.6	270	560.1	555.5	555.2	559.4	557.1	562.4	562.4	563.2	561.4	559.2	561.5	558.5	562.7	566.6
149	11	849.3	240	549.1	545.7	543.7	548.4	545.4	550.2	550.0	550.4	548.1	546.1	548.8	545.1	549.4	552.3
150	11	859.8	300	567.6	562.3	560.1	563.3	560.0	563.3	563.1	562.5	560.0	557.3	559.4	555.6	559.7	563.3
151	11	989.3	60	660.9	655.5	653.8	658.9	655.7	660.3	660.8	660.4	657.6	655.2	658.9	655.1	659.7	664.5
152	11	989.3	315	671.0	664.4	663.9	668.6	664.9	669.5	670.0	669.1	666.8	663.9	667.1	662.9	667.7	672.3
153	111049.2	150	705.0	697.6	695.2	700.1	695.7	701.0	700.3	700.4	696.4	692.9	696.2	692.6	696.2	700.9	
154	111049.2	270	702.4	696.4	695.4	701.0	697.3	702.9	702.2	703.5	700.2	697.4	700.0	696.7	700.7	705.4	
155	12	359.9	30	484.3	470.1	460.2	455.3	445.3	445.2	439.0	432.5	422.9	414.4	409.6	401.2	398.5	394.3
156	12	370.0	15	504.4	491.7	481.6	476.8	466.9	466.7	460.6	453.9	444.0	435.0	430.3	421.4	418.4	413.9
157	12	370.0	240	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	945.5	1013.5
158	12	379.2	90	487.4	477.2	470.3	467.1	460.3	461.1	457.1	453.0	445.8	439.4	437.5	431.4	430.9	429.0
159	12	489.0	90	470.8	468.7	468.7	471.4	469.1	473.3	472.5	471.4	466.7	462.3	462.6	458.2	459.8	460.1
160	12	489.0	270	435.2	432.2	432.1	434.9	433.8	439.5	433.8	439.5	430.3	433.6	434.8	431.9	434.5	436.3
161	12	548.9	15	446.8	448.0	450.8	457.6	458.8	465.9	468.5	471.7	470.4	469.0	471.9	469.4	473.0	474.7
162	12	548.9	240	444.1	442.8	442.9	448.5	448.7	454.2	456.0	456.6	455.5	453.7	456.8	454.4	458.4	460.7
163	12	799.3	90	557.8	556.9	557.1	563.6	563.7	569.7	572.3	573.8	574.1	573.5	577.4	575.5	580.8	584.2
164	12	799.3	270	556.2	552.7	552.6	558.0	557.4	562.9	564.8	565.4	565.2	563.9	567.3	566.2	570.9	574.3
165	12	929.3	15	584.7	582.4	583.3	588.2	587.6	591.9	594.8	596.0	597.5	597.8	602.9	602.4	608.1	612.7
166	12	928.4	240	611.2	607.7	607.7	612.3	610.8	615.6	616.3	616.4	616.9	614.7	618.7	617.0	621.3	625.7
167	121049.5	90	655.7	653.4	654.5	661.3	662.5	668.8	672.3	675.5	676.5	676.5	676.1	681.2	679.6	685.5	689.9
168	121049.5	270	677.5	672.9	672.6	677.9	675.7	680.9	681.9	682.5	682.5	681.0	685.0	683.1	687.8	691.8	
169	13	338.8	60	385.6	381.3	378.6	380.6	375.7	373.8	370.9	366.2	359.2	351.6	347.0	341.2	337.9	334.6
170	13	349.0	60	381.6	374.0	368.8	368.2	362.2	360.1	358.5	354.6	349.3	344.0	341.8	336.8	337.5	335.2
171	13	368.9	90	434.9	426.0	420.0	418.6	411.0	408.4	405.3	399.8	393.5	387.1	383.8	377.2	377.6	374.8
172	13	368.9	240	452.7	442.4	435.5	433.3	424.8	421.4	417.2	411.3	403.8	396.8	392.6	385.3	385.0	381.6
173	13	388.5	45	395.6	388.9	386.4	388.2	382.0	381.7	380.8	377.5	375.0	371.0	371.2	367.5	372.2	372.6
174	13	388.5	270	417.4	410.5	407.1	407.1	400.6	399.0	397.1	393.8	388.6	384.0	382.5	378.4	381.1	380.3
175	13	549.0	90	430.2	428.2	430.8	437.1	434.7	438.0	440.3	440.8	439.6	438.8	441.1	439.3	445.3	447.1
176	13	549.0	240	440.2	441.3	444.8	452.9	451.7	454.8	456.7	457.7	455.9	454.7	456.1	454.1	459.4	461.0
177	13	738.7	45	518.0	515.7	517.0	523.5	522.5	525.2	528.0	528.4	527.9	526.4	528.7	527.1	533.2	536.6
178	13	738.7	270	509.8	511.9	516.3	524.5	523.9	527.7	529.9	530.7	528.6	527.6	529.9	528.5	534.6	533.0
179	13	929.3	90	618.5	615.3	615.7	621.0	619.0	625.0	626.4	626.5	623.8	622.7	625.7	623.4	629.8	634.1
180	13	929.3	240	613.1	609.8	610.7	616.8	615.0	620.1	622.0	622.2	620.2	619.2	621.7	619.6	626.0	629.7
181	13	989.2	45	645.1	643.0	644.9	652.1	650.8	657.0	659.4	659.7	657.4	656.1	659.4	657.7	664.6	668.3
182	13	989.2	270	646.1	643.0	644.6	651.4	650.1	654.4	656.1	656.2	653.4	651.9	655.6	654.0	660.6	663.8
183	14	369.0	30	426.1	419.1	414.2	413.5	406.9	406.3	402.9	398.1	391.6	385.4	382.0	376.3	376.5	373.8
184	14	369.0	270	443.5	435.5	429.7	427.6	420.1	419.4	415.2	409.0	401.6	394.9	390.9	384.9	384.7	381.4
185	14	488.9	75	403.8	403.4	402.8	407.4	405.4	409.3	410.1	409.7	408.2	406.8	407.6	406.4	412.2	414.2
186	14	488.9	180	411.3	410.6	410.6	416.2	414.0	419.4	419.0	418.9	416.7	414.1	414.5	412.5	417.5	419.3
187	14	548.8	30	434.5	432.5	433.4	439.3	437.5	441.2	441.2	442.0	438.9	436.6	437.4	436.5	442.0	443.7
188	14	548.8	270	438.9	437.2	439.4	444.4	442.8	446.1	447.3	447.7	445.1	442.4	443.7	442.4	448.2	449.7
189	14	799.2	75	555.0	552.0	553.1	560.1	557.6	561.7	562.4	564.2	561.2	559.4	562.0	560.3	566.0	569.0
190	14	799.2	180	552.9	549.4	551.7	558.0	555.5	560.8	561.7	564.0	560.9	559.4	561.7	559.9	565.8	568.0
191	14	890.2	0	619.7	612.4	611.2	616.3	612.7	616.8	617.5	618.5	616.9	613.8	616.8	614.0	620.4	623.1
192	14	899.8	30	615.2	609.1	608.9	614.0	609.8	612.3	613.5	614.1	612.2	609.8	613.7	611.1	618.0	620.7
193	14	929.5	30	627.9	623.0	623.9	629.7	627.0	631.1	631.9	633.1	631.5	628.6	633.2	631.1	638.0	641.2
194	14	929.5	270	632.2	629.1	629.5	635.8	633.8	641.9	642.4	643.5	641.2	638.5	642.7	640.6	647.0	649.9
195	141049.2	75	685.9	682.8	683.2	691.0	687.1	690.7	691.4	693.0	693.0	689.0	686.2	691.2	689.5	696.4	700.2
196	141049.2	180	707.4	702.6	702.1	707.5	701.6	702.9	701.7	702.3	699.2	696.2	699.3	697.9	703.1	705.6	
197	15	369.1	150	436.4	427.2	420.8	417.6	410.5	412.9	418.4	413.5	396.6	389.3	386.3	379.7	379.1	375.7
198	15	369.1	270	431.0	422.1	416.6	414.2	406.9	408.8	404.5	399.4	392.6	385.4	382.3	375.7	375.5	372.3
199	15	488.6	60	407.4	405.7	407.7	411.5	409.3	415.8	417.6	417.4	415.9	413.9	413.8	413.9	417.6	418.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

61

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14			
200	15	488.6	345	398.8	398.1	401.4	405.8	404.4	410.5	413.1	412.9	411.2	409.7	412.3	410.8	415.1	417.0
201	15	549.6	150	427.7	426.2	429.3	433.2	431.6	438.9	441.4	440.7	440.5	437.5	439.6	437.8	441.6	442.2
202	15	549.6	270	436.2	435.2	435.9	440.4	439.9	445.4	447.1	446.8	445.3	442.7	444.5	443.4	447.2	448.5
203	15	799.6	60	539.5	538.9	540.0	545.6	544.5	551.2	553.3	553.6	551.1	550.0	553.5	552.1	557.3	559.6
204	15	799.6	345	539.8	538.6	539.5	545.3	543.8	549.5	551.9	552.0	550.2	548.9	552.4	551.4	556.4	558.9
205	15	869.0	0	565.1	560.4	560.4	564.1	562.1	568.5	570.2	570.3	568.4	566.9	570.9	569.7	574.4	576.0
206	15	879.0	300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
207	15	929.2	150	629.1	626.8	626.0	630.7	627.7	634.9	636.1	636.7	634.1	631.6	635.6	634.2	638.7	640.7
208	15	929.2	270	627.2	624.7	625.3	630.4	627.3	633.0	634.2	634.5	632.5	630.5	634.2	633.5	638.5	641.0
209	151049.1	60	679.7	677.8	680.1	687.0	684.4	691.7	693.6	694.7	691.6	689.6	694.1	692.6	697.2	699.2	702.1
210	151049.1	345	685.7	682.6	684.2	691.7	688.0	693.1	695.5	696.1	693.3	691.2	695.5	694.8	699.8	702.1	702.1
211	16	368.5	150	472.2	461.1	453.1	448.3	458.7	439.8	434.6	427.6	419.4	410.4	406.3	398.7	396.5	390.9
212	16	368.5	285	443.2	433.4	427.0	423.4	415.9	417.8	414.3	408.1	401.5	393.7	390.6	384.1	382.9	378.5
213	16	418.6	210	413.0	410.6	408.9	410.0	406.5	411.0	410.0	407.8	405.7	401.0	401.5	399.4	401.4	400.8
214	16	428.5	210	416.8	413.9	413.2	414.1	411.3	416.7	416.0	414.1	411.8	407.7	408.7	406.4	408.4	408.5
215	16	488.5	120	457.3	455.2	456.6	459.6	457.0	463.5	463.6	463.3	459.8	456.9	458.3	455.4	457.0	456.2
216	16	488.5	330	413.4	412.7	412.6	416.4	415.0	421.3	423.1	424.5	422.8	421.2	424.0	422.2	425.8	426.1
217	16	548.6	150	465.4	464.7	466.1	471.0	468.9	476.5	478.1	478.8	476.0	474.3	476.3	474.2	476.4	476.4
218	16	548.6	285	437.9	437.1	439.6	444.0	442.1	449.6	451.9	453.6	451.0	450.2	452.1	451.4	454.6	455.5
219	16	798.9	120	565.8	563.0	565.7	571.1	568.4	576.7	579.1	581.7	580.4	580.0	582.8	582.3	586.4	587.7
220	16	798.9	330	544.0	541.2	543.3	547.0	544.0	551.2	552.4	554.6	553.0	552.4	556.3	557.5	561.3	564.5
221	16	929.0	150	606.5	604.9	606.0	610.9	608.4	616.5	617.3	618.8	616.9	615.4	619.1	619.4	623.2	625.9
222	16	929.0	285	629.8	626.3	625.6	629.0	624.7	631.8	632.1	632.2	628.9	626.7	630.2	630.2	633.8	636.5
223	161049.0	120	655.2	653.1	653.3	659.8	657.6	664.8	667.6	669.6	668.2	668.1	673.0	673.7	678.5	681.4	681.4
224	161049.0	330	698.3	693.8	691.1	695.6	689.5	696.7	696.7	695.4	691.1	688.4	691.7	690.0	692.6	694.4	694.4
225	17	368.7	30	438.2	429.8	424.7	422.8	414.8	416.3	412.0	405.8	399.6	392.2	388.5	382.8	382.8	379.4
226	17	368.7	210	456.1	446.4	440.7	437.5	428.5	429.7	425.1	417.9	411.2	403.0	399.2	392.8	391.9	388.2
227	17	388.4	0	389.1	384.0	382.0	381.6	377.2	380.0	379.1	375.2	371.9	368.4	367.7	365.3	368.6	369.9
228	17	388.4	135	409.8	404.1	402.3	403.0	397.8	401.7	400.0	396.5	392.4	388.3	387.3	383.9	386.6	386.3
229	17	418.8	150	415.8	412.2	411.9	414.4	409.5	413.8	412.8	409.4	405.5	400.8	400.2	396.2	398.6	398.0
230	17	428.8	210	424.5	421.0	421.0	422.9	419.0	422.9	421.5	417.9	413.7	408.6	408.5	404.3	406.2	405.5
231	17	549.0	30	438.1	436.0	438.2	442.3	440.1	446.1	446.7	446.2	444.6	441.0	443.6	442.2	446.0	447.5
232	17	549.0	210	467.0	466.4	468.9	474.2	471.2	478.2	478.2	476.7	474.2	470.4	471.7	468.6	471.4	471.9
233	17	739.2	0	528.8	526.7	528.5	534.8	531.6	538.0	535.5	538.2	537.5	534.8	530.9	534.6	540.0	542.0
234	17	739.2	135	522.2	520.6	522.9	529.9	528.1	535.0	536.2	536.8	535.4	533.4	535.5	533.6	539.3	541.3
235	17	928.9	30	627.7	622.3	623.2	629.3	624.9	631.8	631.6	631.0	629.6	626.7	629.2	626.7	632.1	634.6
236	17	928.9	210	608.2	605.8	608.4	616.8	613.1	621.0	621.7	621.8	619.5	617.0	619.6	618.2	623.4	626.1
237	17	989.1	0	664.4	660.0	661.1	667.1	661.4	668.5	663.1	667.5	664.5	661.8	664.8	663.1	669.6	671.6
238	17	989.1	135	655.0	649.4	649.6	655.6	650.1	658.2	657.7	657.1	655.1	652.3	655.4	653.3	659.0	662.1
239	18	294.0	0	383.7	374.3	368.1	365.1	356.0	359.3	354.2	348.0	339.9	332.4	328.2	320.4	319.7	315.3
240	18	304.0	0	429.8	420.0	413.5	411.1	401.3	405.3	400.1	393.9	385.9	377.9	374.2	360.2	365.4	360.9
241	18	359.2	0	399.8	392.3	386.9	385.4	377.7	381.2	376.6	371.5	365.0	358.0	355.1	348.5	348.4	344.3
242	18	369.1	90	419.3	413.0	408.3	406.4	399.3	403.4	399.4	394.4	387.7	380.7	373.1	372.1	371.5	367.6
243	18	369.1	285	429.1	420.7	415.8	413.5	405.2	408.3	403.9	398.3	390.7	382.9	380.7	373.7	373.3	369.5
244	18	378.9	0	431.3	423.3	418.7	416.4	409.2	413.3	410.4	405.5	400.2	393.8	393.3	388.8	390.3	388.3
245	18	389.1	90	379.3	374.2	373.2	372.6	366.7	372.4	371.6	368.5	364.5	361.7	360.9	358.8	360.7	359.8
246	18	389.1	285	392.6	387.1	383.6	383.8	378.2	382.1	380.6	377.5	373.3	368.0	369.6	366.0	369.1	369.2
247	18	409.2	0	392.9	390.3	388.6	391.5	386.9	392.8	391.7	389.2	386.5	382.1	383.0	379.8	382.5	382.5
248	18	429.3	0	396.0	394.5	394.5	397.6	394.1	400.3	400.1	398.1	395.8	391.3	392.9	389.8	392.5	393.4
249	18	549.5	90	422.3	421.4	424.1	428.7	427.2	436.3	438.0	439.0	438.9	436.9	440.8	440.0	443.8	446.0
250	18	549.5	285	425.9	425.6	427.8	432.9	430.8	439.3	440.3	440.7	439.7	437.1	440.2	439.1	443.4	446.4
251	18	930.2	90	622.5	619.0	619.2	622.4	617.6	626.9	626.7	626.8	624.5	620.8	625.2	624.3	623.4	632.0
252	18	930.2	285	634.8	631.5	631.9	635.1	630.5	638.4	633.2	638.1	636.5	632.6	636.3	634.9	638.5	641.9
253	19	369.0	180	486.2	476.0	467.7	463.1	453.4	457.2	451.1	443.2	435.6	425.7	422.1	414.3	411.2	406.6
254	19	369.0	270	466.1	456.6	449.3	445.2	436.9	441.0	435.6	428.7	422.4	413.2	410.4	402.9	400.6	396.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14			
255	19	398.5	90	431.2	426.3	423.8	423.8	418.5	425.0	422.9	419.9	416.1	409.6	410.4	406.3	407.4	406.6
256	19	408.4	150	458.5	454.4	450.6	449.5	442.9	449.5	446.1	441.8	437.1	429.6	430.0	424.9	425.8	424.5
257	19	488.5	15	425.9	426.3	428.3	432.3	429.6	438.9	438.9	439.5	438.6	434.9	438.7	436.6	440.0	441.8
258	19	488.5	135	461.3	461.0	463.8	467.9	465.0	474.5	474.6	473.8	471.6	466.4	469.3	466.4	469.0	469.3
259	19	548.8	180	461.7	460.1	462.3	465.6	463.0	472.8	473.3	473.4	472.3	469.1	472.9	471.6	475.1	476.8
260	19	548.8	270	479.9	480.1	483.0	487.5	485.4	494.8	496.0	495.2	494.0	490.3	493.1	491.2	493.9	495.7
261	19	798.4	15	581.0	577.3	577.9	580.7	577.0	586.3	587.5	586.0	584.8	581.4	585.6	584.9	588.0	591.2
262	19	798.4	135	551.2	551.5	555.9	562.9	561.3	572.0	575.8	576.8	578.0	575.6	580.5	579.8	583.3	586.5
263	19	928.5	180	619.7	618.5	621.8	627.6	624.9	634.9	638.2	636.9	637.6	634.0	638.4	637.3	640.8	644.5
264	19	928.5	270	*****	*****	*****	*****	*****	198.3	*****	*****	*****	*****	93.9	639.9	*****	*****
265	191048.7	15	24.9	24.9	24.9	27.9	27.5	30.2	31.4	32.0	31.6	31.3	32.0	31.5	35.3	35.9	
266	191048.7	135	678.0	674.9	677.0	682.2	679.4	688.8	691.7	691.3	691.6	689.1	694.3	693.1	697.4	700.9	
267	21	370.0	150	124.7	127.1	128.8	132.4	132.9	137.6	139.8	141.3	142.6	143.1	144.8	145.4	150.4	151.7
268	21	370.0	144	124.8	127.1	128.7	132.1	132.6	137.4	139.6	141.2	142.4	142.8	144.7	145.2	150.2	151.3
269	21	370.0	126	124.8	127.0	128.4	131.7	132.1	137.0	139.3	140.9	142.0	142.4	144.4	144.9	149.9	150.9
270	21	370.0	120	124.6	126.8	128.1	131.5	132.0	137.0	139.3	140.9	142.5	143.0	144.9	145.4	150.4	151.4
271	21	370.0	30	122.9	125.2	126.8	130.7	131.2	134.1	136.2	137.8	140.2	140.7	142.6	143.1	147.5	148.9
272	21	370.0	26	123.0	125.3	126.9	130.8	131.3	133.8	136.0	137.5	140.0	140.6	142.5	143.0	147.4	148.8
273	21	370.0	7	122.9	125.1	126.7	130.8	131.2	133.4	135.5	137.1	139.5	140.3	142.0	142.7	147.1	148.6
274	21	370.0	0	122.9	125.1	126.8	130.9	131.4	133.5	135.6	137.2	139.6	140.4	142.1	142.8	147.4	149.0
275	21	370.0	210	125.0	127.6	129.5	133.5	134.1	137.3	139.4	140.7	142.3	142.7	144.3	144.9	150.2	151.9
276	21	370.0	206	125.1	127.7	129.6	133.5	134.1	137.6	139.7	141.0	142.5	143.0	144.6	145.1	150.4	152.0
277	21	370.0	187	125.6	128.2	129.9	133.7	134.3	138.2	140.3	141.5	142.9	143.3	144.9	145.5	150.6	152.1
278	21	370.0	180	124.9	127.4	129.2	133.0	133.5	137.6	139.8	141.1	142.4	142.8	144.5	144.9	150.1	151.5
279	22	390.0	30	127.2	129.4	131.0	134.9	135.4	138.3	140.5	142.0	144.2	145.0	146.9	147.5	152.0	153.5
280	22	390.0	26	127.7	129.8	131.6	135.6	136.2	138.8	140.9	142.5	145.2	146.0	148.0	148.5	153.1	154.7
281	22	390.0	7	127.6	129.8	131.6	135.6	136.2	138.4	140.5	142.2	145.0	145.9	147.8	148.3	153.0	154.7
282	22	390.0	0	127.3	129.7	131.5	135.5	136.1	138.2	140.4	142.0	144.7	145.7	147.5	148.2	153.0	154.8
283	22	390.0	330	126.5	129.0	131.0	135.4	136.1	137.9	140.0	141.6	144.2	145.1	147.1	147.8	153.1	154.9
284	22	390.0	324	126.4	128.9	131.0	135.3	136.0	137.7	139.8	141.4	144.0	144.9	146.3	147.6	152.9	154.8
285	22	390.0	306	127.3	129.7	131.6	136.0	136.5	138.1	140.1	141.6	144.2	145.0	146.9	147.7	153.1	155.0
286	22	390.0	300	127.7	130.0	132.0	136.4	137.0	138.5	140.5	142.0	144.5	145.2	147.2	147.9	153.4	155.5
287	22	390.0	210	129.6	132.2	134.2	138.3	138.8	142.2	144.3	145.7	147.4	147.9	149.6	150.3	155.8	157.5
288	22	390.0	206	129.8	132.3	134.2	138.2	138.8	142.5	144.6	146.0	147.6	148.0	149.7	150.4	155.8	157.4
289	22	390.0	187	130.1	132.5	134.3	138.0	138.6	142.7	144.9	146.3	147.6	148.0	149.7	150.3	155.5	157.1
290	22	390.0	180	129.8	132.3	134.2	138.0	138.7	143.1	145.4	146.9	148.6	149.1	150.9	151.4	156.7	158.1
291	23	490.0	180	167.9	170.0	171.6	175.4	175.8	180.0	182.1	183.5	184.9	185.3	187.2	187.9	193.4	195.2
292	23	490.0	173	168.4	170.4	171.8	175.5	175.8	180.2	182.3	183.6	185.0	185.3	187.3	187.9	193.4	195.1
293	23	490.0	156	166.5	168.6	170.0	173.7	174.1	178.7	181.0	182.4	183.8	184.3	186.4	187.0	192.5	194.2
294	23	490.0	150	165.5	167.6	169.0	172.7	173.1	177.9	180.2	181.8	183.3	183.8	186.0	186.7	192.1	193.8
295	23	490.0	60	162.3	164.4	165.6	169.4	169.7	173.8	176.2	178.0	180.2	180.9	183.1	183.3	188.6	190.2
296	23	490.0	54	162.2	164.4	165.8	169.7	170.1	174.0	176.2	178.0	180.2	181.0	183.2	183.8	188.5	190.2
297	23	490.0	34	162.4	164.5	165.8	169.7	170.2	173.5	175.8	177.6	179.8	180.6	182.8	183.5	188.3	190.1
298	23	490.0	30	161.8	164.0	165.4	169.5	170.0	173.1	175.4	177.3	179.6	180.4	182.6	183.4	188.3	190.2
299	23	490.0	0	162.9	165.0	166.5	170.7	171.2	173.5	175.6	177.4	179.8	180.7	183.0	183.8	189.0	191.1
300	23	490.0	353	161.0	163.2	165.0	169.3	170.0	172.4	174.6	176.5	179.2	180.2	182.6	183.5	188.6	190.9
301	23	490.0	336	160.2	162.3	164.3	168.7	169.3	171.5	173.7	175.6	179.5	179.4	181.7	182.7	188.3	190.5
302	23	490.0	330	160.7	163.0	165.0	169.5	170.1	172.2	174.4	176.3	179.2	180.1	182.4	183.4	189.0	191.2
303	24	550.0	180	195.2	197.2	198.6	202.3	202.7	206.9	209.1	210.6	212.1	212.6	214.7	215.5	221.1	223.1
304	24	550.0	173	195.2	197.3	198.7	202.5	202.8	207.3	209.5	211.0	212.5	212.8	214.9	215.6	221.1	223.1
305	24	550.0	156	194.2	196.1	197.4	201.2	201.5	206.0	208.4	209.9	211.4	212.0	214.0	215.0	220.6	222.5
306	24	550.0	150	192.5	194.5	195.9	199.7	200.2	204.9	207.4	209.1	210.7	211.3	213.6	214.5	220.1	222.0
307	24	550.0	0	188.7	191.0	192.7	197.1	197.6	199.9	202.1	204.1	206.6	207.6	210.2	211.2	216.6	218.9
308	24	550.0	353	187.8	190.2	192.0	196.4	196.9	199.1	201.3	203.2	205.9	207.0	209.6	210.7	216.4	218.8
309	24	550.0	336	188.4	190.5	192.3	196.8	197.1	199.2	201.3	203.2	205.7	206.7	209.3	210.4	216.3	218.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
310 24 550.0 330	188.5	190.7	192.5	197.0	197.5	199.5	201.5	203.4	205.9	206.9	209.5	210.6	216.5	218.9
311 24 550.0 240	192.2	194.5	196.3	200.6	201.1	203.7	205.8	207.2	209.2	209.9	212.2	213.2	219.3	221.7
312 24 550.0 234	191.7	194.1	196.1	200.5	201.0	203.8	206.0	207.5	209.4	210.1	212.4	213.4	219.3	221.8
313 24 550.0 216	193.1	195.4	197.3	201.4	201.9	205.0	207.2	208.6	210.4	210.9	213.2	214.1	220.0	222.4
314 24 550.0 210	193.8	196.1	197.9	201.9	202.5	205.9	208.1	209.5	211.2	211.7	213.9	214.8	220.6	222.9
315 25 740.0 150	272.9	275.9	278.4	283.7	284.9	290.1	293.4	296.0	297.9	299.1	302.6	304.2	310.8	313.9
316 25 740.0 144	271.6	274.7	277.2	282.7	283.9	289.3	292.7	295.4	297.5	298.7	302.2	303.7	310.4	313.3
317 25 740.0 126	271.2	274.0	276.3	281.6	282.6	288.1	291.4	294.2	296.3	297.5	301.2	302.7	309.4	312.4
318 25 740.0 120	270.6	273.4	275.7	281.0	282.1	287.5	290.9	293.7	295.9	297.1	300.8	302.3	308.9	311.9
319 25 740.0 30	270.0	273.6	276.4	282.3	283.7	287.4	290.7	293.5	296.1	297.6	301.4	303.1	309.6	312.9
320 25 740.0 26	270.4	274.2	277.3	283.4	284.8	288.4	291.6	294.4	297.0	298.5	302.3	303.9	310.3	313.7
321 25 740.0 7	272.1	275.2	278.0	284.0	285.3	288.5	291.7	294.4	297.2	298.7	302.5	304.2	310.9	314.4
322 25 740.0 0	271.7	274.8	277.7	283.9	285.3	288.5	291.7	294.4	297.3	298.8	302.5	304.3	311.0	314.6
323 25 740.0 210	272.4	275.9	278.8	284.6	286.0	290.1	293.4	295.8	297.8	298.9	302.4	304.1	311.2	314.6
324 25 740.0 206	274.2	277.5	280.2	285.9	287.1	291.5	294.7	297.1	299.2	300.3	303.8	305.5	312.4	315.8
325 25 740.0 187	274.5	277.6	280.2	285.7	286.9	291.8	295.1	297.6	299.5	300.7	304.2	305.8	312.8	316.1
326 25 740.0 180	275.1	278.0	280.5	285.7	286.9	291.9	295.1	297.6	299.5	300.6	304.0	305.0	312.5	315.8
327 26 800.0 30	293.1	297.1	300.3	306.6	303.2	312.0	315.6	318.7	321.8	323.5	327.8	329.8	336.7	340.5
328 26 800.0 26	294.2	298.2	301.6	308.2	305.9	313.6	317.2	320.2	323.3	325.1	329.3	331.3	338.3	342.2
329 26 800.0 7	295.8	299.3	302.4	309.0	310.4	313.7	317.1	320.1	323.1	324.8	329.1	331.2	338.4	342.5
330 26 800.0 0	294.4	297.8	301.1	307.7	309.4	312.7	316.2	319.2	322.2	324.1	328.2	330.3	337.6	341.7
331 26 800.0 330	294.6	298.0	301.1	307.7	309.3	311.9	315.3	318.0	321.0	322.7	326.9	329.1	336.7	340.8
332 26 800.0 324	296.2	299.3	302.3	308.7	310.1	312.7	315.8	318.5	321.3	323.0	327.0	329.2	336.8	340.9
333 26 800.0 306	294.6	298.2	301.5	308.3	309.7	312.2	315.4	317.9	320.8	322.5	326.6	328.8	336.4	340.7
334 26 800.0 300	293.9	297.9	301.4	308.3	309.7	312.3	315.4	317.9	320.7	322.4	326.4	328.6	336.3	340.5
335 26 800.0 210	294.9	298.5	301.7	307.9	309.4	313.7	317.2	319.9	322.1	323.6	327.5	329.6	337.3	341.2
336 26 800.0 206	297.0	300.4	303.2	309.2	310.6	315.1	318.4	321.1	323.1	324.5	328.4	330.5	338.0	341.9
337 26 800.0 187	297.8	300.8	303.5	309.3	310.7	315.7	319.0	321.8	323.9	325.4	329.2	331.2	338.8	342.6
338 26 800.0 180	298.8	301.6	304.2	309.9	311.1	316.1	319.5	322.2	324.3	325.7	329.6	331.5	339.0	342.8
339 27 930.0 180	353.5	356.7	359.8	366.4	368.2	373.8	377.6	380.8	383.4	384.9	389.3	391.6	399.6	403.4
340 27 930.0 173	351.7	355.1	358.2	364.9	366.7	372.3	376.5	379.8	382.4	384.0	388.4	390.7	398.6	403.0
341 27 930.0 156	349.5	353.1	356.3	363.0	364.9	371.1	375.0	378.3	380.9	382.6	387.1	389.4	397.3	401.6
342 27 930.0 150	346.4	350.1	353.7	360.4	362.5	368.6	372.7	376.3	379.1	380.9	385.5	387.9	395.9	400.2
343 27 930.0 60	347.0	351.3	354.7	361.5	363.5	368.6	372.8	376.4	380.2	382.0	386.7	388.7	396.0	400.3
344 27 930.0 54	347.8	352.2	355.6	362.4	364.6	369.6	373.8	377.4	380.9	382.8	387.5	389.5	396.7	401.0
345 27 930.0 34	352.3	356.5	359.5	366.7	368.4	372.9	376.9	380.1	383.3	385.2	389.3	391.8	399.1	403.4
346 27 930.0 30	349.8	354.3	358.0	365.2	367.2	371.5	375.6	379.1	382.3	384.3	389.0	391.2	398.7	403.0
347 27 930.0 0	351.2	355.2	359.1	366.6	368.7	372.5	376.6	380.2	383.7	385.7	390.5	392.9	400.8	405.4
348 27 930.0 353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349 27 930.0 336	354.0	357.7	361.4	368.7	370.6	373.7	377.6	380.8	383.9	385.8	390.5	392.7	400.7	405.3
350 27 930.0 330	352.3	356.2	359.8	367.3	369.3	372.1	376.0	379.2	382.2	384.1	388.7	391.1	399.1	403.6
351 28 990.0 180	372.6	376.2	379.7	387.1	389.3	395.7	399.8	403.5	406.7	408.7	413.6	416.3	424.8	429.6
352 28 990.0 173	371.9	375.4	378.9	386.1	388.2	394.8	399.1	402.9	406.1	408.0	413.0	415.7	424.5	429.1
353 28 990.0 156	369.8	373.6	377.2	384.6	386.8	393.4	397.8	401.7	404.9	407.0	412.1	414.8	423.3	428.0
354 28 990.0 150	368.1	371.9	375.5	382.8	385.1	391.6	396.0	400.1	403.4	405.7	410.9	413.7	422.2	426.9
355 28 990.0 0	374.5	378.6	382.6	390.5	392.8	396.7	401.3	405.0	408.8	411.1	416.3	418.8	427.0	431.8
356 28 990.0 353	375.3	379.4	383.2	391.0	393.3	397.0	401.4	405.0	408.9	411.0	416.2	418.7	426.9	431.7
357 28 990.0 336	377.5	381.4	385.0	392.7	394.9	398.1	402.4	405.9	409.4	411.5	416.4	418.9	427.0	431.7
358 28 990.0 330	374.1	378.2	382.2	390.1	392.5	395.9	400.1	403.8	407.3	409.4	414.3	416.9	425.1	429.9
359 28 990.0 240	372.4	375.9	379.5	387.4	389.6	394.1	398.3	401.9	404.6	406.9	412.1	415.1	424.1	429.2
360 28 990.0 234	374.0	377.3	380.8	388.4	390.6	395.2	399.2	402.5	404.8	407.1	412.1	415.0	423.9	428.9
361 28 990.0 216	373.2	376.9	380.5	388.0	390.2	395.0	399.1	402.5	405.0	407.1	412.2	415.2	424.0	428.9
362 28 990.0 210	372.0	375.7	379.5	387.0	389.3	394.6	398.7	402.4	405.1	407.2	412.3	415.2	424.1	428.9
363 291050.0 150	389.2	392.6	396.2	403.5	405.8	412.3	416.8	420.9	424.1	426.3	431.6	434.3	442.8	447.7
364 291050.0 144	391.8	394.9	398.1	405.2	407.1	413.3	417.7	421.6	424.8	427.1	432.4	435.1	443.6	448.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
365 291050.0	126	389.8	393.3	396.5	403.7	405.7	411.9	416.5	420.6	424.0	426.4	432.0	434.8	443.4	448.4
366 291050.0	120	387.9	391.6	394.9	402.0	404.3	410.6	415.3	419.5	423.1	425.5	431.1	433.9	442.3	447.3
367 291050.0	30	393.7	397.9	401.8	409.8	412.1	416.3	421.0	424.8	428.6	430.7	435.7	437.8	445.6	450.3
368 291050.0	26	396.2	400.0	403.7	411.8	414.0	418.0	422.5	426.4	430.2	432.1	437.2	439.3	447.2	451.9
369 291050.0	7	396.3	400.2	404.0	412.3	414.5	418.6	422.9	426.8	430.6	432.6	437.6	439.9	447.9	452.7
370 291050.0	0	397.1	401.1	404.9	413.0	415.2	419.0	423.2	426.8	430.5	432.6	437.6	439.9	448.0	452.8
371 291050.0	210	390.2	393.9	397.7	405.4	408.0	413.5	417.9	421.5	424.2	426.3	431.5	434.3	442.9	448.0
372 291050.0	206	391.9	395.0	398.6	406.4	408.7	414.7	419.0	422.6	425.7	427.8	433.0	435.8	444.6	449.7
373 291050.0	187	392.5	395.7	399.2	406.1	409.2	416.0	420.0	423.5	427.2	427.9	435.4	436.0	445.3	450.3
374 291050.0	180	391.3	394.7	398.2	405.8	408.2	415.2	419.4	423.1	426.7	428.6	433.7	436.3	444.8	449.8
375 01075.0	6	426.6	431.7	438.1	451.4	454.8	462.6	466.3	471.8	478.9	478.8	482.9	481.6	488.2	494.1
376 01075.0	5	430.9	436.5	439.1	449.2	450.7	457.6	461.5	465.4	472.8	474.3	482.9	485.2	492.8	499.7
377 01075.0	4	424.4	426.4	429.1	437.5	437.9	438.6	441.5	444.2	446.2	447.0	452.7	455.1	464.0	471.0
378 01075.0	2	455.0	457.0	459.3	467.0	466.6	469.8	471.8	474.9	478.3	480.4	487.7	489.2	497.4	505.5
379 01075.0	1	453.0	456.0	458.9	472.1	472.2	477.7	481.4	483.6	487.8	488.6	494.1	496.7	503.1	510.4
380 01075.0	2	458.5	459.5	460.1	467.0	465.7	470.9	473.0	474.6	474.3	475.3	482.5	485.1	491.5	499.2
381 01075.0	4	419.4	420.5	422.7	429.9	428.0	433.4	434.2	436.1	444.2	446.5	454.2	456.1	462.6	469.0
382 01075.0	4	412.0	413.4	414.0	420.4	420.7	424.8	426.9	428.6	431.1	432.5	439.1	441.4	451.1	458.5
383 01075.0	1	442.0	443.8	446.4	454.5	456.0	463.0	465.6	469.1	469.2	470.2	475.8	478.7	486.7	495.7
384 01075.0	1	443.8	445.5	447.6	456.2	456.3	464.0	467.6	471.1	473.9	475.2	482.1	483.4	492.0	499.9
385 01075.0	4	411.0	413.3	414.8	421.3	422.0	429.4	432.9	434.9	437.9	439.3	446.3	447.1	455.0	462.2
386 01075.0	3	456.0	459.4	462.1	471.2	472.6	480.1	483.3	485.8	488.0	488.4	495.7	498.4	506.3	515.1
387 01075.0	3	451.3	452.2	454.2	461.2	461.3	467.0	471.3	473.2	473.9	474.1	481.1	482.3	490.3	498.8
388 01075.0	5	428.4	431.7	434.1	443.1	445.3	457.0	461.1	468.3	473.7	475.1	484.2	485.6	492.9	499.5
389 01075.0	6	434.9	437.1	438.3	445.7	446.2	455.2	459.0	464.0	467.9	468.2	471.6	472.8	482.3	488.6
390 01113.0	0	476.4	479.3	482.3	490.3	490.5	494.3	499.3	501.3	503.3	501.8	507.9	508.3	515.4	522.6
391 01113.0	0	467.8	469.3	470.6	476.1	477.0	477.7	480.4	488.5	486.0	477.3	491.7	487.2	494.4	499.5
392 01113.0	0	463.3	464.4	464.8	472.6	474.6	479.6	482.5	487.1	488.3	488.4	495.0	494.3	499.8	507.6
393 01113.0	0	472.3	475.4	477.5	484.4	484.8	491.7	496.0	499.4	500.4	498.4	504.6	505.3	512.4	519.1
394 01113.0	0	466.5	470.4	470.9	479.0	481.9	486.3	491.3	494.0	497.1	497.2	502.0	502.7	511.0	517.7
395 01113.0	0	457.9	458.8	460.5	469.3	473.4	476.1	479.9	480.7	486.7	483.5	488.9	486.3	501.0	500.9
396 0 0.0	0	114.5	115.0	118.2	118.0	119.6	124.8	124.8	125.6	127.8	128.3	128.6	129.6	129.0	129.6
397 0 0.0	0	116.3	117.8	119.0	121.9	123.0	124.6	125.4	126.4	129.5	130.1	129.8	130.9	132.6	132.0
398 0 0.0	0	112.1	113.2	116.7	117.8	119.1	120.1	120.7	121.1	124.5	126.3	125.2	127.4	130.9	131.3
399 0 0.0	0	116.0	118.0	119.6	120.8	122.7	123.9	124.7	126.6	129.7	125.0	129.0	129.4	123.7	126.1
400 0 0.0	0	118.7	119.3	118.0	119.2	119.9	120.8	121.7	123.1	118.2	117.5	117.4	117.0	120.3	120.5
401 0 0.0	0	119.5	119.2	117.9	119.2	113.8	120.4	121.3	122.7	117.8	117.1	117.0	116.5	119.8	120.1
402 0 0.0	0	3344.0	3142.0	2974.0	2822.0	2689.0	2611.0	2501.0	2366.0	2253.0	2137.0	2040.0	1935.0	1850.0	1777.1
403 0 0.0	0	53.2	50.0	47.3	44.9	42.8	41.5	39.8	37.6	35.9	34.0	32.4	30.8	29.3	28.2
404 0 0.0	0	53.3	50.1	47.4	45.0	42.9	41.6	39.9	37.7	35.9	34.0	32.5	30.3	29.4	28.3
405 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
406 0 0.0	0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0
407 4 389.5	0	2.9	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.5
408 5 389.5	0	2.8	2.6	2.5	2.3	2.2	2.2	2.1	1.9	1.8	1.7	1.7	1.6	1.5	1.4
409 6 389.1	0	2.8	2.6	2.5	2.3	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4
410 7 399.4	0	3.3	3.1	2.9	2.8	2.6	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7
411 8 389.6	0	3.0	2.9	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6
412 9 369.9	0	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.3
413 10 499.8	0	6.0	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.1
414 11 389.5	0	2.8	2.6	2.5	2.3	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4
415 12 489.5	0	6.2	5.8	5.4	5.2	4.9	4.8	4.6	4.3	4.1	3.9	3.7	3.5	3.3	3.2
416 4 990.0	0	21.9	20.5	19.4	18.4	17.6	17.1	16.3	15.5	14.7	13.9	13.3	12.6	12.0	11.6
417 5 989.5	0	21.7	20.4	19.3	18.3	17.5	17.0	16.2	15.4	14.6	13.9	13.2	12.6	12.0	11.5
418 61049.5	0	23.9	22.4	21.2	20.1	19.2	18.6	17.9	16.9	16.1	15.2	14.5	13.8	13.1	12.6
419 71049.5	0	23.9	22.4	21.2	20.1	19.2	18.6	17.9	16.9	16.1	15.2	14.5	13.8	13.2	12.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

60

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
420 8 989.3 0	21.8	20.5	19.4	18.4	17.5	17.0	16.3	15.4	14.7	13.9	13.3	12.6	12.0	11.6
421 9 988.8 0	21.8	20.5	19.4	18.4	17.5	17.0	16.3	15.4	14.7	13.9	13.3	12.6	12.0	11.6
422 101049.5 0	23.9	22.4	21.2	20.1	19.1	18.6	17.8	16.9	16.1	15.2	14.5	13.8	13.1	12.7
423 111049.7 0	23.3	22.4	21.2	20.1	19.1	18.6	17.8	16.8	16.0	15.2	14.5	13.8	13.1	12.6
424 121050.0 0	23.9	22.5	21.3	20.2	19.2	18.7	17.9	16.9	16.1	15.3	14.6	13.8	13.2	12.7
425 11047.1 0	26.5	24.9	23.6	22.4	21.3	20.7	19.8	18.7	17.9	16.9	16.1	15.3	14.6	14.1
426 21049.5 0	26.4	24.8	23.5	22.3	21.2	20.6	19.7	18.7	17.8	16.9	16.1	15.3	14.6	14.0
427 31049.5 0	26.5	24.9	23.5	22.3	21.2	20.6	19.7	18.7	17.8	16.9	16.1	15.3	14.6	14.1
428 13 989.7 0	28.7	27.0	25.5	24.2	23.1	22.4	21.5	20.3	19.4	18.3	17.5	16.6	15.8	15.3
429 141049.7 0	26.5	24.9	23.6	22.4	21.3	20.7	19.8	18.8	17.9	16.9	16.2	15.3	14.6	14.1
430 151049.6 0	26.5	24.9	23.6	22.4	21.3	20.7	19.8	18.7	17.9	16.9	16.1	15.3	14.6	14.1
431 161049.5 0	26.4	24.9	23.5	22.3	21.3	20.7	19.8	18.7	17.9	16.9	16.1	15.3	14.6	14.1
432 17 989.6 0	28.8	27.1	25.6	24.3	23.2	22.5	21.5	20.4	19.4	18.4	17.6	16.7	15.9	15.3
433 18 930.7 0	31.2	29.4	27.8	26.4	25.1	24.4	23.3	22.1	21.1	19.9	19.0	18.1	17.2	16.6
434 191049.2 0	26.5	24.9	23.6	22.4	21.3	20.7	19.8	18.8	17.9	16.9	16.2	15.3	14.7	14.1
435 1 388.6 0	16.0	16.3	13.2	11.5	10.7	9.5	8.0	7.6	9.4	8.4	8.1	7.9	8.3	8.4
436 2 388.5 0	50.2	47.2	44.6	42.4	40.4	39.2	37.5	35.6	33.9	32.1	30.6	29.1	27.7	26.7
437 3 389.2 0	50.1	47.1	44.6	42.4	40.4	39.2	37.5	35.6	33.9	32.0	30.6	29.1	27.7	26.7
438 13 389.0 0	50.3	47.3	44.7	42.5	40.5	39.3	37.6	35.7	34.0	32.2	30.7	29.1	27.8	26.8
439 14 489.4 0	47.0	44.1	41.8	39.7	37.8	36.7	35.1	33.3	31.7	30.0	28.6	27.2	25.9	25.0
440 15 489.1 0	46.8	44.0	41.7	39.6	37.7	36.6	35.0	33.3	31.6	30.0	28.6	27.1	25.9	24.9
441 16 419.1 0	49.3	46.3	43.8	41.6	39.7	38.5	36.9	35.0	33.3	31.5	30.1	28.6	27.2	26.2
442 17 388.9 0	50.4	47.4	44.8	42.6	40.6	39.4	37.7	35.8	34.0	32.2	30.7	29.2	27.8	26.8
443 18 389.6 0	50.5	47.4	44.9	42.6	40.6	39.4	37.7	35.9	34.1	32.3	30.8	29.2	27.9	26.8
444 19 399.0 0	49.9	46.9	44.3	42.1	40.2	39.0	37.3	35.5	33.7	31.9	30.4	28.9	27.6	26.5
445 1 348.6 0	51.5	48.4	45.8	43.5	41.5	40.2	38.5	36.6	34.8	32.9	31.4	29.9	28.5	27.4
446 2 359.0 0	51.1	48.0	45.4	43.2	41.1	39.9	38.2	36.3	34.5	32.6	31.1	29.6	28.2	27.2
447 3 294.5 0	52.7	49.5	46.9	44.5	42.4	41.2	39.4	37.5	35.6	33.7	32.1	30.5	29.1	28.0
448 4 294.4 0	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3
449 4 304.2 0	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4
450 4 348.9 0	1.8	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.2	1.2	1.1	1.0	1.0	1.0
451 4 379.6 0	2.6	2.4	2.3	2.1	2.0	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3
452 5 370.0 0	2.3	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2	1.2
453 7 349.5 0	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.2	1.2	1.1	1.1	1.0
454 7 359.5 0	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.3	1.2	1.1
455 7 369.5 0	2.5	2.3	2.2	2.1	1.9	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.3
456 7 379.5 0	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.4
457 7 409.1 0	3.6	3.4	3.2	3.0	2.9	2.8	2.7	2.5	2.4	2.3	2.2	2.0	1.9	1.9
458 8 295.1 0	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4
459 8 304.7 0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5
460 8 369.2 0	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.3
461 9 369.9 0	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.3
462 12 370.5 0	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.3
463 13 369.4 0	50.9	47.8	45.2	43.0	41.0	39.7	38.1	36.2	34.3	32.5	31.0	29.6	28.1	27.1
464 14 369.5 0	51.0	47.8	45.3	43.0	41.0	39.8	38.1	36.2	34.4	32.6	31.0	29.6	28.2	27.1
465 15 369.6 0	50.9	47.8	45.2	43.0	41.0	39.8	38.1	36.2	34.3	32.5	31.0	29.5	28.1	27.1
466 16 369.0 0	51.0	47.9	45.3	43.0	41.1	39.8	38.2	36.2	34.4	32.6	31.1	29.6	28.2	27.1
467 17 369.2 0	51.0	47.9	45.3	43.1	41.1	39.8	38.2	36.3	34.4	32.6	31.1	29.6	28.2	27.1
468 18 294.5 0	52.9	49.6	46.9	44.6	42.5	41.2	39.5	37.5	35.7	33.7	32.2	30.6	29.2	28.1
469 18 304.5 0	52.6	49.4	46.7	44.4	42.3	41.1	39.4	37.4	35.4	33.6	32.0	30.5	29.0	27.9
470 18 359.7 0	15.6	15.7	16.0	17.7	17.3	13.9	14.1	14.7	19.0	19.0	15.9	18.4	16.4	19.0
471 18 369.6 0	51.1	47.9	45.4	43.2	41.1	39.9	38.3	36.3	34.5	32.6	31.1	29.5	28.2	27.2
472 18 379.4 0	50.8	47.7	45.2	42.9	40.9	39.7	38.1	36.1	34.3	32.5	30.9	29.5	28.1	27.0
473 18 389.6 0	50.5	47.4	44.8	42.6	40.6	39.4	37.8	35.9	34.1	32.3	30.8	29.2	27.9	26.9
474 18 409.7 0	49.3	46.7	44.2	42.1	40.1	38.9	37.3	35.4	33.6	31.8	30.3	28.9	27.5	26.5

TE R AX RAD T  
 NR NR. PCS PDS  
 (MM) (GRD)GRAD C

6U

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
475 18 429.8 0	49.1	46.1	43.6	41.5	39.5	38.3	36.8	34.9	33.2	31.4	29.9	28.4	27.1	26.1
476 19 369.5 0	50.9	47.7	45.1	42.9	40.9	39.7	38.1	36.1	34.3	32.5	31.0	29.5	28.1	27.0
477 1 738.5 0	38.1	35.8	33.8	32.2	30.7	29.7	28.5	27.1	25.7	24.3	23.2	22.1	21.0	20.3
478 2 738.5 0	37.7	35.4	33.5	31.8	30.3	29.4	28.2	26.8	25.4	24.1	23.0	21.9	20.8	20.0
479 3 739.0 0	33.0	35.7	33.7	32.1	30.6	29.7	28.4	27.0	25.7	24.3	23.1	22.0	21.0	20.2
480 4 739.7 0	3.2	5.7	1.0	1.5	2.7	1.6	1.5	1.5	1.5	1.1	1.1	1.1	0.9	0.8
481 5 739.2 0	13.5	12.7	12.0	11.4	10.8	10.5	10.1	9.5	9.1	8.6	8.2	7.9	7.4	7.1
482 6 739.9 0	13.5	12.7	12.0	11.4	10.9	10.5	10.1	9.6	9.1	8.6	8.2	7.8	7.4	7.1
483 7 799.5 0	15.7	14.7	13.9	13.2	12.6	12.2	11.7	11.1	10.6	10.0	9.5	9.1	8.6	8.3
484 8 739.5 0	13.7	12.8	12.1	11.5	11.0	10.6	10.2	9.7	9.2	8.7	8.3	7.9	7.5	7.2
485 9 739.7 0	13.7	12.9	12.2	11.6	11.0	10.7	10.2	9.7	9.2	8.7	8.3	7.9	7.5	7.2
486 10 739.5 0	13.8	12.9	12.2	11.6	11.1	10.7	10.3	9.7	9.3	8.8	8.3	7.9	7.6	7.3
487 11 739.4 0	13.5	12.7	12.0	11.4	10.9	10.5	10.1	9.6	9.1	8.6	8.2	7.8	7.4	7.1
488 12 799.8 0	15.8	14.9	14.0	13.3	12.7	12.3	11.8	11.2	10.6	10.1	9.6	9.1	8.7	8.3
489 13 739.2 0	38.0	35.6	33.7	32.0	30.5	29.6	28.4	26.9	25.6	24.2	23.1	22.0	21.0	20.2
490 14 799.7 0	35.9	33.7	31.9	30.3	28.9	28.0	26.9	25.5	14.7	11.6	11.2	10.8	10.4	10.6
491 15 800.1 0	2.5	2.6	2.0	2.1	2.5	2.3	2.3	1.8	2.3	2.2	2.1	2.0	18.0	13.1
492 16 799.4 0	35.6	33.4	31.6	30.0	28.6	27.8	26.0	25.2	24.0	22.7	21.7	20.6	19.6	18.9
493 17 739.7 0	38.1	35.8	33.8	32.2	30.7	29.7	28.5	27.0	25.7	24.3	23.2	22.1	21.0	20.3
494 18 550.0 0	45.0	42.2	39.9	37.9	36.2	35.1	33.0	31.9	30.3	28.7	27.4	26.1	24.8	23.9
495 19 798.9 0	35.7	33.5	31.7	30.1	28.7	27.9	26.7	25.3	24.1	22.8	21.7	20.7	19.7	19.0
496 0 0.0 0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
497 0 0.0 0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	19.9	22.5	23.2	24.4	25.7	26.9	30.0	29.0	34.0	31.8	28.4	29.1	31.2	27.6	31.6	32.4
DURCHSATZ (KG/S)	0.0289	0.0264	0.0238	0.0213	0.0191	0.0171	0.0153	0.0139	0.0124	0.0110	0.0100	0.0090	0.0080	0.0073	0.0065	0.0058
EL. ENERGIE (KW)	30.2	27.5	25.2	23.2	20.5	19.6	18.3	17.2	15.6	14.2	13.9	12.6	11.6	10.7	9.5	9.7
WAERMEENERGIE(KW)	30.6	27.8	25.4	23.0	20.4	19.6	18.2	17.2	15.8	14.2	13.7	12.4	11.3	10.5	9.4	8.7
WAERMEBILANZ(O/O)	1.5	1.0	0.9	-0.9	-0.6	-0.3	-0.0	-0.0	1.2	-0.2	-1.3	-1.1	-2.0	-2.3	-1.7	-9.8
REYNOLDSZAHL*E-04	0.669	0.609	0.546	0.486	0.436	0.388	0.343	0.311	0.273	0.243	0.218	0.196	0.174	0.159	0.141	0.124
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	1955.	1656.	1350.	1095.	935.	773.	647.	555.	444.	373.	326.	284.	244.	211.	185.	162.
BIS X= 560.0(MM)	519.	436.	356.	282.	257.	213.	180.	158.	118.	98.	87.	73.	63.	55.	47.	41.
BIS X= 624.0(MM)	834.	700.	578.	464.	407.	338.	284.	245.	187.	156.	137.	115.	101.	90.	75.	64.
BIS X= 717.0(MM)	1022.	853.	698.	563.	489.	405.	339.	293.	229.	191.	168.	144.	120.	107.	91.	79.
BIS X= 810.0(MM)	1198.	1007.	817.	654.	567.	470.	392.	339.	268.	221.	197.	168.	144.	127.	107.	95.
BIS X= 874.0(MM)	1564.	1310.	1075.	865.	743.	612.	513.	440.	347.	294.	258.	219.	189.	166.	141.	125.
BIS X= 967.0(MM)	1774.	1484.	1217.	982.	845.	696.	584.	503.	399.	331.	294.	248.	216.	189.	160.	144.
EINTR.DRUCK (BAR)	7.24	7.25	7.25	7.24	7.24	7.25	7.25	7.26	7.31	7.32	7.32	7.32	7.32	7.33	7.34	7.34
EINTR.TEMP. GRADC	75.1	77.2	78.2	79.4	80.6	80.6	82.2	80.3	86.7	87.8	85.5	86.0	85.7	82.5	83.8	85.0

TE R AX RAD T  
NR NR. PGS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	73.2	77.8	79.3	80.8	82.4	83.5	85.8	84.0	93.1	91.0	88.3	88.8	91.6	87.1	91.3	91.5
2	1	348.1	330	73.1	77.6	79.3	80.7	82.3	83.5	85.8	84.2	92.9	91.0	88.3	89.1	91.9	87.6	91.5	91.8
3	1	388.1	150	74.8	79.5	80.9	82.5	84.2	85.6	88.0	86.3	95.4	93.4	90.8	91.4	93.9	89.1	93.0	93.2
4	1	388.1	330	73.8	78.4	79.9	81.5	83.0	84.2	86.5	85.0	94.1	92.3	89.7	90.4	93.1	88.7	92.7	93.1
5	1	487.7	255	76.9	81.4	82.7	84.5	86.4	87.9	90.7	89.6	99.1	97.7	95.4	96.3	99.3	95.2	99.6	100.4
6	1	487.7	120	77.3	81.9	83.5	85.3	87.2	88.6	91.5	90.4	99.9	98.4	96.0	97.3	100.3	96.4	100.9	101.9
7	1	738.0	150	98.2	102.5	104.1	106.2	108.6	110.9	114.5	114.1	125.6	126.0	125.4	128.3	133.4	131.3	138.3	141.2
8	1	738.0	330	91.4	96.4	98.9	101.4	104.2	106.8	110.9	111.2	123.8	124.3	123.8	127.0	132.3	130.8	138.7	142.8
9	1	795.4	120	96.1	101.0	103.1	105.3	108.3	111.0	115.7	115.7	128.4	129.5	129.5	133.1	138.9	137.4	145.5	149.9
10	1	795.4	255	107.4	111.7	113.5	115.7	118.4	121.1	125.1	124.8	136.7	137.3	136.9	140.2	146.0	144.8	153.4	158.5
11	1	987.0	150	129.4	133.5	135.7	138.6	142.3	145.6	150.4	151.5	164.9	166.6	168.3	172.7	180.0	180.0	190.6	197.0
12	1	987.0	330	118.7	124.1	127.2	130.7	134.8	138.6	144.7	146.4	162.4	165.1	166.6	172.2	180.1	181.6	193.1	201.8
13	1	11046.6	120	123.5	128.5	131.4	135.0	139.5	143.5	149.1	150.9	165.6	168.5	170.9	176.5	184.7	186.1	197.8	205.5
14	1	11046.6	255	139.9	144.3	146.7	149.5	153.1	156.8	162.6	163.5	178.4	181.0	183.1	188.7	197.2	199.1	211.6	220.6
15	2	358.5	0	73.1	76.9	78.3	79.5	80.8	81.5	84.1	82.4	91.5	89.4	86.6	87.6	90.0	85.8	90.3	90.9
16	2	388.0	0	*****	*****	*****	*****	482.8	94.7	65.2	65.6	50.9	71.6	73.2	75.1	82.8	78.3	81.2	87.8
17	2	388.0	210	74.9	78.7	80.0	81.3	82.9	83.9	86.4	84.8	94.5	92.6	89.6	90.6	93.1	88.7	92.7	93.2
18	2	398.0	0	73.2	77.2	78.4	79.8	81.3	82.4	84.9	83.4	93.0	91.2	88.4	89.3	91.9	87.9	92.3	92.9
19	2	488.1	30	74.2	78.1	79.7	81.2	82.8	84.1	87.0	85.8	95.9	94.4	91.9	93.0	95.8	92.1	96.9	97.9
20	2	488.1	165	78.2	81.7	83.0	84.4	85.7	87.0	89.9	88.3	97.6	95.9	93.6	94.6	97.4	93.4	98.1	98.8
21	2	738.0	0	96.8	100.6	102.0	103.6	105.4	106.5	109.6	108.7	118.5	118.0	117.0	119.2	123.6	120.9	127.1	129.1
22	2	738.0	210	99.9	103.3	104.7	106.2	107.6	108.7	111.6	110.7	120.4	119.7	118.9	121.0	125.4	122.6	128.6	130.8
23	2	797.8	30	86.9	91.4	93.8	96.4	98.8	101.0	105.1	105.3	117.5	117.9	117.5	120.3	126.0	124.7	132.5	136.5
24	2	797.8	165	102.8	106.3	107.6	109.2	110.8	112.4	115.2	114.3	124.7	124.5	123.8	126.5	131.4	129.2	135.8	138.7
25	2	987.2	0	101.4	106.4	109.7	113.2	116.9	120.2	125.7	126.9	143.4	145.7	147.3	153.2	161.2	162.1	172.3	179.0
26	2	987.2	210	122.7	126.0	127.6	129.8	132.5	134.4	138.2	138.6	151.1	152.4	153.9	158.6	165.7	164.9	173.7	178.6
27	2	21049.0	30	106.2	111.7	114.9	118.7	122.8	126.6	132.5	133.9	151.7	154.7	157.0	163.8	172.7	174.6	185.9	193.7
28	2	21049.0	165	126.6	129.9	131.7	134.0	136.8	139.6	143.9	144.8	158.6	160.3	162.7	167.7	175.4	175.6	185.3	191.4
29	3	294.0	30	73.9	76.8	77.8	78.6	79.5	80.0	82.3	81.2	90.1	88.3	85.1	85.9	88.1	84.8	89.6	90.4
30	3	303.7	330	73.8	76.8	77.6	78.4	79.2	79.6	82.0	80.7	89.2	87.3	84.2	85.0	87.1	83.9	88.6	89.4
31	3	388.7	15	74.0	77.2	78.3	79.3	80.1	81.0	83.5	82.5	91.0	89.6	86.5	87.5	89.8	86.7	91.6	92.7
32	3	388.7	255	75.0	78.3	79.0	79.8	81.2	81.9	84.5	83.7	92.2	90.8	87.6	88.7	90.8	87.8	92.2	93.2
33	3	488.5	60	75.4	78.8	80.0	81.3	82.6	83.7	86.9	86.2	95.4	94.2	91.4	92.7	95.6	92.8	98.4	100.0
34	3	488.5	150	78.4	81.7	82.2	83.1	84.5	85.5	88.5	88.1	97.2	95.9	93.0	94.4	97.0	94.1	99.4	100.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
35	3 738.5	15	86.6	90.7	92.9	95.4	98.2	101.0	105.9	106.8	118.5	119.0	117.9	121.1	126.1	125.2	133.7	139.1	
36	3 738.5	255	92.5	96.0	97.2	99.3	102.1	104.5	108.9	109.3	120.3	120.3	119.2	122.1	126.6	124.9	132.1	136.1	
37	3 798.5	60	93.8	97.8	100.1	102.9	105.9	109.1	114.2	115.4	128.1	128.7	128.6	132.3	138.1	138.0	147.8	155.1	
38	3 798.5	150	103.4	106.7	108.3	110.6	113.7	116.4	121.4	122.1	133.6	133.9	133.3	136.4	141.6	140.5	148.7	154.3	
39	3 988.5	15	105.7	110.5	114.3	118.5	123.1	127.7	134.7	137.8	156.3	159.4	161.6	167.7	176.0	178.0	191.1	200.8	
40	3 988.5	255	110.2	114.4	117.3	120.6	124.6	128.5	135.0	137.8	154.3	157.3	159.4	165.0	172.9	174.0	185.1	193.1	
41	31049.0	60	115.0	120.4	124.2	128.5	133.5	138.1	145.4	149.0	167.7	171.6	174.8	182.2	191.8	195.1	209.8	220.6	
42	31049.0	150	129.3	133.3	136.2	139.6	144.2	148.4	154.9	157.9	174.8	177.8	180.6	186.6	195.4	197.5	210.0	219.3	
43	4 293.9	300	130.1	131.8	132.2	132.3	132.8	133.1	135.3	132.9	140.0	136.0	133.7	132.4	133.9	127.8	128.9	127.8	
44	4 303.7	300	145.9	146.9	147.3	146.9	147.4	148.0	150.2	147.8	154.5	150.0	147.8	145.9	147.2	140.4	141.0	139.6	
45	4 339.0	300	128.5	131.4	133.1	135.4	138.0	139.9	142.3	140.1	148.9	145.7	142.2	141.7	142.3	136.5	137.0	134.0	
46	4 348.4	300	141.0	142.7	143.6	144.1	145.0	146.4	148.9	147.3	155.8	152.7	151.5	150.7	152.9	146.9	147.8	146.2	
47	4 379.1	300	165.0	166.0	166.1	165.4	165.5	165.5	167.6	165.7	172.4	168.2	168.0	166.4	168.9	163.2	165.7	166.1	
48	4 389.0	45	170.6	174.2	176.2	176.9	177.8	178.2	179.9	177.8	184.2	179.2	179.0	176.8	179.0	172.4	174.7	175.0	
49	4 389.0	210	165.2	169.3	172.2	173.9	175.4	176.3	178.5	176.9	184.0	179.4	179.0	176.8	178.9	172.1	173.9	173.2	
50	4 408.8	300	71.4	74.8	73.4	75.9	76.0	75.7	75.7	71.7	79.0	78.9	78.1	77.6	82.9	74.9	80.7	80.0	
51	4 418.6	300	175.2	181.2	187.6	193.8	199.2	203.2	207.0	206.2	212.0	207.0	208.0	204.5	206.4	198.5	199.2	198.0	
52	4 428.7	300	178.4	184.4	191.7	199.0	205.5	210.6	214.8	214.3	220.2	214.9	216.1	212.2	214.0	205.8	206.2	204.8	
53	4 739.2	45	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	955.4	936.2	462.8	400.3
54	4 739.2	210	226.3	231.9	241.0	252.1	263.8	273.4	281.4	284.2	293.6	290.0	295.3	292.5	297.9	291.8	294.3	295.3	
55	4 989.5	45	261.1	267.3	278.3	292.3	307.1	319.6	330.7	335.6	347.4	345.1	353.8	351.3	358.9	353.6	358.3	362.4	
56	4 989.5	210	278.9	284.7	294.6	307.9	322.7	335.2	345.4	350.1	362.3	359.7	369.1	360.8	374.3	369.2	373.8	377.8	
57	5 369.5	195	134.1	136.5	136.6	136.8	137.2	137.8	139.9	138.5	146.3	143.5	142.7	142.2	145.9	141.1	146.2	147.4	
58	5 369.5	300	136.1	138.3	138.7	139.0	139.6	140.3	142.4	141.0	148.4	145.7	145.4	144.9	148.8	144.1	149.3	150.4	
59	5 389.0	30	162.4	167.1	169.8	170.9	171.8	172.2	173.5	171.3	177.5	172.8	172.9	170.1	172.6	166.6	170.0	170.5	
60	5 389.0	150	161.6	165.8	168.4	169.6	170.6	171.2	172.7	170.9	177.1	172.4	172.6	169.5	172.0	165.6	168.6	168.6	
61	5 549.0	195	180.3	184.6	189.0	195.3	214.0	236.9	250.5	254.5	261.7	254.8	256.9	249.9	250.7	241.0	240.3	237.2	
62	5 549.0	300	174.4	179.2	184.0	190.5	208.0	229.6	243.5	249.4	258.0	251.5	254.2	247.5	248.4	238.4	237.8	234.7	
63	5 738.7	30	197.1	202.3	208.6	218.7	234.1	248.6	260.1	264.1	271.5	266.6	272.5	268.2	272.8	265.9	268.6	269.3	
64	5 738.7	150	211.6	215.9	221.5	229.8	243.1	256.5	267.4	271.6	279.5	274.8	281.1	276.4	280.8	274.2	277.1	277.5	
65	5 809.2	120	220.0	224.2	229.3	234.6	246.5	266.8	286.1	295.4	305.5	300.8	307.7	302.0	305.8	298.0	299.8	299.3	
66	5 819.0	180	227.2	230.9	235.6	240.1	250.5	271.2	291.0	300.6	310.8	306.1	313.8	307.6	311.6	303.9	305.8	305.1	
67	5 929.4	195	261.8	266.4	273.9	280.4	286.5	292.2	297.8	301.2	310.0	306.2	317.4	313.5	322.1	318.3	325.1	329.5	
68	5 929.4	300	244.6	249.6	257.5	264.9	272.4	279.3	286.2	289.7	298.3	294.4	304.4	300.5	308.4	304.7	311.8	316.0	
69	5 989.0	30	236.7	241.3	248.7	259.7	276.2	291.2	302.7	309.1	318.5	314.6	326.2	320.9	328.2	323.1	328.6	331.5	
70	5 989.0	150	266.1	269.7	276.1	286.2	300.6	313.1	322.5	327.9	336.5	332.4	345.6	339.4	347.4	342.3	348.0	350.5	
71	6 388.6	225	168.4	171.6	172.9	173.0	173.6	173.7	175.0	173.5	178.5	173.6	173.6	170.2	172.1	167.5	171.7	172.9	
72	6 388.6	300	168.7	172.0	173.3	173.8	174.1	174.4	175.8	174.1	179.0	174.2	174.2	170.7	172.6	167.8	172.0	173.3	
73	6 488.5	30	171.1	175.5	180.6	193.3	210.4	222.4	230.2	231.9	237.1	230.4	232.7	225.9	226.5	219.0	220.1	218.6	
74	6 488.5	150	175.5	179.7	184.7	196.7	213.3	225.3	232.8	234.0	239.0	232.7	234.8	227.7	228.3	221.2	222.1	220.5	
75	6 739.4	225	219.9	224.3	231.1	242.5	255.8	265.8	274.2	277.2	284.1	278.9	285.9	279.8	293.5	277.4	280.7	280.8	
76	6 739.4	300	209.8	214.6	221.8	233.7	248.1	259.5	268.7	271.7	279.0	274.1	280.5	274.7	278.4	272.4	275.6	275.8	
77	6 798.8	30	212.6	216.9	222.6	231.6	250.0	268.6	283.8	291.3	300.3	295.8	303.1	296.1	299.1	292.1	294.4	293.6	
78	6 798.8	30	228.2	231.7	236.8	244.9	261.8	278.7	293.1	299.7	308.0	302.7	313.4	302.6	305.7	298.8	301.3	300.7	
79	6 829.0	180	225.9	228.8	232.7	236.7	247.0	260.8	275.2	282.3	293.1	290.1	298.2	293.1	297.2	291.6	294.9	294.7	
80	6 839.0	240	217.4	220.2	223.6	226.2	233.0	241.9	251.6	256.1	265.7	263.6	270.4	266.9	271.9	267.7	272.3	273.4	
81	6 988.8	225	269.6	273.0	280.7	292.0	305.9	317.1	325.1	329.7	337.3	334.1	348.3	341.6	349.3	344.7	350.7	353.7	
82	6 988.8	300	253.8	257.3	265.2	277.0	292.3	304.8	313.4	318.1	325.0	322.1	335.7	329.8	337.0	332.5	338.4	341.2	
83	61049.0	30	246.3	250.5	257.8	266.1	280.9	303.7	319.0	328.0	339.3	337.2	351.1	344.4	350.9	345.9	351.0	353.3	
84	61049.0	150	277.5	280.1	286.2	293.4	310.1	328.6	342.3	350.6	360.3	357.4	373.1	364.9	371.9	366.9	372.3	374.7	
85	7 339.0	150	141.9	141.4	140.3	138.9	139.2	139.5	142.6	142.0	147.6	144.2	141.9	139.7	141.1	136.5	139.4	139.3	
86	7 349.0	150	142.7	142.8	142.3	141.2	141.9	142.6	146.0	146.3	153.5	151.3	150.0	148.3	150.4	146.4	149.4	149.3	
87	7 359.0	150	136.1	136.2	135.6	134.8	135.3	135.7	138.9	139.0	147.1	145.6	145.7	145.6	149.6	147.4	152.7	154.1	
88	7 369.0	165	143.2	143.1	142.6	141.3	141.5	141.6	144.5	144.0	150.6	148.5	147.8	146.8	150.2	148.0	153.6	155.9	
89	7 369.0	330	144.4	144.3	143.8	142.4	142.6	142.5	145.3	144.4	151.0	148.5	147.6	146.6	149.5	147.4	153.2	155.7	

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
90	7 379.0	150 164.6	163.8	163.1	161.0	160.9	160.4	162.6	161.7	166.7	163.5	162.9	160.5	162.8	159.7	164.6	166.4	
91	7 398.9	150 172.6	175.8	179.3	180.3	181.9	182.9	185.5	185.2	190.0	186.3	186.3	182.3	183.9	179.5	183.1	183.8	
92	7 408.6	150 174.7	179.0	183.8	186.3	188.9	190.7	193.6	193.5	198.1	194.3	194.6	190.0	191.3	186.7	189.9	190.1	
93	7 489.4	165 188.8	193.1	202.3	213.0	224.3	232.8	238.5	240.0	244.0	239.2	241.5	234.2	234.9	228.7	230.3	228.9	
94	7 489.4	330 184.4	188.9	197.9	208.7	220.9	229.8	236.8	238.7	242.6	237.9	240.4	233.2	233.8	227.8	229.2	227.7	
95	7 799.0	165 243.6	248.2	258.2	267.4	279.6	292.3	303.6	309.4	317.3	313.7	322.0	315.0	318.4	313.9	318.2	318.8	
96	7 799.0	330 230.4	235.9	246.7	258.3	272.2	285.7	297.5	304.1	311.8	308.7	316.3	309.3	312.3	307.7	311.8	312.1	
97	71049.0	165 73.0	75.9	76.7	78.5	80.3	79.5	83.4	81.1	88.1	90.3	86.4	89.0	85.2	84.5	84.0	88.2	
98	71049.0	330 269.0	275.3	288.2	302.2	318.9	334.0	347.6	355.5	369.5	368.1	380.0	374.4	379.5	376.4	381.7	384.1	
99	8 294.6	210 140.2	141.6	142.5	141.8	142.2	142.4	144.2	142.6	149.6	145.8	143.6	141.0	141.9	135.5	137.2	135.1	
100	8 304.2	270 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
101	8 368.7	135 142.8	144.2	145.0	144.2	144.8	145.4	147.6	146.9	154.1	151.6	151.0	149.4	151.6	147.2	150.8	150.7	
102	8 368.7	255 149.7	151.1	151.9	151.4	152.4	153.7	156.4	155.7	162.9	160.1	160.3	158.1	160.3	155.6	159.0	158.0	
103	8 389.1	30 168.5	171.1	173.4	173.0	173.9	174.8	177.4	176.3	182.4	178.9	179.4	176.3	177.7	172.2	174.4	172.6	
104	8 389.1	300 169.6	171.7	174.0	173.9	175.2	177.0	179.8	179.4	185.9	182.8	183.7	180.8	182.4	176.7	178.7	176.6	
105	8 549.0	135 199.6	205.6	217.3	230.9	247.3	259.3	267.4	269.4	273.8	267.9	272.5	264.7	264.8	257.3	257.7	255.4	
106	8 549.0	255 210.6	217.4	231.6	245.1	257.2	265.4	271.0	271.5	274.8	268.5	272.2	264.5	264.4	257.2	258.0	256.2	
107	8 739.0	30 242.0	247.5	258.9	269.7	283.0	295.0	306.0	310.9	319.3	316.9	325.8	320.2	323.2	318.2	322.0	323.3	
108	8 739.0	300 320.8	324.7	335.4	339.8	347.1	355.6	365.0	371.4	382.5	383.2	395.6	394.7	402.6	401.5	409.6	414.1	
109	8 929.0	135 252.4	253.3	270.0	280.2	292.5	303.0	312.0	316.0	323.2	320.2	328.8	322.9	325.6	321.3	325.5	327.3	
110	8 929.0	255 303.4	308.1	318.7	325.0	334.1	343.9	354.6	361.4	375.7	377.2	391.3	387.8	394.4	393.5	401.6	406.2	
111	8 988.8	30 311.3	318.7	336.8	348.8	361.9	374.2	385.2	392.5	404.0	403.6	418.9	413.0	418.6	416.5	423.3	427.3	
112	8 988.8	300 319.9	327.6	344.9	355.7	368.1	379.2	389.7	396.2	408.9	408.1	421.9	416.4	421.2	419.0	426.0	430.1	
113	9 369.4	105 141.3	142.3	143.2	142.2	142.9	143.1	145.0	144.1	151.6	149.1	148.6	147.5	149.7	146.3	149.5	150.4	
114	9 369.4	180 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1025.2	993.0	438.7	384.9	393.4	350.4	376.6
115	9 389.0	30 173.8	176.2	178.8	178.1	178.9	179.3	180.3	178.6	184.2	180.0	179.5	176.6	177.3	172.4	174.0	173.8	
116	9 389.0	270 173.8	176.3	179.1	178.5	179.3	179.3	180.6	178.9	184.5	180.2	179.6	176.9	177.7	172.7	174.4	174.0	
117	9 549.0	105 192.3	195.8	205.2	212.9	234.0	252.7	263.9	267.0	272.3	266.6	270.0	262.2	260.8	252.9	252.0	249.2	
118	9 549.0	180 193.4	196.8	204.3	213.1	234.0	252.2	262.7	265.9	271.0	265.3	269.0	261.3	259.9	252.4	251.7	249.0	
119	9 739.2	30 237.6	242.6	255.7	268.6	282.2	292.7	301.8	306.6	314.8	312.6	322.9	317.3	320.3	315.4	318.3	319.1	
120	9 739.2	270 250.8	254.8	268.2	281.0	293.9	303.3	311.4	315.4	322.5	319.9	330.5	324.5	327.1	322.5	325.2	325.6	
121	9 909.0	60 305.5	308.5	318.5	319.6	324.7	330.2	337.0	343.8	354.8	357.4	376.8	372.9	381.4	381.8	392.2	400.1	
122	9 919.0	120 334.7	337.1	347.3	348.2	353.4	358.9	366.1	373.8	385.0	387.3	406.5	402.8	410.4	410.3	419.7	426.7	
123	9 929.0	105 334.8	338.1	350.2	351.7	357.5	363.3	370.6	378.5	389.4	391.5	412.8	407.0	414.1	413.6	422.8	429.9	
124	9 929.0	180 351.7	353.6	364.5	364.9	370.6	376.4	384.3	392.7	403.6	405.5	426.8	420.0	426.8	425.8	434.3	441.4	
125	9 988.8	30 321.6	330.0	352.1	361.5	372.7	381.7	391.4	400.4	410.2	411.1	432.3	424.5	429.9	428.2	436.3	442.8	
126	9 988.8	270 342.8	349.5	371.2	379.3	389.7	397.9	407.3	416.0	424.8	425.0	446.2	437.7	443.7	442.3	449.7	456.4	
127	10 489.3	90 175.1	177.9	185.1	194.1	213.0	228.1	237.6	240.3	245.2	240.5	243.1	236.6	235.4	229.1	229.2	227.9	
128	10 489.3	300 174.6	178.6	185.9	196.6	214.8	229.5	237.3	239.8	245.0	240.6	243.2	237.3	235.9	229.9	229.7	228.2	
129	10 549.0	60 182.2	185.1	190.8	195.2	212.8	239.2	257.6	264.5	270.6	265.6	269.6	261.5	259.5	252.3	251.5	249.7	
130	10 549.0	210 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
131	10 739.0	180 250.8	253.7	264.1	272.3	287.3	299.5	310.5	317.6	326.0	324.4	336.9	329.9	331.7	327.9	331.6	335.0	
132	10 739.0	330 251.9	255.9	245.8	254.8	269.6	282.3	294.3	301.7	311.5	309.9	320.5	314.4	316.7	313.5	317.3	320.4	
133	10 799.0	90 255.8	258.6	269.0	277.0	296.3	316.2	334.1	345.0	354.5	352.6	366.1	357.5	358.7	354.0	356.9	360.6	
134	10 799.0	300 249.9	253.0	262.8	270.6	289.5	309.8	327.8	338.7	348.0	345.8	358.3	349.7	351.1	346.8	349.6	352.9	
135	10 929.0	60 308.8	313.3	327.7	330.7	336.6	342.0	350.3	359.3	371.6	374.7	396.9	392.3	399.5	400.7	410.8	422.1	
136	10 929.0	210 336.9	340.1	354.0	355.5	360.1	365.4	374.0	383.7	395.7	398.2	421.7	415.5	421.8	422.3	432.0	443.9	
137	10 989.0	180 362.5	366.1	386.6	393.5	401.9	409.7	419.6	430.8	441.4	443.3	469.2	459.6	464.7	464.2	473.5	485.9	
138	10 989.0	330 316.1	321.7	343.5	354.0	364.3	373.1	383.5	393.6	403.9	405.0	427.5	420.1	426.0	425.6	434.7	445.5	
139	101049.0	90 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
140	101049.0	300 336.7	340.3	361.5	378.0	394.7	407.8	420.5	431.9	440.8	441.0	464.4	454.3	458.9	457.4	465.3	475.7	
141	11 389.0	60 167.1	168.6	171.3	170.6	171.2	171.2	172.8	171.6	170.4	172.5	172.5	169.4	169.4	165.3	169.9	173.5	
142	11 389.0	315 163.1	165.2	167.9	167.7	168.5	168.9	170.8	169.8	175.0	170.9	170.8	167.5	167.7	163.8	168.2	171.7	
143	11 489.0	150 172.1	174.4	179.8	186.3	203.3	220.7	230.9	234.0	239.2	235.1	237.9	231.4	229.7	224.0	225.4	226.5	
144	11 489.0	270 168.9	171.5	176.8	183.3	200.2	218.2	229.3	233.0	238.8	234.5	237.6	231.2	229.4	223.7	225.0	226.2	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	227.2	230.2	239.3	249.2	264.6	277.6	288.5	296.1	304.5	303.9	314.9	309.8	312.2	309.4	313.4	318.7
146	11	738.9	315	230.9	234.0	243.6	253.8	268.8	281.0	291.4	298.6	307.2	306.3	317.3	311.8	313.8	310.4	313.8	318.9
147	11	799.6	150	260.4	262.6	271.5	279.1	298.3	319.4	335.8	346.1	354.0	352.8	367.2	359.3	360.9	357.1	361.0	368.0
148	11	799.6	270	257.5	260.2	268.8	276.5	295.4	315.6	331.6	342.6	351.3	349.7	362.9	354.8	355.4	350.8	353.9	359.8
149	11	849.3	240	256.6	257.0	263.5	266.2	276.0	291.1	307.5	320.2	333.4	334.7	351.6	346.6	350.9	349.3	355.4	364.6
150	11	859.8	300	244.5	244.6	248.4	248.1	251.9	259.4	270.6	281.4	298.5	304.4	323.0	323.5	334.6	338.8	348.8	361.6
151	11	989.3	60	306.2	310.1	326.7	341.0	356.2	367.8	379.7	390.8	402.2	405.5	427.8	420.8	425.7	422.7	430.5	444.6
152	11	989.3	315	311.0	314.2	330.1	343.2	357.8	369.7	381.6	392.9	404.1	406.7	429.1	421.3	420.3	424.2	432.9	451.3
153	11	1049.2	150	360.9	362.2	375.7	391.2	413.9	429.3	443.2	455.8	465.7	467.4	492.0	482.4	483.1	480.2	486.8	502.0
154	11	1049.2	270	345.1	347.0	360.3	375.3	398.0	415.0	430.1	443.5	453.7	455.5	479.2	469.0	470.4	468.9	475.9	490.1
155	12	359.9	30	144.4	144.8	145.2	144.6	145.6	146.2	149.4	149.2	156.2	153.7	153.9	153.1	154.9	150.7	153.6	155.4
156	12	370.0	15	145.3	145.4	145.9	145.3	145.9	146.9	150.0	149.6	156.1	153.6	153.7	153.4	156.3	153.2	157.0	159.6
157	12	370.0	240	140.8	140.8	141.2	140.7	141.3	142.0	145.3	144.7	151.1	148.5	148.1	147.3	149.3	146.8	151.3	155.2
158	12	379.2	90	164.5	163.9	164.2	163.0	163.6	164.4	167.5	167.1	172.3	168.6	168.1	166.6	170.0	166.6	169.5	171.9
159	12	489.0	90	196.2	202.1	214.1	222.4	230.8	237.3	243.2	244.7	248.8	245.0	248.2	242.0	240.3	233.9	235.0	238.4
160	12	489.0	270	178.2	182.0	190.7	201.8	215.5	226.4	234.6	237.1	242.1	238.9	242.5	236.7	235.3	229.3	230.6	234.1
161	12	548.9	15	202.2	206.6	218.1	227.8	240.4	252.0	260.9	264.2	269.2	265.0	269.9	262.9	261.6	255.4	256.5	260.7
162	12	548.9	240	195.5	199.5	209.1	218.2	232.4	247.3	258.7	263.1	268.7	265.5	270.9	263.8	262.4	256.3	257.5	261.8
163	12	799.3	90	267.3	274.2	288.5	299.4	312.3	323.3	332.8	338.2	345.3	342.9	352.7	347.4	349.0	345.8	351.0	359.9
164	12	799.3	270	262.2	266.8	279.9	291.2	306.6	320.9	332.4	339.1	346.1	344.2	354.9	348.8	349.9	346.1	350.5	359.3
165	12	929.3	15	271.1	275.6	285.8	293.2	303.9	316.1	325.4	338.5	341.7	346.1	114.4	62.8	380.9	378.0	384.4	394.5
166	12	928.4	240	*****	*****	*****	*****	*****	*****	195.8	*****	189.3	297.4	*****	*****	*****	278.8	263.0	199.9
167	12	1049.5	90	324.7	332.5	352.7	367.0	381.5	394.1	406.6	414.8	426.1	426.9	441.6	439.1	443.3	441.9	449.2	461.9
168	12	1049.5	270	328.8	333.6	352.6	366.8	381.8	394.8	408.2	418.0	428.7	430.0	447.5	443.4	447.0	444.9	451.6	466.3
169	13	338.8	60	184.4	183.2	183.5	181.4	180.8	181.0	183.4	182.3	185.9	181.0	179.9	176.1	174.6	168.6	169.2	170.4
170	13	349.0	60	196.8	195.6	196.0	194.2	194.6	196.5	200.4	201.8	208.4	204.9	206.0	202.5	202.0	196.1	196.2	198.2
171	13	368.9	90	211.4	209.0	208.6	205.4	204.1	203.7	205.9	204.7	209.6	206.0	208.5	206.6	209.1	206.9	211.2	218.8
172	13	368.9	240	218.0	215.9	215.8	213.6	212.8	213.7	216.2	216.0	220.8	217.2	220.2	218.4	221.6	219.5	222.5	227.5
173	13	388.5	45	298.8	295.9	296.6	292.0	288.7	287.5	287.5	285.6	285.7	278.4	281.3	274.0	272.6	266.9	267.7	276.2
174	13	388.5	270	297.3	294.0	294.4	290.4	288.0	288.0	288.8	288.1	288.8	281.9	285.0	277.7	277.0	272.0	273.2	280.5
175	13	549.0	90	405.7	423.2	458.0	472.1	481.1	436.4	487.3	486.1	476.7	463.5	470.2	452.2	444.3	431.5	424.6	431.5
176	13	549.0	240	433.4	446.5	470.5	476.7	481.2	484.5	485.4	483.9	474.4	461.4	467.8	450.4	443.0	431.1	424.8	432.3
177	13	738.7	45	485.2	494.8	517.5	525.4	532.2	537.8	541.6	543.5	538.3	530.1	544.7	530.1	526.2	517.0	512.3	523.6
178	13	738.7	270	493.1	503.4	525.0	531.1	535.5	539.2	543.3	544.2	538.3	529.2	542.5	528.0	523.8	514.4	509.5	519.9
179	13	929.3	90	574.1	570.4	577.0	574.6	577.2	583.0	590.6	597.6	600.4	600.1	624.3	612.8	613.1	606.7	605.8	623.4
180	13	929.3	240	568.2	566.9	576.0	576.5	580.4	585.8	592.7	597.6	600.4	599.0	619.9	607.6	607.0	599.6	597.6	611.4
181	13	989.2	45	616.6	616.2	626.0	624.8	627.6	632.0	637.3	643.4	642.7	638.0	658.7	643.2	640.8	632.8	630.5	648.4
182	13	989.2	270	626.0	624.2	633.3	632.6	635.4	638.8	642.3	645.3	641.7	634.9	652.1	636.6	632.8	623.9	620.8	635.7
183	14	369.0	30	209.3	207.1	205.7	202.9	202.6	201.7	203.8	203.0	208.0	204.9	207.9	204.4	206.6	204.0	208.3	217.8
184	14	369.0	270	218.9	216.6	215.3	212.4	212.0	211.4	213.6	212.6	217.0	213.6	217.1	214.2	217.0	214.5	218.3	227.3
185	14	488.9	75	374.1	389.9	414.9	425.3	432.5	434.6	435.3	434.0	426.8	414.7	420.8	403.5	396.7	385.0	377.8	384.3
186	14	488.9	180	386.5	404.0	428.2	435.2	438.5	438.5	437.5	435.3	427.7	415.5	421.2	403.5	396.6	384.8	377.3	383.4
187	14	548.8	30	384.2	406.0	443.1	463.0	480.0	488.2	490.9	489.9	479.7	465.4	471.7	451.2	442.7	429.1	419.4	426.3
188	14	548.8	270	407.0	428.5	465.5	482.2	492.7	496.2	495.6	492.5	481.4	466.4	472.7	451.2	442.6	428.8	419.0	426.4
189	14	799.2	75	526.8	539.7	565.5	575.8	586.3	592.8	596.0	598.0	590.1	578.1	592.7	573.2	569.3	558.9	552.2	568.8
190	14	799.2	180	540.1	552.4	576.3	583.8	590.0	593.5	596.2	597.6	592.0	580.2	595.2	576.0	573.0	563.1	556.8	574.4
191	14	890.2	0	517.0	514.0	520.1	518.0	521.4	528.2	537.2	548.1	558.2	560.8	593.1	585.2	593.6	592.2	592.7	616.4
192	14	899.8	60	530.3	529.0	536.2	533.6	536.2	542.7	551.5	562.9	573.9	576.0	607.6	598.0	605.5	602.5	602.2	627.0
193	14	929.5	30	571.1	570.0	577.7	574.4	576.0	581.3	588.9	599.0	605.7	603.8	632.6	618.7	623.2	618.9	617.3	642.5
194	14	929.5	270	594.0	590.3	595.0	591.0	592.8	598.1	605.5	615.9	622.7	620.1	648.3	633.3	636.8	630.5	626.9	651.4
195	14	1049.2	75	671.8	673.5	688.3	689.2	691.8	696.7	702.0	708.9	708.4	699.5	724.2	704.2	705.3	698.2	693.6	722.5
196	14	1049.2	180	704.5	704.1	712.9	709.7	710.4	714.1	718.7	725.4	725.1	715.1	740.0	719.4	720.9	713.7	709.1	739.0
197	15	369.1	150	214.3	211.8	211.1	208.7	208.4	208.5	211.2	211.2	218.6	214.7	218.1	214.2	217.7	215.9	219.2	228.4
198	15	369.1	270	208.1	206.0	205.3	202.4	201.6	200.9	203.2	203.2	210.0	206.1	209.1	205.8	210.0	208.4	212.7	223.1
199	15	488.6	60	369.9	386.5	414.2	428.2	436.2	440.2	440.5	438.2	431.8	416.9	423.4	404.8	399.3	388.8	380.8	391.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	364.9	380.9	408.1	422.9	432.6	437.7	438.8	436.4	430.1	414.8	421.2	402.9	397.7	387.0	378.7	389.1
201	15	549.6	150	392.3	414.9	456.4	475.9	485.1	488.6	488.9	485.6	477.1	459.8	467.0	445.7	438.9	426.8	416.6	427.9
202	15	549.6	270	393.9	415.4	455.2	476.2	488.9	496.9	498.7	496.5	488.0	469.5	476.4	454.3	447.1	434.4	422.5	433.3
203	15	799.6	60	509.7	521.5	545.1	558.0	570.6	579.4	584.5	588.0	584.9	570.6	587.7	567.1	565.1	555.9	546.5	567.0
204	15	799.6	345	502.4	513.8	536.9	550.3	563.8	573.6	579.6	583.5	581.0	566.2	583.3	562.7	560.4	551.0	541.6	562.0
205	15	869.0	0	441.1	439.3	445.3	446.4	452.3	463.4	478.1	495.1	515.6	516.5	552.6	547.9	562.0	562.7	562.2	592.0
206	15	879.0	300	486.8	483.6	488.0	486.6	489.9	497.7	509.3	523.8	542.3	541.8	577.7	569.7	582.2	581.6	578.9	607.9
207	15	929.2	150	598.9	592.6	594.5	588.9	590.5	597.9	606.7	617.3	628.1	621.5	652.8	636.6	643.0	638.9	632.1	662.0
208	15	929.2	270	590.9	586.6	589.8	584.7	585.1	590.7	598.5	609.7	621.0	613.7	644.8	628.1	634.7	630.5	623.6	654.5
209	151049.1	60	662.5	663.9	672.6	674.0	679.6	686.9	693.2	701.0	703.8	689.0	715.4	693.2	695.8	689.4	680.8	714.2	
210	151049.1	345	654.5	655.7	666.7	669.3	674.0	680.7	687.0	694.1	696.9	681.3	707.0	684.6	687.7	681.2	672.6	705.6	
211	16	368.5	150	225.2	222.5	220.7	218.2	217.6	218.2	220.6	220.8	227.0	220.1	223.7	219.0	222.2	219.4	219.4	228.1
212	16	368.5	285	210.1	207.5	205.5	202.4	201.3	201.2	202.7	202.3	208.9	202.7	206.1	204.2	208.4	206.9	209.7	220.5
213	16	418.6	210	332.4	337.8	347.6	350.5	352.7	355.0	356.5	355.9	357.3	342.0	350.2	335.4	333.8	326.4	318.0	329.0
214	16	428.5	210	344.9	350.6	361.9	366.0	368.7	371.4	373.1	372.6	373.9	357.7	366.8	350.7	348.4	340.5	331.0	342.2
215	16	488.5	120	420.3	428.7	443.8	449.1	452.6	456.1	457.6	456.8	454.6	434.5	445.2	423.9	418.7	408.7	396.4	409.5
216	16	488.5	330	373.2	387.7	413.7	429.3	438.7	445.7	447.5	447.2	445.3	425.2	436.5	416.0	411.5	402.6	391.0	404.0
217	16	548.6	150	457.8	467.5	485.2	491.8	496.1	501.5	503.2	502.9	499.8	477.5	489.4	466.2	460.9	450.0	436.4	449.7
218	16	548.6	285	409.6	425.6	457.1	476.0	489.2	499.8	503.2	503.4	500.3	477.7	490.1	466.9	461.4	450.2	435.5	448.0
219	16	798.9	120	568.7	573.5	586.1	589.1	591.7	596.3	597.4	599.0	597.8	575.8	594.1	572.8	569.5	559.9	547.0	564.6
220	16	798.9	330	517.9	526.9	545.6	557.3	567.3	576.9	581.7	585.1	585.6	564.3	582.4	560.1	556.9	547.4	535.3	554.8
221	16	929.0	150	557.9	559.0	569.9	572.8	576.5	584.6	592.5	600.3	610.0	595.0	620.8	603.4	608.1	604.1	595.5	619.9
222	16	929.0	285	565.0	562.5	566.7	565.3	567.1	573.6	580.5	589.4	599.7	584.9	614.2	597.3	603.4	599.9	591.7	619.4
223	161049.0	120	644.1	649.8	664.8	667.4	667.4	671.6	675.2	680.7	684.7	663.6	685.8	663.6	663.0	655.4	644.6	667.4	
224	161049.0	330	622.9	627.4	640.4	646.7	650.4	656.3	660.6	666.9	672.3	651.8	676.6	654.2	654.0	646.9	635.9	662.3	
225	17	368.7	30	214.4	212.8	211.4	208.5	207.4	207.8	209.1	209.2	215.6	208.7	213.3	209.3	213.1	210.5	212.1	222.6
226	17	368.7	210	226.4	225.3	224.6	223.2	223.3	225.4	227.6	228.0	234.6	226.3	232.5	229.0	234.2	229.1	226.4	232.9
227	17	388.4	0	294.0	292.3	291.1	287.3	284.8	285.1	286.3	286.3	290.5	277.5	284.5	274.1	276.0	271.7	268.7	277.9
228	17	388.4	135	296.0	293.2	291.8	288.1	286.0	287.5	289.2	289.6	293.9	281.7	289.3	280.1	283.3	279.0	275.4	283.9
229	17	418.8	150	321.1	326.6	334.6	337.6	339.4	344.6	348.4	350.3	354.2	338.9	349.8	335.2	334.5	327.8	321.2	331.8
230	17	428.8	210	335.6	341.8	350.8	354.0	356.0	361.1	364.6	367.3	371.4	355.2	367.3	351.3	349.6	341.9	334.1	344.8
231	17	549.0	30	404.5	420.9	451.5	474.1	486.0	495.3	497.0	498.6	496.9	473.1	488.2	463.6	458.7	447.9	435.3	447.1
232	17	549.0	210	461.5	475.6	491.1	496.2	497.1	501.0	499.6	499.4	496.5	472.8	487.2	463.6	459.2	449.1	437.6	449.9
233	17	739.2	0	504.5	516.1	534.6	544.4	549.8	559.3	564.6	569.9	571.8	548.8	570.4	546.8	546.1	539.5	529.4	545.9
234	17	739.2	135	508.3	518.9	535.0	542.1	546.7	555.6	559.9	564.8	566.7	544.2	565.0	542.5	542.3	536.0	526.6	542.4
235	17	928.9	30	582.5	584.5	594.2	599.2	604.8	616.5	624.1	635.4	645.7	627.4	658.9	637.1	641.1	637.5	629.0	651.9
236	17	928.9	210	576.7	581.7	597.1	604.1	610.2	622.1	629.3	639.6	647.2	627.8	653.8	631.6	632.1	626.2	616.8	634.5
237	17	989.1	0	647.6	652.6	663.9	667.4	670.0	680.0	683.6	691.7	696.9	673.3	702.2	677.8	679.4	674.2	664.3	686.5
238	17	989.1	135	645.3	651.9	665.1	668.8	671.4	680.5	683.4	690.3	694.8	670.9	697.5	672.6	673.5	667.2	657.3	675.9
239	18	294.0	0	177.7	177.3	177.1	176.4	176.7	177.6	179.3	178.3	183.3	175.3	175.0	167.9	167.3	161.4	161.3	161.8
240	18	304.0	0	204.2	203.0	202.9	202.0	202.1	204.0	205.8	205.1	209.7	199.8	200.7	191.9	190.5	184.1	182.8	183.5
241	18	359.2	0	187.9	186.6	186.1	183.9	182.9	184.3	186.3	186.9	196.0	191.4	197.4	193.4	199.9	198.5	200.8	206.3
242	18	369.1	90	206.5	205.1	204.7	202.8	201.6	203.3	204.9	204.9	211.3	203.8	208.0	201.4	205.3	203.0	205.7	212.4
243	18	369.1	285	209.3	207.7	206.4	203.8	202.2	203.4	204.7	204.6	211.1	204.2	208.7	203.1	207.1	205.2	208.2	215.4
244	18	378.9	0	257.2	253.5	250.4	245.6	241.6	241.6	241.0	244.2	243.8	238.3	238.3	228.9	230.5	227.2	229.2	236.8
245	18	389.1	90	295.8	286.4	289.2	286.6	282.7	289.9	363.3	293.0	281.0	274.5	283.4	270.3	268.8	262.3	266.2	267.3
246	18	389.1	285	291.7	289.7	288.2	284.9	280.9	281.9	281.7	281.4	284.5	272.5	276.6	266.3	267.3	263.2	262.7	270.1
247	18	409.2	0	324.7	328.0	333.0	332.8	329.5	332.0	331.0	331.1	333.1	317.8	326.5	310.1	309.3	303.6	299.7	306.1
248	18	429.3	0	341.5	348.8	358.5	361.6	360.1	364.3	363.2	364.1	365.4	348.5	358.5	339.7	338.1	331.4	325.4	332.0
249	18	549.5	90	402.6	421.4	452.9	471.0	476.4	486.2	485.4	487.2	484.4	460.7	474.8	448.6	445.0	436.3	425.7	434.8
250	18	549.5	285	414.9	432.4	458.7	472.9	476.6	486.5	486.2	488.3	485.8	462.8	476.4	450.0	446.6	437.2	426.4	435.7
251	18	930.2	90	599.9	599.7	607.7	611.2	611.4	626.8	632.4	645.3	658.0	642.0	673.3	649.1	655.0	652.8	643.9	665.6
252	18	930.2	285	610.7	608.9	613.1	615.0	613.5	628.0	632.8	645.5	657.7	643.4	674.2	649.8	655.2	652.3	643.2	665.6
253	19	369.0	180	235.5	233.8	233.5	232.4	230.7	233.5	235.7	237.3	244.8	237.9	244.6	236.3	240.1	237.5	236.8	243.4
254	19	369.0	270	221.3	219.5	219.2	217.5	215.4	217.6	219.6	220.4	227.2	220.5	226.0	219.0	223.8	222.0	222.9	231.8

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	398.5	90	322.7	320.7	322.8	321.8	318.0	322.5	323.9	326.3	330.8	318.8	327.9	311.5	311.9	306.1	300.0	309.8
256	19	408.4	150	344.2	343.3	346.3	345.8	341.4	346.6	348.2	351.4	356.3	344.0	354.4	336.1	335.2	327.8	319.0	328.5
257	19	488.5	15	411.0	421.3	437.9	445.2	443.5	451.9	453.2	455.9	455.7	436.6	449.2	423.7	420.6	410.9	397.1	408.5
258	19	488.5	135	439.8	444.4	454.5	456.8	451.6	458.6	459.1	461.5	460.9	441.2	452.5	426.0	421.9	412.1	398.4	410.0
259	19	548.8	180	471.1	483.3	502.3	510.0	506.0	514.8	514.0	514.9	510.9	489.1	500.6	472.3	468.0	457.7	442.4	455.1
260	19	548.8	270	494.7	500.4	511.6	513.7	506.9	513.6	511.9	512.5	508.4	486.5	497.7	469.6	465.5	455.7	441.1	454.6
261	19	798.4	15	581.1	585.9	600.8	609.3	606.9	620.3	620.8	624.1	624.3	602.9	620.8	592.9	592.9	585.9	570.9	588.7
262	19	798.4	135	595.2	598.7	608.8	612.6	606.2	616.5	615.9	618.2	618.0	597.6	613.3	586.8	585.9	578.4	564.1	579.6
263	19	928.5	180	601.0	597.8	605.1	611.0	610.0	630.1	635.7	643.1	653.0	640.5	665.8	641.8	645.8	640.8	626.9	646.7
264	19	928.5	270	608.6	603.7	608.4	611.4	607.1	626.8	632.1	641.3	653.0	642.7	670.5	646.9	652.8	649.7	636.1	660.1
265	191048.7	15	20.2	*****	23.5	24.7	26.1	27.2	30.4	29.5	34.4	32.3	28.8	29.5	31.6	28.0	32.0	32.8	
266	191048.7	135	711.0	706.2	710.7	710.9	701.5	715.1	716.4	719.7	721.3	701.7	719.7	692.0	691.5	685.3	671.2	692.0	
267	21	370.0	150	83.4	87.4	89.7	92.0	94.6	96.6	100.8	100.8	109.7	108.8	106.7	108.2	111.1	108.9	114.5	117.1
268	21	370.0	144	82.9	86.6	88.8	91.1	93.7	95.8	100.1	100.0	108.8	107.8	105.8	107.3	110.5	108.1	113.5	116.3
269	21	370.0	126	82.5	86.2	88.3	90.6	93.1	95.3	99.7	99.8	108.5	107.5	105.6	107.1	110.3	107.8	113.2	115.9
270	21	370.0	120	82.7	86.3	88.4	90.5	93.0	95.2	99.6	99.5	108.5	107.5	105.6	107.0	110.1	107.6	113.1	115.8
271	21	370.0	30	75.6	79.3	81.1	82.9	84.7	86.1	89.6	88.8	96.9	95.8	93.2	94.9	98.1	95.6	100.9	103.0
272	21	370.0	26	75.1	78.9	80.7	82.5	84.3	85.6	88.9	88.1	96.1	95.0	92.3	94.1	97.2	94.8	100.1	102.1
273	21	370.0	7	75.0	78.8	80.7	82.3	84.1	85.4	88.6	87.7	95.7	94.6	91.9	93.6	96.7	94.2	99.4	101.5
274	21	370.0	0	74.9	78.7	80.6	82.3	84.2	85.5	88.7	87.9	95.8	94.7	92.0	93.7	96.8	94.3	99.5	101.6
275	21	370.0	210	84.7	88.7	90.9	93.0	95.1	97.1	101.0	100.7	109.8	108.7	106.6	108.1	111.1	108.5	113.8	116.3
276	21	370.0	206	84.7	88.7	90.9	93.0	95.2	97.2	101.2	101.0	109.9	108.9	106.8	108.3	111.4	108.7	114.1	116.7
277	21	370.0	187	85.1	89.2	91.3	93.4	95.7	97.8	101.9	101.9	110.7	109.6	107.5	108.9	111.6	109.3	114.6	117.4
278	21	370.0	180	84.3	88.3	90.5	92.8	95.1	97.2	101.4	101.5	110.3	109.3	107.3	108.7	111.4	109.2	114.5	117.3
279	22	390.0	30	76.7	80.7	82.4	84.2	86.2	87.6	91.3	90.7	98.7	97.7	95.2	97.1	100.3	98.1	103.5	105.9
280	22	390.0	26	76.2	80.2	82.0	83.9	85.9	87.2	90.7	90.0	98.6	97.6	95.1	97.0	100.2	97.8	103.3	105.6
281	22	390.0	7	75.8	79.9	81.7	83.5	85.4	86.6	90.1	89.3	97.9	96.9	94.3	96.2	99.4	97.0	102.4	104.6
282	22	390.0	0	75.8	80.0	81.8	83.6	85.5	86.9	90.3	89.5	98.1	97.1	94.5	96.3	99.5	97.2	102.5	104.8
283	22	390.0	330	77.2	81.5	83.5	85.4	87.5	88.9	92.4	91.7	100.3	99.3	96.8	98.6	101.8	99.4	104.7	106.9
284	22	390.0	324	77.6	82.0	84.0	86.0	88.0	89.5	93.1	92.3	100.9	100.0	97.5	99.3	102.5	100.1	105.3	107.6
285	22	390.0	306	79.4	83.7	85.7	87.6	89.6	91.2	94.9	94.2	102.9	101.9	99.5	101.2	104.4	101.9	107.0	109.3
286	22	390.0	300	80.3	84.6	86.6	88.5	90.6	92.2	95.9	95.2	103.9	102.9	100.6	102.3	105.5	103.0	108.1	110.4
287	22	390.0	210	88.3	92.5	94.5	96.6	98.8	100.9	105.1	105.0	114.2	113.2	111.2	112.8	115.9	113.7	119.2	122.1
288	22	390.0	206	88.5	92.6	94.7	96.8	99.0	101.1	105.3	105.4	114.4	113.5	111.6	113.1	116.2	114.0	119.5	122.5
289	22	390.0	187	88.6	92.6	94.7	96.8	99.1	101.3	105.6	105.7	114.9	114.0	112.1	113.6	116.7	114.5	120.0	123.0
290	22	390.0	180	88.5	92.5	94.8	97.1	99.6	101.9	106.2	106.4	116.0	115.1	113.3	114.8	118.0	115.8	121.4	124.3
291	23	490.0	180	109.9	113.6	115.5	117.8	120.4	123.2	128.6	129.7	142.0	142.1	142.5	145.8	151.5	151.9	160.2	167.1
292	23	490.0	173	109.9	113.5	115.5	117.8	120.5	123.4	128.7	129.8	142.0	142.1	142.5	145.8	151.4	151.8	160.1	167.0
293	23	490.0	156	109.0	112.6	114.5	116.8	119.5	122.4	127.7	128.6	140.9	140.9	141.1	144.5	150.0	150.4	158.7	165.3
294	23	490.0	150	108.0	111.6	113.5	115.9	118.6	121.4	126.6	127.4	139.6	139.7	139.6	142.9	148.5	148.7	156.9	163.3
295	23	490.0	60	91.0	94.8	96.5	93.6	101.1	103.4	107.9	108.3	119.1	118.8	117.5	120.2	124.8	124.0	131.1	135.4
296	23	490.0	54	89.4	93.2	95.0	97.1	99.6	101.9	106.5	106.8	117.5	117.1	115.6	118.4	122.9	122.0	129.0	133.2
297	23	490.0	34	86.5	90.6	92.6	94.9	97.5	99.7	104.3	104.4	115.1	114.8	113.2	115.9	120.4	119.3	126.2	130.1
298	23	490.0	30	85.3	89.5	91.7	93.9	96.6	98.8	103.4	103.5	114.2	113.9	112.1	114.9	119.3	118.3	125.0	128.9
299	23	490.0	0	82.7	87.2	89.5	91.8	94.4	96.5	100.9	100.9	111.6	111.4	109.2	112.0	116.3	115.1	121.7	125.3
300	23	490.0	353	82.0	86.6	88.9	91.2	93.9	96.1	100.5	100.5	112.0	111.8	109.7	112.4	116.8	115.5	122.1	125.7
301	23	490.0	336	83.2	87.9	90.1	92.6	95.2	97.4	101.9	101.9	113.6	113.0	111.2	114.0	118.3	117.1	123.7	127.3
302	23	490.0	330	85.1	89.7	92.1	94.4	97.1	99.3	103.8	103.8	115.2	114.8	113.1	116.0	120.3	119.1	125.8	129.4
303	24	550.0	180	127.7	130.4	132.2	134.6	137.8	141.7	148.7	151.4	167.3	169.0	171.6	176.2	183.4	184.8	194.2	202.1
304	24	550.0	173	128.1	130.7	132.7	135.1	138.2	142.2	149.1	151.8	167.6	169.3	171.8	176.4	183.5	185.0	194.4	202.3
305	24	550.0	156	126.6	129.5	131.3	133.7	136.9	140.9	147.7	150.2	165.8	167.4	169.7	174.3	181.3	182.8	192.0	199.7
306	24	550.0	150	125.3	128.4	130.1	132.5	135.7	139.4	146.1	148.5	163.6	165.2	167.0	171.6	178.5	179.8	189.0	196.4
307	24	550.0	0	88.8	93.4	95.9	98.6	101.6	104.2	109.2	109.5	122.1	122.5	121.3	124.9	130.0	129.7	137.2	141.8
308	24	550.0	353	88.5	93.2	95.8	98.4	101.4	103.9	108.8	109.1	121.6	122.0	120.8	124.4	129.6	129.2	136.7	141.3
309	24	550.0	336	90.5	95.3	97.8	100.4	103.4	106.0	110.7	111.3	124.0	124.4	123.3	126.9	132.1	131.7	139.2	143.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

1T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				
310	24	550.0	330	93.0	97.5	100.2	102.7	105.7	108.0	113.1	113.7	126.8	127.1	126.1	129.7	134.9	134.6	142.1	146.9	
311	24	550.0	240	121.0	124.1	125.7	127.7	130.5	133.9	140.0	141.9	156.8	158.1	159.6	164.0	170.6	171.5	180.3	187.4	
312	24	550.0	234	123.1	126.2	127.7	129.7	132.4	135.9	142.2	144.2	159.1	160.5	162.2	166.8	173.3	174.3	183.3	190.6	
313	24	550.0	216	125.4	128.4	129.9	132.0	134.8	138.2	144.8	147.1	162.4	164.0	166.1	170.8	177.4	178.6	187.8	195.1	
314	24	550.0	210	126.4	129.5	130.9	133.1	136.0	139.7	146.3	148.7	164.0	165.7	167.7	172.5	179.2	180.3	189.5	196.9	
315	25	740.0	150	191.0	194.4	197.5	201.7	206.8	213.2	222.8	227.6	247.8	250.8	255.7	261.3	268.9	270.7	279.7	287.2	
316	25	740.0	144	188.9	192.3	195.3	199.5	204.5	210.9	220.5	225.2	245.5	248.5	253.4	258.9	266.4	268.2	277.3	284.9	
317	25	740.0	126	184.5	187.7	190.8	195.1	200.1	206.5	216.0	220.5	240.4	243.4	248.1	253.4	260.7	262.4	271.4	279.1	
318	25	740.0	120	178.9	182.1	185.3	189.5	194.5	200.9	210.1	214.5	234.1	237.0	241.3	246.8	254.2	256.0	265.2	273.0	
319	25	740.0	30	119.5	124.6	128.3	132.4	137.6	142.4	150.7	153.6	172.7	174.9	175.6	181.3	188.7	190.6	200.4	207.2	
320	25	740.0	26	115.2	120.4	124.3	128.4	133.6	138.3	146.3	149.2	168.4	170.6	171.3	177.0	184.3	186.1	196.0	202.8	
321	25	740.0	7	111.2	116.7	120.6	124.8	129.9	134.5	142.3	145.1	164.2	166.4	167.0	172.8	180.1	181.9	191.7	198.5	
322	25	740.0	0	112.0	117.5	121.4	125.6	130.6	135.2	143.0	145.8	165.1	167.4	168.0	173.7	181.0	182.8	192.5	199.2	
323	25	740.0	210	192.1	195.4	198.3	202.2	206.8	212.8	221.9	226.2	245.9	248.9	253.7	259.4	267.1	268.9	278.0	285.7	
324	25	740.0	206	196.0	199.3	202.3	206.3	211.0	217.2	226.6	231.2	250.9	253.8	259.2	264.8	272.4	274.2	283.2	290.9	
325	25	740.0	187	199.2	202.5	205.8	210.0	214.7	221.3	230.8	235.7	255.2	258.0	263.9	269.3	276.7	278.4	287.3	295.3	
326	25	740.0	180	198.9	202.2	205.6	209.9	214.6	221.2	231.0	235.8	255.4	258.4	264.2	269.7	277.1	278.9	287.7	295.6	
327	26	800.0	30	127.7	132.9	137.1	141.7	147.6	153.2	162.2	165.8	187.0	189.9	191.3	197.8	205.7	208.3	218.8	226.3	
328	26	800.0	26	*****	*****	*****	*****	*****	*****	*****	*****	477.9	351.4	332.6	329.2	329.7	314.3	325.2	362.2	336.6
329	26	800.0	7	119.2	124.8	129.1	133.7	139.5	144.9	153.7	157.3	178.0	181.0	182.3	188.7	196.7	199.3	205.8	217.3	
330	26	800.0	0	119.4	125.1	129.2	133.9	139.6	144.9	153.8	157.3	178.3	181.2	182.4	188.8	196.8	199.3	209.8	217.1	
331	26	800.0	330	129.9	135.5	139.5	143.8	149.4	154.7	163.6	167.2	188.2	191.0	192.4	198.8	206.8	209.2	219.5	226.9	
332	26	800.0	324	134.4	139.7	143.5	147.7	153.1	158.4	167.4	171.1	192.1	194.9	196.7	203.1	211.0	213.5	223.8	231.3	
333	26	800.0	306	143.6	148.5	151.8	155.6	160.7	166.1	175.1	179.0	199.9	202.8	205.0	211.5	219.5	221.9	232.3	240.0	
334	26	800.0	300	149.2	153.8	157.0	160.7	165.8	171.3	180.4	184.3	205.1	208.0	210.5	216.9	225.1	227.6	238.0	245.9	
335	26	800.0	210	209.9	213.1	216.2	220.9	226.8	234.4	245.3	251.1	272.4	276.3	282.4	288.9	297.1	299.4	308.9	317.2	
336	26	800.0	206	213.7	216.7	220.0	223.7	228.7	237.7	249.9	256.0	277.2	281.0	287.8	294.1	302.1	304.4	313.8	322.2	
337	26	800.0	187	*****	*****	*****	*****	*****	*****	*****	*****	375.9	406.7	408.0	377.1	368.6	402.7	388.5	386.2	
338	26	800.0	180	217.6	220.8	224.5	229.9	236.0	244.4	255.9	262.3	283.7	287.5	294.8	300.9	308.8	311.0	320.1	328.6	
339	27	930.0	180	273.1	276.3	281.1	287.5	294.0	303.3	314.9	321.1	342.0	343.6	349.7	354.0	360.1	361.0	368.7	376.1	
340	27	930.0	173	272.4	275.6	280.6	287.4	293.9	303.4	315.0	321.4	342.6	344.1	350.3	354.4	360.3	361.2	368.7	376.1	
341	27	930.0	156	266.3	269.4	274.0	280.1	286.7	295.6	307.2	313.4	335.4	337.3	343.1	347.7	354.1	355.3	363.3	370.5	
342	27	930.0	150	259.7	262.8	267.3	273.0	279.8	288.3	299.8	305.9	328.5	330.7	336.1	341.2	347.8	349.1	357.6	364.8	
343	27	930.0	60	169.6	174.2	178.6	184.0	190.9	198.5	209.4	214.8	238.9	242.6	246.0	253.1	262.1	265.7	276.9	285.7	
344	27	930.0	54	162.0	167.0	171.8	177.2	184.1	191.5	202.4	207.8	232.1	235.9	239.1	246.4	255.4	259.1	270.5	279.4	
345	27	930.0	34	151.1	156.8	161.6	167.2	174.2	181.1	191.8	196.9	221.4	225.5	228.4	236.0	245.4	249.3	261.2	270.0	
346	27	930.0	30	146.8	152.8	157.7	163.3	170.4	177.0	187.5	192.4	217.1	221.2	223.8	231.6	241.1	245.0	256.9	265.6	
347	27	930.0	0	136.3	142.7	147.7	153.4	160.4	166.8	176.7	181.3	205.5	209.7	212.1	220.0	229.4	233.3	245.3	254.0	
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	
349	27	930.0	336	144.0	150.2	155.1	160.6	167.5	173.9	184.0	188.4	212.5	216.5	219.1	226.8	236.0	239.6	251.3	259.9	
350	27	930.0	330	150.9	156.9	161.5	166.9	173.7	180.2	190.3	194.9	218.6	222.5	225.0	232.5	241.6	245.1	256.4	264.9	
351	28	990.0	180	285.7	288.8	293.7	300.2	306.8	316.3	328.2	335.2	358.8	361.5	368.4	373.6	380.6	382.3	390.2	398.1	
352	28	990.0	173	285.7	288.8	293.8	300.5	307.1	316.7	328.6	335.6	359.5	362.2	369.3	374.4	381.3	383.0	390.9	398.8	
353	28	990.0	156	279.7	282.7	287.4	293.9	300.5	309.7	321.7	328.5	353.0	356.1	362.7	368.4	375.5	377.4	385.7	393.5	
354	28	990.0	150	272.7	275.8	280.4	286.6	293.4	302.0	314.0	320.8	345.6	348.8	355.1	361.1	368.5	370.6	379.3	387.0	
355	28	990.0	0	147.6	154.4	159.9	166.3	174.2	181.5	192.6	197.9	224.0	228.5	231.2	239.7	249.5	253.5	265.5	274.4	
356	28	990.0	353	147.4	154.1	159.7	166.0	173.9	181.1	192.1	197.3	223.1	227.6	230.4	238.7	248.5	252.5	264.3	273.2	
357	28	990.0	336	155.0	161.6	167.0	173.2	180.9	188.3	199.4	204.7	230.3	234.7	237.4	245.6	255.2	258.9	270.5	279.2	
358	28	990.0	330	161.5	167.8	173.2	179.3	186.9	194.3	205.6	210.9	236.5	240.6	243.3	251.3	260.7	264.3	275.7	284.1	
359	28	990.0	240	258.1	261.6	266.0	272.0	278.5	287.3	298.8	304.8	327.9	330.5	336.3	342.2	349.8	352.1	360.9	368.7	
360	28	990.0	234	266.4	269.8	274.1	280.1	286.2	295.1	306.7	312.9	335.6	338.0	344.3	349.9	357.3	359.3	367.8	375.7	
361	28	990.0	216	272.9	276.0	280.5	286.6	293.0	302.0	313.7	320.1	342.8	345.5	351.5	357.1	364.4	366.2	374.5	382.2	
362	28	990.0	210	275.4	278.6	283.1	289.2	295.9	304.7	316.6	323.0	346.1	348.8	354.8	360.5	367.7	369.4	377.7	385.2	
363	29	1050.0	150	285.4	288.5	293.3	300.3	307.8	317.5	330.1	337.6	363.8	367.9	375.5	382.3	390.3	392.6	401.2	409.7	
364	29	1050.0	144	282.8	285.8	290.4	297.4	304.6	314.5	327.4	335.0	361.3	365.5	373.2	380.1	388.2	390.7	399.3	408.1	

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	273.8	276.9	281.8	288.8	295.9	305.8	318.5	326.0	352.7	356.6	363.9	370.7	379.1	381.8	390.9	399.9
366	291050.0	120	263.7	266.9	272.0	278.9	286.2	296.1	308.7	316.0	342.1	346.4	353.6	360.9	369.4	372.4	382.0	391.0
367	291050.0	30	168.4	174.7	180.0	186.4	194.4	202.3	214.3	220.2	246.8	251.5	254.8	263.6	273.5	277.4	289.2	297.9
368	291050.C	26	161.5	168.2	173.6	180.1	188.2	196.0	207.9	213.7	240.1	245.1	248.2	257.1	267.2	271.2	283.2	291.7
369	291050.0	7	155.9	162.8	168.4	175.0	183.1	190.8	202.4	208.2	234.5	239.6	242.9	251.8	261.9	266.1	278.0	286.5
370	291050.0	0	155.6	162.5	168.1	174.7	182.8	190.3	201.8	207.4	233.9	239.0	242.3	251.2	261.2	265.2	277.0	285.5
371	291050.0	210	286.5	289.6	294.3	301.1	308.3	318.2	330.8	338.1	362.7	366.3	373.5	380.0	387.5	389.3	397.6	405.7
372	291050.0	206	294.1	297.0	301.8	308.8	315.7	325.9	338.6	346.2	371.0	374.4	382.2	388.4	396.0	397.9	405.9	414.3
373	291050.0	187	300.2	303.0	307.9	315.3	322.0	332.7	345.6	353.4	378.4	381.9	390.6	396.6	404.2	406.2	413.8	422.7
374	291050.0	180	298.6	301.5	306.5	313.9	320.7	331.5	344.3	352.2	377.5	381.2	389.7	395.9	403.5	405.5	413.2	422.1
375	01075.0	6	126.5	131.4	134.6	138.2	141.2	143.3	149.6	153.3	174.2	179.3	184.2	194.1	207.0	214.1	229.6	242.8
376	01075.0	5	109.4	114.2	118.1	122.1	126.7	130.8	137.2	140.6	163.9	170.9	175.6	185.5	197.3	203.6	217.2	230.1
377	01075.0	4	207.1	210.1	213.2	216.9	218.9	227.5	237.8	243.5	265.4	267.1	276.4	282.6	292.0	297.3	308.0	322.5
378	01075.0	2	209.4	210.7	212.8	215.7	214.3	220.9	225.4	228.8	244.1	243.0	252.5	254.7	263.9	264.7	270.2	283.7
379	01075.0	1	208.0	208.9	210.5	212.0	209.8	214.8	219.0	221.8	235.1	234.5	245.8	247.7	254.4	253.8	259.7	275.4
380	01075.0	2	203.7	204.8	207.1	209.4	206.3	211.5	215.6	218.0	228.5	227.7	236.4	237.8	246.5	249.1	254.3	270.4
381	01075.0	4	201.0	202.7	206.1	209.8	211.9	222.0	231.9	238.6	259.2	261.9	272.2	279.1	289.5	291.4	299.5	314.9
382	01075.0	4	288.4	289.4	295.0	300.0	301.2	315.9	328.3	335.4	358.5	360.6	375.9	376.1	383.8	386.7	390.6	405.9
383	01075.0	1	299.0	298.8	301.6	306.7	302.0	314.9	328.7	336.6	355.0	359.4	382.9	383.7	395.1	402.5	408.3	441.6
384	01075.0	1	288.8	288.9	291.3	295.5	291.6	304.1	315.6	327.8	349.8	354.5	376.4	374.9	396.7	407.7	411.0	444.4
385	01075.0	4	263.7	266.2	274.1	284.1	287.7	305.4	320.9	331.2	350.6	351.4	365.2	375.8	382.7	388.5	400.4	420.2
386	01075.0	3	410.4	403.8	402.1	403.6	398.8	422.5	439.3	454.5	485.6	486.5	522.6	525.2	541.6	552.1	559.2	596.7
387	01075.0	3	397.1	392.2	394.3	400.8	400.9	427.9	447.6	463.3	492.0	493.0	524.7	528.7	542.6	551.4	556.6	595.5
388	01075.0	5	387.4	391.8	412.4	424.5	427.7	450.8	465.2	476.8	497.7	500.7	516.1	520.3	528.1	528.2	529.4	541.7
389	01075.0	6	380.3	382.6	397.5	419.0	428.9	447.5	455.4	460.7	483.5	487.2	504.8	508.1	514.5	514.2	515.4	529.0
390	01113.0	0	262.4	263.9	266.6	268.6	266.3	278.6	292.4	300.2	317.2	314.5	328.0	325.1	331.3	333.1	336.7	359.9
391	01113.0	0	204.5	210.9	216.7	220.9	221.9	231.6	240.4	242.7	258.2	255.8	263.0	269.8	272.4	273.0	283.9	297.3
392	01113.0	0	293.1	295.9	300.9	306.1	309.0	321.5	333.3	336.5	351.3	354.6	372.5	384.0	394.8	390.4	402.3	412.1
393	01113.0	0	398.2	393.3	393.9	396.5	395.0	414.3	428.5	434.8	457.6	463.3	487.1	481.8	484.8	484.1	479.4	496.8
394	01113.0	0	307.5	305.1	310.6	311.9	304.4	322.6	333.7	344.5	339.2	342.5	359.3	351.6	362.9	366.2	367.6	382.8
395	01113.0	0	206.2	207.9	212.8	221.8	221.7	234.6	242.2	248.8	272.6	276.9	286.7	295.9	297.5	302.4	296.9	303.0
396	0 0.0	0	73.9	74.3	76.9	77.6	79.5	80.4	81.7	81.3	86.6	89.1	86.6	88.3	86.0	83.3	85.1	85.2
397	0 0.0	0	82.0	83.8	86.0	85.6	86.8	86.6	87.8	87.2	93.0	93.0	90.8	89.2	88.7	87.5	85.6	86.4
398	0 0.0	0	76.5	80.9	82.1	81.5	84.6	83.5	81.5	82.2	88.2	88.2	89.5	82.1	92.7	82.6	88.2	83.7
399	0 0.0	0	77.3	76.0	77.5	79.1	77.4	79.7	80.4	77.0	82.4	82.5	79.6	84.0	79.7	78.5	79.2	79.8
400	0 0.0	0	80.7	82.9	83.1	83.1	84.0	85.1	87.9	87.3	95.0	92.5	88.5	88.5	89.8	85.8	89.8	90.2
401	0 0.0	0	80.6	83.0	83.0	83.0	83.9	84.9	87.8	87.2	94.9	92.4	83.4	88.3	89.7	85.6	89.6	90.1
402	0 0.0	0	1281.6	1223.1	1167.3	1119.3	1055.4	1026.4	987.7	956.4	913.1	869.5	859.0	819.3	786.1	758.3	715.2	718.5
403	0 0.0	0	23.6	22.5	21.6	20.7	19.4	19.1	18.5	18.0	17.1	16.3	16.2	15.3	14.7	14.2	13.3	13.5
404	0 0.0	0	23.7	22.5	21.6	20.8	19.5	19.2	18.5	18.0	17.2	16.3	16.2	15.4	14.8	14.2	13.3	13.6
405	0 0.0	0	1.2	1.1	1.1	0.9	0.7	0.7	0.6	13.7	13.5	13.8	14.1	13.6	13.2	12.7	12.0	12.0
406	0 0.0	0	1.5	1.5	1.5	1.5	1.3	1.2	1.1	10.7	11.0	11.6	12.1	11.9	11.6	11.2	10.5	10.6
407	4 389.5	0	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5
408	5 389.5	0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5
409	6 389.1	0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5
410	7 399.4	0	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6
411	8 389.6	0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6
412	9 369.9	0	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5
413	10 489.8	0	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.1
414	11 389.5	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5
415	12 489.5	0	2.0	1.9	1.8	1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.1	1.1
416	4 990.0	0	7.3	7.0	6.7	6.4	6.0	5.9	5.7	5.6	5.3	5.1	5.0	4.8	4.6	4.4	4.2	4.2
417	5 989.5	0	7.3	6.9	6.6	6.4	6.0	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.4	4.2	4.2
418	61049.5	0	8.0	7.6	7.3	7.0	6.6	6.5	6.2	6.1	5.8	5.5	5.5	5.2	5.0	4.8	4.6	4.6
419	71049.5	0	8.0	7.6	7.3	7.0	6.6	6.5	6.2	6.1	5.8	5.5	5.5	5.2	5.0	4.8	4.6	4.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
420	8 989.3	0	7.3	6.9	6.6	6.4	6.0	5.9	5.7	5.5	5.3	5.1	5.0	4.7	4.6	4.4	4.2	4.2
421	9 988.8	0	7.3	6.9	6.6	6.4	6.0	5.9	5.7	5.5	5.3	5.0	5.0	4.7	4.6	4.4	4.2	4.2
422	101049.5	0	8.0	7.6	7.3	7.0	6.6	6.4	6.2	6.1	5.8	5.5	5.5	5.2	5.0	4.8	4.6	4.6
423	111049.7	0	8.0	7.6	7.3	7.0	6.6	6.4	6.2	6.1	5.8	5.5	5.5	5.2	5.0	4.8	4.6	4.6
424	121050.0	0	8.0	7.6	7.3	7.0	6.6	6.5	6.2	6.1	5.8	5.5	5.5	5.2	5.1	4.8	4.6	4.6
425	11047.1	0	23.7	22.5	21.6	20.7	19.5	19.1	18.4	17.9	17.1	16.3	16.2	15.3	14.8	13.9	13.5	13.4
426	21049.5	0	23.7	22.5	21.6	20.7	19.5	19.1	18.4	17.9	17.1	16.3	16.2	15.4	14.8	14.0	13.4	13.5
427	31049.5	0	23.7	22.5	21.7	20.7	19.5	19.1	18.5	17.9	17.1	16.3	16.2	15.3	14.8	14.0	13.4	13.4
428	13 989.7	0	10.4	9.9	9.5	9.1	8.6	8.4	8.1	7.9	7.6	7.2	7.1	6.8	6.5	6.2	6.0	6.0
429	141049.7	0	9.2	8.7	8.3	8.0	7.5	7.4	7.2	7.0	6.7	6.4	6.3	6.0	5.8	5.5	5.3	5.3
430	151049.6	0	9.1	8.7	8.4	8.0	7.6	7.4	7.2	7.0	6.7	6.4	6.3	6.0	5.8	5.5	5.3	5.3
431	161049.5	0	9.1	8.7	8.3	8.0	7.5	7.4	7.1	7.0	6.6	6.3	6.3	5.9	5.8	5.5	5.3	5.3
432	17 989.6	0	10.4	9.9	9.5	9.2	8.6	8.5	8.1	8.0	7.6	7.2	7.2	6.8	6.6	6.2	6.1	6.0
433	18 930.7	0	11.8	11.2	10.7	10.3	9.7	9.6	9.2	9.0	8.6	8.2	8.1	7.7	7.4	7.0	6.8	6.7
434	191049.2	0	9.2	8.7	8.4	8.0	7.5	7.4	7.2	7.0	6.7	6.4	6.3	6.0	5.8	5.5	5.3	5.3
435	1 388.6	0	23.7	22.5	21.6	20.7	19.4	19.1	18.4	18.0	17.1	16.2	16.2	15.3	14.8	14.1	13.5	13.4
436	2 388.5	0	23.7	22.5	21.7	20.7	19.4	19.1	18.4	17.9	17.1	16.3	16.2	15.3	14.7	14.2	13.5	13.4
437	3 389.2	0	23.7	22.4	21.6	20.8	19.5	19.1	18.5	17.9	17.1	16.2	16.2	15.3	14.8	14.2	13.5	13.4
438	13 389.0	0	22.2	21.2	20.3	19.5	18.2	17.9	17.3	16.9	16.0	15.2	15.2	14.4	13.8	13.3	12.8	12.6
439	14 489.4	0	20.4	19.3	18.6	17.9	16.8	16.5	15.9	15.5	14.7	14.0	14.0	13.2	12.8	12.2	11.7	11.6
440	15 489.1	0	20.3	19.3	18.6	17.8	16.7	16.4	15.9	15.4	14.7	13.9	14.0	13.2	12.7	12.2	11.7	11.5
441	16 419.1	0	21.7	20.5	19.8	19.0	17.8	17.5	16.9	16.5	15.7	14.9	14.9	14.0	13.5	13.0	12.4	12.3
442	17 388.9	0	22.3	21.1	20.3	19.5	18.3	18.0	17.4	17.0	16.1	15.4	15.2	14.5	13.9	13.3	12.8	12.6
443	18 389.6	0	22.3	21.2	20.4	19.6	18.3	18.1	17.4	17.0	16.1	15.3	15.3	14.4	13.9	13.3	12.8	12.6
444	19 399.0	0	22.0	21.0	20.1	19.3	18.1	17.8	17.2	16.7	15.9	15.2	15.1	14.3	13.7	13.2	12.6	12.5
445	1 348.6	0	23.7	22.5	21.6	20.7	19.5	19.1	18.5	17.9	17.1	16.2	16.2	15.4	14.8	14.2	13.5	13.4
446	2 359.0	0	23.6	22.5	21.6	20.7	19.4	19.1	18.4	17.9	17.1	16.3	16.2	15.4	14.7	14.2	13.5	13.4
447	3 294.5	0	23.7	22.5	21.6	20.7	19.5	19.1	18.5	17.9	17.1	16.2	16.2	15.4	14.7	14.2	13.5	13.4
448	4 294.4	0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
449	4 304.2	0	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
450	4 348.9	0	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3
451	4 379.6	0	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5
452	5 370.0	0	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4
453	7 349.5	0	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
454	7 359.5	0	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4
455	7 369.5	0	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4
456	7 379.5	0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5
457	7 409.1	0	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7
458	8 295.1	0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
459	8 304.7	0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
460	8 369.2	0	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5
461	9 369.9	0	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4
462	12 370.5	0	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4
463	13 369.4	0	22.6	21.4	20.6	19.8	18.5	18.1	17.5	17.1	16.3	15.4	15.3	14.6	14.0	13.6	12.9	12.7
464	14 369.5	0	22.6	21.4	20.6	19.8	18.5	18.2	17.5	17.1	16.3	15.5	15.4	14.6	14.0	13.5	12.8	12.7
465	15 369.6	0	22.6	21.4	20.6	19.8	18.5	18.1	17.5	17.0	16.3	15.4	15.2	14.6	14.0	13.6	12.8	12.7
466	16 369.0	0	22.6	21.4	20.7	19.8	18.5	18.3	17.5	17.1	16.3	15.5	15.4	14.6	14.0	13.6	12.8	12.7
467	17 369.2	0	22.6	21.4	20.6	19.8	18.6	18.2	17.6	17.1	16.3	15.5	15.4	14.6	14.0	13.6	12.8	12.7
468	18 294.5	0	23.5	22.3	21.5	20.6	19.3	18.9	18.3	17.7	17.0	16.1	16.0	15.3	14.6	14.1	13.3	13.2
469	18 304.5	0	23.4	22.2	21.3	20.5	19.2	18.8	18.1	17.7	16.9	16.0	15.9	15.1	14.6	14.1	13.2	13.1
470	18 359.7	0	22.8	21.6	20.8	19.9	18.7	18.4	17.7	17.2	16.5	15.6	15.5	14.7	14.2	13.7	12.9	12.8
471	18 369.6	0	22.6	21.4	20.6	19.8	18.6	18.3	17.7	17.1	16.4	15.5	15.4	14.7	14.1	13.7	12.8	12.7
472	18 379.4	0	22.5	21.3	20.6	19.7	18.4	18.2	17.5	17.1	16.2	15.4	15.3	14.6	14.0	13.6	12.7	12.7
473	18 389.6	0	22.3	21.2	20.4	19.6	18.4	18.0	17.4	16.9	16.1	15.3	15.2	14.5	13.9	13.4	12.7	12.6
474	18 409.7	0	21.9	20.8	20.0	19.2	18.0	17.7	17.1	16.7	15.9	15.1	14.9	14.2	13.7	13.2	12.4	12.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

17

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
475 18 429.8 0	21.6	20.5	19.7	18.9	17.7	17.4	16.8	16.3	15.6	14.8	14.7	14.0	13.4	13.0	12.2	12.2
476 19 369.5 0	22.5	21.4	20.5	19.7	18.4	18.3	17.5	17.0	16.2	15.4	15.3	14.6	14.0	13.5	12.7	12.7
477 1 738.5 0	23.7	22.4	21.7	20.7	19.4	19.1	18.4	18.0	17.1	16.2	16.1	15.3	14.7	14.3	13.3	13.3
478 2 738.5 0	2.3	2.3	1.8	1.9	1.9	1.6	16.1	16.0	15.6	14.8	14.7	14.1	13.5	13.0	12.2	12.1
479 3 739.0 0	23.7	22.5	21.6	20.8	19.4	19.1	18.4	17.9	17.1	16.3	16.2	15.3	14.7	14.3	13.3	13.3
480 4 739.7 0	4.6	4.4	4.2	4.0	3.8	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.6
481 5 739.2 0	4.6	4.3	4.2	4.0	3.7	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.7	2.6	2.6
482 6 739.9 0	4.6	4.3	4.2	4.0	3.7	3.7	3.6	3.5	3.3	3.1	3.1	3.0	2.9	2.8	2.6	2.6
483 7 799.5 0	5.3	5.0	4.8	4.6	4.3	4.3	4.1	4.0	3.8	3.6	3.6	3.4	3.3	3.2	3.0	3.0
484 8 739.5 0	4.5	4.3	4.1	4.0	3.7	3.7	3.5	3.4	3.3	3.1	3.1	2.9	2.8	2.7	2.6	2.6
485 9 739.7 0	4.6	4.3	4.2	4.0	3.7	3.7	3.6	3.5	3.3	3.1	3.1	3.0	2.9	2.7	2.6	2.6
486 10 739.5 0	4.6	4.4	4.2	4.0	3.8	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.6
487 11 739.4 0	4.5	4.3	4.1	4.0	3.7	3.6	3.5	3.4	3.3	3.1	3.1	2.9	2.8	2.7	2.5	2.5
488 12 799.8 0	5.3	5.0	4.8	4.6	4.3	4.2	4.1	4.0	3.8	3.6	3.6	3.4	3.3	3.2	3.0	3.0
489 13 739.2 0	15.5	14.7	14.1	13.6	12.7	12.5	12.1	11.7	11.2	10.7	10.6	10.1	9.7	9.4	8.7	8.7
490 14 799.7 0	14.3	13.6	13.0	12.5	11.7	11.6	11.2	10.9	10.4	9.9	9.8	9.3	9.0	8.6	8.1	8.1
491 15 800.1 0	14.3	13.6	13.0	12.5	11.6	11.5	11.1	10.9	10.3	9.8	9.7	9.3	8.9	8.6	8.1	8.1
492 16 799.4 0	14.1	13.4	12.9	12.4	11.6	11.4	11.0	10.8	10.3	9.7	9.6	9.2	8.9	8.5	8.0	8.0
493 17 739.7 0	15.6	14.8	14.2	13.6	12.7	12.6	12.1	11.8	11.3	10.7	10.6	10.1	9.7	9.4	8.8	8.8
494 18 550.0 0	19.3	18.3	17.5	16.9	15.8	15.6	15.0	14.7	14.0	13.3	13.1	12.5	12.1	11.6	10.9	10.9
495 19 798.9 0	14.2	13.5	13.0	12.5	11.7	11.5	11.1	10.9	10.3	9.8	9.7	9.3	8.9	8.6	8.0	8.1
496 0 0.0 0	8.0	7.8	8.4	8.8	9.0	9.3	9.3	9.3	8.8	8.6	8.6	8.2	8.0	7.7	7.2	7.2
497 0 0.0 0	4.4	4.4	5.1	5.8	6.7	7.4	7.7	7.8	7.5	7.4	7.4	7.2	7.0	6.8	6.4	6.4

DATUM

3. 7.80

IT

VERSUCH NR.	17	18	19	20	21
RAUMTEMPERATUR	28.5	28.7	28.6	27.3	26.1
DURCHSATZ (KG/S)	0.0052	0.0046	0.0042	0.0031	0.0022
EL. ENERGIE (KW)	8.6	8.3	7.3	6.3	5.0
WAERMEENERGIE (KW)	7.9	7.4	6.6	5.6	4.3
WAERMEBILANZ (O/O)	-9.0	-11.4	-9.5	-10.4	-15.2
REYNOLDSZAHL * E-04	0.111	0.097	0.088	0.065	0.046
DRUCKVERLUST (N/M**2)					
GES. X=1060.0 (MM)	139.	117.	0.	0.	0.
BIS X= 560.0 (MM)	36.	30.	0.	0.	0.
BIS X= 624.0 (MM)	56.	47.	0.	0.	0.
BIS X= 717.0 (MM)	68.	57.	0.	0.	0.
BIS X= 810.0 (MM)	81.	68.	0.	0.	0.
BIS X= 874.0 (MM)	108.	93.	0.	0.	0.
BIS X= 967.0 (MM)	124.	107.	0.	0.	0.
EINTR.DRUCK (BAR)	7.35	7.36	7.37	7.37	7.37
EINTR.TEMP. GRADC	83.9	83.5	84.0	79.3	80.2

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	88.2	88.5	89.4	90.0	91.3
2	1	348.1	330	89.5	89.9	89.8	90.4	92.1
3	1	388.1	150	89.8	90.2	91.4	92.4	94.9
4	1	388.1	330	90.0	90.8	92.0	93.4	96.5
5	1	487.7	255	97.8	99.5	101.5	105.6	113.0
6	1	487.7	120	99.6	102.1	104.5	109.4	118.6
7	1	738.0	150	141.4	149.1	155.1	169.4	191.9
8	1	738.0	330	144.6	155.2	163.1	180.6	205.0
9	1	795.4	120	151.8	162.0	169.8	187.1	212.0
10	1	795.4	255	161.2	172.9	181.8	200.4	226.0
11	1	987.0	150	202.0	218.8	230.0	254.5	290.5
12	1	987.0	330	209.1	229.5	243.2	269.1	305.1
13	1	11046.6	120	212.2	231.8	244.8	271.7	309.0
14	1	11046.6	255	228.7	250.8	264.8	291.3	326.9
15	2	358.5	0	87.3	87.2	88.2	88.7	89.6
16	2	388.0	0	88.3	90.2	77.1	81.9	61.2
17	2	388.0	210	89.6	89.4	90.3	90.6	91.9
18	2	398.0	0	89.4	89.6	90.7	91.3	93.3
19	2	488.1	30	94.8	96.0	97.6	100.5	106.5
20	2	488.1	165	95.4	95.8	97.0	99.1	104.2
21	2	738.0	0	127.8	132.9	136.6	147.9	167.9
22	2	738.0	210	129.4	134.4	138.0	149.2	169.3
23	2	797.8	30	137.5	147.0	154.6	172.7	198.7
24	2	797.8	165	138.1	145.1	145.8	164.9	189.0
25	2	987.2	0	183.8	200.0	212.2	239.4	275.1
26	2	987.2	210	180.8	192.6	201.2	225.0	260.7
27	2	21049.0	30	199.6	218.0	230.7	257.7	293.4
28	2	21049.0	165	194.7	208.9	218.3	243.1	280.7
29	3	294.0	30	86.8	86.8	87.5	87.8	88.2
30	3	303.7	330	85.9	86.1	86.8	86.8	87.5
31	3	388.7	15	89.4	90.2	91.4	92.8	95.7
32	3	388.7	255	89.8	90.2	91.4	92.4	95.1
33	3	488.5	60	97.8	100.7	102.9	103.0	117.7
34	3	488.5	150	99.1	100.4	102.2	106.5	114.6

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD) GRAD C

IT

VERSUCH NR.			17	18	19	20	21	
35	3	738.5	15	141.9	154.3	162.9	181.6	206.5
36	3	738.5	255	137.5	147.7	154.5	171.0	193.7
37	3	798.5	60	160.3	175.6	186.1	206.8	231.8
38	3	798.5	150	157.7	171.3	180.1	199.7	223.9
39	3	988.5	15	207.4	227.1	241.1	270.1	305.3
40	3	988.5	255	197.6	214.2	225.9	253.9	250.3
41	31049.0	60	228.5	251.1	266.4	295.4	330.3	
42	31049.0	150	225.6	245.7	258.5	287.1	324.3	
43	4	293.9	300	122.9	122.4	121.3	118.7	116.1
44	4	303.7	300	134.3	133.9	132.1	128.9	125.6
45	4	339.0	300	129.2	129.7	128.6	126.4	124.6
46	4	348.4	300	141.0	141.2	139.3	136.6	134.1
47	4	379.1	300	162.0	163.6	161.2	160.2	157.7
48	4	389.0	45	171.2	173.6	171.5	171.0	168.4
49	4	389.0	210	169.4	171.9	169.4	169.2	166.8
50	4	408.8	300	78.7	75.2	76.7	74.7	75.9
51	4	418.6	300	193.1	195.8	192.1	190.7	188.0
52	4	428.7	300	199.8	202.4	198.3	196.7	194.4
53	4	739.2	45	413.0	440.3	291.1	286.3	256.2
54	4	739.2	210	293.5	303.1	300.6	306.7	314.3
55	4	989.5	45	364.0	379.3	379.3	394.2	413.2
56	4	989.5	210	379.9	396.3	395.8	410.9	429.5
57	5	369.5	195	144.8	146.3	144.7	144.7	142.4
58	5	369.5	300	147.2	148.0	146.2	145.4	142.7
59	5	389.0	30	167.6	169.2	166.5	165.4	160.9
60	5	389.0	150	165.6	167.2	164.6	163.9	160.0
61	5	549.0	195	231.5	231.8	225.3	221.1	217.3
62	5	549.0	300	228.9	229.0	222.3	217.8	213.5
63	5	738.7	30	267.3	272.5	266.9	269.9	274.2
64	5	738.7	150	275.2	280.1	274.3	278.2	284.2
65	5	809.2	120	296.3	301.4	294.8	301.0	310.9
66	5	819.0	180	302.2	307.7	301.1	309.1	320.8
67	5	929.4	195	332.0	345.0	340.0	358.7	379.9
68	5	929.4	300	318.7	331.3	327.1	343.6	361.9
69	5	989.0	30	332.7	343.8	338.2	355.1	376.5
70	5	989.0	150	352.1	364.4	358.3	377.6	401.5
71	6	388.6	225	170.2	172.1	168.9	167.3	162.2
72	6	388.6	300	170.7	172.5	169.4	168.2	162.7
73	6	488.5	30	213.7	214.6	208.6	204.6	198.4
74	6	488.5	150	215.3	215.9	209.5	205.5	199.7
75	6	739.4	225	278.1	282.2	275.3	278.8	284.1
76	6	739.4	300	273.3	277.4	270.6	273.3	277.2
77	6	798.8	30	290.4	294.1	286.1	289.6	297.3
78	6	798.8	30	297.8	301.9	293.4	299.1	309.0
79	6	829.0	180	292.7	298.4	291.6	302.4	317.8
80	6	839.0	240	272.6	279.6	274.5	289.1	308.0
81	6	988.8	225	356.0	367.9	360.2	380.8	404.6
82	6	988.8	300	343.2	354.4	347.6	365.4	387.0
83	61049.0	30	355.4	367.4	360.7	380.9	406.8	
84	61049.0	150	377.1	389.9	382.0	405.2	433.6	
85	7	339.0	150	134.1	134.1	130.7	128.3	126.0
86	7	349.0	150	144.2	143.9	139.4	137.0	134.3
87	7	359.0	150	149.6	149.6	145.1	143.5	141.3
88	7	369.0	165	152.6	153.9	145.5	149.3	147.6
89	7	369.0	330	152.7	153.9	149.9	149.8	148.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.		17	18	19	20	21
90	7 379.0 150	163.4	164.6	159.8	159.4	156.7
91	7 398.9 150	180.7	182.6	177.1	176.6	173.4
92	7 408.6 150	186.8	188.6	182.7	182.6	179.1
93	7 489.4 165	225.0	226.2	218.7	218.4	216.7
94	7 489.4 330	223.7	225.3	217.6	216.8	214.3
95	7 799.0 165	318.9	327.8	321.6	331.3	342.0
96	7 799.0 330	312.2	320.9	315.7	324.4	333.7
97	71049.0 165	87.0	82.8	83.6	78.3	83.7
98	71049.0 330	387.7	402.3	399.1	418.1	441.9
99	8 294.6 210	131.0	130.5	127.8	126.1	123.8
100	8 304.2 270	*****	*****	*****	*****	*****
101	8 368.7 135	148.8	150.2	147.7	149.1	149.1
102	8 368.7 255	154.8	155.6	152.1	152.2	151.0
103	8 389.1 30	169.6	171.6	168.3	171.0	169.9
104	8 389.1 300	173.3	174.9	171.1	172.7	171.3
105	8 549.0 135	253.6	257.8	251.4	257.1	262.6
106	8 549.0 255	254.8	260.2	254.9	260.5	264.5
107	8 739.0 30	326.3	337.1	332.5	343.1	351.9
108	8 739.0 300	420.9	437.3	430.6	449.2	461.5
109	8 929.0 135	330.1	341.8	337.7	347.5	355.1
110	8 929.0 255	412.7	428.0	423.3	438.2	449.2
111	8 988.8 30	434.1	450.5	444.6	463.3	476.8
112	8 988.8 300	436.4	452.7	448.3	464.4	476.4
113	9 369.4 105	149.2	150.6	147.0	148.0	145.7
114	9 369.4 180	324.0	299.8	323.7	258.4	281.0
115	9 389.0 30	172.4	174.2	169.4	169.5	165.5
116	9 389.0 270	172.6	174.2	169.5	169.3	165.4
117	9 549.0 105	246.6	248.1	238.9	241.8	244.6
118	9 549.0 180	246.8	248.9	239.8	243.9	247.2
119	9 739.2 30	321.4	329.0	318.6	333.7	349.3
120	9 739.2 270	327.5	335.0	324.6	340.2	356.4
121	9 909.0 60	410.8	427.2	415.1	444.9	467.2
122	9 919.0 120	437.1	454.4	440.2	471.0	491.7
123	9 929.0 105	440.3	457.5	443.2	473.9	493.8
124	9 929.0 180	452.2	470.2	455.6	486.6	504.5
125	9 988.8 30	452.5	469.2	454.7	484.5	503.3
126	9 988.8 270	466.4	484.2	469.3	498.0	515.0
127	10 489.3 90	223.0	223.0	215.0	214.2	213.3
128	10 489.3 300	223.0	223.0	214.9	213.8	212.2
129	10 549.0 60	244.4	245.0	235.8	237.5	239.9
130	10 549.0 210	*****	248.9	239.7	242.3	245.6
131	10 739.0 180	335.9	345.9	335.0	353.9	371.2
132	10 739.0 330	320.2	328.3	318.0	333.4	349.3
133	10 799.0 90	361.3	372.0	360.2	381.0	401.3
134	10 799.0 300	352.7	362.6	351.1	370.3	389.5
135	10 929.0 60	430.2	448.5	434.6	466.1	490.0
136	10 929.0 210	452.7	473.1	458.1	490.8	513.9
137	10 989.0 180	494.1	515.5	498.6	531.7	553.0
138	10 989.0 330	452.3	471.3	456.6	488.2	511.8
139	101049.0 90	500.8	521.8	505.0	537.1	*****
140	101049.0 300	481.3	501.2	485.8	518.1	540.8
141	11 389.0 60	169.0	169.5	165.0	163.2	159.4
142	11 389.0 315	167.2	168.6	164.1	162.7	159.6
143	11 489.0 150	219.7	220.4	212.9	211.5	211.7
144	11 489.0 270	219.3	220.0	212.3	210.8	210.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.	17	18	19	20	21	
145	11 738.9 60	317.0	326.2	317.8	333.0	352.3
146	11 738.9 315	317.2	326.3	317.4	332.7	352.1
147	11 799.6 150	366.9	378.8	368.9	389.0	411.2
148	11 799.6 270	357.8	368.9	358.7	378.1	400.1
149	11 849.3 240	365.3	380.0	371.2	398.1	425.1
150	11 859.8 300	364.6	380.0	371.1	398.1	424.7
151	11 989.3 60	448.0	467.3	454.9	482.9	506.6
152	11 989.3 315	438.9	468.0	455.2	483.5	507.8
153	111049.2 150	504.3	527.0	512.3	540.6	561.9
154	111049.2 270	491.9	513.1	498.7	527.5	551.3
155	12 359.9 30	149.2	149.3	145.6	143.7	142.3
156	12 370.0 15	153.2	154.4	151.0	149.9	149.1
157	12 370.0 240	150.5	152.0	148.9	148.7	148.7
158	12 379.2 90	164.6	166.4	162.2	160.7	159.5
159	12 489.0 90	231.1	235.5	229.6	231.9	234.3
160	12 489.0 270	226.3	230.0	224.0	225.5	227.7
161	12 548.9 15	253.4	259.6	253.6	257.1	260.1
162	12 548.9 240	254.1	260.2	253.9	258.3	262.8
163	12 799.3 90	356.8	371.9	368.7	379.8	390.1
164	12 799.3 270	354.4	368.7	363.3	377.0	390.9
165	12 929.3 15	395.3	414.6	412.0	428.5	443.2
166	12 928.4 240	336.5	414.8	375.2	445.5	409.1
167	121049.5 90	460.9	481.4	477.8	491.7	505.2
168	121049.5 270	464.1	485.4	479.9	497.1	514.6
169	13 338.8 60	161.4	163.4	158.0	155.0	155.0
170	13 349.0 60	187.4	189.8	182.9	179.1	175.1
171	13 368.9 90	210.1	215.3	208.5	207.6	203.5
172	13 368.9 240	216.7	220.7	212.7	210.0	203.8
173	13 388.5 45	264.5	272.0	261.7	259.0	249.4
174	13 388.5 270	267.3	273.6	262.6	258.6	248.5
175	13 549.0 90	410.5	417.2	398.6	393.1	383.5
176	13 549.0 240	412.8	420.1	402.7	395.7	383.7
177	13 738.7 45	503.8	515.9	497.2	496.7	491.5
178	13 738.7 270	500.5	512.4	495.3	490.8	482.0
179	13 929.3 90	604.7	622.6	602.9	609.0	602.6
180	13 929.3 240	592.3	606.6	588.6	588.4	579.9
181	13 989.2 45	628.3	646.1	626.7	632.5	625.9
182	13 989.2 270	616.3	631.7	614.7	616.3	608.3
183	14 369.0 30	211.6	216.4	210.0	207.8	201.3
184	14 369.0 270	218.8	222.9	215.6	211.4	203.3
185	14 488.9 75	364.0	367.9	351.0	341.0	328.8
186	14 488.9 180	362.6	366.6	349.7	340.7	330.4
187	14 548.8 30	402.7	407.1	388.6	381.1	373.1
188	14 548.8 270	402.8	407.5	389.4	382.8	376.6
189	14 799.2 75	545.7	561.4	542.3	551.6	556.3
190	14 799.2 180	551.8	568.2	549.8	560.0	564.9
191	14 890.2 0	595.9	616.0	597.1	610.4	613.4
192	14 899.8 60	605.7	627.3	609.0	623.3	625.9
193	14 929.5 30	621.0	642.8	624.1	637.0	637.4
194	14 929.5 270	629.4	651.7	633.3	645.4	644.3
195	141049.2 75	698.6	722.4	702.0	710.8	703.6
196	141049.2 180	714.6	739.2	718.5	725.6	715.1
197	15 369.1 150	218.1	220.9	214.0	209.8	202.2
198	15 369.1 270	213.6	216.9	210.4	207.8	201.1
199	15 488.6 60	369.3	373.6	357.6	346.8	335.1

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

1T

VERSUCH NR.	17	18	19	20	21	
200	15 488.6 345	367.4	371.4	355.1	344.1	331.5
201	15 549.6 150	404.5	410.3	393.1	387.5	382.6
202	15 549.6 270	408.4	413.2	395.4	387.9	381.0
203	15 799.6 60	543.6	559.0	541.6	550.9	556.0
204	15 799.6 345	538.7	553.7	536.0	544.3	548.8
205	15 869.0 0	570.8	590.7	573.2	586.0	590.9
206	15 879.0 300	586.3	606.8	589.1	602.6	606.8
207	15 929.2 150	640.0	661.9	643.4	654.6	651.8
208	15 929.2 270	631.6	654.3	635.4	649.0	648.5
209	151049.1 60	690.2	713.1	691.9	699.3	691.4
210	151049.1 345	681.9	705.5	684.1	693.8	688.1
211	16 368.5 150	217.8	221.3	214.0	210.8	204.5
212	16 368.5 285	212.1	216.5	210.1	208.9	203.5
213	16 418.6 210	311.6	318.3	306.3	301.9	290.5
214	16 428.5 210	324.0	330.6	317.7	312.7	301.0
215	16 488.5 120	388.0	395.0	378.5	370.5	355.4
216	16 488.5 330	382.3	388.4	371.1	361.7	347.2
217	16 548.6 150	426.7	433.6	415.2	407.4	394.7
218	16 548.6 285	423.8	429.5	410.1	401.8	390.4
219	16 798.9 120	543.2	555.8	538.1	536.4	528.6
220	16 798.9 330	533.8	547.6	528.9	531.7	527.5
221	16 929.0 150	600.5	618.1	598.9	600.5	590.2
222	16 929.0 285	601.0	620.9	600.5	606.8	599.8
223	161049.0 120	647.3	664.2	644.8	644.7	633.2
224	161049.0 330	643.3	663.5	642.9	649.0	641.2
225	17 368.7 30	214.8	220.6	212.8	211.5	206.5
226	17 368.7 210	221.8	225.6	216.8	213.7	207.4
227	17 388.4 0	266.1	273.1	262.4	261.1	252.8
228	17 388.4 135	270.6	275.4	263.5	260.0	252.2
229	17 418.8 150	316.0	322.6	308.0	304.6	294.7
230	17 428.8 210	328.6	335.9	320.6	316.6	305.0
231	17 549.0 30	425.7	433.9	413.6	407.8	397.5
232	17 549.0 210	429.7	438.1	418.7	410.1	395.8
233	17 739.2 0	525.6	540.1	518.6	518.1	511.1
234	17 739.2 135	523.3	535.9	515.6	511.3	501.5
235	17 928.9 30	632.5	653.6	630.2	634.6	624.5
236	17 928.9 210	615.3	632.5	610.7	605.4	597.2
237	17 989.1 0	666.6	688.3	663.1	668.3	656.5
238	17 989.1 135	656.5	676.0	652.1	654.4	641.9
239	18 294.0 0	153.4	153.8	147.6	142.1	136.7
240	18 304.0 0	173.5	174.4	166.3	160.0	153.5
241	18 359.2 0	198.2	201.1	192.3	190.9	187.0
242	18 369.1 90	205.3	210.7	202.0	202.3	198.2
243	18 369.1 285	208.0	212.8	203.5	203.4	199.6
244	18 378.9 0	229.2	235.9	224.9	224.2	218.8
245	18 389.1 90	259.2	259.1	237.6	246.0	237.3
246	18 389.1 285	261.0	269.3	254.7	253.1	244.5
247	18 409.2 0	294.1	303.1	286.1	283.7	273.5
248	18 429.3 0	318.2	327.3	308.5	304.7	293.9
249	18 549.5 90	416.7	427.6	404.4	403.0	395.0
250	18 549.5 285	417.5	428.2	404.9	402.8	394.8
251	18 930.2 90	647.3	669.9	641.0	647.1	637.4
252	18 930.2 285	647.1	669.9	641.0	647.3	638.1
253	19 369.0 180	232.7	237.2	225.6	223.3	215.6
254	19 369.0 270	223.6	229.6	219.1	219.9	214.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

11

VERSUCH NR.		17	18	19	20	21
255	19 398.5	90	297.0	305.8	290.0	289.7
256	19 408.4	150	314.5	323.4	306.1	305.2
257	19 488.5	15	391.3	402.3	380.0	377.1
258	19 488.5	135	392.9	404.1	382.1	379.3
259	19 548.8	180	436.2	447.7	423.2	419.9
260	19 548.8	270	436.3	448.2	424.3	419.4
261	19 798.4	15	569.2	586.2	559.4	560.2
262	19 798.4	135	560.3	574.3	549.8	546.0
263	19 928.5	180	627.1	644.2	616.8	614.4
264	19 928.5	270	640.3	660.5	630.7	632.3
265	191048.7	15	*****	29.2	29.1	27.8
266	191048.7	135	672.7	692.3	665.5	663.8
267	21 370.0	150	115.2	120.2	122.2	124.2
268	21 370.0	144	114.2	119.2	121.1	123.1
269	21 370.0	126	113.7	118.5	120.2	122.2
270	21 370.0	120	113.6	118.4	120.1	122.1
271	21 370.0	30	100.7	104.8	106.9	108.0
272	21 370.0	26	99.6	103.6	105.8	107.3
273	21 370.0	7	98.9	102.9	104.9	106.4
274	21 370.0	0	99.0	103.0	105.0	106.5
275	21 370.0	210	114.2	119.4	121.4	123.5
276	21 370.0	206	114.7	119.7	121.7	123.9
277	21 370.0	187	115.3	120.4	122.2	124.4
278	21 370.0	180	115.1	120.2	122.0	124.2
279	22 390.0	30	103.8	108.6	110.7	112.6
280	22 390.0	26	103.5	108.2	110.3	112.3
281	22 390.0	7	102.4	107.0	109.2	111.2
282	22 390.0	0	102.6	107.2	109.4	111.3
283	22 390.0	330	104.7	109.2	111.6	113.6
284	22 390.0	324	105.3	109.8	112.2	114.2
285	22 390.0	306	106.9	111.4	113.7	115.6
286	22 390.0	300	108.1	112.6	114.9	117.2
287	22 390.0	210	120.4	126.4	128.8	131.9
288	22 390.0	206	120.8	126.8	129.2	132.3
289	22 390.0	187	121.3	127.2	129.5	132.7
290	22 390.0	180	122.7	128.5	130.7	133.9
291	23 490.0	180	168.9	181.0	185.1	191.9
292	23 490.0	173	168.7	180.7	184.8	191.7
293	23 490.0	156	166.9	178.9	183.0	189.7
294	23 490.0	150	164.9	176.5	180.7	187.2
295	23 490.0	60	135.7	145.0	149.5	154.8
296	23 490.0	54	133.4	142.4	147.0	152.1
297	23 490.0	34	130.1	138.8	143.4	148.1
298	23 490.0	30	128.8	137.4	141.9	146.5
299	23 490.0	0	125.0	133.5	137.9	142.3
300	23 490.0	353	124.6	133.9	138.3	142.8
301	23 490.0	336	126.6	135.6	140.1	144.7
302	23 490.0	330	129.0	138.0	142.6	147.2
303	24 550.0	180	204.1	217.8	221.6	227.8
304	24 550.0	173	204.6	218.0	221.8	228.2
305	24 550.0	156	202.0	215.2	219.3	225.5
306	24 550.0	150	198.8	211.7	215.9	222.1
307	24 550.0	0	142.7	153.0	158.4	163.7
308	24 550.0	353	142.3	152.5	157.9	163.3
309	24 550.0	336	145.0	155.3	160.8	166.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

IT

VERSUCH NR.		17	18	19	20	21
310	24 550.0	330 148.1	158.6	164.0	169.4	178.4
311	24 550.0	240 189.6	202.4	206.7	213.1	221.4
312	24 550.0	234 193.0	206.0	210.3	216.6	224.9
313	24 550.0	216 197.4	210.4	214.6	220.5	228.4
314	24 550.0	210 198.8	212.1	216.3	222.1	229.9
315	25 740.0	150 289.8	304.7	309.4	315.4	323.5
316	25 740.0	144 287.2	302.6	307.1	313.3	322.0
317	25 740.0	126 281.4	297.0	301.6	308.3	317.5
318	25 740.0	120 275.4	291.0	295.9	302.8	312.3
319	25 740.0	30 210.9	226.5	234.7	243.5	257.0
320	25 740.0	26 206.1	222.0	230.3	239.3	253.1
321	25 740.0	7 202.2	217.5	225.9	235.3	249.5
322	25 740.0	0 202.9	218.2	226.6	235.8	249.9
323	25 740.0	210 288.4	303.5	308.3	314.6	323.2
324	25 740.0	206 293.3	308.7	313.0	319.2	327.5
325	25 740.0	187 297.8	313.0	316.8	323.2	331.5
326	25 740.0	180 298.2	313.2	317.1	323.3	331.5
327	26 800.0	30 231.0	247.6	256.5	266.1	280.3
328	26 800.0	26 324.6	330.0	346.7	327.2	354.8
329	26 800.0	7 221.9	238.3	247.4	257.6	272.7
330	26 800.0	0 221.6	237.9	247.0	257.1	272.2
331	26 800.0	330 231.2	247.6	256.4	265.8	280.0
332	26 800.0	324 235.6	252.0	260.7	270.1	284.1
333	26 800.0	306 244.2	260.8	269.0	278.1	291.6
334	26 800.0	300 250.1	266.8	274.5	293.4	296.6
335	26 800.0	210 320.5	336.4	341.2	348.2	357.4
336	26 800.0	206 325.3	341.3	345.6	352.5	361.4
337	26 800.0	187 402.9	380.8	383.6	384.4	400.5
338	26 800.0	180 331.5	347.5	351.2	358.2	367.0
339	27 930.0	180 378.1	394.6	398.6	405.8	414.9
340	27 930.0	173 378.0	394.5	398.3	405.5	414.6
341	27 930.0	156 372.7	389.1	393.5	400.4	409.6
342	27 930.0	150 367.4	383.6	388.7	395.5	405.0
343	27 930.0	60 290.9	309.2	318.0	329.2	345.0
344	27 930.0	54 284.8	303.3	312.4	323.8	340.2
345	27 930.0	34 275.6	294.0	303.8	315.4	332.4
346	27 930.0	30 271.4	289.8	299.9	311.4	328.8
347	27 930.0	0 259.9	278.5	289.1	301.6	320.5
348	27 930.0	353 *****	*****	*****	*****	*****
349	27 930.0	336 265.7	284.0	294.3	306.1	324.5
350	27 930.0	330 270.2	288.4	298.4	309.8	327.5
351	28 990.0	180 400.6	413.6	423.0	430.8	440.1
352	28 990.0	173 401.4	419.4	423.8	431.5	440.8
353	28 990.0	156 396.3	414.0	418.9	426.4	435.8
354	28 990.0	150 390.1	407.7	413.3	420.7	430.4
355	28 990.0	0 280.5	299.6	311.2	324.8	344.7
356	28 990.0	353 279.4	298.6	310.2	323.9	344.0
357	28 990.0	336 285.1	304.3	315.7	328.6	348.2
358	28 990.0	330 289.8	308.8	320.0	332.4	351.2
359	28 990.0	240 372.1	390.1	396.5	405.5	417.3
360	28 990.0	234 378.8	396.9	402.8	411.6	422.7
361	28 990.0	216 385.3	403.1	408.9	417.0	427.5
362	28 990.0	210 388.2	405.8	411.6	419.4	429.5
363	291050.0	150 413.7	432.0	437.2	444.9	454.6
364	291050.0	144 412.1	430.5	435.7	443.6	453.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

JT

VERSUCH NR.		17	18	19	20	21	
365	291050.0	126	404.3	423.2	428.6	437.0	447.5
366	291050.0	120	395.8	414.6	420.7	429.5	440.8
367	291050.0	30	303.8	322.5	333.5	347.2	366.6
368	291050.0	26	297.6	316.3	327.7	341.8	362.0
369	291050.0	7	292.4	311.0	322.8	337.4	358.3
370	291050.0	0	291.4	310.0	321.7	336.4	357.4
371	291050.0	210	409.5	428.1	433.9	442.4	452.6
372	291050.0	206	417.7	436.5	441.6	449.8	459.5
373	291050.0	187	425.8	445.0	449.1	457.3	466.3
374	291050.0	180	425.3	444.3	448.6	456.5	465.5
375	01075.0	6	254.6	273.9	295.2	321.7	352.9
376	01075.0	5	239.5	262.9	277.4	302.9	333.6
377	01075.0	4	329.1	352.9	357.5	385.1	417.1
378	01075.0	2	282.0	301.3	297.6	333.3	375.0
379	01075.0	1	274.4	295.8	289.6	329.4	371.2
380	01075.0	2	270.9	294.5	292.4	336.8	386.6
381	01075.0	4	321.9	349.4	357.1	390.1	428.8
382	01075.0	4	410.9	441.6	446.0	476.4	497.5
383	01075.0	1	440.3	479.2	461.0	504.0	531.7
384	01075.0	1	443.3	483.7	466.5	507.3	537.8
385	01075.0	4	428.4	460.6	465.8	491.7	508.5
386	01075.0	3	594.0	636.5	620.3	650.4	652.0
387	01075.0	3	595.4	637.6	619.6	645.4	647.5
388	01075.0	5	537.8	557.9	552.8	558.1	558.6
389	01075.0	6	525.6	545.5	540.4	544.8	544.5
390	01113.0	0	367.8	402.6	397.5	428.6	454.1
391	01113.0	0	298.7	314.1	322.2	364.8	399.1
392	01113.0	0	421.7	419.9	402.8	454.8	475.7
393	01113.0	0	494.5	520.2	509.0	512.0	505.2
394	01113.0	0	378.0	401.0	398.4	441.1	439.8
395	01113.0	0	294.8	306.7	309.0	369.6	418.2
396	0 0.0	0	86.7	86.1	87.5	81.5	80.2
397	0 0.0	0	83.3	89.8	88.2	82.7	81.2
398	0 0.0	0	78.7	84.9	87.1	83.1	78.2
399	0 0.0	0	82.9	83.5	81.6	77.5	75.4
400	0 0.0	0	85.7	85.2	84.7	81.9	78.3
401	0 0.0	0	85.7	85.0	84.6	81.8	78.2
402	0 0.0	0	680.6	663.7	625.7	580.4	518.0
403	0 0.0	0	12.7	12.5	11.7	10.8	9.7
404	0 0.0	0	12.7	12.5	11.7	10.8	9.7
405	0 0.0	0	11.3	11.1	10.5	9.7	8.8
406	0 0.0	0	10.0	9.9	9.2	8.6	7.8
407	4 389.5	0	0.4	0.4	0.4	0.4	0.3
408	5 389.5	0	0.5	0.5	0.5	0.4	0.4
409	6 389.1	0	0.5	0.5	0.5	0.4	0.4
410	7 399.4	0	0.6	0.6	0.5	0.5	0.4
411	8 389.6	0	0.5	0.5	0.5	0.4	0.4
412	9 369.9	0	0.4	0.4	0.4	0.4	0.3
413	10 489.8	0	1.1	1.0	1.0	0.9	0.8
414	11 389.5	0	0.5	0.5	0.4	0.4	0.4
415	12 489.5	0	1.1	1.0	1.0	0.9	0.8
416	4 990.0	0	4.0	3.9	3.7	3.4	3.1
417	5 989.5	0	4.0	3.9	3.6	3.4	3.0
418	61049.5	0	4.4	4.2	4.0	3.7	3.3
419	71049.5	0	4.4	4.2	4.0	3.7	3.3

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

11

VERSUCH NR.		17	18	19	20	21
420	8 989.3	0 4.0	3.9	3.7	3.4	3.0
421	9 988.8	0 4.0	3.8	3.6	3.4	3.1
422	101049.5	0 4.4	4.2	4.0	3.7	3.3
423	111049.7	0 4.4	4.2	4.0	3.7	3.3
424	121050.0	0 4.4	4.2	4.0	3.7	3.3
425	11047.1	0 13.0	12.3	11.7	10.8	9.6
426	21049.5	0 12.9	12.3	11.7	10.8	9.6
427	31049.5	0 12.9	12.3	11.7	10.9	9.7
428	13 989.7	0 5.7	5.5	5.2	4.8	4.3
429	141049.7	0 5.1	4.8	4.6	4.3	3.8
430	151049.6	0 5.1	4.8	4.6	4.3	3.8
431	161049.5	0 5.1	4.8	4.6	4.3	3.8
432	17 989.6	0 5.8	5.5	5.2	4.9	4.3
433	18 930.7	0 6.5	6.2	5.9	5.5	4.9
434	191049.2	0 5.1	4.9	4.7	4.3	3.9
435	1 388.6	0 13.0	12.4	11.7	10.8	9.7
436	2 388.5	0 12.9	12.3	11.7	10.8	9.6
437	3 389.2	0 12.9	12.4	11.7	10.8	9.7
438	13 389.0	0 12.2	11.6	11.0	10.2	9.0
439	14 489.4	0 11.1	10.7	10.1	9.4	8.3
440	15 489.1	0 11.1	10.6	10.1	9.4	8.3
441	16 419.1	0 11.8	11.4	10.7	10.0	8.9
442	17 388.9	0 12.2	11.6	11.1	10.2	9.0
443	18 389.6	0 12.2	11.6	11.0	10.2	9.1
444	19 399.0	0 12.0	11.5	10.9	10.1	9.0
445	1 348.6	0 12.9	12.3	11.7	10.9	9.7
446	2 359.0	0 12.9	12.3	11.7	10.8	9.6
447	3 294.5	0 13.0	12.3	11.7	10.8	9.6
448	4 294.4	0 0.1	0.1	0.1	0.1	0.1
449	4 304.2	0 0.2	0.1	0.1	0.1	0.1
450	4 348.9	0 0.3	0.3	0.3	0.3	0.2
451	4 379.6	0 0.5	0.4	0.4	0.4	0.3
452	5 370.0	0 0.4	0.4	0.4	0.3	0.3
453	7 349.5	0 0.4	0.3	0.3	0.3	0.3
454	7 359.5	0 0.4	0.4	0.4	0.3	0.3
455	7 369.5	0 0.4	0.4	0.4	0.4	0.3
456	7 379.5	0 0.5	0.5	0.4	0.4	0.4
457	7 409.1	0 0.6	0.6	0.6	0.5	0.5
458	8 295.1	0 0.1	0.1	0.1	0.1	0.1
459	8 304.7	0 0.2	0.2	0.2	0.2	0.1
460	8 369.2	0 0.4	0.4	0.4	0.4	0.3
461	9 369.9	0 0.4	0.4	0.4	0.4	0.3
462	12 370.5	0 0.4	0.4	0.4	0.4	0.3
463	13 369.4	0 12.3	11.8	11.1	10.4	9.2
464	14 369.5	0 12.3	11.9	11.2	10.3	9.2
465	15 369.6	0 12.3	11.8	11.1	10.4	9.2
466	16 369.0	0 12.3	11.9	11.2	10.4	9.2
467	17 369.2	0 12.3	11.9	11.2	10.4	9.2
468	18 294.5	0 12.8	12.3	11.6	10.8	9.6
469	18 304.5	0 12.8	12.3	11.6	10.7	9.6
470	18 359.7	0 12.4	12.0	11.3	10.5	9.3
471	18 369.6	0 12.3	11.9	11.3	10.4	9.3
472	18 379.4	0 12.2	11.9	11.1	10.4	9.2
473	18 389.6	0 12.2	11.8	11.1	10.2	9.2
474	18 409.7	0 11.9	11.6	10.9	10.1	9.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

17

VERSUCH NR.	17	18	19	20	21
475 18 429.8 0	11.8	11.4	10.7	9.9	8.9
476 19 369.5 0	12.3	11.9	11.2	10.4	9.3
477 1 738.5 0	12.9	12.5	11.7	10.9	9.7
478 2 738.5 0	11.8	11.5	10.8	10.0	9.0
479 3 739.0 0	12.9	12.5	11.8	10.8	9.7
480 4 739.7 0	2.5	2.4	2.5	2.1	1.9
481 5 739.2 0	2.5	2.4	2.3	2.1	1.9
482 6 739.9 0	2.5	2.4	2.3	2.1	1.9
483 7 799.5 0	2.9	2.8	2.6	2.4	2.2
484 8 739.5 0	2.5	2.4	2.3	2.1	1.9
485 9 739.7 0	2.5	2.4	2.3	2.1	1.9
486 10 739.5 0	2.5	2.4	2.3	2.1	1.9
487 11 739.4 0	2.5	2.4	2.2	2.1	1.8
488 12 799.8 0	2.9	2.8	2.6	2.4	2.2
489 13 739.2 0	8.5	8.3	7.8	7.2	6.4
490 14 799.7 0	7.9	7.7	7.2	6.7	6.0
491 15 800.1 0	7.9	7.7	7.2	6.7	5.9
492 16 799.4 0	7.8	7.6	7.1	6.6	5.9
493 17 739.7 0	8.6	8.4	7.8	7.2	6.4
494 18 550.0 0	10.6	10.3	9.6	8.9	8.0
495 19 798.9 0	7.9	7.7	7.2	6.6	5.9
496 0 0.0 0	7.0	6.9	6.4	5.9	5.3
497 0 0.0 0	6.2	6.1	5.7	5.3	4.7

DATUM

4. 7.80

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	23.3	22.7	23.9	24.9	25.2	24.8	24.0	26.5	26.3	29.8	32.2	31.3	30.0	32.5	30.5	31.4
DURCHSATZ (KG/S)	0.3528	0.3180	0.2794	0.2509	0.2247	0.2026	0.1840	0.1709	0.1566	0.1391	0.1251	0.1119	0.1007	0.0903	0.0815	0.0740
EL. ENERGIE (KW)	319.6	288.3	256.2	233.9	212.4	192.4	176.6	166.8	152.4	136.9	124.8	111.9	102.6	92.0	83.6	76.9
WAERMEENERGIE (KW)	332.6	298.9	266.5	241.4	219.1	200.0	185.7	174.2	158.3	140.8	129.5	118.0	106.4	97.0	86.8	80.2
WAERMEBILANZ (O/O)	4.1	3.7	4.0	3.2	3.2	3.9	5.2	4.4	3.9	2.9	3.7	5.4	3.8	5.4	3.8	4.3
REYNOLDSZAHL*E-04	7.497	6.765	5.949	5.330	4.764	4.286	3.891	3.597	3.299	2.920	2.619	2.338	2.102	1.881	1.699	1.538
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	58540.	47739.	37118.	30214.	24365.	19824.	16449.	14416.	11885.	9614.	7845.	6305.	5126.	4138.	3371.	2783.
BIS X= 560.0(MM)	15249.	12396.	9653.	7880.	6355.	5174.	4301.	3705.	3114.	2512.	2048.	1638.	1328.	1083.	885.	732.
BIS X= 624.0(MM)	24536.	19953.	15578.	12715.	10251.	8365.	6965.	5972.	5066.	4010.	3309.	2644.	2154.	1726.	1406.	1171.
BIS X= 717.0(MM)	30191.	24514.	19092.	15558.	12515.	10192.	8464.	7252.	6213.	4948.	4072.	3261.	2657.	2132.	1738.	1446.
BIS X= 810.0(MM)	36116.	29373.	22858.	18604.	14953.	12160.	10096.	8658.	7314.	5899.	4839.	3885.	3169.	2544.	2076.	1725.
BIS X= 874.0(MM)	45883.	37410.	29125.	23707.	19056.	15515.	12872.	11049.	9325.	7514.	6165.	4955.	4048.	3254.	2660.	2213.
BIS X= 967.0(MM)	52022.	42264.	32880.	26968.	21680.	17648.	14636.	12553.	10605.	8544.	7003.	5622.	4586.	3687.	3014.	2504.
EINTR.DRUCK (BAR)	40.44	40.23	39.80	39.74	39.56	39.53	39.35	39.13	39.08	38.89	38.98	38.91	38.81	38.68	38.65	38.59
EINTR.TEMP. GRADC	146.9	146.3	144.2	145.1	145.5	145.8	144.1	146.6	147.2	149.5	149.3	149.6	150.1	150.1	149.7	150.0

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD) GRAD C

1	1	338.8	270	148.2	148.3	146.1	146.8	147.1	147.0	145.4	145.4	147.9	150.3	150.9	151.8	150.0	153.2	150.8	151.8
2	1	348.1	330	147.6	147.1	145.9	146.7	146.2	146.5	145.3	145.9	147.8	150.7	150.6	151.0	150.0	152.8	150.3	151.2
3	1	388.1	150	150.0	149.2	148.0	149.6	148.8	146.4	147.8	148.3	149.2	152.1	152.4	152.0	151.7	154.0	152.1	153.0
4	1	388.1	330	148.1	147.5	146.5	147.2	147.4	145.7	146.1	146.4	147.9	150.8	151.5	151.1	150.4	153.0	151.2	151.7
5	1	487.7	255	149.5	148.6	148.8	148.5	148.8	148.1	148.7	148.3	149.7	152.6	153.5	152.9	152.2	154.9	153.3	154.0
6	1	487.7	120	152.6	152.5	152.2	152.9	151.9	151.2	152.2	151.7	153.0	155.3	157.3	156.2	155.2	157.9	156.0	156.5
7	1	738.0	150	167.4	167.8	167.2	168.2	167.0	168.0	168.8	168.6	170.9	173.3	176.0	175.5	175.1	177.9	176.3	177.3
8	1	738.0	330	165.1	164.0	162.5	162.8	161.7	161.8	161.1	160.8	163.2	164.7	166.6	166.3	165.3	168.0	166.4	167.4
9	1	795.4	120	162.7	162.4	161.5	162.6	161.6	162.6	161.9	163.7	165.1	168.2	169.0	169.8	169.4	172.8	171.5	172.7
10	1	795.4	255	186.3	185.6	184.0	185.3	184.6	184.4	183.1	184.5	184.7	187.1	188.6	188.1	186.9	189.3	187.4	187.9
11	1	987.0	150	191.0	191.9	191.9	194.2	195.4	196.2	196.0	199.2	200.3	203.9	207.2	208.3	208.1	211.4	210.6	212.3
12	1	987.0	330	195.7	195.5	193.3	193.6	193.2	192.2	191.1	192.3	192.2	194.5	196.1	195.7	194.0	196.0	194.3	195.3
13	1	1046.6	120	182.0	182.5	180.7	181.6	182.0	181.4	181.4	183.6	185.2	188.1	190.9	193.0	192.4	196.0	195.9	198.9
14	1	1046.6	255	219.5	220.1	218.0	219.1	219.7	219.5	218.8	220.4	221.3	223.7	225.5	225.8	224.3	225.8	224.1	224.9
15	2	358.5	0	147.0	147.1	145.9	146.6	146.8	146.0	144.8	146.9	148.2	151.0	150.7	151.1	148.9	150.8	148.7	149.7
16	2	388.0	0	*****	*****	*****	*****	59.2	50.6	103.0	*****	*****	*****	*****	40.8	70.1	*****	*****	*****
17	2	388.0	210	149.5	148.2	147.6	150.1	149.3	147.4	147.3	149.8	150.4	153.0	152.1	152.7	151.2	153.1	150.6	152.5
18	2	398.0	0	146.8	146.2	144.8	146.8	146.1	145.2	144.8	147.2	148.1	151.4	149.8	150.7	149.2	151.1	148.6	150.6
19	2	488.1	30	147.2	147.0	145.1	147.4	146.4	146.0	145.4	147.2	148.3	151.8	150.3	150.8	149.4	151.6	149.2	150.9
20	2	488.1	165	151.2	152.0	149.4	151.5	150.8	150.7	150.1	151.8	152.9	155.9	155.1	155.3	154.1	156.3	154.2	155.6
21	2	738.0	0	170.5	171.0	169.6	170.5	170.4	170.2	169.7	171.9	173.2	176.3	176.4	176.4	175.0	177.0	174.8	176.1
22	2	738.0	210	176.3	176.0	174.7	175.7	175.0	175.3	175.2	177.4	177.8	181.2	181.1	180.8	179.9	181.8	179.6	180.8
23	2	797.8	30	155.3	155.1	153.5	154.0	153.4	153.5	152.9	154.6	155.7	159.0	158.8	158.9	157.9	160.4	158.8	160.6
24	2	797.8	165	170.7	170.8	169.9	171.8	171.4	171.5	171.2	174.6	175.5	179.4	178.8	179.6	179.0	182.0	180.7	182.1
25	2	987.2	0	167.8	167.1	165.6	167.0	165.4	165.7	163.9	166.4	167.2	170.3	169.4	169.7	168.5	171.5	170.0	172.1
26	2	987.2	210	198.2	198.5	197.5	199.8	199.6	201.0	199.3	202.2	203.0	206.1	206.7	206.7	205.6	208.3	206.2	207.5
27	2	1049.0	30	171.6	171.1	168.9	169.1	168.4	168.7	166.3	168.0	169.2	171.9	172.4	172.3	170.9	174.4	172.9	175.3
28	2	1049.0	165	184.7	185.9	185.9	188.9	190.4	192.4	190.9	195.1	197.2	201.8	202.7	204.3	204.2	208.5	207.1	208.5
29	3	294.0	30	148.5	148.1	147.1	147.3	148.2	147.8	146.1	147.8	149.5	152.8	152.9	152.3	150.3	152.6	149.6	151.9
30	3	303.7	330	148.3	148.2	147.2	147.6	148.2	147.2	145.6	147.8	149.0	152.1	152.1	151.7	149.2	151.5	148.6	151.0
31	3	388.7	15	147.5	147.3	146.4	147.2	147.6	146.7	145.4	147.4	148.4	151.7	150.9	150.6	148.5	150.9	148.3	150.0
32	3	388.7	255	148.8	149.2	148.3	149.1	149.9	148.6	147.0	149.2	150.1	153.0	153.2	152.5	150.0	153.1	150.3	151.6
33	3	488.5	60	147.4	147.9	146.7	148.1	148.2	147.1	146.1	147.8	149.1	152.6	152.4	152.0	149.8	152.7	150.0	151.5
34	3	488.5	150	149.8	150.4	149.3	150.9	150.5	150.5	149.0	150.9	152.0	156.1	155.8	155.3	153.3	155.8	153.6	154.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
35	3 738.5	15	151.5	152.1	150.3	151.5	151.6	151.2	149.9	152.1	153.4	157.0	157.1	157.0	155.6	158.8	157.0	158.8	
36	3 738.5	255	168.0	167.8	165.6	166.0	166.6	165.7	164.5	166.4	167.2	170.0	169.5	169.1	166.8	169.8	167.8	169.1	
37	3 798.5	60	152.2	152.3	151.3	151.1	152.5	152.5	151.7	153.0	154.9	158.9	159.8	159.9	159.2	162.7	161.3	163.4	
38	3 798.5	150	167.7	168.1	166.9	166.3	167.5	167.9	167.4	169.2	171.4	175.5	177.0	177.1	176.6	179.7	178.3	180.5	
39	3 988.5	15	162.9	162.3	161.2	160.2	161.3	161.4	160.6	161.8	163.8	167.1	168.7	168.6	167.9	171.8	170.5	172.9	
40	3 988.5	255	186.4	185.3	183.7	184.0	183.7	183.5	182.5	184.0	185.0	187.8	188.1	187.1	185.6	188.3	185.9	187.1	
41	31049.0	60	161.5	161.0	159.8	161.3	161.1	161.8	161.3	163.2	165.4	170.2	171.5	171.9	172.0	176.1	175.1	177.8	
42	31049.0	150	179.2	180.2	180.0	182.7	183.3	185.0	184.2	187.9	190.1	195.3	196.7	197.3	197.8	201.4	200.0	202.0	
43	4 293.9	300	263.1	259.0	253.6	252.3	249.4	247.7	244.1	243.7	242.3	242.2	241.0	237.9	234.9	235.3	230.7	229.5	
44	4 303.7	300	277.9	274.0	268.5	267.4	264.9	263.2	259.2	259.1	257.4	257.2	256.2	253.4	251.0	251.6	247.1	246.2	
45	4 339.0	300	251.7	249.3	244.6	244.6	243.6	242.0	238.5	238.3	236.8	237.8	236.3	233.6	231.0	232.0	227.2	226.2	
46	4 348.4	300	258.2	255.0	250.3	250.3	249.1	247.6	244.3	244.7	243.5	245.2	244.1	241.9	239.8	241.5	236.8	236.6	
47	4 379.1	300	287.7	283.5	279.2	279.5	277.7	275.9	272.8	272.9	271.7	273.5	272.3	269.9	268.3	269.4	265.2	265.0	
48	4 389.0	45	260.5	257.8	253.1	252.2	249.6	248.7	244.3	245.7	243.9	245.9	245.1	243.4	242.3	244.0	241.4	242.1	
49	4 389.0	210	252.8	250.1	245.1	244.1	242.0	240.8	237.5	237.1	236.6	238.6	238.8	237.7	236.9	239.0	235.5	237.0	
50	4 408.8	300	146.3	144.7	143.7	143.4	143.4	143.1	141.3	143.7	145.3	145.5	142.2	142.3	145.5	143.7	144.5	142.6	
51	4 418.6	300	276.9	273.7	268.3	269.1	267.5	266.0	262.3	262.9	261.8	263.1	262.5	259.5	258.6	260.3	256.4	257.0	
52	4 428.7	300	275.8	273.3	269.3	269.9	268.0	267.4	264.4	265.3	264.3	265.5	264.5	261.6	260.4	262.1	258.1	258.7	
53	4 739.2	45	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	990.7	809.9	679.2	483.4	482.8	471.6
54	4 739.2	210	304.1	301.6	298.4	298.9	297.5	297.7	295.3	296.4	295.9	298.2	301.1	299.1	299.6	302.6	300.6	302.5	
55	4 989.5	45	337.4	334.8	331.4	332.7	331.9	332.8	330.7	333.1	333.1	336.1	336.8	334.8	335.5	338.5	336.5	338.0	
56	4 989.5	210	356.5	355.4	352.6	355.1	354.7	355.6	353.9	355.1	354.9	355.7	357.9	356.0	356.5	359.7	357.6	358.8	
57	5 369.5	195	258.8	255.2	251.6	249.0	246.7	246.1	242.4	243.9	241.5	242.1	240.1	237.2	234.0	234.8	231.1	230.7	
58	5 369.5	300	258.2	254.7	251.4	249.6	247.8	245.8	243.0	244.0	243.4	243.2	241.1	238.5	235.6	236.3	232.3	231.7	
59	5 389.0	30	249.1	245.8	241.8	241.1	239.8	238.8	236.3	238.6	237.7	238.4	237.1	235.5	233.5	234.9	232.3	233.1	
60	5 389.0	150	250.7	247.9	243.7	243.4	240.3	241.0	236.7	238.9	237.3	238.3	237.1	235.6	233.7	234.4	232.9	233.7	
61	5 549.0	195	270.5	268.5	265.5	265.9	264.4	264.1	261.7	263.7	262.4	263.6	263.6	261.9	260.9	262.6	260.6	261.6	
62	5 549.0	300	264.0	261.4	258.3	259.2	257.6	257.7	255.1	256.3	255.9	257.5	257.6	256.5	254.9	256.5	253.8	254.6	
63	5 738.7	30	279.2	277.0	273.2	274.5	272.5	272.6	270.0	271.2	272.1	274.4	273.9	272.8	271.8	273.6	272.0	273.3	
64	5 738.7	150	292.3	291.1	289.1	291.9	291.1	292.7	290.1	293.5	292.6	296.0	296.1	294.7	294.2	295.8	294.0	295.2	
65	5 809.2	120	293.8	292.1	290.0	292.2	292.5	293.2	291.3	295.6	294.9	298.6	299.0	297.9	297.6	300.6	299.5	301.0	
66	5 819.0	180	308.4	307.3	305.2	308.0	308.6	308.5	306.8	311.6	310.3	313.2	313.7	312.1	311.0	313.1	310.9	312.2	
67	5 929.4	195	340.8	339.9	336.3	339.4	338.6	338.9	336.9	341.4	339.7	342.3	343.9	342.2	342.3	344.3	342.9	345.4	
68	5 929.4	300	327.9	326.2	323.6	326.7	326.2	326.2	324.4	328.4	326.8	327.5	329.6	328.1	329.6	338.1	337.5	339.9	
69	5 989.0	30	318.8	317.5	313.5	315.8	315.2	313.7	311.2	315.2	313.9	315.5	316.1	312.9	312.8	312.9	311.9	313.4	
70	5 989.0	150	339.7	338.9	336.7	339.1	338.9	339.0	338.3	342.4	341.7	346.2	347.6	345.8	347.7	348.7	348.8	350.9	
71	6 388.6	225	257.6	254.8	249.7	250.4	247.6	246.6	242.4	244.5	242.8	245.3	242.8	240.2	238.8	239.7	237.9	238.2	
72	6 388.6	300	251.7	249.4	243.6	244.7	242.4	241.6	237.4	241.1	239.7	242.3	240.4	237.9	236.5	237.7	235.4	236.3	
73	6 488.5	30	256.3	253.6	251.0	251.6	251.5	251.5	248.8	252.5	252.5	255.1	254.1	251.6	250.2	250.6	247.9	248.9	
74	6 488.5	150	262.7	262.8	259.6	260.4	260.3	260.2	257.5	259.9	260.1	262.7	261.2	259.2	257.8	258.6	255.9	257.0	
75	6 739.4	225	309.3	307.3	303.7	304.7	304.2	302.3	300.2	304.2	303.2	305.8	305.0	302.7	301.9	302.8	300.9	302.2	
76	6 739.4	300	299.2	297.6	293.7	294.9	294.4	291.7	290.2	294.4	293.1	295.2	293.7	291.0	289.3	290.2	287.9	288.4	
77	6 798.8	30	292.3	289.6	286.0	286.5	286.7	284.5	283.2	287.4	286.7	289.3	288.3	286.4	285.4	286.5	285.3	286.9	
78	6 798.8	30	309.4	307.9	304.1	305.7	306.7	305.1	304.7	308.5	308.3	311.8	311.3	309.3	309.0	309.9	308.7	310.4	
79	6 829.0	180	313.0	310.9	307.4	309.6	310.0	307.9	307.5	310.4	310.5	314.6	313.7	311.8	311.3	312.3	311.3	312.4	
80	6 839.0	240	307.0	305.3	301.3	303.0	303.1	302.5	302.1	303.8	303.8	306.9	305.7	303.8	302.8	303.2	301.3	302.6	
81	6 988.8	225	*****	225.4	207.1	*****	*****	*****	183.9	*****	198.7	212.7	228.0	136.1	144.3	160.7	107.4	135.9	
82	6 988.8	300	341.6	339.6	336.1	337.8	337.3	338.0	335.7	339.4	338.2	341.1	339.4	337.2	336.8	337.1	335.5	336.6	
83	61049.0	30	319.0	317.3	313.5	314.7	314.4	314.5	312.0	316.2	315.4	318.2	316.9	315.4	315.3	316.6	315.3	317.7	
84	61049.0	150	*****	*****	*****	*****	*****	*****	*****	834.1	660.6	443.1	383.4	328.4	295.0	260.6	249.8	240.8	
85	7 339.0	150	277.2	276.0	272.9	274.0	272.8	270.5	265.6	266.5	264.7	265.0	263.8	258.6	255.3	253.5	248.0	245.8	
86	7 349.0	150	264.1	260.6	255.1	255.2	253.4	251.8	247.0	248.4	247.6	249.3	249.4	246.3	244.6	244.6	240.7	239.8	
87	7 359.0	150	270.8	267.0	261.7	261.6	258.9	257.2	252.7	253.3	251.5	252.3	251.7	247.2	244.4	242.9	237.7	235.8	
88	7 369.0	165	278.6	274.6	269.8	269.7	266.4	265.0	260.1	261.2	259.4	260.5	259.4	255.1	252.2	250.9	246.0	244.3	
89	7 369.0	330	272.7	269.0	264.7	264.5	261.6	260.0	256.3	257.2	255.3	256.2	255.9	252.3	249.4	248.7	244.2	242.6	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
90	7 379.0	150 280.2	276.6	273.2	274.0	271.1	270.9	267.9	270.8	269.7	271.9	272.6	269.8	268.2	265.1	264.2
91	7 398.9	150 264.3	260.6	257.0	257.5	254.6	254.6	252.2	254.0	253.1	255.3	255.6	253.8	251.9	252.2	248.7
92	7 408.6	150 265.6	263.4	260.0	260.4	257.7	256.9	254.8	257.1	256.4	258.8	259.0	257.2	255.4	255.7	252.7
93	7 489.4	165 270.0	268.5	265.8	267.3	265.7	266.1	264.8	267.7	267.8	270.2	271.1	269.3	268.4	268.7	265.7
94	7 489.4	330 265.5	263.7	260.2	260.6	259.0	258.5	256.8	259.4	259.4	261.3	261.8	260.2	259.8	260.0	257.9
95	7 799.0	165 311.9	311.4	308.7	311.7	311.1	311.4	310.9	314.1	314.7	318.3	319.6	318.0	319.1	320.0	319.0
96	7 799.0	330 302.1	299.4	294.7	296.2	295.0	294.6	292.7	295.1	294.6	297.9	298.6	296.9	297.6	299.2	297.9
97	71049.0	165 147.1	145.6	143.5	144.4	145.6	145.3	143.3	147.6	147.9	149.6	149.3	149.5	148.7	150.4	149.0
98	71049.0	330 337.2	334.6	329.5	331.0	330.3	328.8	327.8	330.4	329.2	332.1	332.8	330.9	333.1	333.8	334.9
99	8 294.6	210 273.5	270.5	264.3	264.6	260.7	259.3	256.0	255.9	254.1	253.6	253.9	250.6	247.9	246.8	241.9
100	8 304.2	270 283.3	279.9	274.3	274.1	271.3	269.4	266.2	266.4	264.4	263.7	264.7	261.1	259.1	258.0	252.6
101	8 368.7	135 266.7	263.2	257.5	257.3	254.2	252.4	249.2	248.5	246.3	245.7	247.9	243.8	241.6	240.9	236.1
102	8 368.7	255 283.2	279.0	273.0	272.1	268.4	265.8	261.7	260.4	258.2	257.3	258.5	254.0	251.4	250.5	244.8
103	8 389.1	30 254.2	251.9	247.3	247.8	245.1	244.7	241.8	242.3	242.0	241.7	243.4	240.5	239.4	240.4	237.8
104	8 389.1	300 266.0	263.0	258.1	257.9	254.8	253.5	250.9	250.8	250.0	250.0	251.7	248.6	247.0	247.5	244.6
105	8 549.0	135 264.7	263.1	259.9	261.5	260.8	262.6	261.4	262.0	263.0	264.4	269.2	267.6	267.8	269.5	269.6
106	8 549.0	255 275.3	273.5	271.4	273.3	274.1	275.3	274.5	275.0	275.5	277.8	281.3	279.1	279.0	280.5	279.8
107	8 739.0	30 308.8	307.1	303.3	305.5	304.8	304.4	303.3	304.3	303.8	306.1	308.6	306.5	307.3	309.2	309.7
108	8 739.0	300 376.9	374.7	371.5	376.1	381.7	383.2	382.9	386.0	386.3	389.2	394.3	391.9	394.7	396.6	397.9
109	8 929.0	135 318.7	317.3	314.5	317.3	317.1	317.5	316.7	318.1	317.7	320.0	323.5	320.9	321.6	323.1	323.0
110	8 929.0	255 372.4	369.7	365.1	368.5	367.7	367.7	366.5	368.1	367.7	369.8	374.2	372.0	373.6	375.0	376.6
111	8 988.8	30 375.6	372.2	368.0	370.8	368.8	369.0	367.8	370.0	369.5	370.8	374.9	372.9	375.2	377.0	377.8
112	8 988.8	300 386.1	383.1	379.2	382.5	377.9	378.7	377.6	379.6	379.9	381.9	386.1	383.9	385.6	387.0	387.9
113	9 369.4	105 262.2	259.6	253.6	254.5	251.6	250.1	247.0	246.7	243.7	243.9	244.8	242.4	240.9	241.1	237.5
114	9 369.4	180 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	995.6	833.5	686.0	468.5
115	9 389.0	30 258.9	256.1	251.0	251.9	248.9	247.8	244.9	244.8	243.1	244.3	246.1	244.1	243.7	244.3	242.3
116	9 389.0	270 256.5	253.9	247.8	249.7	247.0	245.5	243.6	242.8	240.6	242.9	245.6	244.7	243.1	243.6	241.3
117	9 549.0	105 271.6	269.9	265.8	268.4	266.3	265.7	263.8	263.7	262.5	264.0	268.9	267.7	267.1	268.5	267.0
118	9 549.0	180 272.7	271.1	267.3	269.3	267.6	267.6	266.6	265.8	264.7	267.0	272.7	271.8	271.0	271.9	269.7
119	9 739.2	30 311.5	308.9	305.8	307.8	307.0	307.0	305.9	306.4	306.1	307.4	311.5	309.6	310.4	311.2	309.9
120	9 739.2	270 332.1	329.7	326.4	328.1	326.4	325.9	323.3	323.8	323.5	323.5	328.1	325.4	326.0	326.1	323.8
121	9 909.0	60 355.5	354.3	350.4	354.5	353.5	354.6	354.9	355.4	356.4	359.5	364.9	364.1	367.3	368.9	369.4
122	9 919.0	120 380.1	378.6	375.1	380.4	380.4	382.6	383.8	384.8	386.1	390.6	397.2	396.9	400.8	402.3	403.0
123	9 929.0	105 378.1	376.2	372.9	377.4	377.7	379.0	380.6	381.2	382.9	387.5	394.2	393.7	398.0	399.3	400.5
124	9 929.0	180 405.7	403.3	400.6	405.4	405.2	406.0	407.5	407.0	408.3	411.9	418.3	417.3	421.4	421.4	424.6
125	9 988.8	30 375.6	372.7	369.2	373.5	373.1	373.6	373.9	374.1	374.3	376.1	380.3	379.9	383.5	384.0	384.5
126	9 988.8	270 410.8	408.1	405.4	410.5	411.9	412.0	413.9	413.5	413.9	414.7	419.6	416.5	420.0	418.2	417.5
127	10 489.3	90 261.1	257.9	255.1	255.6	254.3	253.4	251.7	252.2	251.3	255.1	254.9	253.8	253.7	254.4	253.9
128	10 489.3	300 264.6	260.9	257.0	257.7	256.4	256.2	253.3	253.4	251.2	252.8	255.1	253.7	253.0	253.5	251.4
129	10 549.0	60 271.1	268.6	266.0	266.5	265.5	265.7	263.0	263.9	262.5	264.4	264.5	263.9	263.2	263.7	261.8
130	10 549.0	210 276.8	273.8	270.8	*****	270.3	*****	*****	*****	265.5	278.7	272.4	*****	275.8	286.8	269.4
131	10 739.0	180 322.5	319.7	317.0	319.0	318.7	318.9	317.5	318.9	319.4	323.3	326.1	325.2	326.6	327.3	326.6
132	10 739.0	330 311.2	308.0	304.6	306.6	305.3	304.9	303.8	303.9	302.8	305.6	306.6	305.6	306.1	306.9	305.6
133	10 799.0	90 326.6	323.9	319.5	322.4	321.1	320.9	320.2	321.8	320.9	325.0	325.7	324.9	326.4	327.9	327.0
134	10 799.0	300 330.6	327.9	324.2	326.6	326.5	326.0	325.7	326.3	324.5	327.8	329.2	327.5	328.8	329.1	327.8
135	10 929.0	60 353.4	351.8	348.8	352.8	353.0	353.7	354.0	358.0	357.3	362.2	364.6	363.4	367.5	369.4	370.3
136	10 929.0	210 395.1	392.9	389.0	393.6	393.7	393.8	394.7	396.7	395.3	400.6	404.9	402.7	407.0	408.0	409.4
137	10 989.0	180 411.4	409.8	408.0	413.3	415.5	415.6	418.4	421.6	420.9	426.9	432.2	430.3	435.1	436.0	437.3
138	10 989.0	330 380.7	377.8	374.7	377.7	377.8	376.2	376.9	378.4	377.2	380.9	383.6	380.9	383.3	383.8	382.9
139	101049.0	90 *****	392.2	389.2	394.0	394.1	394.7	397.2	401.7	402.8	408.4	411.9	411.3	416.6	418.6	419.5
140	101049.0	300 402.4	400.1	396.7	400.0	399.5	399.6	399.7	401.2	400.6	404.4	406.3	404.5	407.1	406.9	406.5
141	11 389.0	60 255.9	252.9	247.5	246.6	245.1	243.0	240.3	240.6	241.0	243.4	242.2	240.3	239.2	240.3	237.9
142	11 389.0	315 249.7	248.0	243.0	242.8	242.1	240.2	238.9	239.5	239.4	241.9	240.9	238.3	238.2	239.1	237.3
143	11 489.0	150 259.8	258.7	*****	255.6	*****	254.6	253.4	254.1	254.4	257.6	208.0	256.1	255.5	256.9	255.0
144	11 489.0	270 260.1	258.4	255.4	256.6	256.1	256.5	253.9	253.9	253.6	257.1	256.7	254.5	254.3	255.0	252.9

TE R AX RAD T  
 NR NR. PCS PCS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	301.0	299.3	295.1	297.5	297.2	296.5	295.8	297.2	297.2	301.4	301.3	300.0	300.8	302.3	301.0	302.5
146	11	738.9	315	316.9	315.4	310.8	313.4	312.5	311.8	310.4	311.0	310.4	313.6	312.5	309.9	309.9	310.6	308.6	309.7
147	11	799.6	150	326.8	325.1	320.5	324.9	324.8	325.2	324.9	328.8	329.1	*****	335.8	334.3	336.3	338.5	338.0	339.7
148	11	799.6	270	345.1	343.2	338.5	342.0	342.1	342.6	341.9	344.3	343.4	347.6	347.2	344.5	344.2	344.8	342.7	343.2
149	11	849.3	240	347.2	345.6	341.1	345.4	346.3	347.3	346.4	349.6	349.9	353.8	353.9	351.6	352.6	352.6	350.4	350.9
150	11	859.8	300	342.0	338.7	333.8	335.7	335.3	335.6	333.5	335.4	335.0	338.0	336.9	334.7	335.3	335.2	333.4	334.3
151	11	989.3	60	361.9	359.0	355.4	358.0	358.1	358.3	356.2	360.0	360.1	363.7	363.1	362.7	365.8	367.7	368.5	371.5
152	11	989.3	315	389.1	385.4	382.2	384.4	384.7	384.7	383.5	387.2	386.5	389.8	389.4	386.4	388.7	388.5	387.8	389.0
153	111049.2	150	404.4	402.1	398.4	402.5	404.1	404.7	406.2	411.8	413.3	413.3	419.5	422.8	422.3	429.4	432.3	434.8	437.8
154	111049.2	270	431.9	428.7	423.9	426.6	426.3	425.5	426.4	430.1	430.2	433.1	433.2	428.9	428.9	431.8	431.0	430.7	431.4
155	12	359.9	30	279.6	275.6	270.1	268.5	266.3	263.1	260.1	260.8	259.1	259.3	257.2	253.3	250.5	249.1	245.0	243.1
156	12	370.0	15	283.5	279.6	274.5	273.5	270.6	268.2	265.1	266.4	264.6	264.8	262.8	258.7	255.9	254.2	249.6	247.5
157	12	370.0	240	268.7	265.2	261.2	260.9	258.0	256.0	253.2	253.9	252.8	253.7	252.3	248.9	246.4	245.8	241.5	240.0
158	12	379.2	90	284.6	280.8	277.4	278.2	276.8	275.2	274.4	276.5	276.3	278.5	277.8	275.6	274.4	274.1	270.3	268.9
159	12	489.0	90	282.7	279.3	277.2	278.2	277.8	276.8	275.9	278.6	278.4	*****	*****	277.5	276.8	277.2	274.3	274.1
160	12	489.0	270	266.0	262.6	259.2	259.9	258.4	257.8	255.8	258.0	257.9	260.6	260.4	257.7	257.4	258.1	255.9	256.4
161	12	548.9	15	273.1	271.4	270.0	271.5	272.3	273.1	272.8	276.2	277.4	281.4	282.0	280.8	281.6	282.9	280.6	280.9
162	12	548.9	240	274.2	271.9	268.4	270.1	270.1	269.8	267.3	270.1	270.3	273.0	272.4	270.7	270.4	271.7	269.6	270.4
163	12	799.3	90	318.3	316.7	314.3	317.7	317.9	319.3	318.1	322.8	324.9	329.0	329.8	329.0	331.3	333.3	332.6	333.6
164	12	799.3	270	336.3	333.6	330.7	333.0	333.1	333.1	330.8	334.0	334.3	336.7	335.3	333.4	334.6	335.5	334.3	335.3
165	12	929.3	15	325.6	323.4	320.4	322.6	321.4	322.7	320.9	325.9	180.0	330.9	330.8	330.1	332.9	335.6	335.9	338.6
166	12	928.4	240	*****	*****	*****	*****	55.9	364.3	*****	102.4	*****	251.2	196.9	193.9	168.0	288.0	199.2	183.8
167	121049.5	90	355.4	353.8	352.0	355.7	356.2	358.7	358.7	365.3	367.0	372.6	373.0	373.4	373.4	377.1	380.4	381.1	384.0
168	121049.5	270	382.1	379.6	377.2	381.0	380.9	382.4	380.9	386.1	386.8	390.4	389.8	388.4	391.1	393.8	394.0	396.3	396.3
169	13	338.8	60	370.3	364.4	357.7	355.9	351.5	347.7	344.1	338.0	332.2	328.9	332.1	325.8	320.4	316.3	309.9	304.9
170	13	349.0	60	357.3	349.5	341.4	339.7	335.5	330.7	326.8	324.2	320.2	317.4	320.6	315.6	312.5	310.9	305.5	303.4
171	13	368.9	90	395.4	387.8	379.0	377.9	373.3	368.1	364.0	361.5	356.1	353.0	354.9	347.9	343.7	339.8	333.5	330.0
172	13	368.9	240	416.9	407.5	397.5	395.0	388.2	381.5	375.9	372.0	366.3	362.8	364.6	356.6	352.0	348.7	341.7	338.3
173	13	388.5	45	391.2	382.4	374.6	374.4	370.0	366.2	363.8	361.9	358.8	358.9	362.7	359.9	359.9	360.7	359.1	360.9
174	13	388.5	270	421.1	413.2	405.1	404.4	399.3	393.6	388.8	386.7	383.3	381.0	382.5	377.8	377.2	375.9	372.8	373.0
175	13	549.0	90	436.3	430.0	426.9	429.4	428.5	427.8	427.5	427.3	426.7	430.0	424.3	431.5	433.7	434.8	434.0	435.6
176	13	549.0	240	454.9	454.1	454.0	458.6	458.2	457.9	457.2	458.3	456.9	457.7	461.9	456.4	458.4	457.9	456.1	456.6
177	13	738.7	45	497.4	493.3	490.2	494.5	494.8	492.5	492.8	497.1	495.4	498.9	506.4	503.4	508.6	510.2	511.5	514.6
178	13	738.7	270	518.0	517.2	514.9	520.1	520.4	519.1	518.0	520.8	519.2	521.0	525.8	521.4	526.0	526.5	525.7	527.5
179	13	929.3	90	600.9	594.5	589.4	595.2	596.0	596.3	596.9	601.3	600.2	602.9	611.3	607.6	614.7	615.6	616.6	620.8
180	13	929.3	240	617.9	612.6	609.8	615.7	616.2	616.3	616.7	619.9	618.0	617.8	624.0	618.4	622.7	622.4	621.6	624.5
181	13	989.2	45	612.7	607.4	604.1	611.9	613.9	616.5	620.4	623.9	624.6	626.2	635.1	631.3	638.5	639.3	640.2	644.5
182	13	989.2	270	659.7	653.5	649.3	656.9	656.7	655.6	656.0	659.2	656.2	654.9	659.8	653.7	659.7	659.1	658.5	660.5
183	14	369.0	30	393.2	384.5	376.3	375.1	370.3	366.1	361.5	356.2	352.0	350.1	353.7	346.6	343.2	340.0	333.3	330.4
184	14	369.0	270	413.1	403.8	395.3	393.0	387.4	382.9	377.0	372.9	366.7	364.5	366.8	358.9	354.7	351.4	344.1	340.3
185	14	488.9	75	407.2	401.3	396.2	396.6	395.5	394.1	393.9	391.5	388.4	391.3	399.3	396.3	398.3	400.5	399.9	402.4
186	14	488.9	180	425.7	419.5	415.6	416.6	415.2	413.2	412.3	411.9	407.5	409.4	414.6	410.6	411.8	412.4	411.3	413.0
187	14	548.8	30	426.4	421.9	416.9	419.7	420.2	417.9	417.8	416.6	415.1	415.9	423.9	419.3	421.4	422.8	422.2	424.0
188	14	548.8	270	442.1	436.7	433.6	437.8	438.7	437.0	436.8	438.4	436.2	437.1	445.0	440.2	442.6	443.5	441.9	443.1
189	14	799.2	75	530.9	529.9	526.2	533.2	533.3	532.6	532.8	534.8	534.4	535.8	544.6	539.7	544.2	546.2	547.8	548.8
190	14	799.2	180	553.2	550.0	545.4	551.5	549.5	548.9	547.7	551.5	551.5	551.4	559.5	555.1	560.2	561.2	562.3	564.5
191	14	890.2	0	592.5	585.8	577.7	582.4	581.8	579.5	580.5	581.9	580.7	580.5	587.9	583.0	588.5	589.1	590.1	591.7
192	14	899.8	60	574.2	570.4	566.4	573.0	573.6	572.9	574.0	577.4	576.8	576.7	586.5	582.8	588.7	590.2	592.0	594.3
193	14	929.5	30	592.7	586.8	582.6	588.5	588.8	587.2	589.0	592.4	592.0	593.1	602.4	598.7	605.1	605.9	608.9	612.1
194	14	929.5	270	630.1	625.0	619.2	625.6	626.1	624.8	625.1	629.5	629.6	629.2	627.9	634.2	640.4	640.0	641.8	644.8
195	141049.2	75	638.3	635.2	633.5	643.0	647.5	649.9	653.8	661.8	662.7	665.3	676.5	673.5	681.7	682.4	685.6	688.5	688.5
196	141049.2	180	724.4	719.5	714.1	721.7	722.3	721.4	722.5	729.1	727.4	727.8	738.2	731.8	738.3	735.1	737.2	737.8	737.8
197	15	369.1	150	411.6	402.3	392.2	392.2	386.6	381.4	374.4	372.7	369.3	366.1	367.7	359.8	356.0	351.7	345.9	342.7
198	15	369.1	270	404.4	395.8	386.0	385.5	379.5	375.0	368.5	366.1	361.5	357.8	360.9	352.5	348.2	344.3	338.0	334.9
199	15	488.6	60	418.4	413.2	407.6	412.4	410.7	408.9	405.8	407.8	405.6	406.9	412.6	408.2	410.7	411.4	410.6	412.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				
200	15	488.6	345	398.6	393.7	391.0	395.1	394.6	395.0	394.4	396.2	392.7	395.2	402.2	397.5	400.8	401.3	401.0	403.3	
201	15	549.6	150	442.4	438.2	433.9	438.6	439.2	436.4	435.4	437.4	433.6	436.0	440.1	434.7	436.9	437.3	436.0	437.0	
202	15	549.6	270	444.3	439.4	435.2	437.4	436.7	435.1	434.3	436.9	432.6	434.0	440.0	435.9	438.7	438.8	439.1	440.0	
203	15	799.6	60	515.2	511.4	509.5	516.6	517.1	519.3	521.3	529.7	528.1	530.6	536.8	534.1	539.1	539.7	541.0	542.3	
204	15	799.6	345	512.9	507.8	503.9	508.2	508.0	508.5	510.3	515.4	513.1	514.7	522.3	519.1	523.4	524.2	525.3	527.5	
205	15	869.0	0	519.0	514.6	510.9	515.2	516.7	516.7	519.9	525.0	521.7	524.0	530.5	526.1	529.5	529.1	529.0	529.9	
206	15	879.0	300	566.0	561.7	557.3	563.2	563.5	560.5	562.5	567.1	563.4	564.6	571.3	567.1	571.6	571.3	572.1	572.5	
207	15	929.2	150	629.4	625.0	619.4	627.5	628.2	627.4	628.9	636.4	633.3	636.1	642.6	637.9	644.6	645.4	648.2	650.2	
208	15	929.2	270	619.7	615.6	610.5	616.9	617.6	615.8	617.4	622.5	619.2	621.8	628.7	624.0	630.5	631.3	632.9	634.9	
209	151049.1	60	667.5	661.5	655.7	665.1	666.6	663.8	667.0	673.1	670.0	673.5	678.1	670.6	679.4	678.4	679.9	681.6	681.6	
210	151049.1	345	644.7	640.1	635.2	643.2	645.4	643.1	645.4	653.3	650.7	654.0	660.9	655.8	664.6	665.4	668.6	671.4	671.4	
211	16	368.5	150	454.0	443.8	431.5	428.8	421.7	413.6	407.0	403.6	396.3	392.8	390.7	380.6	376.0	369.6	362.1	356.7	
212	16	368.5	285	409.7	400.3	389.9	388.1	383.1	377.4	370.7	370.1	364.1	362.0	361.7	353.6	349.2	344.7	338.6	334.2	
213	16	418.6	210	409.7	404.1	398.1	399.0	396.3	392.0	389.9	390.0	388.9	390.3	392.5	389.3	390.3	389.4	389.3	388.8	
214	16	428.5	210	415.8	410.4	403.6	405.2	402.9	398.3	396.6	398.1	396.2	397.8	400.5	396.5	398.6	399.1	399.0	399.0	
215	16	488.5	120	479.0	476.2	471.3	476.3	475.3	472.6	471.0	474.2	471.0	472.4	474.5	468.1	470.2	467.3	465.9	464.4	
216	16	488.5	330	420.8	415.8	411.2	413.8	413.2	410.6	408.5	412.0	409.0	411.7	414.8	411.1	413.5	412.4	411.6	412.5	
217	16	548.6	150	487.7	485.2	482.8	488.1	488.1	487.5	486.5	490.4	486.9	488.4	492.0	486.0	489.8	488.3	487.7	487.4	
218	16	548.6	285	449.0	445.1	442.1	446.2	444.2	443.6	442.2	444.4	441.7	442.6	446.4	441.8	445.5	445.0	444.1	444.4	
219	16	798.9	120	571.7	570.6	572.5	581.7	587.1	587.9	589.4	597.8	596.9	598.1	601.2	594.9	600.2	598.0	598.3	597.8	
220	16	798.9	330	517.3	511.8	508.6	511.7	513.1	509.4	511.7	518.9	518.2	519.6	524.4	520.9	527.4	527.7	530.4	532.4	
221	16	929.0	150	600.2	595.4	592.9	598.8	600.9	599.1	600.7	607.0	605.8	606.7	612.0	606.9	612.9	612.3	614.0	614.4	
222	16	929.0	285	611.0	604.1	599.4	604.4	605.6	602.4	603.3	610.0	609.1	609.3	615.5	609.9	616.6	617.2	619.5	619.8	
223	161049.0	120	603.0	600.6	602.3	612.4	618.8	620.1	623.3	632.1	633.6	636.6	642.8	639.1	646.0	647.1	648.4	649.5	649.5	
224	161049.0	330	640.9	631.2	623.4	627.5	627.1	622.9	623.7	631.2	629.8	631.4	637.2	631.1	640.4	641.0	643.0	644.5	644.5	
225	17	368.7	30	399.3	391.5	381.6	380.1	375.8	368.7	365.1	363.7	357.5	354.8	357.4	350.4	346.8	342.8	336.6	332.5	
226	17	368.7	210	416.8	408.9	399.4	397.1	392.5	384.6	378.8	376.2	370.9	368.4	369.1	361.6	358.4	354.3	347.8	343.7	
227	17	388.4	0	384.6	377.4	368.6	368.7	366.5	362.2	358.6	359.3	355.3	357.5	361.4	357.7	357.8	358.5	357.4	358.0	
228	17	388.4	135	411.1	406.2	398.3	399.1	396.9	392.9	390.1	390.9	386.2	387.0	391.0	386.6	386.6	385.9	383.3	383.9	
229	17	418.8	150	425.2	421.0	413.6	414.5	410.5	406.5	403.4	402.8	398.8	398.2	401.9	396.7	397.0	395.2	391.4	390.4	
230	17	428.8	210	431.1	426.1	419.9	420.3	418.0	413.6	410.6	411.1	408.0	407.2	410.3	405.2	405.5	404.8	400.8	399.6	
231	17	549.0	30	447.4	442.5	436.9	438.8	437.9	435.3	433.3	436.2	432.3	432.9	439.0	433.3	436.0	435.9	434.2	434.3	
232	17	549.0	210	480.6	477.0	472.9	477.1	477.7	475.3	474.1	475.9	472.8	473.2	478.0	472.2	475.5	474.6	472.9	473.2	
233	17	739.2	0	537.5	532.7	529.2	535.1	536.6	534.3	533.7	538.6	533.7	535.3	542.9	536.9	541.4	540.8	540.3	542.0	
234	17	739.2	135	537.2	534.5	531.8	537.2	539.6	536.4	536.8	542.1	538.6	540.2	547.6	543.4	548.0	547.9	547.1	547.2	
235	17	928.9	30	637.4	631.9	626.3	632.2	633.9	630.2	630.6	636.4	633.8	634.0	641.9	636.0	642.0	641.4	641.1	641.7	
236	17	928.9	210	633.9	629.5	626.5	632.2	634.4	630.9	631.3	635.9	634.3	634.2	640.9	634.2	639.4	639.1	637.6	637.5	
237	17	989.1	0	685.2	677.7	671.7	678.5	679.3	677.4	677.6	682.5	681.8	680.5	689.2	682.6	689.4	689.0	688.7	688.5	
238	17	989.1	135	671.5	663.4	657.5	663.0	662.1	659.1	659.3	663.9	663.9	663.6	672.5	667.3	674.0	675.3	675.9	677.2	
239	18	294.0	0	365.2	356.2	347.7	346.0	341.1	335.0	330.7	327.1	322.2	319.6	322.8	314.4	310.5	306.4	300.3	297.5	
240	18	304.0	0	391.6	382.7	374.8	372.5	368.9	361.7	358.0	355.5	350.6	347.8	351.9	343.2	340.1	336.0	329.8	326.8	
241	18	359.2	0	372.4	363.7	356.1	353.4	350.1	343.7	339.3	334.9	331.3	328.2	331.5	323.1	319.5	315.5	309.5	305.4	
242	18	369.1	90	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	784.4	409.3	414.6	361.5	305.3	302.6	278.6
243	18	369.1	285	395.7	387.2	379.3	377.3	373.3	368.0	363.0	359.7	355.9	352.8	355.7	347.7	342.6	339.8	333.5	329.4	
244	18	378.9	0	440.8	431.9	424.4	423.5	420.4	415.1	412.7	410.0	406.5	404.3	408.6	401.5	399.3	396.4	391.3	387.2	
245	18	389.1	90	369.3	362.4	354.8	355.8	354.2	349.8	347.5	346.4	345.9	346.3	351.6	347.7	347.6	347.7	346.2	346.4	
246	18	389.1	285	389.5	382.1	376.7	375.5	370.7	369.0	366.8	365.6	362.1	363.8	368.7	364.1	364.5	364.2	364.4	362.3	
247	18	409.2	0	394.8	387.8	383.1	382.5	381.8	378.6	376.6	377.1	372.3	375.3	379.2	375.1	375.8	376.0	374.1	374.9	
248	18	429.3	0	400.0	394.2	390.0	391.1	390.4	387.6	385.4	385.7	383.0	384.5	389.9	385.0	386.3	387.3	385.7	386.8	
249	18	549.5	90	428.5	423.1	422.9	425.7	427.4	426.4	426.6	428.7	427.8	431.1	437.0	433.2	436.6	437.0	436.9	438.6	
250	18	549.5	285	430.7	426.3	423.4	426.1	427.4	425.5	425.7	428.7	427.0	430.2	436.1	433.2	437.0	438.4	438.3	439.7	
251	18	930.2	90	634.1	628.1	623.4	626.8	628.2	626.4	627.7	632.6	632.4	634.5	641.9	637.2	644.2	645.4	647.0	648.1	
252	18	930.2	285	642.8	637.3	633.5	639.5	640.9	638.4	640.2	643.9	642.5	643.9	651.8	646.0	652.6	653.4	654.3	655.6	
253	19	369.0	180	449.5	439.4	428.3	426.4	420.1	411.1	406.4	402.0	398.2	394.6	392.2	383.8	378.8	374.1	367.0	361.9	
254	19	369.0	270	421.9	412.6	403.9	400.9	396.0	388.9	384.1	382.2	378.2	375.1	372.9	365.2	361.1	356.1	349.4	344.8	

TE R AX RAD T  
 NR NR. POS (MM) (GRD)GRAD C

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	396.5	90	432.6	424.7	419.6	419.0	416.1	411.6	408.6	409.1	407.0	406.0	407.4	403.2	401.6	400.8	397.6	396.0
256	19	408.4	150	472.4	463.4	455.8	454.4	449.7	443.8	440.2	439.9	437.3	435.3	435.5	429.6	428.8	426.7	424.0	421.4
257	19	488.5	15	430.8	426.7	422.7	424.8	425.8	422.8	421.6	423.8	423.5	424.8	427.4	424.4	426.1	426.8	426.5	426.2
258	19	488.5	135	479.8	476.6	474.1	477.5	478.1	475.6	475.0	477.7	477.4	476.7	480.5	475.5	477.4	476.2	476.0	474.6
259	19	548.8	180	467.1	461.6	459.0	462.9	462.9	460.5	460.7	463.7	465.1	466.9	471.2	468.1	471.9	473.7	475.8	477.5
260	19	548.8	270	498.6	495.7	493.7	499.3	500.3	499.1	498.1	502.0	502.8	504.4	508.7	505.2	508.4	508.8	509.8	511.4
261	19	798.4	15	588.8	584.0	580.7	585.0	585.5	584.4	585.7	593.1	593.6	594.5	599.8	594.9	600.4	602.0	603.0	604.8
262	19	798.4	135	563.0	562.6	565.0	572.1	577.3	576.9	579.6	584.5	585.2	587.0	592.3	588.4	594.8	596.6	598.8	599.9
263	19	928.5	180	638.3	634.9	634.3	640.4	644.2	643.1	646.1	652.8	654.0	655.2	660.7	655.6	662.0	661.9	663.7	662.9
264	19	928.5	270	648.2	644.6	639.0	644.9	647.1	645.2	648.7	655.2	655.4	657.3	662.6	657.7	664.9	664.7	667.5	667.1
265	191048.7	15	23.8	23.1	24.4	25.4	25.7	25.3	24.5	27.0	26.8	30.3	32.8	31.9	30.6	33.0	31.1	31.9	
266	191048.7	135	698.4	694.2	694.5	704.0	710.3	709.9	713.2	723.3	723.8	724.7	728.8	723.4	731.4	731.3	733.6	733.2	
267	21	370.0	150	152.4	152.5	151.4	152.7	153.2	153.6	152.4	152.5	154.1	158.6	162.0	162.6	161.8	164.6	162.6	163.5
268	21	370.0	144	151.7	151.7	150.8	152.0	152.5	152.8	151.7	152.0	153.6	158.0	161.2	161.6	160.7	163.5	161.5	162.3
269	21	370.0	126	151.9	151.7	150.7	152.0	152.5	152.8	151.5	151.9	153.6	157.9	160.7	161.1	160.2	162.8	160.7	161.4
270	21	370.0	120	153.4	153.2	152.1	153.2	153.7	154.1	152.6	153.0	154.8	159.2	162.0	162.5	161.5	164.1	161.8	162.5
271	21	370.0	30	147.4	147.1	145.5	146.0	146.4	146.5	144.7	146.9	147.4	151.1	151.6	151.2	149.9	152.7	150.5	151.4
272	21	370.0	26	147.3	146.7	145.1	145.7	145.9	146.1	144.2	146.4	146.9	150.5	150.8	150.2	148.9	151.6	149.4	150.4
273	21	370.0	7	147.2	146.7	145.0	145.7	145.7	145.9	144.0	146.1	146.8	150.1	150.5	149.8	148.6	151.2	148.9	149.9
274	21	370.0	0	146.6	146.1	144.5	145.3	145.3	145.3	143.5	145.4	146.2	149.4	149.9	149.3	148.2	150.8	148.6	149.6
275	21	370.0	210	153.8	153.6	152.5	153.6	154.1	154.4	153.4	153.3	154.1	158.4	162.9	163.2	162.3	164.8	162.9	163.8
276	21	370.0	206	153.0	152.7	151.8	153.0	153.3	153.6	152.6	152.5	153.4	157.9	162.3	162.8	161.9	164.4	162.3	163.2
277	21	370.0	187	153.9	153.5	*****	*****	*****	66.7	89.2	152.9	154.1	158.6	163.1	163.7	162.6	165.0	162.9	163.7
278	21	370.0	180	152.8	152.5	151.4	152.7	153.2	153.4	152.3	151.8	153.3	157.8	162.0	162.6	161.6	164.0	162.0	162.9
279	22	390.0	30	147.8	147.5	146.2	146.6	147.0	147.0	145.4	147.3	148.0	151.5	152.1	151.6	150.2	153.0	150.8	151.9
280	22	390.0	26	147.4	147.2	145.8	146.1	146.4	146.3	144.8	146.6	147.7	151.0	151.5	150.9	149.7	152.3	150.1	151.2
281	22	390.0	7	147.3	146.9	145.5	145.9	146.1	145.9	144.6	146.5	147.4	150.5	150.9	150.3	149.1	152.1	149.8	150.9
282	22	390.0	0	146.7	146.4	145.0	145.6	145.5	145.5	144.1	145.8	146.8	150.0	150.6	150.1	149.0	151.7	149.5	150.5
283	22	390.0	330	147.0	146.8	145.6	146.2	146.3	146.2	145.1	146.4	147.4	150.6	151.6	151.5	150.5	153.4	151.4	152.5
284	22	390.0	324	147.0	146.7	145.4	146.0	146.1	146.2	145.2	146.3	147.4	150.4	151.8	151.8	150.8	153.6	151.6	152.6
285	22	390.0	306	149.6	149.1	147.9	148.5	148.7	148.7	147.8	148.5	149.5	152.5	154.4	154.2	153.3	156.1	154.1	155.1
286	22	390.0	300	150.2	149.7	148.5	149.3	149.5	149.6	148.8	149.6	150.4	153.4	155.5	155.6	154.8	157.6	155.6	156.6
287	22	390.0	210	157.1	156.9	155.8	156.9	157.2	157.7	156.6	156.8	157.7	161.6	166.4	166.4	165.5	168.2	166.3	167.1
288	22	390.0	206	156.8	156.7	155.7	156.9	157.2	157.6	156.7	157.0	157.7	161.9	166.4	166.8	166.0	168.5	166.6	167.5
289	22	390.0	187	156.9	156.7	155.6	156.9	157.4	157.7	156.7	157.1	158.0	162.3	166.8	167.0	166.1	168.7	166.8	167.8
290	22	390.0	180	157.1	157.1	156.1	157.5	158.1	158.3	157.4	157.7	158.8	163.3	167.5	168.0	167.1	169.9	168.0	169.1
291	23	490.0	180	190.0	189.4	187.7	189.0	188.9	188.9	187.9	188.0	189.0	193.3	197.5	198.1	197.3	199.6	197.5	198.1
292	23	490.0	173	192.3	191.6	189.9	190.9	190.8	190.6	189.4	189.2	190.4	194.4	198.4	198.6	197.8	200.0	198.0	198.6
293	23	490.0	156	189.9	188.2	186.6	187.9	188.0	187.9	186.8	186.9	188.3	192.7	196.5	196.8	196.1	198.4	196.3	196.9
294	23	490.0	150	186.8	186.4	185.2	186.6	186.9	187.1	186.2	186.3	187.8	192.3	195.9	196.0	195.3	197.6	195.5	196.1
295	23	490.0	60	163.2	162.9	161.6	162.3	162.6	163.0	161.5	163.3	164.4	168.2	169.6	169.4	168.1	170.4	168.3	169.3
296	23	490.0	54	160.4	160.1	159.0	159.5	160.1	160.4	158.9	160.7	161.8	165.5	166.7	166.5	165.2	167.6	165.5	166.6
297	23	490.0	34	152.5	152.4	151.3	152.2	152.4	152.8	151.4	153.2	154.3	158.4	159.4	159.4	158.4	161.0	159.3	160.6
298	23	490.0	30	151.3	151.3	150.2	151.0	151.3	151.7	150.3	152.1	153.4	157.3	158.1	158.1	157.2	159.9	158.1	159.6
299	23	490.0	0	148.2	147.9	146.7	147.4	147.5	147.6	146.3	148.2	149.2	152.8	153.5	153.6	152.7	155.5	153.8	155.2
300	23	490.0	353	147.5	147.4	146.3	147.3	147.4	147.4	146.2	148.3	149.4	152.8	153.6	153.9	153.0	156.0	154.3	155.7
301	23	490.0	336	147.9	147.9	146.9	148.0	148.2	148.4	147.3	149.3	150.4	153.8	154.9	155.3	154.5	157.7	156.0	157.4
302	23	490.0	330	149.6	149.6	148.8	149.9	150.1	150.4	149.4	151.3	152.4	155.8	157.3	157.8	157.0	160.2	158.5	160.1
303	24	550.0	180	214.0	212.9	*****	212.3	212.1	211.9	211.0	211.0	211.6	212.7	216.9	220.7	221.5	220.7	222.9	221.3
304	24	550.0	173	215.9	215.1	213.5	214.7	214.5	214.1	212.7	212.8	213.8	218.0	221.9	222.0	221.3	223.3	221.2	221.8
305	24	550.0	156	213.5	212.5	210.6	211.9	211.8	211.6	210.4	210.7	212.2	216.5	220.1	220.3	219.8	222.0	219.9	220.3
306	24	550.0	150	209.6	208.9	207.6	209.0	209.2	209.2	208.2	208.6	210.0	214.5	218.0	217.9	217.4	219.5	217.4	217.9
307	24	550.0	0	150.0	150.1	148.8	150.2	150.4	150.5	149.6	151.9	153.2	156.8	157.8	158.2	157.6	160.6	159.2	160.8
308	24	550.0	353	149.3	149.3	148.0	149.4	149.6	149.7	148.9	151.2	152.3	155.8	156.8	157.5	156.8	159.9	158.4	160.1
309	24	550.0	336	150.7	150.8	149.7	151.2	151.4	151.7	150.9	152.8	154.0	157.6	159.1	159.7	159.1	162.4	161.1	162.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				
310	24	550.0	330	153.6	153.6	152.6	154.0	154.3	154.6	153.8	155.5	156.6	160.4	162.2	162.7	162.2	165.5	164.1	165.9	
311	24	550.0	240	202.4	201.7	200.2	201.5	201.2	201.1	200.1	200.0	200.2	203.3	207.8	207.7	206.9	209.2	207.0	207.7	
312	24	550.0	234	204.3	203.9	202.7	204.3	204.4	204.5	203.6	203.9	204.2	207.3	211.7	211.6	210.8	212.9	210.6	211.3	
313	24	550.0	216	209.0	208.2	206.7	208.1	207.9	207.8	206.9	206.9	207.4	210.9	215.4	215.6	214.9	217.1	214.9	215.5	
314	24	550.0	210	209.8	209.1	207.7	209.1	209.1	209.1	209.2	208.3	208.2	209.0	212.8	217.4	217.4	216.7	218.9	216.7	217.4
315	25	740.0	150	278.9	278.3	277.6	280.0	281.1	281.6	280.7	282.2	283.4	287.5	290.7	289.2	288.5	290.5	288.1	288.1	
316	25	740.0	144	275.2	274.9	274.6	277.2	278.5	279.0	278.0	279.7	280.6	284.6	287.3	285.9	285.6	287.1	284.7	284.6	
317	25	740.0	126	271.2	270.7	269.7	272.5	273.7	274.3	273.5	275.7	276.6	280.4	282.8	281.3	280.9	282.5	279.9	279.9	
318	25	740.0	120	261.8	261.5	261.0	263.5	265.4	266.0	264.9	267.0	267.9	271.5	273.8	272.3	271.8	273.3	270.9	271.0	
319	25	740.0	30	162.1	162.4	162.1	164.1	165.4	166.3	165.9	168.4	170.4	175.5	177.5	178.5	178.7	182.6	182.1	184.7	
320	25	740.0	26	157.9	157.7	157.2	159.1	160.2	161.0	160.3	163.0	164.7	169.5	171.4	172.4	172.6	176.5	176.0	178.7	
321	25	740.0	7	155.2	154.5	153.7	155.5	156.1	156.6	155.7	158.3	159.7	164.3	165.9	167.0	167.1	171.1	170.5	173.1	
322	25	740.0	0	156.0	155.5	154.9	156.7	157.2	157.9	157.1	159.8	161.2	165.8	167.2	168.5	168.7	172.8	172.2	174.7	
323	25	740.0	210	275.4	274.9	274.0	276.5	277.4	278.0	277.3	278.4	279.3	283.0	287.5	286.2	285.9	287.6	285.3	285.5	
324	25	740.0	206	280.8	280.1	279.2	282.0	283.1	283.6	283.2	284.6	285.5	289.3	293.9	292.7	292.5	294.1	291.7	291.8	
325	25	740.0	187	281.8	281.3	280.4	283.3	284.4	285.0	284.6	286.2	287.3	291.4	296.1	295.3	295.3	297.0	294.8	295.0	
326	25	740.0	180	284.1	283.3	282.2	284.9	285.9	286.4	285.8	287.4	288.5	292.6	296.9	296.0	296.1	297.9	295.6	295.9	
327	26	800.0	30	164.2	164.4	164.5	166.6	168.0	169.2	168.9	171.6	173.8	179.1	181.3	182.6	183.2	187.4	187.3	190.1	
328	26	800.0	26	*****	*****	*****	*****	201.8	246.7	304.7	*****	155.5	226.5	320.6	412.5	443.9	436.0	417.1	417.8	
329	26	800.0	7	157.9	157.6	157.1	158.8	159.7	160.4	159.7	162.4	163.8	168.6	170.4	171.6	172.0	176.2	176.0	178.8	
330	26	800.0	0	158.5	158.2	157.6	159.2	160.0	160.7	160.1	162.9	164.2	168.9	170.5	171.8	172.3	176.7	176.4	179.2	
331	26	800.0	330	173.0	172.6	171.9	173.5	174.2	175.0	174.6	177.0	178.2	182.8	185.5	186.5	187.0	191.4	191.1	193.6	
332	26	800.0	324	180.2	179.8	179.0	180.5	181.2	181.8	181.5	183.7	184.7	189.3	192.4	193.1	193.6	197.7	197.3	199.8	
333	26	800.0	306	198.5	197.9	196.9	198.3	199.1	199.5	199.2	201.2	201.9	206.5	209.8	210.2	210.4	213.9	212.9	215.0	
334	26	800.0	300	205.4	204.9	204.0	205.5	206.3	206.6	206.5	208.4	209.0	213.9	217.7	218.0	218.3	221.6	220.5	222.4	
335	26	800.0	210	294.6	294.0	293.0	295.7	296.9	297.5	297.1	298.8	299.6	303.6	307.7	306.8	306.8	308.5	306.2	306.4	
336	26	800.0	206	*****	*****	*****	272.9	288.5	279.8	294.9	*****	*****	*****	*****	*****	*****	*****	*****	*****	
337	26	800.0	187	*****	*****	*****	*****	*****	*****	*****	385.4	297.1	273.9	147.1	136.4	67.3	90.2	67.7	76.4	
338	26	800.0	180	305.7	304.5	303.4	305.9	307.0	307.1	306.7	308.6	309.8	313.9	318.2	317.1	317.4	319.2	317.0	317.5	
339	27	930.0	180	358.0	356.8	356.4	359.6	361.4	361.5	361.7	364.0	364.8	368.6	373.1	371.8	372.5	373.8	371.9	371.9	
340	27	930.0	173	355.7	354.6	354.6	357.9	360.1	360.6	360.8	363.2	364.3	368.1	372.3	371.0	371.7	373.0	371.0	371.0	
341	27	930.0	156	348.8	348.2	348.0	351.2	353.2	353.7	353.7	355.9	357.1	361.0	364.8	363.5	364.2	365.7	363.7	363.8	
342	27	930.0	150	337.0	336.9	337.0	340.5	342.8	343.6	343.6	345.8	347.3	351.6	355.3	354.2	355.1	356.7	354.8	355.1	
343	27	930.0	60	210.5	210.1	210.3	212.7	214.9	215.9	215.5	220.5	222.6	227.8	228.4	229.6	230.3	233.9	233.5	235.9	
344	27	930.0	54	196.9	196.6	196.8	199.3	201.6	202.8	202.4	207.5	209.7	215.0	215.7	217.0	217.8	221.6	221.5	224.1	
345	27	930.0	34	172.8	173.1	173.5	176.1	178.5	180.0	180.2	185.0	187.6	193.5	195.1	196.9	198.1	202.8	203.1	206.6	
346	27	930.0	30	170.2	170.4	170.6	172.9	175.1	176.5	176.3	180.9	183.4	189.0	190.5	192.1	193.2	198.0	198.4	201.9	
347	27	930.0	0	164.5	164.1	163.7	165.4	166.6	167.3	166.9	170.3	171.9	176.6	178.4	179.8	180.5	185.2	185.5	188.9	
348	27	930.0	353	103.3	101.9	100.3	100.9	100.4	101.1	98.3	84.3	87.6	87.4	105.5	100.3	97.9	100.2	96.8	96.7	
349	27	930.0	336	176.3	175.6	175.1	176.7	179.0	178.7	178.2	181.8	183.1	187.9	189.6	190.6	191.4	196.3	196.7	200.1	
350	27	930.0	330	185.4	184.8	184.5	186.2	187.3	188.1	187.8	190.8	191.9	196.9	199.4	200.6	201.3	206.0	206.1	209.2	
351	28	990.0	180	371.7	370.7	370.6	374.4	376.6	377.1	377.2	379.7	380.5	384.5	388.9	387.4	388.3	389.5	387.5	387.5	
352	28	990.0	173	369.6	368.7	368.9	372.8	375.4	376.2	376.5	379.1	380.2	384.3	388.4	387.0	387.9	389.2	387.1	387.2	
353	28	990.0	156	361.7	361.5	361.9	365.6	368.0	368.8	368.9	371.3	372.5	376.8	380.5	379.1	380.0	381.4	379.5	379.5	
354	28	990.0	150	351.5	351.3	351.7	355.6	358.2	359.1	359.3	361.9	363.4	367.7	371.6	370.1	371.0	372.6	370.8	371.0	
355	28	990.0	0	168.7	168.3	168.1	169.9	171.4	172.6	172.1	175.8	177.7	182.8	184.8	186.5	187.6	192.8	193.4	197.1	
356	28	990.0	353	169.8	169.2	168.8	170.5	171.8	172.7	172.3	176.0	177.7	182.7	184.5	186.3	187.4	192.4	193.0	196.5	
357	28	990.0	336	180.9	180.1	179.9	181.8	183.2	184.2	183.7	187.7	189.4	194.6	196.3	198.1	199.1	204.0	204.5	207.8	
358	28	990.0	330	189.9	189.2	189.2	191.2	192.7	193.7	193.5	197.7	199.3	204.7	206.3	208.3	209.3	214.0	214.4	217.5	
359	28	990.0	240	345.1	343.5	342.4	344.9	346.1	345.9	345.7	347.5	347.0	349.9	354.3	352.8	353.2	354.6	352.6	353.1	
360	28	990.0	234	359.2	357.2	355.9	358.4	359.5	359.2	359.0	360.6	360.1	363.3	367.5	365.9	365.8	364.5	364.5	364.5	
361	28	990.0	216	363.1	361.8	361.1	364.0	365.6	365.9	366.0	367.9	368.0	371.6	375.9	374.2	374.5	375.6	373.3	373.2	
362	28	990.0	210	361.7	360.6	360.3	363.7	365.4	366.0	366.5	368.5	369.2	373.1	377.6	376.1	376.7	377.9	375.7	375.7	
363	29	1050.0	150	366.1	365.5	366.0	370.0	373.0	374.1	374.4	378.1	379.8	384.1	386.8	385.5	386.6	388.0	386.1	386.3	
364	29	1050.0	144	369.1	367.7	367.7	371.4	374.2	374.9	374.7	378.2	379.5	383.4	386.0	384.2	385.1	386.3	384.1	384.3	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
365	291050.0	126	346.2	345.7	347.0	351.2	355.1	*****	360.9	362.6	367.1	369.6	368.6	369.7	371.4	365.5	369.9
366	291050.0	120	322.9	322.9	324.7	329.3	333.7	335.3	341.0	343.2	348.4	350.6	350.6	352.1	354.5	353.0	353.9
367	291050.0	30	178.1	178.3	179.0	181.8	184.0	185.8	186.3	190.4	193.3	199.4	202.4	204.4	206.2	211.8	217.0
368	291050.0	26	172.5	172.4	172.6	175.2	176.9	178.3	178.5	182.4	185.0	190.7	193.4	195.5	197.2	203.8	207.9
369	291050.0	7	171.4	170.8	170.8	172.9	174.1	175.0	174.7	178.7	181.0	186.0	187.9	190.0	191.3	196.8	201.6
370	291050.0	0	173.2	172.6	172.5	174.3	175.4	176.2	175.9	179.9	181.9	186.9	188.7	190.5	192.2	197.6	202.2
371	291050.0	210	373.3	372.2	372.4	376.0	378.2	379.0	379.3	383.1	383.6	387.7	390.7	389.5	390.4	391.6	389.5
372	291050.0	206	378.6	377.7	378.0	381.9	384.6	385.7	386.4	390.1	390.7	395.0	399.5	397.9	399.1	400.2	398.3
373	291050.0	187	389.5	388.0	387.9	391.7	394.0	394.2	394.4	398.1	398.5	402.7	406.8	405.2	406.7	407.7	405.7
374	291050.0	180	384.7	383.4	384.0	388.0	391.0	391.7	392.0	396.1	396.9	401.0	404.5	403.1	404.5	405.8	403.7
375	01075.0	6	199.2	196.8	195.0	195.7	195.2	194.3	192.9	193.5	193.0	195.1	195.8	195.4	194.1	196.5	194.3
376	01075.0	5	171.5	169.6	167.8	168.2	168.4	168.1	166.6	167.9	168.4	171.0	171.9	171.9	171.3	174.5	174.8
377	01075.0	4	274.1	272.6	271.9	273.0	272.2	272.4	271.0	272.8	272.4	275.4	279.9	280.7	282.3	284.6	283.1
378	01075.0	2	270.7	269.7	270.6	273.4	275.8	276.7	276.0	279.4	279.1	280.5	285.0	285.8	287.2	289.9	288.6
379	01075.0	1	269.8	268.1	268.2	270.1	273.0	273.6	272.3	276.1	275.5	279.8	282.2	283.1	284.7	287.2	286.4
380	01075.0	2	266.3	264.8	264.1	266.3	268.2	267.2	266.1	270.4	270.4	273.5	275.0	276.0	277.6	279.8	278.7
381	01075.0	4	252.0	250.1	250.0	253.1	254.8	255.1	253.9	258.8	260.8	265.2	267.9	268.1	270.4	274.1	273.9
382	01075.0	4	353.8	351.7	349.8	351.5	356.2	356.8	356.0	360.3	359.1	361.0	366.6	367.3	370.8	373.0	372.1
383	01075.0	1	345.9	347.1	346.2	350.9	354.5	356.6	358.2	362.5	361.8	365.6	373.7	373.2	376.8	380.2	379.1
384	01075.0	1	343.4	342.4	342.0	344.7	348.9	349.4	351.1	356.3	357.6	361.1	366.2	366.2	372.2	373.6	372.3
385	01075.0	4	286.8	287.0	289.0	293.8	298.9	302.0	303.4	308.7	311.2	318.2	323.3	326.2	329.9	334.1	334.9
386	01075.0	3	459.6	460.2	460.5	466.8	472.7	475.8	479.9	487.9	485.8	489.5	499.0	499.7	505.1	505.9	503.3
387	01075.0	3	455.2	452.8	454.3	459.1	465.4	468.0	470.0	477.7	480.4	482.4	490.2	488.9	494.2	496.6	493.9
388	01075.0	5	426.7	426.0	428.4	433.5	440.8	446.0	449.0	456.1	456.9	460.7	466.6	465.9	467.9	471.1	470.0
389	01075.0	6	428.2	431.5	434.5	440.2	446.5	445.8	447.0	454.7	457.9	461.6	468.4	467.4	470.5	473.2	472.4
390	01113.0	0	314.0	309.6	309.2	311.9	316.3	317.6	316.4	320.4	319.1	322.2	323.4	327.3	329.1	330.0	333.8
391	01113.0	0	257.8	256.6	254.2	256.5	258.3	260.5	262.0	261.8	265.5	268.1	263.1	274.1	273.7	280.9	275.1
392	01113.0	0	363.8	363.4	364.4	358.8	362.5	365.4	381.9	384.6	377.3	372.2	379.4	386.4	379.9	384.9	381.5
393	01113.0	0	431.3	429.5	433.5	438.4	443.1	446.3	449.7	457.5	459.2	464.9	474.1	474.2	477.8	478.5	478.2
394	01113.0	0	340.1	341.6	343.0	348.8	353.4	357.9	356.0	362.4	360.8	366.0	374.8	374.1	379.6	384.1	378.2
395	01113.0	0	262.2	261.9	261.7	266.5	264.6	266.2	263.9	269.5	267.6	272.1	275.8	277.4	279.6	281.2	280.9
396	0 0.0	0	145.8	145.4	144.1	145.4	144.9	146.2	144.3	143.5	147.9	149.4	149.2	149.7	151.4	150.8	150.3
397	0 0.0	0	148.4	149.5	145.7	147.1	148.2	148.5	147.6	151.6	147.6	153.5	156.5	156.8	154.6	155.6	155.6
398	0 C.0	0	144.8	146.6	143.3	145.7	143.9	145.5	145.8	144.2	145.0	147.7	148.4	149.1	149.5	150.8	150.6
399	0 C.0	0	148.5	147.4	146.7	145.8	147.1	147.0	144.2	147.0	147.9	151.2	150.3	150.2	153.3	148.9	151.4
400	0 C.0	0	148.8	145.5	143.3	145.1	145.4	144.1	141.8	143.8	143.2	145.6	152.2	149.6	148.2	148.7	148.9
401	0 C.0	0	148.7	145.5	143.3	145.1	145.3	143.9	141.7	143.4	142.9	145.3	151.7	149.2	147.7	148.3	148.4
402	0 0.0	0	4102.0	3897.3	3677.0	3512.0	3345.0	3186.0	3053.0	2963.0	2833.0	2686.0	2567.0	2429.0	2326.0	2203.0	2098.0
403	0 0.0	0	77.9	74.0	69.7	66.6	63.5	60.4	57.8	56.3	53.8	51.0	48.6	46.0	44.1	41.8	39.8
404	0 0.0	0	78.2	74.2	69.8	66.7	63.7	60.6	58.0	56.4	53.9	51.1	48.8	46.1	44.2	42.0	39.9
405	0 0.0	0	1.3	1.2	1.9	1.6	1.6	1.3	1.2	1.0	0.9	0.9	0.8	0.7	0.8	0.7	0.6
406	0 C.0	0	0.9	0.7	0.7	0.6	0.6	0.5	0.4	1.8	1.6	1.5	1.4	1.3	1.3	1.2	1.1
407	4 389.5	0	2.9	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4
408	5 389.5	0	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6
409	6 389.1	0	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6
410	7 399.4	0	3.8	3.6	3.4	3.3	3.1	3.0	2.8	2.7	2.6	2.5	2.4	2.2	2.1	2.0	1.9
411	8 389.6	0	3.5	3.3	3.1	2.9	2.8	2.7	2.5	2.5	2.4	2.2	2.1	2.0	1.9	1.8	1.7
412	9 369.9	0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4
413	10 489.8	0	6.8	6.4	6.0	5.8	5.5	5.2	5.0	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.4
414	11 389.5	0	3.2	3.1	2.9	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6
415	12 489.5	0	7.0	6.6	6.2	5.9	5.6	5.4	5.1	5.0	4.8	4.5	4.3	4.1	3.9	3.7	3.4
416	4 990.0	0	24.5	23.2	21.9	20.9	19.9	19.0	18.2	17.7	16.9	16.0	15.3	14.4	13.8	13.1	12.5
417	5 989.5	0	24.4	23.2	21.8	20.9	19.9	18.9	18.1	17.6	16.9	16.0	15.2	14.4	13.8	13.1	12.5
418	61049.5	0	26.7	25.4	23.9	22.8	21.7	20.7	19.8	19.2	18.4	17.5	16.7	15.8	15.1	14.3	13.6
419	71049.5	0	26.7	25.3	23.9	22.8	21.7	20.7	19.8	19.2	18.4	17.5	16.6	15.8	15.1	14.3	13.6

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
420	8 989.3	0	24.4	23.1	21.8	20.8	19.8	18.9	18.1	17.6	16.8	15.9	15.2	14.4	13.8	13.0	12.4	11.9
421	9 988.8	0	24.4	23.2	21.8	20.8	19.9	18.9	18.1	17.6	16.8	16.0	15.2	14.4	13.8	13.1	12.5	12.0
422	101049.5	0	26.7	25.3	23.8	22.8	21.7	20.6	19.8	19.2	18.4	17.4	16.6	15.7	15.0	14.3	13.6	13.0
423	111049.7	0	26.7	25.3	23.8	22.8	21.7	20.6	19.8	19.2	18.4	17.4	16.6	15.7	15.1	14.3	13.6	13.0
424	121050.0	0	26.8	25.4	23.9	22.9	21.8	20.7	19.9	19.3	18.5	17.5	16.7	15.8	15.1	14.3	13.7	13.1
425	11047.1	0	78.0	74.0	69.7	66.7	63.5	60.5	57.9	56.2	53.9	51.0	48.7	46.1	44.2	41.8	39.9	38.2
426	21049.5	0	78.1	74.1	69.7	66.7	63.5	60.5	57.9	56.2	53.9	51.0	48.8	46.0	44.1	41.8	39.9	38.3
427	31049.5	0	78.0	74.1	69.7	66.7	63.6	60.5	57.9	56.2	53.8	51.0	48.7	46.1	44.2	41.9	39.9	38.3
428	13 989.7	0	34.5	32.8	30.8	29.5	28.1	26.8	25.7	24.9	23.9	22.6	21.6	20.4	19.5	18.5	17.7	17.0
429	141049.7	0	30.7	29.1	27.4	26.2	25.0	23.7	22.8	22.1	21.2	20.1	19.1	18.1	17.3	16.5	15.7	15.1
430	151049.6	0	30.6	29.0	27.3	26.1	24.9	23.7	22.7	22.0	21.1	20.0	19.1	18.1	17.3	16.4	15.7	15.0
431	161049.5	0	30.4	28.9	27.2	26.0	24.8	23.6	22.6	22.0	21.0	19.9	19.0	18.0	17.2	16.3	15.6	14.9
432	17 989.6	0	34.7	33.0	31.0	29.7	28.3	26.9	25.8	25.0	24.0	22.8	21.7	20.5	19.7	18.6	17.8	17.1
433	18 930.7	0	39.0	37.0	34.8	33.3	31.8	30.2	29.0	28.1	27.0	25.6	24.4	23.1	22.1	20.9	20.0	19.2
434	191049.2	0	30.6	29.1	27.4	26.2	25.0	23.7	22.8	22.1	21.2	20.0	19.1	18.1	17.3	16.5	15.7	15.1
435	1 388.6	0	78.0	74.1	69.7	66.7	63.5	60.5	57.9	56.2	53.9	51.0	48.7	46.1	44.2	41.8	39.9	38.3
436	2 388.5	0	78.0	74.0	69.7	66.7	63.6	60.5	57.9	56.2	53.9	51.0	48.8	46.0	44.1	41.9	39.9	38.2
437	3 389.2	0	78.0	74.0	69.7	66.7	63.6	60.4	57.9	56.2	53.9	51.0	48.6	46.1	44.2	41.8	39.9	38.3
438	13 389.0	0	72.8	69.1	65.1	62.2	59.4	56.5	54.1	52.5	50.3	47.6	45.5	43.1	41.3	39.1	37.4	35.8
439	14 489.4	0	66.9	63.4	59.7	57.2	54.6	51.8	49.7	48.2	46.2	43.8	41.8	39.5	38.0	35.9	34.3	32.8
440	15 489.1	0	66.6	63.3	59.6	57.0	54.3	51.7	49.5	48.1	46.1	43.6	41.6	39.4	37.8	35.8	34.2	32.7
441	16 419.1	0	71.0	67.4	63.5	60.7	57.9	55.1	52.8	51.2	49.1	46.5	44.4	42.0	40.3	38.2	36.4	35.0
442	17 388.9	0	73.0	69.4	65.3	62.4	59.6	56.7	54.3	52.7	50.5	47.8	45.7	43.2	41.4	39.2	37.4	35.9
443	18 389.6	0	73.1	69.4	65.4	62.5	59.6	56.7	54.3	52.7	50.5	47.9	45.7	43.2	41.5	39.3	37.6	35.9
444	19 399.0	0	72.1	68.4	64.5	61.7	58.8	55.9	53.6	52.0	49.9	47.2	45.0	42.6	40.9	38.8	37.0	35.5
445	1 348.6	0	78.0	74.1	69.7	66.7	63.5	60.5	57.9	56.2	53.9	51.0	48.7	46.1	44.2	41.8	39.9	38.2
446	2 359.0	0	78.0	74.0	69.7	66.7	63.5	60.5	58.0	56.2	53.9	51.0	48.7	46.1	44.2	41.8	40.0	38.3
447	3 294.5	0	78.0	74.1	69.7	66.7	63.6	60.4	57.9	56.2	53.9	51.0	48.7	46.1	44.2	41.9	39.9	38.3
448	4 294.4	0	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4
449	4 304.2	0	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5
450	4 348.9	0	2.2	2.1	1.9	1.8	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.3	1.2	1.1	1.1	1.0
451	4 379.6	0	3.0	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.6	1.5	1.4
452	5 370.0	0	2.7	2.5	2.4	2.3	2.2	2.0	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4	1.3	1.3
453	7 349.5	0	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.4	1.3	1.2	1.2	1.1
454	7 359.5	0	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
455	7 369.5	0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.4
456	7 379.5	0	3.1	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5
457	7 409.1	0	4.2	4.0	3.7	3.6	3.4	3.2	3.1	3.0	2.9	2.7	2.6	2.4	2.2	2.2	2.1	2.0
458	8 295.1	0	1.0	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5
459	8 304.7	0	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6
460	8 369.2	0	2.9	2.7	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.8	1.8	1.7	1.6	1.5	1.4	1.4
461	9 369.9	0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4	1.4
462	12 370.5	0	2.9	2.7	2.6	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.4
463	13 369.4	0	73.8	70.2	66.0	63.2	60.2	57.3	54.8	53.3	51.0	48.3	46.2	43.6	41.8	39.7	37.9	36.3
464	14 369.5	0	74.0	70.2	66.1	63.3	60.3	57.3	54.9	53.4	51.1	48.4	46.2	43.8	42.0	39.7	37.9	36.3
465	15 369.6	0	73.8	70.2	66.1	63.1	60.2	57.3	54.9	53.3	51.1	48.3	46.2	43.6	42.0	39.7	37.8	36.3
466	16 369.0	0	74.0	70.3	66.2	63.3	60.3	57.4	55.0	53.4	51.2	48.4	46.3	43.8	42.0	39.8	37.9	36.3
467	17 369.2	0	74.1	70.4	66.2	63.3	60.4	57.5	55.0	53.4	51.2	48.4	46.3	43.8	42.0	39.8	37.9	36.4
468	18 294.5	0	77.3	73.4	69.1	66.1	62.9	59.9	57.4	55.8	53.4	50.5	48.2	45.6	43.8	41.5	39.5	37.9
469	18 304.5	0	76.9	73.0	68.7	65.7	62.6	59.6	57.0	55.5	53.1	50.2	48.0	45.4	43.6	41.2	39.3	37.7
470	18 359.7	0	74.6	70.9	66.7	63.8	60.9	57.9	55.4	53.8	51.6	48.8	46.6	44.1	42.4	40.1	38.2	36.7
471	18 369.6	0	74.2	70.5	66.4	63.4	60.5	57.5	55.1	53.5	51.3	48.6	46.4	43.9	42.1	39.8	38.1	36.5
472	18 379.4	0	73.7	70.1	65.9	63.1	60.1	57.2	54.8	53.2	51.0	48.2	46.1	43.6	41.9	39.6	37.8	36.3
473	18 389.6	0	73.1	69.5	65.4	62.5	59.6	56.7	54.3	52.7	50.6	47.9	45.7	43.2	41.5	39.3	37.4	35.9
474	18 409.7	0	71.9	68.3	64.3	61.5	58.7	55.8	53.4	51.9	49.7	47.0	45.0	42.5	40.8	38.7	36.9	35.4

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
475 18 429.8 0	70.7	67.2	63.2	60.4	57.6	54.9	52.5	51.0	48.8	46.3	44.2	41.8	40.1	38.0	36.2	34.8
476 19 369.5 0	73.8	70.1	66.0	63.1	60.1	57.2	54.8	53.3	51.1	48.3	46.2	43.6	41.8	39.6	37.8	36.3
477 1 738.5 0	78.0	74.1	69.7	66.7	63.6	60.5	57.9	56.2	53.9	51.0	48.7	46.1	44.2	41.9	40.0	38.3
478 2 738.5 0	2.8	2.3	2.0	3.0	2.7	1.3	1.2	1.9	1.8	1.6	1.5	1.3	1.4	1.4	1.1	1.1
479 3 739.0 0	78.0	74.1	69.7	66.7	63.5	60.5	57.9	56.2	53.9	51.0	48.7	46.1	44.2	41.8	39.9	38.2
480 4 739.7 0	15.5	14.8	13.9	13.3	12.6	12.0	11.5	11.2	10.7	10.1	9.7	9.2	8.8	8.3	7.9	7.6
481 5 739.2 0	15.4	14.6	13.7	13.1	12.5	11.9	11.4	11.1	10.6	10.0	9.6	9.0	8.7	8.2	7.8	7.5
482 6 739.9 0	15.4	14.6	13.8	13.2	12.5	11.9	11.4	11.1	10.6	10.0	9.6	9.1	8.7	8.2	7.8	7.5
483 7 799.5 0	17.8	16.9	15.9	15.2	14.5	13.8	13.2	12.8	12.2	11.6	11.1	10.5	10.0	9.5	9.1	8.7
484 8 739.5 0	15.3	14.6	13.7	13.1	12.5	11.9	11.4	11.0	10.6	10.0	9.5	9.0	8.7	8.2	7.8	7.5
485 9 739.7 0	15.4	14.7	13.8	13.2	12.5	11.9	11.4	11.1	10.6	10.0	9.6	9.1	8.7	8.2	7.8	7.5
486 10 739.5 0	15.5	14.8	13.9	13.2	12.6	12.0	11.5	11.1	10.7	10.1	9.6	9.1	8.7	8.3	7.9	7.6
487 11 739.4 0	15.3	14.5	13.6	13.0	12.4	11.8	11.3	11.0	10.5	9.9	9.5	9.0	8.6	8.1	7.8	7.4
488 12 799.8 0	17.8	16.9	15.9	15.2	14.5	13.8	13.2	12.8	12.3	11.6	11.1	10.5	10.0	9.5	9.1	8.7
489 13 739.2 0	50.9	48.3	45.5	43.5	41.5	39.5	37.8	36.7	35.2	33.3	31.8	30.1	28.8	27.3	26.1	25.0
490 14 799.7 0	47.3	44.9	42.3	40.4	38.5	36.7	35.1	34.1	32.7	31.0	29.6	28.0	26.8	25.4	24.2	23.2
491 15 800.1 0	47.0	44.6	42.0	40.2	38.3	36.5	34.9	33.9	32.5	30.8	29.4	27.8	26.7	25.2	24.1	23.1
492 16 799.4 0	46.6	44.3	41.7	39.9	38.0	36.1	34.6	33.6	32.2	30.5	29.2	27.6	26.4	25.0	23.9	22.9
493 17 739.7 0	51.2	48.6	45.8	43.8	41.7	39.7	38.0	36.9	35.4	33.5	32.0	30.2	29.1	27.5	26.3	25.1
494 18 550.0 0	63.3	60.2	56.6	54.1	51.6	49.1	47.0	45.7	43.8	41.5	39.6	37.4	35.9	34.0	32.4	31.1
495 19 798.9 0	46.9	44.6	42.0	40.2	38.3	36.4	34.9	33.9	32.5	30.7	29.4	27.8	26.7	25.3	24.1	23.1
496 0 0.0 0	1.5	1.2	1.6	1.5	1.4	1.1	1.1	1.0	0.9	0.8	0.7	0.7	0.7	0.6	0.6	0.6
497 0 0.0 0	1.1	0.9	0.9	0.8	0.7	0.6	0.5	0.4	1.8	1.6	1.5	1.4	1.4	1.2	1.2	1.1

DATUM 4. 7.80 2T

VERSUCH NR.	17	18
RAUMTEMPERATUR	35.2	33.6
DURCHSATZ (KG/S)	0.0675	0.0616
EL. ENERGIE (KW)	71.5	65.5
WAERMEENERGIE (KW)	74.5	67.1
WAERMEBILANZ (O/O)	4.1	2.5
REYNOLDSZAHL*E-04	1.403	1.280
DRUCKVERLUST (N/M**2)		
GES. X=1060.0(MM)	2370.	1969.
BIS X= 560.0(MM)	630.	528.
BIS X= 624.0(MM)	1007.	839.
BIS X= 717.0(MM)	1243.	1038.
BIS X= 810.0(MM)	1481.	1237.
BIS X= 874.0(MM)	1903.	1591.
BIS X= 967.0(MM)	2151.	1798.
EINTR.DRUCK (BAR)	38.35	38.28
EINTR.TEMP. GRAD C	149.3	150.5

TE R	AX	RAD	T
NR NR.	PCS	POS	
	(MM)	(GRD)	GRAD C

1	1	338.8	270	154.6	153.7
2	1	348.1	330	154.2	153.1
3	1	388.1	150	155.7	154.7
4	1	388.1	330	155.1	153.7
5	1	487.7	255	157.5	156.9
6	1	487.7	120	159.9	158.6
7	1	738.0	150	181.0	180.2
8	1	738.0	330	170.9	170.0
9	1	795.4	120	176.4	175.6
10	1	795.4	255	191.3	189.8
11	1	987.0	150	216.0	215.1
12	1	987.0	330	198.7	197.5
13	1	11046.6	120	203.1	203.1
14	1	11046.6	255	227.4	225.6
15	2	358.5	0	153.1	151.9
16	2	388.0	0	*****	*****
17	2	388.0	210	155.2	153.7
18	2	398.0	0	153.4	152.0
19	2	488.1	30	154.1	152.6
20	2	488.1	165	158.0	156.5
21	2	738.0	0	179.0	177.5
22	2	738.0	210	183.7	181.8
23	2	797.8	30	163.6	162.6
24	2	797.8	165	184.3	182.6
25	2	987.2	0	175.5	174.6
26	2	987.2	210	209.3	207.3
27	2	21049.0	30	179.4	178.8
28	2	21049.0	165	210.4	209.2
29	3	294.0	30	152.9	151.5
30	3	303.7	330	152.1	150.7
31	3	388.7	15	151.8	150.8
32	3	388.7	255	153.9	152.9
33	3	488.5	60	154.0	152.4
34	3	488.5	150	156.5	154.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRO)GRAD C

2T

VERSUCH NR.			17	18	
35	3	738.5	15	161.8	161.1
36	3	738.5	255	171.1	169.7
37	3	798.5	60	166.7	166.1
38	3	798.5	150	183.1	181.7
39	3	988.5	15	176.5	176.1
40	3	988.5	255	189.7	188.3
41	3	1049.0	60	182.1	182.2
42	3	1049.0	150	205.5	204.5
43	4	293.9	300	230.9	227.4
44	4	303.7	300	247.4	243.8
45	4	339.0	300	227.7	224.4
46	4	348.4	300	238.0	235.3
47	4	375.1	300	266.4	263.2
48	4	389.0	45	245.2	243.7
49	4	385.0	210	239.7	237.8
50	4	408.8	300	144.4	144.1
51	4	418.6	300	259.8	257.2
52	4	428.7	300	261.9	259.3
53	4	739.2	45	427.4	412.1
54	4	739.2	210	305.5	304.4
55	4	989.5	45	341.4	340.0
56	4	989.5	210	362.5	361.2
57	5	369.5	195	232.3	228.7
58	5	369.5	300	233.8	230.3
59	5	389.0	30	236.4	234.3
60	5	389.0	150	235.2	233.7
61	5	549.0	195	263.4	261.6
62	5	549.0	300	257.3	255.6
63	5	738.7	30	277.0	275.8
64	5	738.7	150	297.5	296.0
65	5	809.2	120	304.0	302.9
66	5	819.0	180	314.4	313.0
67	5	929.4	195	348.3	347.2
68	5	929.4	300	330.3	328.7
69	5	989.0	30	317.2	315.9
70	5	989.0	150	354.2	353.0
71	6	388.6	225	239.5	238.6
72	6	388.6	300	238.5	237.3
73	6	486.5	30	250.3	249.2
74	6	488.5	150	257.6	256.5
75	6	739.4	225	303.6	302.6
76	6	739.4	300	290.5	289.2
77	6	798.8	30	288.8	287.6
78	6	798.8	30	311.7	310.5
79	6	829.0	180	314.3	312.7
80	6	839.0	240	304.9	302.6
81	6	988.8	225	101.8	84.3
82	6	988.8	300	338.6	336.6
83	6	1049.0	30	320.5	320.2
84	6	1049.0	150	218.6	222.2
85	7	339.0	150	244.0	239.8
86	7	349.0	150	239.2	235.8
87	7	359.0	150	234.9	230.8
88	7	369.0	165	243.2	239.2
89	7	369.0	330	241.7	238.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.			17	18	
90	7	379.0	150	263.7	261.1
91	7	398.9	150	248.6	247.2
92	7	408.6	150	252.4	250.8
93	7	489.4	165	266.4	265.4
94	7	489.4	330	259.5	258.6
95	7	799.0	165	321.5	321.0
96	7	799.0	330	301.2	301.2
97	7	1049.0	165	150.5	153.6
98	7	1049.0	330	337.5	338.2
99	8	294.6	210	243.5	239.6
100	8	304.2	270	254.9	251.4
101	8	368.7	135	238.2	234.6
102	8	368.7	255	247.2	243.6
103	8	389.1	30	242.6	241.1
104	8	389.1	300	248.1	246.1
105	8	549.0	135	273.9	272.1
106	8	549.0	255	283.7	282.2
107	8	739.0	30	314.3	314.0
108	8	739.0	300	402.7	402.1
109	8	929.0	135	327.0	326.3
110	8	929.0	255	381.4	381.5
111	8	988.8	30	382.4	382.7
112	8	988.8	300	392.5	392.7
113	9	369.4	105	237.1	234.0
114	9	369.4	180	405.3	373.6
115	9	389.0	30	245.6	244.6
116	9	389.0	270	244.7	244.7
117	9	549.0	105	270.9	270.4
118	9	549.0	180	273.7	273.3
119	9	739.2	30	314.9	314.7
120	9	739.2	270	328.4	328.0
121	9	909.0	60	378.0	378.7
122	9	919.0	120	412.0	412.4
123	9	929.0	105	409.4	409.8
124	9	929.0	180	430.5	430.7
125	9	988.8	30	392.4	392.6
126	9	988.8	270	422.7	422.0
127	10	489.3	90	254.5	253.6
128	10	489.3	300	253.2	252.5
129	10	549.0	60	263.4	262.6
130	10	549.0	210	270.0	269.6
131	10	739.0	180	328.9	329.0
132	10	739.0	330	308.4	308.8
133	10	799.0	90	330.0	330.5
134	10	799.0	300	330.2	329.4
135	10	929.0	60	374.7	375.7
136	10	929.0	210	411.3	410.9
137	10	989.0	180	438.7	438.4
138	10	989.0	330	388.5	388.2
139	10	1049.0	90	424.4	425.4
140	10	1049.0	300	411.9	412.4
141	11	389.0	60	237.5	237.7
142	11	389.0	315	236.8	236.8
143	11	489.0	150	254.7	254.2
144	11	489.0	270	251.5	251.2

TE R AX RAD T  
 NR NR. PQS PQS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.			17	18	
145	11	738.9	60	303.0	303.6
146	11	738.9	315	309.5	309.6
147	11	799.6	150	340.5	341.0
148	11	799.6	270	342.7	341.8
149	11	849.3	240	350.1	348.0
150	11	859.8	300	334.4	332.8
151	11	989.3	60	374.0	374.4
152	11	989.3	315	389.8	389.2
153	111049.2	150	440.4	440.9	
154	111049.2	270	432.7	431.6	
155	12	359.9	30	242.4	238.5
156	12	370.0	15	246.2	242.0
157	12	370.0	240	239.0	235.3
158	12	379.2	90	268.4	264.4
159	12	489.0	90	274.7	272.3
160	12	489.0	270	256.5	254.9
161	12	548.9	15	281.6	279.6
162	12	548.9	240	271.2	269.7
163	12	799.3	90	335.3	335.0
164	12	799.3	270	335.6	335.1
165	12	929.3	15	340.7	340.9
166	12	928.4	240	183.3	355.7
167	121049.5	90	387.5	388.5	
168	121049.5	270	398.1	398.3	
169	13	338.8	60	303.8	298.4
170	13	349.0	60	304.6	299.8
171	13	368.9	90	330.2	323.7
172	13	368.9	240	338.3	331.7
173	13	388.5	45	366.2	367.1
174	13	388.5	270	377.8	375.9
175	13	549.0	90	440.7	440.2
176	13	549.0	240	462.0	460.5
177	13	738.7	45	520.8	521.7
178	13	738.7	270	533.0	533.2
179	13	929.3	90	627.7	628.8
180	13	929.3	240	630.2	631.0
181	13	989.2	45	652.4	653.8
182	13	989.2	270	667.0	667.7
183	14	369.0	30	327.6	323.1
184	14	369.0	270	338.0	333.5
185	14	488.9	75	404.3	404.9
186	14	488.9	180	415.8	415.8
187	14	548.8	30	426.3	427.2
188	14	548.8	270	446.2	447.1
189	14	799.2	75	552.7	554.8
190	14	799.2	180	568.8	570.5
191	14	890.2	0	596.5	597.2
192	14	899.8	60	598.3	599.5
193	14	929.5	30	617.8	618.7
194	14	929.5	270	651.0	651.7
195	141049.2	75	692.9	692.9	
196	141049.2	180	739.9	738.5	
197	15	369.1	150	338.9	332.6
198	15	369.1	270	331.2	324.5
199	15	488.6	60	413.5	412.9

TE R AX RAD T  
 NR NR. PGS POS (MM) (GRD) GRAD C

2T

VERSUCH NR.				17	18
200	15	488.6	345	404.1	403.7
201	15	549.6	150	438.9	437.6
202	15	549.6	270	441.2	440.1
203	15	799.6	60	546.1	546.6
204	15	799.6	345	531.8	532.3
205	15	869.0	0	532.1	529.9
206	15	879.0	300	575.4	573.7
207	15	929.2	150	655.2	655.0
208	15	929.2	270	639.7	639.4
209	15	1049.1	60	686.2	685.2
210	15	1049.1	345	676.4	674.7
211	16	368.5	150	353.3	346.1
212	16	368.5	285	331.6	325.1
213	16	418.6	210	390.7	388.4
214	16	428.5	210	400.7	399.5
215	16	488.5	120	468.0	465.0
216	16	488.5	330	415.8	413.4
217	16	548.6	150	491.7	490.5
218	16	548.6	285	447.6	446.7
219	16	798.9	120	603.2	601.8
220	16	798.9	330	538.4	538.8
221	16	929.0	150	620.4	619.0
222	16	929.0	285	626.0	625.1
223	16	1049.0	120	657.1	655.9
224	16	1049.0	330	651.4	650.0
225	17	368.7	30	331.7	324.9
226	17	368.7	210	343.4	336.9
227	17	388.4	0	363.2	361.9
228	17	388.4	135	387.4	384.9
229	17	418.8	150	393.4	388.8
230	17	428.8	210	404.3	400.2
231	17	549.0	30	440.4	437.5
232	17	549.0	210	479.3	477.1
233	17	739.2	0	547.7	546.8
234	17	739.2	135	553.6	552.0
235	17	928.9	30	648.6	647.2
236	17	928.9	210	644.1	640.8
237	17	989.1	0	696.2	692.6
238	17	989.1	135	683.9	681.3
239	18	294.0	0	294.7	288.6
240	18	304.0	0	324.9	318.7
241	18	359.2	0	303.6	296.8
242	18	369.1	90	260.5	287.4
243	18	369.1	285	327.6	320.3
244	18	378.9	0	385.7	378.6
245	18	389.1	90	349.2	348.9
246	18	389.1	285	366.8	364.3
247	18	409.2	0	377.2	373.3
248	18	429.3	0	389.5	386.7
249	18	549.5	90	442.6	441.0
250	18	549.5	285	445.2	443.2
251	18	930.2	90	654.5	652.4
252	18	930.2	285	663.0	660.4
253	19	369.0	180	359.9	352.8
254	19	369.0	270	342.7	336.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.			17	18	
255	19	398.5	90	397.2	395.3
256	19	408.4	150	423.2	419.3
257	19	488.5	15	431.6	430.2
258	19	488.5	135	479.3	477.0
259	19	548.8	180	483.5	484.1
260	19	548.8	270	517.5	517.5
261	19	798.4	15	612.1	611.0
262	19	798.4	135	607.9	608.1
263	19	928.5	180	670.0	668.1
264	19	928.5	270	675.4	674.0
265	19	1048.7	15	35.8	34.1
266	19	1048.7	135	743.3	742.6
267	21	370.0	150	164.2	163.1
268	21	370.0	144	162.9	161.8
269	21	370.0	126	162.1	161.0
270	21	370.0	120	163.3	162.2
271	21	370.0	30	152.9	151.5
272	21	370.0	26	152.4	150.9
273	21	370.0	7	152.3	150.9
274	21	370.0	0	152.1	150.8
275	21	370.0	210	165.6	164.4
276	21	370.0	206	164.8	163.6
277	21	370.0	187	165.1	163.9
278	21	370.0	180	164.2	163.1
279	22	390.0	30	153.6	152.3
280	22	390.0	26	153.4	152.1
281	22	390.0	7	153.3	151.9
282	22	390.0	0	153.2	151.9
283	22	390.0	330	155.1	153.9
284	22	390.0	324	155.4	154.2
285	22	390.0	306	158.0	156.9
286	22	390.0	300	159.4	158.3
287	22	390.0	210	169.2	168.0
288	22	390.0	206	169.2	168.0
289	22	390.0	187	169.1	168.1
290	22	390.0	180	170.1	169.2
291	23	490.0	180	198.6	197.3
292	23	490.0	173	198.9	197.6
293	23	490.0	156	197.4	196.0
294	23	490.0	150	196.5	195.1
295	23	490.0	60	170.3	168.9
296	23	490.0	54	167.8	166.5
297	23	490.0	34	162.5	161.4
298	23	490.0	30	161.7	160.6
299	23	490.0	0	158.0	157.0
300	23	490.0	353	158.6	157.7
301	23	490.0	336	160.3	159.4
302	23	490.0	330	162.8	161.8
303	24	550.0	180	221.8	220.3
304	24	550.0	173	222.3	220.9
305	24	550.0	156	220.7	219.2
306	24	550.0	150	218.3	216.8
307	24	550.0	0	163.8	163.0
308	24	550.0	353	163.2	162.4
309	24	550.0	336	165.8	165.1

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.				17	18
310	24	550.0	330	169.0	168.2
311	24	550.0	240	209.9	208.4
312	24	550.0	234	213.1	211.5
313	24	550.0	216	217.1	215.6
314	24	550.0	210	218.9	217.4
315	25	740.0	150	289.2	287.3
316	25	740.0	144	285.4	283.6
317	25	740.0	126	280.6	278.8
318	25	740.0	120	271.7	270.1
319	25	740.0	30	187.9	187.9
320	25	740.0	26	182.1	182.3
321	25	740.0	7	176.7	176.9
322	25	740.0	0	178.4	178.6
323	25	740.0	210	287.6	285.8
324	25	740.0	206	293.5	291.5
325	25	740.0	187	296.2	294.2
326	25	740.0	180	296.8	294.8
327	26	800.0	30	193.7	194.1
328	26	800.0	26	434.5	377.4
329	26	800.0	7	182.8	183.3
330	26	800.0	0	183.1	183.6
331	26	800.0	330	197.6	197.9
332	26	800.0	324	203.8	203.8
333	26	800.0	306	218.6	218.1
334	26	800.0	300	225.8	225.2
335	26	800.0	210	308.4	306.5
336	26	800.0	206	*****	310.8
337	26	800.0	187	88.6	378.1
338	26	800.0	180	318.4	316.4
339	27	930.0	180	372.6	370.4
340	27	930.0	173	371.7	369.5
341	27	930.0	156	364.5	362.5
342	27	930.0	150	355.7	353.8
343	27	930.0	60	238.9	239.0
344	27	930.0	54	227.7	227.9
345	27	930.0	34	210.9	211.9
346	27	930.0	30	206.6	207.5
347	27	930.0	0	193.6	194.5
348	27	930.0	353	101.5	98.0
349	27	930.0	336	205.0	205.8
350	27	930.0	330	213.7	214.3
351	28	990.0	180	388.3	385.9
352	28	990.0	173	388.0	385.6
353	28	990.0	156	380.3	378.2
354	28	990.0	150	371.8	369.7
355	28	990.0	0	202.5	203.8
356	28	990.0	353	201.8	203.0
357	28	990.0	336	213.4	214.4
358	28	990.0	330	222.8	223.6
359	28	990.0	240	355.0	353.0
360	28	990.0	234	366.1	363.9
361	28	990.0	216	374.6	372.2
362	28	990.0	210	376.9	374.7
363	29	1050.0	150	388.0	386.0
364	29	1050.0	144	385.8	383.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

2T

VERSUCH NR.		17	18
365	291050.0	126	371.4
366	291050.0	120	355.9
367	291050.0	30	222.4
368	291050.0	26	213.4
369	291050.0	7	207.3
370	291050.0	0	207.6
371	291050.0	210	391.2
372	291050.0	206	399.8
373	291050.0	187	407.1
374	291050.0	180	405.1
375	01075.0	6	198.8
376	01075.0	5	178.5
377	01075.0	4	288.7
378	01075.0	2	293.6
379	01075.0	1	290.7
380	01075.0	2	283.6
381	01075.0	4	277.8
382	01075.0	4	378.2
383	01075.0	1	385.1
384	01075.0	1	376.0
385	01075.0	4	339.6
386	01075.0	3	510.7
387	01075.0	3	496.0
388	01075.0	5	475.4
389	01075.0	6	475.9
390	01113.0	0	335.8
391	01113.0	0	278.6
392	01113.0	0	393.0
393	01113.0	0	484.4
394	01113.0	0	391.6
395	01113.0	0	284.6
396	0 0.0	0	148.4
397	0 0.0	0	153.8
398	0 0.0	0	151.4
399	0 0.0	0	144.8
400	C 0.0	0	150.4
401	0 0.0	0	150.0
402	0 0.0	1939.0	1857.4
403	0 0.0	0	36.9
404	0 0.0	0	36.9
405	C C.C	0	0.5
406	0 0.0	0	0.9
407	4 389.5	0	1.3
408	5 389.5	0	1.5
409	6 389.1	0	1.5
410	7 399.4	0	1.8
411	8 389.6	0	1.6
412	9 365.9	0	1.3
413	10 489.8	0	3.2
414	11 389.5	0	1.5
415	12 489.5	0	3.2
416	4 990.0	0	11.6
417	5 989.5	0	11.5
418	61049.5	0	12.6
419	71049.5	0	12.6

TE R AX RAD T  
 NR NR. PGS PGS  
 (MM) (GRD) GRAD C

2T

VERSUCH NR.		17	18
420	8 989.3	0 11.5	11.0
421	9 988.8	0 11.5	11.0
422	101049.5	0 12.6	12.0
423	111049.7	0 12.6	12.0
424	121050.0	0 12.6	12.1
425	11047.1	0 37.0	35.3
426	21049.5	0 36.9	35.3
427	31049.5	0 36.9	35.3
428	13 989.7	0 16.3	15.6
429	141049.7	0 14.5	13.9
430	151049.6	0 14.5	13.8
431	161049.5	0 14.4	13.8
432	17 989.6	0 16.5	15.7
433	18 930.7	0 18.5	17.7
434	191049.2	0 14.5	13.8
435	1 388.6	0 36.9	35.3
436	2 388.5	0 36.9	35.3
437	3 389.2	0 36.9	35.3
438	13 389.0	0 34.5	33.0
439	14 489.4	0 31.7	30.3
440	15 489.1	0 31.6	30.2
441	16 419.1	0 33.7	32.2
442	17 388.9	0 34.6	33.1
443	18 389.6	0 34.7	33.1
444	19 399.0	0 34.2	32.7
445	1 348.6	0 36.9	35.3
446	2 359.0	0 36.9	35.2
447	3 294.5	0 36.9	35.2
448	4 294.4	0 0.3	0.3
449	4 304.2	0 0.5	0.4
450	4 348.9	0 1.0	1.0
451	4 379.6	0 1.4	1.3
452	5 370.0	0 1.2	1.2
453	7 349.5	0 1.1	1.0
454	7 359.5	0 1.2	1.1
455	7 369.5	0 1.3	1.3
456	7 379.5	0 1.5	1.4
457	7 409.1	0 1.9	1.8
458	8 295.1	0 0.4	0.4
459	8 304.7	0 0.6	0.5
460	8 369.2	0 1.3	1.3
461	9 369.9	0 1.3	1.3
462	12 370.5	0 1.3	1.3
463	13 369.4	0 35.0	33.5
464	14 369.5	0 35.0	33.5
465	15 369.6	0 35.0	33.4
466	16 369.0	0 35.1	33.6
467	17 369.2	0 35.1	33.5
468	18 294.5	0 36.5	35.0
469	18 304.5	0 36.4	34.7
470	18 359.7	0 35.3	33.8
471	18 369.6	0 35.3	33.6
472	18 379.4	0 34.9	33.4
473	18 389.6	0 34.6	33.1
474	18 409.7	0 34.1	32.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

2T

VERSUCH NR.			17	18	
475	18	429.8	0	33.5	32.1
476	19	369.5	0	34.9	33.4
477	1	738.5	0	36.8	35.2
478	2	738.5	0	1.0	1.1
479	3	739.0	0	36.8	35.3
480	4	739.7	0	7.3	7.0
481	5	739.2	0	7.2	6.9
482	6	739.9	0	7.2	6.9
483	7	799.5	0	8.4	8.0
484	8	739.5	0	7.2	6.9
485	9	739.7	0	7.2	6.9
486	10	739.5	0	7.3	7.0
487	11	739.4	0	7.2	6.9
488	12	799.8	0	8.4	8.0
489	13	739.2	0	24.1	23.1
490	14	799.7	0	22.4	21.4
491	15	800.1	0	22.3	21.3
492	16	799.4	0	22.1	21.1
493	17	739.7	0	24.3	23.2
494	18	550.0	0	30.0	28.7
495	19	798.9	0	22.4	21.3
496	0	0.0	0	0.5	0.5
497	0	0.0	0	1.0	1.0

DATUM

4. 7.80

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	36.2	33.7	33.4	35.8	36.4	34.9	33.6	36.5	33.7	31.1	30.7	30.8	31.9	30.8	30.7	32.2
DURCHSATZ (KG/S)	0.0612	0.0667	0.0720	0.0798	0.0891	0.0994	0.1105	0.1232	0.1366	0.1534	0.1678	0.1773	0.1965	0.2197	0.2439	0.2711
EL. ENERGIE (KW)	76.6	83.7	88.1	97.0	108.9	119.4	131.8	145.7	158.4	182.4	189.5	203.0	222.5	243.7	266.8	294.0
WAERMEENERGIE(KW)	79.1	86.5	94.4	103.1	115.0	125.0	141.3	153.0	168.1	192.9	201.6	209.5	231.7	252.4	273.6	306.0
WAERMEBILANZ(0/0)	3.3	3.4	7.1	6.3	5.6	4.7	7.2	5.0	6.1	5.8	6.4	3.2	4.2	3.6	2.5	4.1
REYNOLDSZAHLE-04	1.216	1.324	1.422	1.572	1.755	1.964	2.178	2.430	2.706	3.022	3.331	3.530	3.906	4.378	4.877	5.406
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	1976.	2373.	2748.	3364.	4256.	5274.	6464.	8042.	9784.	12298.	14478.	16783.	20324.	25032.	30900.	38138.
BIS X= 560.0(MM)	528.	627.	714.	881.	1106.	1365.	1674.	2068.	2520.	3154.	3737.	4339.	5252.	6517.	7997.	9934.
BIS X= 624.0(MM)	842.	1003.	1157.	1398.	1767.	2186.	2670.	3329.	4055.	5075.	5957.	6921.	8406.	10364.	12788.	15745.
BIS X= 717.0(MM)	1042.	1239.	1424.	1729.	2182.	2698.	3296.	4106.	4999.	6266.	7357.	8544.	10358.	12816.	15802.	19477.
BIS X= 810.0(MM)	1241.	1479.	1703.	2062.	2602.	3221.	3934.	4906.	5975.	7480.	8800.	10224.	12436.	15316.	18911.	23352.
BIS X= 874.0(MM)	1601.	1904.	2186.	2648.	3337.	4130.	5038.	6269.	7626.	9563.	11250.	13074.	15873.	19564.	24149.	29820.
BIS X= 967.0(MM)	1808.	2156.	2477.	3007.	3788.	4684.	5717.	7140.	8680.	10884.	12788.	14864.	18063.	22293.	27484.	33620.
EINTR.DRUCK (BAR)	39.84	39.86	39.89	39.91	39.78	39.72	39.80	39.83	39.78	39.80	39.79	40.04	39.97	39.98	40.06	40.10
EINTR.TEMP. GRADC	167.1	168.4	170.7	174.7	175.7	175.9	175.8	178.9	176.9	178.4	177.8	177.0	178.5	179.1	178.9	180.5

TE R AX RAD T  
NR NR. POS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	170.2	169.7	172.0	176.7	178.6	177.9	177.6	181.4	178.7	179.9	181.2	178.5	181.4	181.4	181.1	183.4
2	1	348.1	330	169.0	168.8	171.5	176.2	178.0	177.2	176.9	180.6	178.0	179.3	180.6	178.1	181.1	180.6	180.0	183.2
3	1	388.1	150	171.7	170.9	173.8	178.1	180.0	179.0	178.5	182.0	179.9	182.3	181.9	178.1	182.8	182.4	181.3	184.1
4	1	388.1	330	169.8	169.6	172.3	176.9	178.9	177.7	177.4	180.7	179.0	180.1	180.8	177.9	181.4	180.3	179.8	182.3
5	1	487.7	255	173.3	173.4	175.3	179.3	181.5	180.4	179.5	182.8	181.3	182.7	182.7	180.6	183.2	182.4	181.7	184.2
6	1	487.7	120	175.4	175.8	178.1	182.5	184.6	183.7	183.4	186.7	185.5	186.1	187.1	184.4	187.9	187.8	187.7	189.9
7	1	738.0	150	200.2	200.6	202.4	206.1	208.0	206.4	205.3	208.0	206.2	206.4	207.2	204.6	206.8	205.3	205.3	206.9
8	1	738.0	330	188.2	188.2	191.1	194.8	196.9	195.9	195.5	198.7	197.8	197.2	198.8	196.9	199.5	199.1	199.7	202.1
9	1	795.4	120	194.6	194.8	197.4	200.3	201.8	200.1	198.7	201.2	199.3	200.5	200.3	198.9	200.8	199.2	199.3	201.5
10	1	795.4	255	211.2	212.0	215.0	219.1	221.7	220.5	220.7	223.9	222.1	223.7	223.0	222.9	225.2	224.6	224.8	227.4
11	1	987.0	150	242.5	242.8	245.1	248.1	249.3	246.4	245.5	247.4	243.9	245.2	242.1	240.9	241.3	238.4	237.6	238.4
12	1	987.0	330	220.6	221.3	224.1	228.2	230.8	229.4	230.0	233.7	232.2	234.1	233.4	232.8	236.0	234.9	235.6	238.7
13	1	1046.6	120	228.4	228.1	230.1	232.5	233.2	229.5	228.7	230.5	227.3	227.1	225.3	222.4	224.6	222.3	222.2	224.6
14	1	1046.6	255	254.2	255.6	258.7	263.5	266.4	264.2	265.1	268.4	266.2	269.4	267.7	266.3	268.8	266.5	267.0	268.4
15	2	358.5	0	167.2	168.3	170.1	174.2	177.3	176.2	175.7	180.3	177.6	179.7	180.7	177.6	180.5	179.8	180.7	182.5
16	2	388.0	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
17	2	388.0	210	171.0	170.8	173.0	177.3	179.6	178.3	177.9	182.1	178.9	183.0	182.4	180.3	184.2	183.0	182.6	183.6
18	2	398.0	0	167.5	168.0	170.3	174.6	176.9	175.9	175.3	179.7	176.9	179.3	180.2	177.4	181.3	180.0	180.2	181.5
19	2	488.1	30	168.1	168.5	171.1	175.1	177.5	176.5	175.9	180.3	177.6	180.1	180.3	177.8	181.8	180.4	181.2	182.5
20	2	488.1	165	173.6	173.8	177.3	180.9	183.0	182.1	181.6	186.0	182.4	185.6	184.9	182.5	185.4	184.8	185.9	187.0
21	2	738.0	0	197.7	198.3	201.4	205.5	208.2	207.0	207.0	211.1	208.3	211.2	210.3	207.2	210.1	208.9	209.1	210.7
22	2	738.0	210	203.1	203.8	206.9	211.0	213.7	212.7	212.6	216.4	213.8	217.5	215.5	212.9	215.4	214.4	214.2	216.0
23	2	797.8	30	179.8	179.9	182.7	186.1	188.0	186.8	185.8	189.8	187.2	188.8	189.1	186.5	189.8	189.3	189.0	192.2
24	2	797.8	165	204.1	204.9	208.0	211.9	214.0	213.0	211.3	215.3	211.8	214.6	212.7	208.7	211.9	210.9	209.7	212.4
25	2	987.2	0	194.5	194.5	197.0	200.4	202.3	201.0	199.9	204.3	201.5	204.2	203.4	199.8	203.4	203.1	203.5	206.4
26	2	987.2	210	234.3	235.4	238.4	242.8	245.2	244.3	243.4	248.3	244.4	249.0	245.8	242.3	245.1	244.7	243.1	245.7
27	2	21049.0	30	199.4	199.2	201.1	204.3	206.0	204.6	203.4	207.6	204.6	206.4	206.2	202.9	206.3	206.2	206.4	209.8
28	2	21049.0	165	235.9	236.3	238.6	242.1	243.7	241.5	239.1	242.2	236.8	240.7	237.6	233.8	235.5	232.2	231.2	232.0
29	3	294.0	30	166.4	168.6	171.9	175.7	178.6	178.8	177.6	182.5	180.2	181.5	182.9	180.0	183.2	182.3	182.5	185.1
30	3	303.7	330	165.7	167.9	170.9	174.8	177.5	177.4	176.3	181.3	179.3	180.6	182.0	179.1	182.1	181.0	181.6	183.6
31	3	388.7	15	164.8	167.0	170.2	174.2	176.8	176.8	175.8	180.6	178.4	180.3	181.0	178.4	181.3	180.2	181.1	182.5
32	3	388.7	255	168.1	169.5	173.0	177.1	179.4	179.4	177.9	183.1	180.6	182.9	183.9	180.5	184.3	183.4	183.5	185.6
33	3	488.5	60	166.9	169.0	172.6	176.4	178.9	178.9	177.6	182.6	180.1	181.9	182.8	179.1	183.1	181.9	182.5	184.4
34	3	488.5	150	169.9	171.6	176.2	179.9	182.6	182.3	181.2	186.8	183.3	185.4	185.4	181.6	185.3	184.8	185.6	186.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
35	3 738.5	15 177.0	178.0	181.2	184.5	186.4	185.7	184.2	188.6	185.6	187.6	187.8	183.8	187.5	187.2	187.3	189.3
36	3 738.5	255 186.7	188.3	192.1	195.7	198.7	199.0	198.6	203.5	201.3	204.6	203.9	199.6	202.8	203.6	204.3	206.4
37	3 798.5	60 182.5	183.4	186.9	189.5	190.7	189.2	187.5	191.0	187.6	189.1	188.9	185.3	188.4	188.1	187.9	189.8
38	3 798.5	150 201.1	202.4	206.6	209.4	210.9	209.6	208.2	211.6	208.2	208.4	208.4	204.2	207.5	206.6	206.2	208.1
39	3 988.5	15 194.5	194.8	197.9	200.4	201.6	200.0	198.7	202.2	198.9	200.1	200.4	195.8	199.5	199.3	199.1	201.3
40	3 988.5	255 209.2	210.4	214.0	217.5	220.1	219.5	219.3	223.7	220.6	224.8	224.1	221.2	225.1	225.4	225.6	227.4
41	31049.0	60 201.4	201.5	204.1	206.0	206.2	203.6	201.5	204.3	200.5	201.4	201.2	197.5	200.1	199.2	198.4	199.6
42	31049.0	150 228.3	229.3	233.1	235.7	236.2	233.3	231.4	233.8	228.8	231.0	229.0	227.8	229.0	226.9	225.5	225.2
43	4 293.9	300 254.9	257.0	262.0	268.8	274.2	275.6	278.0	285.7	284.1	293.0	292.2	293.6	297.5	299.5	301.9	307.7
44	4 303.7	300 273.9	276.2	281.1	287.9	292.9	293.9	295.7	303.3	301.7	310.8	309.6	310.8	314.8	316.3	319.3	324.8
45	4 339.0	300 251.6	254.1	258.5	265.4	270.5	271.4	274.1	281.0	279.8	288.1	286.9	287.8	292.7	293.3	294.9	300.0
46	4 348.4	300 264.1	266.4	270.5	277.1	281.7	282.0	283.9	290.3	288.5	296.1	294.4	295.2	298.6	299.1	300.4	305.3
47	4 379.1	300 297.5	299.9	303.6	310.4	314.9	314.8	316.9	323.3	321.2	330.5	327.7	328.7	331.6	333.4	334.4	339.9
48	4 389.0	45 276.9	276.8	278.5	283.3	285.9	284.8	286.1	291.1	289.5	297.4	294.0	294.8	298.0	299.9	301.4	306.9
49	4 389.0	210 269.3	269.2	271.9	277.1	279.8	278.1	279.5	284.1	281.9	287.6	285.4	286.2	289.9	290.5	291.9	297.7
50	4 408.8	300 158.9	160.2	164.4	168.1	167.9	168.5	168.6	169.9	171.6	176.0	177.7	171.8	176.6	176.7	177.9	178.1
51	4 418.6	300 291.0	291.9	294.5	300.5	304.0	303.1	304.8	310.8	309.0	316.7	314.5	314.9	318.8	319.7	323.1	326.0
52	4 428.7	300 293.2	294.1	296.5	302.5	305.9	305.3	306.7	312.9	311.7	319.1	316.7	316.6	321.3	321.7	323.6	327.0
53	4 739.2	45 415.8	474.7	462.8	89.5	92.5	94.7	101.7	113.1	112.4	118.1	115.1	111.1	478.8	518.0	533.4	536.1
54	4 739.2	210 346.9	346.9	349.3	354.0	356.3	353.8	353.6	358.2	354.2	360.8	356.2	355.4	359.2	356.9	357.7	362.4
55	4 989.5	45 387.6	387.7	389.1	393.7	395.8	392.8	393.3	397.6	393.0	403.5	397.5	396.1	399.7	398.1	397.6	401.2
56	4 989.5	210 413.0	413.5	415.2	419.5	422.3	419.1	420.4	423.8	418.8	428.5	420.9	420.6	423.4	421.7	421.1	425.1
57	5 369.5	195 257.3	259.5	263.8	269.7	274.7	275.0	278.6	284.4	283.7	292.4	290.1	290.8	295.8	297.1	298.6	303.9
58	5 369.5	300 259.2	261.2	264.9	271.3	276.2	276.3	279.8	285.5	284.3	293.2	291.7	291.5	295.7	297.4	299.2	303.5
59	5 389.0	30 265.5	265.8	267.9	272.4	276.1	274.7	276.6	282.0	279.4	288.5	286.4	284.2	287.4	290.0	290.1	295.2
60	5 389.0	150 265.0	265.7	269.0	273.7	277.1	276.0	276.9	282.4	280.0	288.5	286.3	285.0	288.9	289.9	291.8	297.0
61	5 549.0	195 296.9	298.0	300.7	305.7	308.7	307.0	307.8	312.5	309.5	319.0	315.2	314.1	317.4	317.5	318.5	322.7
62	5 549.0	300 290.1	291.0	292.8	298.2	301.3	299.9	301.3	306.1	303.6	311.1	308.2	307.3	310.8	309.2	310.0	314.4
63	5 738.7	30 313.5	314.0	315.3	320.0	322.5	320.4	321.4	325.6	322.4	330.4	326.4	324.7	326.7	326.8	326.9	332.0
64	5 738.7	150 337.7	338.2	341.4	346.3	348.5	347.2	348.0	352.8	349.3	358.8	353.0	350.0	352.4	350.9	350.6	353.2
65	5 809.2	120 345.7	345.9	349.0	353.5	355.0	353.0	353.1	357.3	353.2	361.7	355.5	350.2	353.3	351.9	350.6	354.2
66	5 819.0	180 357.5	358.0	361.6	366.3	369.0	367.8	368.7	373.1	369.7	378.9	372.8	368.6	370.9	370.5	369.0	372.8
67	5 929.4	195 398.2	398.4	401.7	406.2	408.2	406.2	406.5	410.5	406.0	415.5	407.2	403.3	406.1	405.8	404.6	408.8
68	5 929.4	300 390.7	392.5	398.0	391.5	385.7	390.5	383.0	388.4	385.3	394.7	388.1	386.9	389.8	388.7	387.8	392.5
69	5 989.0	30 362.0	362.2	364.8	369.5	372.3	370.9	371.7	377.1	374.2	384.4	377.7	374.2	377.7	377.4	376.0	381.1
70	5 989.0	150 405.6	406.6	410.0	414.7	416.6	413.7	413.4	416.7	411.6	420.8	410.5	407.6	410.0	407.3	405.6	408.6
71	6 388.6	225 269.4	269.4	274.3	278.9	281.9	281.3	282.2	287.1	285.6	293.7	292.3	291.3	296.7	296.8	297.8	302.6
72	6 388.6	300 268.7	268.8	272.1	276.8	280.0	279.4	279.8	284.5	281.9	290.5	288.0	286.9	292.1	292.4	292.7	297.0
73	6 488.5	30 281.8	283.2	287.2	292.6	295.7	295.4	296.4	301.6	298.8	307.0	303.7	301.7	306.6	304.7	305.9	307.9
74	6 488.5	150 290.0	291.1	296.6	302.0	305.1	303.6	304.8	309.7	307.3	315.8	312.5	309.9	315.7	313.7	314.7	317.1
75	6 739.4	225 345.1	345.4	350.1	355.4	358.1	356.5	357.8	362.3	358.8	369.1	364.0	361.2	366.5	364.8	365.5	368.3
76	6 739.4	300 329.6	330.3	334.0	339.7	342.5	342.2	344.0	349.0	346.4	357.4	352.8	349.0	354.2	352.2	353.9	357.0
77	6 798.8	30 327.3	328.0	331.4	336.0	338.0	337.3	337.9	342.2	339.0	348.0	344.5	339.6	344.0	342.9	343.8	347.4
78	6 798.8	30 354.1	355.2	360.1	364.9	366.9	365.3	366.1	370.6	366.9	376.1	370.4	366.7	369.3	367.2	367.8	370.8
79	6 829.0	180 356.3	357.0	362.1	366.9	368.9	367.2	368.6	372.8	369.0	377.8	371.9	368.4	371.1	369.5	370.3	373.5
80	6 839.0	240 345.8	346.7	351.0	356.3	358.9	357.9	359.5	364.4	361.3	370.2	364.1	361.5	364.5	362.2	363.9	367.2
81	6 988.8	225 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
82	6 988.8	300 386.6	387.5	391.4	396.8	398.7	397.2	398.4	403.8	399.8	411.5	404.3	402.5	406.3	404.0	404.8	408.1
83	61049.0	30 366.2	366.4	369.8	373.5	374.9	373.0	372.8	377.1	373.1	383.4	377.0	374.0	378.9	376.9	377.7	382.1
84	61049.0	150 187.7	167.6	177.7	190.4	180.0	182.9	194.6	201.8	212.3	233.7	213.5	216.2	201.1	215.2	222.3	206.1
85	7 339.0	150 267.3	271.5	280.4	288.3	254.2	297.1	301.1	309.3	309.6	318.1	317.5	316.3	322.5	323.8	325.2	330.6
86	7 349.0	150 262.9	266.3	274.2	281.0	284.9	286.0	288.1	294.5	293.1	299.0	298.0	295.5	301.6	301.4	304.2	310.2
87	7 359.0	150 257.2	261.0	269.4	277.4	282.4	285.1	288.2	296.3	295.9	302.9	302.4	301.0	307.7	307.6	311.5	317.6
88	7 369.0	165 267.4	270.9	278.9	286.8	291.7	294.1	297.3	304.7	304.3	312.6	311.1	309.2	316.7	316.2	319.7	325.0
89	7 369.0	330 265.9	269.8	277.4	284.6	289.2	291.8	294.7	301.5	300.6	307.7	306.3	305.2	311.5	311.3	314.0	319.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
90	7 379.0	150 292.9	296.0	303.6	310.6	313.9	314.9	316.6	322.8	320.3	327.5	323.8	320.6	327.0	324.8	326.3	330.4
91	7 398.9	150 277.8	280.2	286.9	292.0	295.4	295.3	297.0	302.9	301.3	306.8	304.5	302.5	308.4	306.8	308.4	313.3
92	7 408.6	150 282.4	284.7	291.2	296.4	299.6	299.9	301.1	307.4	305.2	311.0	308.9	306.7	312.4	309.6	312.3	317.5
93	7 489.4	165 298.8	300.9	306.9	311.5	315.1	314.8	315.7	321.8	319.3	324.8	321.8	318.8	323.2	320.9	322.0	324.9
94	7 489.4	330 290.9	292.9	298.8	302.8	305.6	304.4	305.6	310.5	307.6	313.9	311.0	310.1	313.5	311.9	312.9	316.3
95	7 799.0	165 364.3	365.9	371.5	376.0	378.1	375.8	375.7	380.1	376.1	383.2	377.2	374.7	377.1	374.5	373.6	376.2
96	7 799.0	330 340.6	342.2	347.1	350.7	353.4	351.5	352.0	356.7	353.4	360.3	355.0	352.4	355.4	354.6	354.0	357.6
97	71049.0	165 170.5	171.1	168.0	174.2	175.7	175.7	174.9	181.1	177.3	179.3	178.0	176.7	178.9	180.4	179.4	181.6
98	71049.0	330 385.1	386.6	390.7	394.0	395.4	392.7	391.9	396.6	392.5	401.7	395.1	394.7	397.2	396.3	396.5	399.1
99	8 294.6	210 270.3	273.4	275.2	282.9	288.3	290.0	292.4	299.4	300.4	305.6	303.6	306.7	311.3	312.1	315.6	321.3
100	8 304.2	270 283.4	286.5	288.4	296.2	301.2	302.3	304.5	311.1	311.6	317.0	314.5	316.9	321.2	322.3	324.7	330.1
101	8 368.7	135 264.5	268.0	269.3	277.1	281.4	283.2	285.4	291.1	291.3	296.3	294.2	297.4	301.5	302.6	304.7	309.9
102	8 368.7	255 274.5	277.9	280.1	288.0	292.8	294.9	296.9	303.8	304.9	310.3	308.7	310.9	316.0	317.6	320.3	326.2
103	8 389.1	30 272.5	273.9	274.0	279.6	282.5	282.5	282.4	287.6	287.4	290.6	288.3	290.0	293.5	293.6	295.1	300.5
104	8 389.1	300 277.9	279.1	280.3	286.4	289.8	289.8	290.6	296.8	295.8	300.0	297.8	299.1	303.2	303.8	305.6	311.6
105	8 549.0	135 308.7	309.6	310.3	315.7	317.1	316.0	314.5	319.3	316.7	318.2	311.6	313.8	316.2	313.5	313.0	316.8
106	8 549.0	255 319.6	320.9	322.0	327.2	329.3	328.3	327.8	332.4	330.5	333.9	327.9	328.7	330.4	328.3	326.9	330.4
107	8 739.0	30 357.9	358.4	359.2	363.8	365.2	363.3	362.4	366.9	363.7	369.8	362.7	363.3	365.9	364.2	364.1	367.9
108	8 739.0	300 464.0	465.6	465.9	471.0	472.6	469.5	467.7	472.1	466.7	474.6	461.6	461.5	462.5	458.5	455.8	458.0
109	8 929.0	135 371.7	372.6	373.9	378.9	381.2	379.8	379.0	383.7	380.2	385.5	378.5	379.0	382.0	379.4	378.3	381.3
110	8 929.0	255 437.0	438.4	438.3	443.3	445.3	441.9	440.8	445.5	440.3	447.3	438.2	438.0	440.3	437.3	437.2	441.3
111	8 988.8	30 440.1	440.7	441.4	445.3	447.0	443.9	441.5	447.0	441.7	449.6	440.4	440.9	442.7	441.0	440.8	445.7
112	8 988.8	300 449.8	451.5	451.8	456.1	458.2	455.2	454.0	459.0	454.0	461.4	451.9	452.1	453.6	450.8	450.2	455.0
113	9 369.4	105 262.9	265.8	271.9	277.8	281.9	282.2	283.1	290.3	289.1	292.9	291.3	295.0	298.5	298.9	300.7	306.4
114	9 369.4	180 415.9	436.9	439.4	439.3	448.7	462.8	452.1	473.9	479.8	122.4	120.4	114.1	112.6	126.3	478.0	126.5
115	9 389.0	30 276.5	276.9	280.4	284.4	287.2	285.7	285.4	291.6	290.0	294.9	293.2	293.5	295.5	297.2	298.8	304.6
116	9 389.0	270 275.3	276.0	279.5	283.5	286.4	285.5	285.9	291.9	289.8	293.0	290.6	292.0	294.6	295.3	296.7	301.8
117	9 549.0	105 305.6	306.5	310.4	314.4	316.3	314.0	313.2	318.3	315.0	318.6	315.6	315.6	317.8	318.3	317.7	322.6
118	9 549.0	180 309.2	309.9	314.3	318.6	320.7	318.9	318.0	323.2	319.4	322.3	318.3	319.5	322.4	320.9	320.9	324.6
119	9 739.2	30 358.1	358.8	362.0	365.8	367.6	365.3	364.3	369.2	365.7	371.4	366.0	364.8	367.2	366.2	366.0	370.7
120	9 739.2	270 373.5	375.0	377.9	382.5	385.2	383.7	383.4	389.3	385.9	391.7	385.5	386.7	389.6	388.1	388.0	392.2
121	9 909.0	60 436.3	436.7	440.0	443.3	443.5	439.5	437.0	441.1	435.6	441.4	431.4	428.0	427.5	423.5	422.1	425.5
122	9 919.0	120 476.5	477.8	481.4	485.3	485.7	481.2	479.4	483.0	476.2	482.8	469.8	466.4	464.6	458.9	456.7	457.9
123	9 929.0	105 473.7	475.1	478.7	481.9	482.2	477.5	475.9	479.1	472.9	478.4	465.4	461.9	460.5	455.2	452.9	454.8
124	9 929.0	180 498.2	499.9	503.4	508.0	508.9	504.5	503.4	507.6	500.6	508.3	495.4	492.3	492.3	487.0	485.9	487.9
125	9 988.8	30 453.5	454.4	457.0	461.8	461.9	457.2	456.0	460.9	454.1	462.4	452.3	449.3	450.5	446.0	445.5	449.2
126	9 988.8	270 489.6	491.9	494.9	501.1	503.2	499.3	499.6	505.8	499.7	510.1	497.7	496.4	497.0	492.1	491.6	494.4
127	10 489.3	90 286.0	287.6	292.9	297.7	299.6	297.0	297.9	301.9	299.3	305.6	300.9	301.2	305.8	303.1	304.0	308.9
128	10 489.3	300 285.2	286.6	290.6	295.6	297.8	296.4	297.1	302.2	298.9	304.7	302.5	303.5	307.2	305.2	306.9	311.5
129	10 549.0	60 296.2	298.2	303.3	308.6	310.4	309.0	309.4	314.8	311.4	319.4	315.8	314.5	319.1	316.4	318.1	322.4
130	10 549.0	210 304.0	306.4	311.8	317.1	318.9	317.2	318.0	322.5	319.7	322.9	319.1	320.8	323.9	321.8	322.6	326.6
131	10 739.0	180 374.8	376.5	381.7	386.4	387.4	384.3	384.0	387.8	384.1	390.0	381.3	381.8	383.5	380.1	380.0	383.2
132	10 739.0	330 351.3	352.9	356.2	360.9	363.0	360.5	360.3	365.3	362.4	370.1	364.2	364.4	367.0	365.5	366.1	369.4
133	10 799.0	90 377.5	378.5	382.9	387.6	388.8	385.3	384.1	388.2	384.4	392.8	384.9	384.0	386.1	384.6	384.1	387.7
134	10 799.0	300 375.5	378.1	381.6	387.0	389.3	386.8	386.7	391.7	388.8	395.5	388.3	388.6	391.3	388.9	388.6	390.9
135	10 929.0	60 433.8	434.8	438.7	442.5	442.6	437.1	435.2	437.8	433.3	441.2	429.4	427.5	428.9	423.8	422.7	424.3
136	10 929.0	210 475.1	477.0	481.2	485.9	487.0	481.7	480.4	483.6	478.3	486.4	473.0	473.0	473.8	469.2	468.9	471.4
137	10 989.0	180 510.1	513.4	517.1	522.6	523.9	517.7	517.1	518.8	513.2	522.3	504.9	503.5	504.7	497.8	495.1	496.1
138	10 989.0	330 449.0	451.4	454.4	459.2	460.7	456.0	456.3	460.1	456.4	466.4	452.9	452.3	455.3	451.1	451.2	454.2
139	101049.0	90 496.0	497.3	501.5	505.6	505.8	498.4	496.1	497.3	491.0	500.2	483.7	480.3	481.4	475.2	473.1	474.5
140	101049.0	300 477.7	479.8	484.0	488.3	490.4	485.3	485.2	489.5	486.0	496.2	482.4	480.7	483.0	478.6	478.1	481.1
141	11 389.0	60 267.8	268.5	274.9	280.1	283.1	281.4	281.8	286.7	284.9	291.7	288.6	288.3	290.9	292.4	294.5	298.1
142	11 389.0	315 267.0	267.7	274.8	279.2	282.0	280.3	280.3	284.7	283.5	289.7	286.5	287.4	288.8	289.3	291.0	295.4
143	11 489.0	150 286.9	287.6	294.8	299.5	302.6	300.8	300.5	305.3	303.4	308.8	304.4	304.1	305.5	306.5	305.7	309.0
144	11 489.0	270 283.8	284.4	291.7	296.8	299.7	298.4	298.3	303.6	302.1	308.1	304.6	305.0	306.7	307.3	307.3	311.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	344.2	344.6	351.0	354.8	356.7	354.4	353.6	357.5	354.7	363.4	355.8	355.2	356.6	355.4	354.9	358.3
146	11	738.9	315	352.1	353.3	359.9	364.5	367.1	365.1	365.3	370.9	369.4	379.0	371.5	371.7	374.7	373.8	373.5	376.4
147	11	799.6	150	*****	*****	394.8	321.6	400.5	392.6	394.7	393.2	315.9	402.1	391.7	*****	*****	*****	*****	*****
148	11	799.6	270	389.6	391.3	398.7	404.0	407.8	405.3	406.0	411.9	409.5	419.9	409.6	409.0	410.5	409.1	407.0	410.5
149	11	849.3	240	397.0	399.2	406.9	412.9	417.0	414.2	414.6	420.2	416.8	426.3	415.8	414.6	416.1	413.4	411.8	414.1
150	11	859.8	300	379.9	381.9	389.2	394.7	398.4	395.3	395.9	401.4	399.1	409.6	401.0	399.7	403.1	400.4	400.4	404.1
151	11	989.3	60	433.1	432.6	438.1	440.7	442.1	435.9	434.1	436.8	432.0	443.4	432.7	429.3	432.0	428.9	428.3	430.8
152	11	989.3	315	450.4	451.6	458.8	463.6	466.9	461.7	461.8	466.9	463.2	475.9	464.0	462.2	465.0	462.3	461.6	464.7
153	111049.2	150	515.5	515.5	520.4	522.8	523.7	514.4	510.8	512.2	503.7	512.7	495.8	491.1	491.0	485.6	482.6	484.9	
154	111049.2	270	502.3	504.3	510.6	515.5	519.0	514.0	513.8	515.7	514.6	528.4	513.8	512.7	514.3	511.3	510.7	514.8	
155	12	359.9	30	267.1	269.6	278.0	285.2	291.6	292.7	295.4	303.4	303.5	311.9	310.0	309.2	314.6	317.1	320.6	327.8
156	12	370.0	15	271.0	274.2	282.7	290.4	297.1	298.3	301.4	309.2	309.4	317.9	316.0	314.9	319.2	321.9	325.1	330.8
157	12	370.0	240	264.1	266.5	274.4	281.9	287.8	287.6	290.4	297.0	296.0	304.1	301.1	301.4	305.6	307.1	309.8	315.0
158	12	379.2	90	297.5	300.4	308.0	315.5	321.6	320.8	322.6	328.9	327.3	334.5	329.8	327.8	330.6	331.0	333.1	337.3
159	12	489.0	90	307.3	308.8	314.9	320.8	325.5	324.0	324.9	330.4	329.1	336.0	332.0	329.9	332.3	333.1	334.1	337.4
160	12	489.0	270	288.7	289.8	295.8	301.1	304.9	302.7	303.0	308.9	307.0	312.8	309.6	308.7	310.4	310.7	312.2	315.6
161	12	548.9	15	316.6	310.7	*****	*****	*****	*****	*****	327.4	332.7	338.8	332.5	329.1	163.1	165.2	170.2	165.4
162	12	548.9	240	305.6	306.4	311.9	316.6	320.0	317.3	317.8	322.7	321.1	327.9	322.8	320.8	324.4	324.1	323.8	327.1
163	12	799.3	90	381.8	382.6	387.2	390.9	393.5	389.4	388.3	392.4	388.2	395.4	387.3	383.5	385.1	382.8	380.9	383.3
164	12	799.3	270	383.1	384.1	389.7	393.9	397.3	394.2	394.5	399.6	396.8	407.0	398.6	396.5	399.1	398.7	398.1	401.2
165	12	929.3	15	388.8	389.3	394.1	396.7	398.0	393.1	392.0	395.2	391.2	399.7	390.8	386.6	388.6	386.7	388.0	389.9
166	12	928.4	240	361.0	406.5	699.4	450.4	918.2	932.7	437.6	442.1	439.1	450.3	441.1	451.1	439.3	437.1	436.0	439.8
167	121049.5	90	443.8	444.0	447.9	450.0	451.0	445.0	443.2	445.6	440.5	448.8	438.4	432.5	433.5	429.0	426.2	428.6	
168	121049.5	270	459.9	460.8	465.1	468.3	469.8	464.4	464.1	468.1	464.4	476.6	464.4	461.4	464.1	460.4	459.0	462.1	
169	13	338.8	60	339.0	345.4	351.5	361.0	369.7	374.7	380.3	391.2	392.8	402.8	398.8	404.2	411.4	413.1	417.1	426.1
170	13	349.0	60	340.9	344.8	349.6	357.1	364.5	365.0	368.8	377.6	377.4	386.4	382.1	385.9	392.6	393.7	398.4	406.9
171	13	368.9	90	369.3	374.7	380.5	390.0	399.1	401.0	407.1	417.5	418.2	430.5	424.6	429.4	436.6	437.6	442.9	452.7
172	13	368.9	240	378.9	384.2	389.7	399.4	408.6	411.0	416.9	427.6	429.2	441.0	436.9	441.4	448.8	451.2	456.7	465.8
173	13	388.5	45	427.3	425.9	427.9	427.9	430.9	426.8	427.5	433.6	431.8	440.0	432.1	435.9	440.0	439.9	442.8	451.3
174	13	388.5	270	437.3	438.6	440.1	442.6	447.4	444.4	447.4	455.2	454.9	465.7	458.1	461.4	467.8	467.3	471.7	478.5
175	13	549.0	90	514.8	515.3	516.4	518.6	523.0	517.5	517.8	522.3	519.0	530.5	515.7	518.5	522.2	519.2	518.4	522.7
176	13	549.0	240	537.5	539.2	539.1	542.2	546.2	542.3	543.6	549.7	547.1	560.3	546.1	547.3	550.1	545.7	544.4	547.3
177	13	738.7	45	609.4	609.2	608.0	609.4	611.5	604.8	604.4	609.6	603.3	616.3	595.5	599.8	599.5	596.3	595.0	599.3
178	13	738.7	270	620.2	621.9	621.4	624.0	626.5	621.0	621.4	627.7	623.8	638.8	620.1	622.1	623.5	620.7	621.3	624.9
179	13	929.3	90	734.7	736.3	734.5	736.0	738.3	729.9	728.8	733.8	728.1	746.1	721.1	723.1	722.3	717.6	714.4	718.5
180	13	929.3	240	732.1	735.3	733.8	736.0	739.5	733.2	734.0	740.5	736.7	759.9	733.8	735.3	737.1	731.9	730.4	734.1
181	13	989.2	45	760.8	763.5	760.1	762.2	765.3	756.1	754.8	759.1	752.7	770.7	744.1	742.0	739.3	731.7	726.6	727.6
182	13	989.2	270	774.2	777.1	774.2	776.6	779.9	772.6	772.7	779.4	775.4	796.3	773.9	775.4	778.0	775.4	773.9	779.5
183	14	369.0	30	368.2	373.3	380.8	390.2	398.9	400.7	405.8	416.3	417.4	427.0	422.0	428.7	435.0	437.7	442.1	451.4
184	14	369.0	270	380.0	384.8	391.9	401.5	411.6	413.6	419.3	430.0	432.0	444.1	438.2	444.6	451.1	454.6	460.5	469.2
185	14	488.9	75	473.1	473.9	476.9	477.9	480.2	474.7	474.9	478.9	476.0	484.0	470.7	473.9	476.1	475.6	476.9	481.5
186	14	488.9	180	484.6	486.4	488.8	491.3	493.9	488.2	489.5	496.0	493.2	504.8	491.7	495.6	498.9	497.8	499.8	505.4
187	14	548.8	30	498.9	499.2	502.0	504.9	506.8	501.4	501.8	507.8	504.0	513.7	499.4	505.2	506.1	504.0	505.5	510.6
188	14	548.8	270	522.8	523.3	524.6	527.9	531.2	524.8	525.8	532.1	527.7	540.6	524.6	527.7	530.2	526.7	527.3	530.5
189	14	799.2	75	646.6	647.6	647.7	648.9	650.3	642.9	641.8	647.3	642.6	656.5	638.3	639.5	640.2	635.5	633.3	635.5
190	14	799.2	180	666.3	668.3	669.6	670.1	673.1	665.7	665.4	671.0	666.8	681.3	662.3	664.2	665.1	662.5	660.8	665.1
191	14	890.2	0	693.2	694.7	696.8	697.7	701.3	693.1	693.2	698.4	693.5	710.5	691.3	693.0	693.4	691.6	690.7	697.3
192	14	899.8	60	697.0	698.3	699.6	698.7	700.5	691.9	691.3	695.3	689.9	707.1	685.3	686.5	684.3	682.0	679.4	681.8
193	14	929.5	30	720.6	720.7	720.7	720.4	721.3	712.4	711.1	715.9	709.7	727.0	704.9	704.7	704.2	699.9	696.0	700.1
194	14	929.5	270	759.8	762.1	762.0	763.4	767.0	758.5	758.9	764.4	758.9	777.1	755.3	754.4	755.8	751.8	750.2	754.8
195	141049.2	75	812.1	814.4	814.3	814.1	815.7	804.9	803.3	805.4	797.6	816.1	786.1	787.1	783.7	776.1	770.5	768.5	
196	141049.2	180	860.0	864.1	863.3	864.2	868.1	858.2	859.9	864.2	858.4	883.1	849.9	855.1	854.7	849.7	846.1	848.4	
197	15	369.1	150	379.1	385.3	394.3	403.9	412.2	414.7	420.7	430.5	432.4	443.9	439.3	444.6	451.8	455.5	460.1	468.1
198	15	369.1	270	370.2	376.4	385.3	395.0	403.0	406.2	412.4	423.3	424.8	445.9	430.0	437.4	443.8	447.4	452.2	460.9
199	15	488.6	60	483.6	484.5	488.6	491.6	493.0	488.8	489.5	494.9	491.4	503.1	490.2	491.1	495.6	495.6	494.8	498.0

TE R AX RAD T  
 NR NR. PDS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	473.0	472.9	477.0	479.8	481.4	475.7	475.9	482.0	478.2	488.1	475.0	477.2	480.0	477.6	476.1	480.5
201	15	549.6	150	512.9	513.7	516.9	520.4	522.7	518.2	520.2	526.5	522.8	536.8	522.7	525.8	529.5	526.7	527.6	531.6
202	15	549.6	270	515.5	515.3	519.5	522.8	525.1	519.4	521.3	526.5	523.5	535.2	518.7	524.1	526.7	525.5	524.5	530.0
203	15	799.6	60	638.6	639.8	640.0	642.8	644.9	637.5	636.7	641.4	636.5	652.3	631.0	632.0	632.2	626.5	622.9	625.1
204	15	799.6	345	622.3	621.9	622.8	624.7	626.1	618.4	619.0	623.5	618.1	633.9	613.8	616.4	617.6	613.1	609.3	613.1
205	15	869.0	0	617.2	619.6	621.4	625.4	628.9	623.2	624.2	628.7	624.2	641.4	620.6	624.7	624.9	620.4	616.8	620.0
206	15	879.0	300	669.2	671.6	672.2	674.6	678.1	670.7	672.0	676.2	671.3	688.3	667.4	671.3	671.7	668.7	665.3	669.8
207	15	929.2	150	768.2	768.7	767.5	769.2	772.2	762.8	762.9	767.0	760.6	780.2	755.8	756.8	756.5	753.4	749.8	753.4
208	15	929.2	270	748.6	748.9	746.9	748.1	750.5	741.1	741.0	744.5	739.3	757.8	733.6	735.5	736.4	732.4	729.4	734.8
209	151049.1	60	802.1	804.1	801.9	804.5	807.6	797.0	796.6	800.7	793.8	816.1	789.2	788.1	787.8	783.1	779.6	784.7	
210	151049.1	345	793.0	794.8	793.1	794.2	796.8	785.3	784.4	786.8	778.5	800.1	772.3	773.5	773.7	766.6	761.7	765.8	
211	16	368.5	150	393.5	400.1	408.8	420.3	431.5	435.3	443.7	456.4	459.6	474.9	469.8	477.2	485.7	490.9	497.0	505.2
212	16	368.5	285	370.3	375.8	384.2	394.8	404.0	406.8	413.2	424.0	425.3	438.6	432.9	439.3	445.5	449.6	454.1	463.6
213	16	418.6	210	453.4	453.2	458.8	462.7	465.8	461.6	461.6	469.3	464.7	475.7	464.4	466.6	470.8	471.2	472.3	478.6
214	16	428.5	210	466.2	466.1	471.3	474.8	477.9	471.4	472.6	479.5	474.3	485.5	474.4	477.5	479.7	481.6	483.3	488.1
215	16	488.5	120	543.2	546.0	549.2	553.9	559.0	555.4	559.0	565.9	562.6	579.0	564.8	566.8	570.7	570.0	569.9	575.2
216	16	488.5	330	484.5	486.0	489.2	492.6	496.3	491.0	493.0	497.5	494.0	506.6	493.0	494.0	497.3	497.3	496.3	502.0
217	16	548.6	150	573.4	575.3	577.8	580.4	584.8	579.1	581.5	586.9	583.9	600.1	583.8	586.4	590.2	588.5	587.3	593.2
218	16	548.6	285	523.5	524.2	526.7	529.1	532.1	527.6	529.1	533.3	530.5	544.3	529.0	531.6	535.8	534.9	536.0	539.6
219	16	798.9	120	698.9	700.9	702.7	704.9	709.4	704.0	706.6	712.0	708.0	729.1	707.8	706.8	708.2	702.8	698.9	700.6
220	16	798.9	330	630.8	630.4	631.0	631.1	632.0	624.6	623.7	626.3	621.4	637.9	617.3	616.7	618.8	615.0	612.8	618.5
221	16	929.0	150	719.9	721.4	723.3	724.2	728.5	721.3	721.4	726.1	722.1	741.3	719.9	720.0	721.6	717.6	713.9	717.6
222	16	929.0	285	728.3	729.3	730.2	730.9	733.7	725.8	724.9	729.7	724.8	743.5	720.9	722.1	724.2	721.2	718.5	725.0
223	161049.0	120	761.0	762.1	764.1	765.8	770.1	762.3	762.2	767.5	761.8	782.9	757.2	757.5	757.2	749.4	741.2	742.2	
224	161049.0	330	758.9	760.1	761.3	761.5	765.0	756.4	755.8	759.3	753.0	773.6	748.8	747.0	749.1	744.1	741.4	749.4	
225	17	368.7	30	370.8	377.5	383.0	392.7	401.9	405.3	410.1	420.4	420.8	430.6	427.1	431.1	438.1	441.1	445.4	453.5
226	17	368.7	210	384.5	390.3	395.2	405.1	414.1	416.8	421.6	431.9	432.3	444.8	439.5	443.7	450.8	454.2	457.8	467.1
227	17	388.4	0	424.0	423.4	423.5	425.0	427.3	424.3	424.3	430.0	426.2	434.3	427.6	430.5	433.7	435.0	436.2	443.5
228	17	388.4	135	448.7	449.8	451.6	455.4	460.5	457.2	459.7	466.2	463.2	472.5	465.5	467.1	472.5	473.1	473.7	480.7
229	17	418.8	150	451.7	454.8	457.6	464.1	469.9	468.7	471.0	478.0	475.8	486.6	478.0	481.0	486.9	488.6	489.8	497.5
230	17	428.8	210	465.0	467.9	469.6	474.7	480.3	478.9	481.1	487.2	485.6	497.8	487.5	491.4	496.6	496.1	498.6	505.6
231	17	549.0	30	511.8	513.9	515.0	517.6	521.1	518.0	518.3	525.1	521.6	532.6	521.3	522.7	525.8	526.9	531.9	
232	17	549.0	210	558.1	559.1	558.8	562.1	565.8	561.8	563.2	569.1	565.2	579.0	565.1	567.0	570.2	570.5	568.8	572.6
233	17	739.2	0	640.9	642.4	642.3	645.9	649.1	643.2	644.0	649.6	644.5	660.3	641.3	644.7	646.8	644.4	640.8	646.3
234	17	739.2	135	643.3	645.7	645.6	648.9	653.1	647.2	648.2	653.9	647.8	663.1	643.0	646.1	646.8	644.7	640.8	646.1
235	17	928.9	30	755.8	758.2	759.1	761.5	765.8	759.2	760.5	766.3	759.2	779.3	756.3	757.3	759.8	756.5	753.1	758.4
236	17	928.9	210	746.4	749.6	749.6	752.2	757.6	751.6	752.4	759.3	753.0	772.6	750.5	751.8	754.1	750.3	747.6	753.4
237	17	989.1	0	808.6	811.5	810.5	813.1	817.1	808.9	809.5	816.0	807.7	831.0	803.6	805.5	806.7	801.9	797.3	803.1
238	17	989.1	135	795.4	796.9	795.9	798.5	802.1	793.2	792.8	798.5	790.7	811.3	784.4	785.5	787.5	782.6	780.1	784.2
239	18	294.0	0	327.3	332.8	341.1	349.8	358.8	361.9	366.9	378.0	378.7	388.2	383.8	390.0	397.2	400.6	405.6	414.2
240	18	304.0	0	363.2	368.8	376.6	385.0	394.1	396.7	401.4	412.0	413.5	423.6	417.2	422.1	429.5	433.0	437.2	446.1
241	18	359.2	0	336.4	342.1	350.9	359.4	368.6	372.0	376.6	387.4	389.3	397.1	393.3	399.3	406.5	409.5	414.8	423.0
242	18	369.1	90	289.9	276.5	211.4	214.1	231.6	190.0	168.7	216.6	196.8	249.2	161.7	183.1	232.9	229.2	259.3	349.9
243	18	369.1	285	365.2	371.1	378.6	388.3	397.2	400.8	405.6	416.6	417.4	426.5	422.6	426.9	433.2	436.7	441.0	449.8
244	18	378.9	0	434.4	441.6	448.7	459.0	467.1	468.5	473.1	483.8	482.9	494.0	484.9	489.3	496.3	497.1	500.9	509.2
245	18	389.1	90	406.0	406.0	408.3	411.0	412.1	410.1	409.9	416.8	413.9	420.9	412.8	414.6	419.5	418.8	421.7	427.3
246	18	389.1	285	426.6	427.0	427.8	431.3	434.1	430.3	432.0	438.4	435.4	443.7	435.2	437.8	441.7	443.4	445.5	453.3
247	18	409.2	0	435.6	439.2	441.7	446.5	449.2	445.0	446.9	454.1	449.3	460.7	450.6	451.9	457.0	456.7	458.6	464.0
248	18	429.3	0	452.7	454.6	456.8	460.8	462.7	459.2	460.0	465.6	461.7	472.9	461.3	463.4	467.9	467.0	468.5	474.9
249	18	549.5	90	517.2	518.1	518.5	522.1	522.7	517.0	517.6	522.5	516.7	528.2	512.4	512.2	515.7	512.7	512.1	512.9
250	18	549.5	285	520.4	522.3	521.3	523.7	526.0	518.9	518.3	522.3	517.4	527.5	512.6	512.4	516.6	513.8	513.0	515.0
251	18	930.2	90	762.9	765.4	762.0	765.8	768.4	760.2	758.2	762.7	755.1	775.5	750.5	749.1	753.6	747.2	745.5	748.9
252	18	930.2	285	773.4	776.2	773.2	777.0	780.1	771.9	772.0	776.1	769.9	788.8	765.1	763.9	769.9	763.2	760.5	763.4
253	19	369.0	180	401.9	408.5	414.6	426.0	436.0	439.6	445.3	456.9	458.4	474.2	466.8	470.6	479.5	482.6	488.7	497.3
254	19	369.0	270	383.4	389.6	395.8	407.1	416.3	420.2	426.2	437.3	438.6	455.4	446.8	451.5	459.4	463.1	468.0	477.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	398.5	90	461.3	462.1	464.6	471.9	477.3	475.5	478.3	485.9	483.5	498.3	486.5	489.7	495.8	495.2	498.4	506.1
256	19	408.4	150	489.2	492.4	494.7	502.5	507.5	506.7	509.6	517.6	516.9	532.4	520.3	524.1	531.6	532.6	536.9	546.2
257	19	488.5	15	506.3	506.6	506.8	509.9	512.0	507.0	508.0	511.8	507.6	522.8	507.2	508.7	513.8	511.5	510.5	515.2
258	19	488.5	135	559.8	561.4	561.4	566.3	570.1	566.2	567.5	572.9	569.6	586.5	569.3	571.0	575.6	572.6	571.6	575.9
259	19	548.8	180	568.0	568.7	566.3	567.8	567.5	561.8	559.7	563.5	557.7	572.9	555.2	554.8	559.9	554.6	553.1	558.6
260	19	548.8	270	608.5	608.7	606.8	610.1	611.7	606.0	605.6	609.4	604.0	622.1	603.2	601.8	606.8	601.1	599.2	602.3
261	19	798.4	15	714.7	716.7	713.7	717.1	719.4	712.4	710.9	714.4	708.0	730.1	707.3	705.4	710.1	701.8	699.6	704.2
262	19	798.4	135	702.5	702.1	698.0	700.6	702.0	694.7	692.7	696.0	688.9	709.5	687.4	685.1	689.6	682.5	679.4	679.3
263	19	928.5	180	771.3	773.8	769.4	772.7	775.3	768.6	767.7	770.8	763.5	785.3	759.6	756.1	759.8	752.0	747.4	748.4
264	19	928.5	270	786.6	788.8	786.4	789.9	791.8	786.2	785.9	789.4	781.1	804.6	779.7	777.8	781.8	774.0	770.1	773.2
265	191048.7	15	36.8	34.2	33.9	36.3	37.0	35.5	34.1	37.0	34.2	31.6	31.3	31.3	32.5	31.3	*****	*****	
266	191048.7	135	878.0	881.5	890.6	893.7	897.3	891.6	893.3	898.1	891.8	922.8	898.3	899.3	906.3	899.3	897.2	905.4	
267	21	370.0	150	180.1	180.3	185.5	189.8	191.9	190.5	189.1	192.4	189.6	187.4	186.2	184.6	186.9	185.4	184.9	186.6
268	21	370.0	144	178.6	178.9	184.0	188.3	190.4	189.1	187.9	191.2	188.5	186.6	185.2	183.6	185.9	184.4	184.1	185.9
269	21	370.0	126	177.7	178.0	183.0	187.6	189.7	188.4	187.1	190.5	187.8	186.2	184.9	183.4	185.6	184.0	183.8	185.6
270	21	370.0	120	179.0	179.2	184.3	189.0	191.2	190.0	188.7	192.1	189.5	187.9	186.9	185.5	187.6	186.2	186.1	187.9
271	21	370.0	30	165.8	166.6	171.7	175.5	177.6	176.4	176.0	179.8	177.5	177.9	179.2	176.6	178.8	178.0	178.2	180.3
272	21	370.0	26	165.4	166.2	170.7	174.4	176.6	175.5	175.0	178.9	176.7	177.5	178.7	176.2	178.2	177.4	177.8	179.8
273	21	370.0	7	165.8	166.4	170.2	174.2	176.2	175.2	174.7	178.5	176.3	177.3	178.5	176.1	178.1	177.3	177.7	179.7
274	21	370.0	0	165.6	166.2	169.7	173.9	175.8	174.8	174.2	177.9	175.7	176.5	177.7	175.2	177.4	176.6	176.9	178.9
275	21	370.0	210	182.2	182.8	186.5	190.6	192.6	191.3	190.5	193.9	191.0	187.8	187.1	186.4	188.6	187.0	186.6	188.2
276	21	370.0	206	181.3	181.8	185.8	190.1	192.0	190.7	189.7	193.2	190.1	186.9	185.9	185.1	187.4	185.7	185.2	186.8
277	21	370.0	187	181.7	182.2	186.5	190.7	192.7	191.4	190.2	193.6	190.6	187.5	186.3	185.7	187.8	186.1	185.8	187.3
278	21	370.0	180	180.7	181.1	185.5	189.7	191.6	190.2	188.9	192.2	189.3	186.4	185.1	184.5	186.5	185.0	184.6	186.0
279	22	390.0	30	166.8	167.5	172.2	175.9	178.0	177.1	176.6	180.4	178.1	178.6	179.5	176.8	179.4	178.4	178.5	180.5
280	22	390.0	26	166.7	167.5	171.7	175.5	177.5	176.6	176.0	179.8	177.4	178.2	179.3	176.4	179.1	178.1	178.1	180.4
281	22	390.0	7	166.9	167.6	171.3	175.1	177.0	176.0	175.4	179.3	176.9	178.0	179.0	176.1	179.0	177.9	177.9	180.2
282	22	390.0	0	167.1	167.6	171.0	175.0	176.9	175.8	175.2	178.9	176.6	177.3	178.5	175.7	178.6	177.4	177.5	179.3
283	22	390.0	330	169.4	169.7	173.1	177.1	179.0	177.7	176.9	180.5	178.0	178.1	179.4	176.7	179.4	178.3	178.2	180.1
284	22	390.0	324	170.1	170.2	173.5	177.6	179.3	177.9	177.1	180.7	178.2	178.1	179.3	176.7	179.5	178.3	178.1	180.2
285	22	390.0	306	173.4	173.5	176.4	180.5	182.3	180.9	180.2	184.0	181.5	181.0	182.0	180.0	182.4	181.3	181.1	183.1
286	22	390.0	300	175.0	175.2	178.4	182.2	184.0	182.6	181.8	185.6	183.1	182.5	183.1	181.2	183.6	182.4	182.2	184.1
287	22	390.0	210	186.3	187.0	190.5	194.5	196.6	195.2	194.7	197.9	194.9	192.0	191.0	190.2	192.4	190.8	190.3	191.8
288	22	390.0	206	186.3	187.1	191.1	195.3	197.2	195.9	195.0	198.1	195.2	192.3	191.0	190.1	192.3	190.6	190.2	191.6
289	22	390.0	187	186.4	187.2	191.5	195.6	197.5	196.2	195.1	198.4	195.5	192.6	191.1	190.3	192.3	190.6	190.1	191.7
290	22	390.0	180	187.5	188.2	192.7	196.9	198.6	197.3	196.0	199.2	196.4	193.7	192.2	191.2	193.2	191.6	190.9	192.5
291	23	490.0	180	220.0	221.3	226.9	231.5	233.8	232.6	231.3	234.5	231.6	229.6	227.5	226.1	228.5	226.5	225.9	227.5
292	23	490.0	173	220.4	221.5	227.2	231.8	234.2	233.2	232.0	235.4	232.6	231.1	229.0	227.8	230.3	228.6	228.3	230.2
293	23	490.0	156	218.6	219.7	225.5	230.2	232.6	231.4	230.4	233.6	230.7	229.2	226.8	225.3	227.6	225.7	225.1	226.8
294	23	490.0	150	217.4	218.4	224.4	229.1	231.8	230.6	229.7	233.0	230.2	228.9	226.6	224.9	227.4	225.5	224.9	226.6
295	23	490.0	60	185.9	186.7	192.7	196.8	199.1	198.3	197.6	201.4	198.9	199.1	199.0	196.2	199.4	198.1	197.8	200.0
296	23	490.0	54	183.1	184.0	189.5	193.7	195.8	194.9	194.2	198.0	195.6	196.1	196.0	193.2	196.4	195.1	194.7	196.8
297	23	490.0	34	177.2	177.8	182.8	186.4	188.1	187.0	186.0	189.4	186.8	186.9	187.3	184.1	187.1	185.6	185.1	186.9
298	23	490.0	30	176.3	176.8	181.5	185.1	186.8	185.6	184.7	188.0	185.3	185.5	186.1	182.8	185.9	184.4	184.0	186.0
299	23	490.0	0	172.6	172.9	176.5	180.3	181.7	180.4	179.2	182.6	179.9	180.7	181.3	178.2	181.4	179.9	179.6	181.7
300	23	490.0	353	173.5	173.8	177.3	181.1	182.6	181.1	179.9	183.2	180.5	181.3	181.8	178.8	182.0	180.6	180.1	182.2
301	23	490.0	336	175.5	175.8	179.4	183.2	184.6	183.1	181.7	184.9	182.2	182.5	183.2	180.3	183.2	181.7	181.3	183.2
302	23	490.0	330	178.2	178.5	182.4	186.1	187.6	186.1	184.6	187.8	185.1	185.0	185.7	182.9	185.6	184.1	183.7	185.5
303	24	550.0	180	247.4	248.9	255.1	259.9	262.4	261.1	259.7	262.9	259.8	259.0	256.2	254.1	256.7	254.5	253.5	255.5
304	24	550.0	173	247.9	249.3	255.4	260.2	262.9	261.5	260.5	263.9	260.9	260.3	257.5	255.9	258.6	256.8	256.3	258.4
305	24	550.0	156	246.0	247.4	253.8	258.7	261.4	260.0	258.9	262.1	259.2	258.8	255.8	253.6	256.3	254.4	253.7	255.8
306	24	550.0	150	243.0	244.4	250.7	255.6	258.5	257.2	256.3	259.7	256.8	256.4	253.5	251.4	254.1	252.2	251.4	253.3
307	24	550.0	0	179.6	179.6	183.3	186.8	188.0	186.4	184.9	187.9	185.0	185.4	185.9	182.4	185.3	183.9	183.3	185.1
308	24	550.0	353	178.9	178.9	182.5	186.0	187.2	185.5	184.0	186.8	184.0	184.5	184.9	181.5	184.4	183.1	182.5	184.3
309	24	550.0	336	182.1	182.0	185.5	189.0	190.1	188.3	186.8	189.7	186.7	186.7	187.1	184.0	186.6	185.2	184.7	186.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				
310	24	550.0	330	185.7	185.7	189.2	192.7	193.9	192.1	190.5	193.4	190.5	190.2	190.5	187.5	190.1	188.6	188.0	189.6	
311	24	550.0	240	233.6	234.8	239.2	243.7	246.1	244.8	244.0	247.4	244.5	243.7	241.8	241.1	243.5	241.9	241.4	243.4	
312	24	550.0	234	237.3	238.6	243.3	247.9	250.4	249.2	248.4	251.9	249.1	248.6	246.4	245.3	247.7	245.8	244.7	246.3	
313	24	550.0	216	242.0	242.0	243.3	248.2	252.8	255.4	254.0	253.1	256.4	253.5	252.6	250.2	248.9	251.4	249.6	248.9	250.9
314	24	550.0	210	243.8	245.2	250.3	254.9	257.5	256.2	255.4	258.8	255.8	254.5	252.1	250.7	253.1	251.2	250.2	252.0	
315	25	740.0	150	325.8	328.1	333.6	339.0	342.7	341.6	341.7	345.7	342.4	345.1	340.0	337.3	340.1	337.4	335.8	337.2	
316	25	740.0	144	321.1	323.3	329.2	334.6	338.3	337.1	337.1	341.1	338.0	341.1	335.9	333.4	336.5	334.0	332.4	333.8	
317	25	740.0	126	315.4	317.8	323.6	329.1	332.9	331.9	332.0	336.2	333.2	336.8	331.7	329.3	332.1	329.6	327.9	329.5	
318	25	740.0	120	305.2	307.3	313.0	318.2	321.8	320.8	320.9	325.0	322.1	325.5	320.9	318.7	321.4	319.1	317.6	318.7	
319	25	740.0	30	208.6	208.2	212.2	214.6	214.7	212.0	209.6	211.6	207.6	207.0	206.2	202.0	203.9	201.7	200.2	200.8	
320	25	740.0	26	202.3	201.7	205.3	207.6	207.6	204.7	202.4	204.4	200.5	200.1	199.6	195.7	197.5	195.5	194.3	195.1	
321	25	740.0	7	196.4	195.7	198.9	201.2	201.1	198.2	195.8	197.9	194.2	194.3	193.9	190.4	192.2	190.6	189.8	190.9	
322	25	740.0	0	198.3	197.6	200.6	203.0	202.9	200.0	197.5	199.7	195.9	196.1	195.6	192.4	194.1	192.4	191.7	192.7	
323	25	740.0	210	325.0	327.2	331.6	336.6	339.9	338.7	338.7	342.5	338.8	340.9	335.5	333.5	335.7	332.7	330.7	331.7	
324	25	740.0	206	331.9	334.3	339.3	344.4	347.8	346.4	346.5	350.5	346.7	348.8	343.1	341.1	343.2	339.8	337.4	338.3	
325	25	740.0	187	335.5	337.9	343.4	348.5	351.8	350.3	350.0	353.5	349.7	351.5	345.0	343.0	344.7	341.1	338.5	339.2	
326	25	740.0	180	335.9	338.4	344.1	349.3	352.5	351.0	350.5	354.1	350.5	352.4	346.2	343.9	345.8	342.4	340.1	341.1	
327	26	800.0	30	216.0	215.4	219.1	221.1	220.8	217.6	214.9	216.4	212.2	211.4	210.4	206.1	207.5	205.1	203.4	203.8	
328	26	800.0	26	419.5	389.0	414.0	405.5	388.7	392.2	412.8	388.9	383.9	387.8	403.4	394.8	429.9	388.4	388.6	393.9	
329	26	800.0	7	203.8	202.8	205.7	207.6	207.3	204.0	201.6	203.4	199.5	199.2	198.7	195.2	196.7	194.7	193.7	195.1	
330	26	800.0	0	204.3	203.2	206.0	208.0	207.6	204.3	201.7	203.5	199.7	199.5	199.0	195.6	197.1	195.1	194.3	195.7	
331	26	800.0	330	221.2	220.4	223.0	225.3	225.2	222.1	219.6	221.5	217.5	216.8	215.9	212.7	214.4	212.2	211.3	212.5	
332	26	800.0	324	228.4	227.8	230.5	232.9	233.1	229.9	227.6	229.6	225.8	225.1	223.8	221.0	222.6	220.4	219.5	220.5	
333	26	800.0	306	245.2	245.2	248.1	251.3	252.2	249.5	248.0	250.5	246.9	247.0	245.0	242.8	244.6	242.4	241.2	241.7	
334	26	800.0	300	253.7	254.0	257.0	260.3	261.6	259.0	257.4	260.0	256.3	256.3	253.8	251.6	253.4	251.0	249.6	249.8	
335	26	800.0	210	349.6	352.0	356.8	361.8	365.2	363.7	363.2	366.9	363.2	365.8	359.7	357.2	359.0	355.9	353.5	354.6	
336	26	800.0	206	354.9	357.5	362.7	367.8	371.2	369.7	369.3	373.1	369.3	372.1	365.5	363.0	364.8	361.4	359.0	360.3	
337	26	800.0	187	437.7	449.7	445.5	445.7	465.2	477.1	458.8	471.3	492.4	475.0	461.5	72.5	491.9	85.4	481.9	94.0	
338	26	800.0	180	361.8	364.5	369.8	374.9	378.1	376.4	375.7	379.4	375.4	378.2	371.1	368.4	370.2	366.7	364.4	365.6	
339	27	930.0	180	425.5	428.7	434.3	439.5	443.3	441.2	440.6	444.4	440.0	445.0	435.3	432.6	434.5	430.4	427.1	428.0	
340	27	930.0	173	424.2	427.3	432.8	438.0	441.8	439.6	439.1	442.7	438.3	443.5	433.7	430.7	432.6	428.4	425.0	425.5	
341	27	930.0	156	415.1	418.0	423.5	428.5	432.2	430.0	429.6	433.0	428.6	433.6	424.5	421.2	423.5	419.7	416.9	417.3	
342	27	930.0	150	404.9	407.5	413.4	418.3	421.7	419.6	418.8	422.3	417.9	422.3	413.8	410.4	412.6	408.7	405.8	405.7	
343	27	930.0	60	269.5	269.7	273.8	276.6	277.4	274.6	272.2	273.6	269.4	272.2	268.6	263.4	264.5	261.7	259.2	260.7	
344	27	930.0	54	256.6	256.4	260.1	262.4	262.7	259.5	256.8	258.1	253.7	256.0	252.8	247.8	248.6	245.9	243.3	244.6	
345	27	930.0	34	237.7	236.6	239.7	241.0	240.0	236.0	232.5	233.1	228.3	228.7	226.3	221.3	221.7	218.9	216.0	216.8	
346	27	930.0	30	232.5	231.4	234.0	235.3	234.3	230.5	227.2	228.1	223.4	223.6	221.9	216.5	217.2	214.8	212.3	213.2	
347	27	930.0	0	217.7	216.2	218.2	219.8	218.8	215.2	212.1	213.4	209.2	209.4	208.3	203.7	204.9	203.3	201.8	203.3	
348	27	930.0	353	109.5	110.8	108.5	112.9	115.3	113.7	118.0	127.6	129.1	120.3	115.9	126.8	129.2	127.8	131.0	134.4	
349	27	930.0	336	230.9	229.7	231.3	232.8	231.9	228.4	225.3	227.1	223.2	223.4	222.2	217.8	219.0	217.5	216.1	217.6	
350	27	930.0	330	241.1	240.1	242.2	244.1	243.5	240.0	236.9	238.6	234.4	234.1	232.6	228.6	230.0	228.1	226.4	227.5	
351	28	990.0	180	445.1	448.6	454.3	459.8	463.6	461.6	461.1	464.9	460.2	464.0	455.5	452.4	454.3	449.6	446.0	446.7	
352	28	990.0	173	444.5	448.0	453.7	459.1	462.8	460.6	460.2	463.8	459.0	465.0	454.1	450.9	452.7	447.8	443.9	444.2	
353	28	990.0	156	435.6	438.8	444.8	450.1	453.8	451.7	451.1	454.9	450.1	456.0	445.7	442.5	444.8	440.4	436.7	436.7	
354	28	990.0	150	425.4	428.4	434.9	440.1	443.9	441.9	441.4	445.2	440.6	446.2	437.0	433.7	435.8	431.5	428.0	428.2	
355	28	990.0	0	228.9	227.2	228.8	230.0	228.6	224.4	221.1	221.9	217.3	217.1	215.9	210.7	211.7	209.7	208.1	209.2	
356	28	990.0	353	228.1	226.3	227.9	229.3	227.9	223.7	220.4	221.2	216.7	216.8	215.5	210.6	211.8	209.7	208.3	209.5	
357	28	990.0	336	241.4	240.0	241.4	243.0	242.1	238.0	234.7	235.3	230.9	231.2	229.8	224.8	226.0	223.9	222.2	223.3	
358	28	990.0	330	252.3	251.2	252.7	254.6	254.1	250.1	247.0	247.4	243.0	243.5	241.6	236.4	237.6	235.3	233.4	234.0	
359	28	990.0	240	405.6	408.5	412.7	417.8	421.5	419.2	418.9	422.8	418.7	423.7	415.9	414.3	417.0	413.6	411.5	413.3	
360	28	990.0	234	418.5	422.0	426.5	432.0	436.1	434.3	434.5	438.8	434.7	440.4	431.9	430.2	432.9	429.3	426.9	428.4	
361	28	990.0	216	428.4	431.9	437.2	442.7	446.9	445.3	445.5	449.8	445.5	450.7	442.1	439.5	441.7	437.5	434.3	435.0	
362	28	990.0	210	431.4	434.8	440.1	445.7	449.8	448.0	447.9	451.9	447.4	452.0	443.5	440.4	442.2	437.7	434.4	434.7	
363	29	1050.0	150	446.5	450.1	456.7	462.5	467.1	465.2	465.6	469.2	464.9	473.4	463.3	459.4	462.0	457.6	454.1	455.2	
364	29	1050.0	144	443.6	447.5	454.7	461.0	465.9	464.6	465.5	469.9	466.0	475.5	465.9	463.1	466.0	462.3	460.1	462.5	

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	426.0	429.2	435.6	441.2	445.4	443.3	443.6	447.1	442.6	451.2	440.9	437.4	439.4	434.7	431.1	431.3
366	291050.0	120	407.9	410.3	416.1	420.9	424.2	421.4	420.8	423.3	418.3	425.8	416.0	411.3	412.8	407.8	403.7	403.2
367	291050.0	30	252.7	251.0	252.9	253.4	251.6	246.7	242.8	242.9	237.2	236.4	233.8	228.2	228.6	224.8	222.4	222.5
368	291050.0	26	242.3	240.3	242.0	242.5	240.6	235.8	232.0	232.2	226.8	226.2	224.0	218.3	219.2	215.9	214.0	214.6
369	291050.0	7	235.3	233.2	234.5	235.3	233.6	229.0	225.4	225.7	220.9	221.0	219.3	213.7	214.8	212.2	211.0	212.0
370	291050.0	0	235.8	233.7	235.3	236.2	234.6	230.1	226.5	226.7	222.1	222.4	220.7	215.3	216.5	214.0	212.8	213.9
371	291050.0	210	449.3	452.7	457.7	463.4	467.7	465.6	465.8	469.1	464.6	471.3	461.9	457.4	459.2	454.8	451.2	451.6
372	291050.0	206	459.7	463.4	468.7	474.2	478.5	476.4	476.6	480.2	475.2	481.3	471.0	467.2	468.6	463.3	459.2	459.0
373	291050.0	187	468.4	472.4	477.8	483.4	487.9	485.3	485.7	489.1	483.9	491.6	479.1	476.0	477.7	472.7	469.0	469.9
374	291050.0	180	466.2	470.0	475.6	481.2	485.4	482.8	483.1	486.3	481.2	489.1	477.1	473.2	475.1	470.0	466.1	466.3
375	01075.0	6	222.1	222.0	225.3	229.2	230.8	229.1	229.4	233.2	231.2	234.0	233.3	232.9	236.1	235.0	236.6	238.3
376	01075.0	5	199.4	198.8	201.7	204.6	205.6	203.3	202.8	206.0	203.1	204.7	203.9	201.5	204.4	202.5	204.0	206.1
377	01075.0	4	327.4	328.1	330.8	333.7	334.7	331.9	331.7	333.7	328.8	330.8	324.3	325.4	327.4	325.0	324.2	325.5
378	01075.0	2	333.2	333.9	336.3	339.8	340.7	336.5	336.3	338.7	332.8	336.2	330.1	330.3	331.7	327.4	326.4	328.4
379	01075.0	1	332.0	332.9	337.0	339.9	341.1	337.1	336.3	338.9	332.7	336.8	330.1	328.9	331.2	326.2	325.0	326.0
380	01075.0	2	323.5	323.9	328.7	332.2	332.9	328.3	330.1	324.6	330.3	322.4	321.4	323.3	320.8	318.9	320.4	320.4
381	01075.0	4	315.8	316.7	321.4	323.6	324.7	320.7	320.0	320.9	316.0	319.2	312.6	307.4	309.0	306.0	303.5	306.0
382	01075.0	4	434.5	438.9	438.8	443.5	444.2	438.6	437.6	438.4	433.1	440.2	428.0	429.3	432.3	427.6	425.4	427.1
383	01075.0	1	446.5	449.8	454.0	457.8	458.4	452.8	452.9	452.4	444.2	453.1	436.5	435.1	433.0	427.1	421.6	420.7
384	01075.0	1	437.5	440.2	445.4	448.5	449.9	442.5	442.8	441.8	434.5	442.7	428.0	426.9	425.9	420.9	416.2	417.1
385	01075.0	4	389.4	389.6	394.1	396.2	397.1	391.3	388.7	388.8	381.1	387.1	374.5	371.1	370.6	362.7	358.4	356.5
386	01075.0	3	588.6	594.7	593.7	595.9	599.1	591.7	592.1	590.0	582.0	592.8	566.7	566.1	566.3	554.6	545.1	543.8
387	01075.0	3	567.7	571.5	575.4	578.8	582.5	576.3	577.8	576.9	568.7	579.2	558.5	554.6	553.4	545.0	537.6	535.9
388	01075.0	5	544.8	546.7	551.1	554.9	559.0	552.4	552.7	553.7	546.4	556.0	539.1	538.2	538.4	530.5	523.8	523.2
389	01075.0	6	566.8	571.1	589.0	598.0	601.0	599.0	600.7	602.4	594.7	613.9	595.5	597.0	600.2	594.4	586.8	590.7
390	01113.0	0	393.2	392.8	395.6	398.4	395.9	390.8	392.5	391.0	386.0	394.9	383.7	382.8	385.8	377.5	377.5	380.4
391	01113.0	0	320.6	320.3	324.4	323.0	323.8	316.9	323.7	327.0	322.2	326.9	315.9	313.4	316.2	317.3	306.2	309.8
392	01113.0	0	446.1	441.3	457.2	455.5	470.6	457.4	467.1	450.3	449.3	455.9	456.9	437.1	439.2	432.2	426.1	440.8
393	01113.0	0	559.8	562.6	567.0	567.1	565.8	564.6	562.8	561.7	551.8	565.2	541.7	542.2	540.0	533.5	525.9	524.1
394	01113.0	0	449.8	460.5	459.9	460.9	455.3	447.3	453.8	446.9	441.3	448.2	428.7	429.4	424.1	417.9	415.3	413.8
395	01113.0	0	326.0	330.4	333.9	335.2	331.8	329.6	330.8	330.0	330.3	331.0	325.7	320.6	326.4	322.5	317.0	316.4
396	0 0.0	0	166.1	166.1	172.4	174.0	176.5	177.1	176.7	179.5	176.0	178.0	175.5	177.9	178.0	178.5	177.4	180.6
397	0 0.0	0	173.1	176.2	178.1	182.4	182.7	182.4	182.9	185.3	182.6	180.4	179.8	181.7	180.5	180.8	180.9	181.6
398	0 0.0	0	169.2	169.4	171.6	175.4	176.3	174.1	175.2	176.3	173.8	176.6	176.0	176.5	177.5	177.4	177.2	177.5
399	0 0.0	0	158.5	161.9	175.3	174.9	175.1	178.2	178.1	177.3	179.1	178.5	179.0	178.0	178.7	178.1	179.6	181.2
400	0 0.0	0	178.6	176.9	176.4	179.6	176.7	175.4	175.9	178.9	175.0	174.6	172.4	175.6	175.0	173.9	174.8	176.4
401	0 0.0	0	178.0	176.2	176.8	179.9	177.0	175.7	176.1	179.2	175.2	174.9	172.7	175.6	175.0	174.0	174.9	176.4
402	0 0.0	0	1982.0	2070.0	2121.0	2225.0	2357.0	2468.0	2591.0	2725.0	2842.0	3039.0	3106.0	3215.0	3363.0	3522.0	3684.0	3867.0
403	0 0.0	0	38.6	40.4	41.5	43.6	46.2	48.4	50.9	53.5	55.7	60.0	61.0	63.1	66.1	69.2	72.4	76.0
404	0 0.0	0	38.8	40.6	41.7	43.8	46.2	48.4	51.0	53.6	55.9	60.2	61.2	63.3	66.3	69.4	72.6	76.3
405	0 0.0	0	0.6	0.6	0.6	0.7	0.7	0.8	0.8	0.8	0.8	0.9	1.0	1.0	1.0	1.0	1.1	1.2
406	0 0.0	0	1.0	1.1	1.0	1.1	1.2	1.3	1.3	1.3	1.4	1.5	1.6	1.6	1.7	1.7	1.8	0.3
407	4 389.5	0	1.4	1.4	1.5	1.6	1.7	1.7	1.8	1.9	2.0	2.2	2.2	2.3	2.4	2.5	2.7	2.8
408	5 389.5	0	1.6	1.7	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.5	2.6	2.7	2.9	3.0	3.2
409	6 389.1	0	1.6	1.7	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.5	2.6	2.8	2.9	3.0	3.2
410	7 399.4	0	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.6	2.7	2.9	3.0	3.1	3.2	3.4	3.5	3.7
411	8 389.6	0	1.7	1.8	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.6	2.7	2.8	2.9	3.1	3.2	3.4
412	9 369.9	0	1.4	1.4	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.2	2.2	2.3	2.4	2.5	2.6	2.8
413	10 489.8	0	3.3	3.4	3.5	3.7	3.9	4.1	4.4	4.6	4.8	5.1	5.3	5.4	5.7	6.0	6.3	6.6
414	11 389.5	0	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	3.0	3.1
415	12 489.5	0	3.4	3.5	3.6	3.8	4.1	4.3	4.5	4.7	4.9	5.3	5.4	5.6	5.9	6.1	6.4	6.8
416	4 990.0	0	12.1	12.6	13.0	13.6	14.4	15.1	15.9	16.7	17.4	18.7	19.1	19.8	20.7	21.7	22.7	23.8
417	5 989.5	0	12.0	12.6	12.9	13.6	14.4	15.1	15.9	16.7	17.4	18.7	19.1	19.7	20.6	21.6	22.6	23.7
418	61049.5	0	13.2	13.8	14.2	14.9	15.7	16.5	17.4	18.2	19.0	20.5	20.9	21.6	22.6	23.6	24.7	26.0
419	71049.5	0	13.1	13.7	14.2	14.9	15.7	16.5	17.3	18.2	19.0	20.4	20.8	21.6	22.6	23.6	24.7	26.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
420 8 989.3	0	12.0	12.6	12.9	13.6	14.4	15.0	15.8	16.6	17.4	18.6	19.0	19.7	20.6	21.6	22.6	23.7
421 9 988.8	0	12.0	12.5	12.9	13.6	14.4	15.0	15.8	16.6	17.4	18.7	19.0	19.7	20.6	21.6	22.6	23.7
422 101049.5	0	13.1	13.7	14.1	14.8	15.7	16.4	17.3	18.2	19.0	20.4	20.8	21.5	22.5	23.6	24.7	25.9
423 111049.7	0	13.1	13.7	14.1	14.8	15.7	16.4	17.3	18.2	19.0	20.4	20.8	21.5	22.5	23.6	24.7	25.9
424 121050.0	0	13.2	13.8	14.2	14.9	15.8	16.5	17.4	18.3	19.1	20.5	20.9	21.6	22.7	23.7	24.8	26.0
425 11047.1	0	38.7	40.5	41.7	43.6	46.3	48.5	51.0	53.5	55.8	60.1	61.1	63.3	66.2	69.3	72.5	76.1
426 21049.5	0	38.8	40.5	41.6	43.6	46.2	48.4	50.9	53.5	55.8	60.1	61.1	63.3	66.3	69.3	72.5	76.1
427 31049.5	0	38.7	40.5	41.6	43.6	46.2	48.4	51.0	53.5	55.8	60.1	61.1	63.3	66.2	69.3	72.5	76.2
428 13 989.7	0	17.1	17.9	18.4	19.3	20.4	21.4	22.6	23.7	24.7	26.6	27.1	28.0	29.3	30.7	32.1	33.7
429 141049.7	0	15.2	15.9	16.3	17.1	18.2	19.0	20.0	21.0	21.9	23.6	24.0	24.9	26.1	27.2	28.5	29.9
430 151049.6	0	15.1	15.8	16.3	17.1	18.1	18.9	20.0	20.9	21.9	23.5	23.9	24.8	25.9	27.1	28.4	29.8
431 161049.5	0	15.1	15.8	16.2	17.0	18.0	18.9	19.9	20.9	21.8	23.4	23.8	24.7	25.8	27.0	28.3	29.7
432 17 989.6	0	17.2	18.0	18.5	19.4	20.6	21.6	22.7	23.9	24.9	26.8	27.3	28.2	29.5	30.8	32.3	33.9
433 18 930.7	0	19.3	20.2	20.8	21.8	23.1	24.2	25.5	26.8	27.9	30.1	30.6	31.6	33.1	34.6	36.2	38.1
434 191049.2	0	15.2	15.9	16.3	17.1	18.1	19.0	20.0	21.0	21.9	23.6	24.0	24.9	26.0	27.2	28.5	29.9
435 1 388.6	0	38.7	40.5	41.6	43.6	46.2	48.4	51.0	53.6	55.9	60.1	61.1	63.2	66.3	69.3	72.5	76.1
436 2 388.5	0	38.7	40.5	41.6	43.6	46.2	48.4	51.0	53.5	55.9	60.1	61.1	63.2	66.3	69.2	72.5	76.1
437 .3 389.2	0	38.6	40.5	41.6	43.7	46.2	48.4	51.0	53.5	55.8	60.1	61.1	63.2	66.3	69.3	72.5	76.2
438 13 389.0	0	36.2	37.9	38.9	40.8	43.2	45.3	47.6	50.0	52.2	56.2	57.0	59.1	61.9	64.7	67.6	71.0
439 14 489.4	0	33.2	34.8	35.7	37.5	39.7	41.6	43.8	46.0	47.9	51.6	52.4	54.3	56.8	59.4	62.1	65.3
440 15 489.1	0	33.1	34.7	35.6	37.4	39.6	41.4	43.6	45.8	47.7	51.4	52.2	54.1	56.6	59.2	61.9	65.0
441 16 419.1	0	35.3	36.9	37.9	39.8	42.2	44.1	46.5	48.8	50.9	54.8	55.7	57.6	60.3	63.1	66.0	69.4
442 17 388.9	0	36.3	38.0	39.0	40.9	43.4	45.4	47.8	50.2	52.3	56.3	57.3	59.3	62.1	64.9	67.9	71.3
443 18 389.6	0	36.4	38.0	39.1	41.0	43.4	45.5	47.8	50.2	52.4	56.4	57.3	59.3	62.1	65.0	68.0	71.4
444 19 399.0	0	35.9	37.5	38.5	40.5	42.8	44.8	47.2	49.5	51.7	55.6	56.6	58.5	61.3	64.0	67.0	70.4
445 1 348.6	0	38.8	40.5	41.6	43.7	46.3	48.4	51.0	53.5	55.9	60.0	61.1	63.3	66.3	69.3	72.4	76.1
446 2 359.0	0	38.7	40.4	41.6	43.6	46.2	48.4	51.0	53.5	55.8	60.1	61.1	63.2	66.3	69.2	72.5	76.2
447 3 294.5	0	38.8	40.5	41.6	43.7	46.2	48.4	51.0	53.5	55.9	60.1	61.1	63.2	66.2	69.3	72.5	76.2
448 4 294.4	0	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.8
449 4 304.2	0	0.5	0.5	0.5	0.6	0.6	0.6	0.7	0.7	0.7	0.8	0.8	0.8	0.9	0.9	0.9	1.0
450 4 348.9	0	1.0	1.1	1.1	1.2	1.3	1.3	1.4	1.5	1.5	1.7	1.7	1.7	1.8	1.9	2.0	2.1
451 4 379.6	0	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.3	2.3	2.4	2.5	2.6	2.7	2.9
452 5 370.0	0	1.3	1.3	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.1	2.2	2.4	2.5	2.6
453 7 349.5	0	1.1	1.2	1.2	1.3	1.4	1.4	1.5	1.6	1.7	1.8	1.8	1.9	2.0	2.1	2.2	2.3
454 7 359.5	0	1.2	1.3	1.4	1.4	1.5	1.6	1.7	1.8	1.8	2.0	2.0	2.1	2.2	2.3	2.4	2.5
455 7 369.5	0	1.4	1.4	1.5	1.6	1.7	1.7	1.8	1.9	2.0	2.2	2.2	2.3	2.4	2.5	2.6	2.8
456 7 379.5	0	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.4	2.4	2.5	2.6	2.8	2.9	3.1
457 7 409.1	0	2.0	2.1	2.2	2.3	2.4	2.5	2.7	2.8	3.0	3.2	3.2	3.4	3.5	3.7	3.9	4.1
458 8 295.1	0	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.8	0.8	0.9	0.9	0.9
459 8 304.7	0	0.6	0.6	0.6	0.7	0.7	0.7	0.8	0.8	0.9	0.9	0.9	1.0	1.0	1.1	1.1	1.2
460 8 369.2	0	1.4	1.4	1.5	1.6	1.7	1.7	1.8	1.9	2.0	2.2	2.2	2.3	2.4	2.5	2.6	2.8
461 9 369.9	0	1.4	1.4	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.2	2.2	2.3	2.4	2.5	2.6	2.8
462 12 370.5	0	1.4	1.4	1.5	1.6	1.7	1.7	1.8	1.9	2.0	2.2	2.2	2.3	2.4	2.5	2.7	2.8
463 13 369.4	0	36.8	38.4	39.4	41.4	43.8	45.9	48.4	50.7	52.9	56.9	57.9	59.9	62.8	65.6	68.6	72.1
464 14 369.5	0	36.8	38.5	39.5	41.5	43.8	46.0	48.4	50.8	53.0	57.0	57.9	60.0	62.9	65.7	68.7	72.2
465 15 369.6	0	36.7	38.4	39.5	41.4	43.8	45.9	48.3	50.7	52.9	57.0	57.9	60.0	62.8	65.7	68.6	72.2
466 16 369.0	0	36.8	38.5	39.5	41.5	43.9	46.0	48.4	50.8	53.0	57.0	58.0	60.0	62.9	65.8	68.7	72.3
467 17 369.2	0	36.8	38.5	39.6	41.5	43.9	46.0	48.5	50.9	53.1	57.1	58.0	60.1	62.9	65.8	68.8	72.3
468 18 294.5	0	38.4	40.1	41.2	43.3	45.8	48.0	50.5	53.0	55.3	59.5	60.5	62.6	65.7	68.6	71.8	75.4
469 18 304.5	0	38.1	39.9	41.0	43.0	45.6	47.7	50.2	52.7	55.0	59.2	60.1	62.3	65.3	68.3	71.4	75.0
470 18 359.7	0	37.1	38.8	39.8	41.8	44.3	46.4	48.8	51.2	53.5	57.5	58.5	60.5	63.4	66.3	69.4	72.9
471 18 369.6	0	36.9	38.6	39.6	41.6	44.0	46.1	48.6	51.0	53.2	57.2	58.1	60.2	63.1	65.9	68.9	72.5
472 18 379.4	0	36.7	38.4	39.4	41.4	43.8	45.9	48.3	50.6	52.9	56.9	57.8	59.8	62.7	65.6	68.6	72.1
473 18 389.6	0	36.3	38.1	39.1	41.0	43.4	45.5	47.8	50.3	52.4	56.4	57.3	59.3	62.2	65.0	67.9	71.4
474 18 409.7	0	35.8	37.5	38.4	40.3	42.7	44.7	47.1	49.4	51.5	55.5	56.4	58.3	61.2	63.9	66.8	70.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
475	18 429.8	0	35.1	36.8	37.8	39.6	41.9	44.0	46.3	48.5	50.7	54.5	55.4	57.4	60.1	62.9	65.7	69.0	
476	19 369.5	0	36.8	38.4	39.4	41.4	43.8	45.9	48.3	50.7	52.9	56.9	57.8	59.8	62.7	65.6	68.5	72.0	
477	1 738.5	0	38.6	40.6	41.6	43.7	46.2	48.4	50.9	53.5	55.9	60.0	61.1	63.2	66.2	69.3	72.5	76.2	
478	2 738.5	0	1.0	1.2	1.2	1.3	1.4	1.3	1.5	1.4	1.5	1.6	1.8	1.9	1.8	1.0	2.4	1.0	
479	3 739.0	0	38.7	40.5	41.6	43.7	46.2	48.4	51.0	53.5	55.8	60.1	61.1	63.2	66.3	69.3	72.4	76.2	
480	4 739.7	0	7.6	8.0	8.2	8.6	9.1	9.6	10.1	10.6	11.0	11.9	12.1	12.5	13.1	13.7	14.4	15.1	
481	5 739.2	0	7.5	7.9	8.1	8.5	9.0	9.5	10.0	10.5	10.9	11.8	12.0	12.4	13.0	13.6	14.2	15.0	
482	6 739.9	0	7.6	7.9	8.1	8.5	9.0	9.5	10.0	10.5	11.0	11.8	12.0	12.4	13.0	13.6	14.3	15.0	
483	7 799.5	0	8.7	9.1	9.4	9.8	10.4	10.9	11.5	12.1	12.6	13.6	13.8	14.3	15.0	15.7	16.5	17.3	
484	8 739.5	0	7.5	7.9	8.1	8.5	9.0	9.5	9.9	10.4	10.9	11.7	12.0	12.4	13.0	13.6	14.2	14.9	
485	9 739.7	0	7.5	7.9	8.1	8.5	9.0	9.5	10.0	10.5	10.9	11.7	12.0	12.4	13.0	13.6	14.3	15.0	
486	10 739.5	0	7.6	7.9	8.2	8.6	9.1	9.5	10.0	10.5	11.0	11.8	12.1	12.5	13.1	13.7	14.3	15.1	
487	11 739.4	0	7.4	7.8	8.0	8.4	8.9	9.4	9.9	10.4	10.8	11.6	11.9	12.3	12.9	13.5	14.1	14.8	
488	12 799.8	0	8.7	9.1	9.4	9.9	10.4	10.9	11.5	12.1	12.6	13.6	13.9	14.4	15.0	15.7	16.5	17.3	
489	13 739.2	0	25.3	26.5	27.2	28.5	30.2	31.7	33.3	34.9	36.5	39.2	39.9	41.3	43.3	45.3	47.3	49.7	
490	14 799.7	0	23.5	24.6	25.2	26.5	28.1	29.4	30.9	32.5	33.9	36.5	37.1	38.4	40.2	42.1	44.0	46.2	
491	15 800.1	0	23.3	24.5	25.1	26.4	27.9	29.2	30.8	32.3	33.7	36.2	36.9	38.1	40.0	41.8	43.7	45.9	
492	16 799.4	0	23.2	24.3	24.9	26.1	27.7	29.0	30.5	32.0	33.4	35.9	36.5	37.8	39.6	41.4	43.3	45.5	
493	17 739.7	0	25.5	26.7	27.3	28.7	30.4	31.8	33.5	35.2	36.7	39.5	40.1	41.6	43.5	45.5	47.5	50.0	
494	18 550.0	0	31.5	33.0	33.9	35.5	37.6	39.4	41.4	43.5	45.4	48.8	49.6	51.4	53.9	56.3	58.9	61.8	
495	19 798.9	0	23.4	24.4	25.1	26.4	27.9	29.2	30.7	32.3	33.7	36.2	36.8	38.1	40.0	41.8	43.7	45.9	
496	0 0.0	0	0.5	0.5	0.6	0.5	0.6	0.6	0.6	0.7	0.7	0.7	0.8	0.8	0.9	0.8	0.9	1.0	1.0
497	0 0.0	0	1.0	1.1	1.1	1.1	1.2	1.2	1.4	1.4	1.4	1.6	1.6	1.6	1.7	1.9	0.4	0.4	

DATUM

4. 7.80

3T

VERSUCH NR.	17	18
RAUMTEMPERATUR	31.3	30.9
DURCHSATZ (KG/S)	0.3041	0.3389
EL. ENERGIE (KW)	323.9	355.8
WAERMEENERGIE (KW)	335.5	369.5
WAERMEBILANZ (O/O)	3.6	3.9
REYNOLDSZAHL * E-04	6.082	6.805
DRUCKVERLUST		
(N/M**2)		
GES. X=1060.0 (MM)	47553.	59345.
BIS X= 560.0 (MM)	12326.	15308.
BIS X= 624.0 (MM)	19657.	24423.
BIS X= 717.0 (MM)	24343.	30265.
BIS X= 810.0 (MM)	29172.	36085.
BIS X= 874.0 (MM)	37219.	46081.
BIS X= 967.0 (MM)	41999.	52070.
EINTR.DRUCK (BAR)	40.15	39.95
EINTR.TEMP. GRADC	180.6	178.3

TE R	AX	RAD	T
NR NR.	POS	POS	
	(MM)	(GRD)	GRAD C

1	1	338.8	270	183.3	180.1
2	1	348.1	330	182.0	179.3
3	1	388.1	150	184.5	180.4
4	1	388.1	330	182.8	179.6
5	1	487.7	255	183.2	181.4
6	1	487.7	120	189.6	186.7
7	1	738.0	150	206.0	203.5
8	1	738.0	330	201.9	200.0
9	1	795.4	120	201.3	197.9
10	1	795.4	255	226.7	224.0
11	1	987.0	150	236.0	231.7
12	1	987.0	330	237.8	235.4
13	1	11046.6	120	223.3	220.8
14	1	11046.6	255	266.8	263.5
15	2	358.5	0	182.2	178.7
16	2	388.0	0	*****	*****
17	2	388.0	210	184.1	181.2
18	2	398.0	0	181.6	178.8
19	2	488.1	30	181.9	178.8
20	2	488.1	165	186.1	182.7
21	2	738.0	0	210.0	206.4
22	2	738.0	210	215.8	211.3
23	2	797.8	30	191.7	188.6
24	2	797.8	165	210.8	206.6
25	2	987.2	0	206.1	203.0
26	2	987.2	210	244.4	239.4
27	2	1049.0	30	209.9	207.0
28	2	1049.0	165	229.0	224.5
29	3	294.0	30	184.5	181.8
30	3	303.7	330	182.8	180.8
31	3	388.7	15	182.6	179.3
32	3	388.7	255	185.8	181.4
33	3	488.5	60	183.4	180.2
34	3	488.5	150	185.9	182.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.			17	18	
35	3	738.5	15	188.0	185.6
36	3	738.5	255	205.0	202.4
37	3	798.5	60	188.2	185.5
38	3	798.5	150	206.5	203.1
39	3	988.5	15	200.2	197.2
40	3	988.5	255	226.7	223.8
41	3	1049.0	60	198.2	194.9
42	3	1049.0	150	222.3	217.5
43	4	293.9	300	309.5	309.9
44	4	303.7	300	326.6	326.9
45	4	339.0	300	300.8	299.4
46	4	348.4	300	306.3	305.1
47	4	379.1	300	340.7	339.9
48	4	389.0	45	307.9	308.0
49	4	389.0	210	*****	*****
50	4	408.8	300	179.6	176.8
51	4	418.6	300	326.7	326.4
52	4	428.7	300	327.2	326.1
53	4	739.2	45	541.9	481.9
54	4	739.2	210	362.5	360.8
55	4	989.5	45	400.4	398.9
56	4	989.5	210	426.1	422.4
57	5	369.5	195	304.6	305.1
58	5	369.5	300	305.1	304.9
59	5	389.0	30	295.8	294.7
60	5	389.0	150	297.4	296.4
61	5	549.0	195	321.3	319.7
62	5	549.0	300	314.2	311.6
63	5	738.7	30	332.4	330.8
64	5	738.7	150	351.9	347.9
65	5	809.2	120	352.3	348.4
66	5	819.0	180	369.8	365.7
67	5	929.4	195	406.4	403.1
68	5	929.4	300	391.6	387.9
69	5	989.0	30	381.3	378.0
70	5	989.0	150	406.4	403.1
71	6	388.6	225	303.7	303.5
72	6	388.6	300	297.2	297.5
73	6	488.5	30	307.1	304.5
74	6	488.5	150	316.6	313.6
75	6	739.4	225	368.0	365.7
76	6	739.4	300	357.3	354.8
77	6	798.8	30	347.2	345.4
78	6	798.8	30	368.8	366.5
79	6	829.0	180	371.6	369.3
80	6	839.0	240	365.1	363.0
81	6	988.8	225	*****	*****
82	6	988.8	300	405.9	403.5
83	6	1049.0	30	379.9	377.7
84	6	1049.0	150	216.8	201.2
85	7	339.0	150	329.7	327.4
86	7	349.0	150	311.4	311.1
87	7	359.0	150	318.6	318.5
88	7	369.0	165	327.0	327.1
89	7	369.0	330	320.7	319.8

TE R AX RAD T 3T  
 NR NR. POS PDS  
 (MM) (GRD)GRAD C

VERSUCH NR.			17	18	
90	7	379.0	150	331.4	329.1
91	7	398.9	150	314.1	312.5
92	7	408.6	150	317.6	315.7
93	7	489.4	165	323.4	321.3
94	7	489.4	330	315.4	313.7
95	7	799.0	165	373.4	369.9
96	7	799.0	330	357.1	355.3
97	7	1049.0	165	182.3	179.7
98	7	1049.0	330	398.9	396.5
99	8	294.6	210	322.9	322.5
100	8	304.2	270	332.0	331.4
101	8	368.7	135	311.8	311.4
102	8	368.7	255	328.4	328.3
103	8	389.1	30	300.9	299.5
104	8	389.1	300	312.4	311.6
105	8	549.0	135	315.7	312.8
106	8	549.0	255	327.5	324.3
107	8	739.0	30	366.8	364.1
108	8	739.0	300	448.6	444.3
109	8	929.0	135	379.2	376.2
110	8	929.0	255	438.8	435.9
111	8	988.8	30	445.3	442.3
112	8	988.8	300	455.8	453.8
113	9	369.4	105	307.8	307.1
114	9	369.4	180	471.3	438.6
115	9	389.0	30	304.9	303.5
116	9	389.0	270	302.0	301.1
117	9	549.0	105	321.3	319.2
118	9	549.0	180	323.7	321.8
119	9	739.2	30	368.9	366.3
120	9	739.2	270	391.7	387.2
121	9	909.0	60	422.7	417.8
122	9	919.0	120	453.3	448.4
123	9	929.0	105	450.7	446.3
124	9	929.0	180	484.1	478.9
125	9	988.8	30	447.1	442.8
126	9	988.8	270	488.0	483.8
127	10	489.3	90	308.7	305.4
128	10	489.3	300	311.1	309.2
129	10	549.0	60	322.0	319.0
130	10	549.0	210	325.4	323.2
131	10	739.0	180	381.7	378.5
132	10	739.0	330	368.7	365.2
133	10	799.0	90	386.0	383.2
134	10	799.0	300	389.7	386.7
135	10	929.0	60	421.7	417.2
136	10	929.0	210	468.1	464.5
137	10	989.0	180	490.4	485.4
138	10	989.0	330	450.7	447.5
139	10	1049.0	90	469.8	465.6
140	10	1049.0	300	477.2	474.1
141	11	389.0	60	299.4	299.1
142	11	389.0	315	295.7	295.0
143	11	489.0	150	308.8	306.1
144	11	489.0	270	310.4	308.2

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

3T

VERSUCH NR.			17	18	
145	11	738.9	60	357.8	355.0
146	11	738.9	315	376.2	373.6
147	11	799.6	150	*****	*****
148	11	799.6	270	408.7	406.1
149	11	849.3	240	411.4	408.3
150	11	859.8	300	402.5	400.5
151	11	989.3	60	430.1	426.4
152	11	989.3	315	462.5	460.0
153	11	1049.2	150	481.3	477.4
154	11	1049.2	270	512.2	511.3
155	12	359.9	30	329.2	330.3
156	12	370.0	15	332.5	333.2
157	12	370.0	240	315.8	316.2
158	12	379.2	90	336.7	336.5
159	12	489.0	90	335.4	334.2
160	12	489.0	270	314.5	313.1
161	12	548.9	15	635.3	178.9
162	12	548.9	240	326.5	323.7
163	12	799.3	90	380.8	377.3
164	12	799.3	270	399.2	396.0
165	12	929.3	15	387.5	385.2
166	12	928.4	240	435.7	431.9
167	12	1049.5	90	424.1	420.4
168	12	1049.5	270	458.3	454.4
169	13	338.8	60	426.9	426.4
170	13	349.0	60	409.1	411.4
171	13	368.9	90	454.5	455.8
172	13	368.9	240	470.0	472.9
173	13	388.5	45	453.0	455.2
174	13	388.5	270	480.4	483.1
175	13	549.0	90	521.6	519.8
176	13	549.0	240	542.2	537.3
177	13	738.7	45	595.8	591.9
178	13	738.7	270	621.1	617.9
179	13	929.3	90	714.2	711.9
180	13	929.3	240	730.5	729.1
181	13	989.2	45	721.4	717.9
182	13	989.2	270	775.4	773.3
183	14	369.0	30	453.6	455.6
184	14	369.0	270	472.7	476.1
185	14	488.9	75	481.1	480.8
186	14	488.9	180	505.6	504.1
187	14	548.8	30	507.7	504.8
188	14	548.8	270	529.3	526.1
189	14	799.2	75	632.0	629.7
190	14	799.2	180	661.1	659.3
191	14	890.2	0	696.1	697.1
192	14	899.8	60	678.1	676.3
193	14	929.5	30	697.5	697.4
194	14	929.5	270	750.8	748.7
195	14	1049.2	75	761.3	754.2
196	14	1049.2	180	841.8	837.5
197	15	369.1	150	471.0	474.4
198	15	369.1	270	464.7	467.9
199	15	488.6	60	498.0	496.4

TE R AX RAD T 3T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.		17	18
310	24	550.0 330	188.4 185.1
311	24	550.0 240	241.9 238.9
312	24	550.0 234	244.3 240.9
313	24	550.0 216	249.3 246.5
314	24	550.0 210	250.4 247.3
315	25	740.0 150	334.5 330.2
316	25	740.0 144	330.7 326.0
317	25	740.0 126	326.3 321.8
318	25	740.0 120	315.4 310.0
319	25	740.0 30	198.8 194.7
320	25	740.0 26	193.3 189.6
321	25	740.0 7	189.2 185.7
322	25	740.0 0	191.2 187.8
323	25	740.0 210	328.6 324.0
324	25	740.0 206	335.1 330.4
325	25	740.0 187	335.8 331.0
326	25	740.0 180	338.2 333.7
327	26	800.0 30	201.5 197.3
328	26	800.0 26	400.4 415.2
329	26	800.0 7	193.2 189.8
330	26	800.0 0	194.0 190.5
331	26	800.0 330	210.6 207.1
332	26	800.0 324	218.5 215.1
333	26	800.0 306	239.7 236.4
334	26	800.0 300	247.7 244.2
335	26	800.0 210	351.2 346.3
336	26	800.0 206	357.2 352.6
337	26	800.0 187	93.3 97.4
338	26	800.0 180	362.5 358.1
339	27	930.0 180	423.7 418.4
340	27	930.0 173	420.9 415.0
341	27	930.0 156	412.6 406.0
342	27	930.0 150	400.7 394.0
343	27	930.0 60	257.1 252.4
344	27	930.0 54	241.1 236.4
345	27	930.0 34	213.2 208.4
346	27	930.0 30	210.1 205.7
347	27	930.0 0	201.1 197.6
348	27	930.0 353	137.0 137.5
349	27	930.0 336	215.4 212.3
350	27	930.0 330	225.2 221.8
351	28	990.0 180	442.0 436.3
352	28	990.0 173	439.1 432.9
353	28	990.0 156	431.3 424.5
354	28	990.0 150	423.3 417.6
355	28	990.0 0	206.8 203.1
356	28	990.0 353	207.2 203.8
357	28	990.0 336	220.8 217.5
358	28	990.0 330	231.2 227.8
359	28	990.0 240	409.4 405.0
360	28	990.0 234	424.6 420.2
361	28	990.0 216	430.8 425.5
362	28	990.0 210	430.1 424.4
363	29	1050.0 150	451.1 447.5
364	29	1050.0 144	460.0 458.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.			17	18
200	15	488.6	345	475.5 472.5
201	15	549.6	150	528.4 524.2
202	15	549.6	270	527.6 526.8
203	15	799.6	60	619.7 616.0
204	15	799.6	345	610.1 608.3
205	15	869.0	0	615.7 613.2
206	15	879.0	300	666.5 664.7
207	15	929.2	150	743.6 744.2
208	15	929.2	270	731.2 728.4
209	15	1049.1	60	782.1 778.1
210	15	1049.1	345	760.1 757.6
211	16	368.5	150	513.6 519.5
212	16	368.5	285	467.6 471.1
213	16	418.6	210	479.5 481.0
214	16	428.5	210	489.2 489.8
215	16	488.5	120	572.8 571.0
216	16	488.5	330	501.1 499.3
217	16	548.6	150	587.8 585.3
218	16	548.6	285	537.2 535.4
219	16	798.9	120	690.4 678.6
220	16	798.9	330	615.7 616.7
221	16	929.0	150	712.1 708.3
222	16	929.0	285	722.4 722.4
223	16	1049.0	120	733.1 723.4
224	16	1049.0	330	749.1 751.8
225	17	368.7	30	457.3 459.7
226	17	368.7	210	470.2 473.6
227	17	388.4	0	445.8 446.4
228	17	388.4	135	482.2 483.1
229	17	418.8	150	499.2 499.5
230	17	428.8	210	506.3 507.1
231	17	549.0	30	530.9 531.9
232	17	549.0	210	570.7 569.4
233	17	739.2	0	642.5 640.7
234	17	739.2	135	640.9 637.2
235	17	928.9	30	755.6 754.5
236	17	928.9	210	748.4 744.2
237	17	989.1	0	796.7 794.8
238	17	989.1	135	782.6 783.1
239	18	294.0	0	418.9 420.9
240	18	304.0	0	450.0 452.0
241	18	359.2	0	427.0 428.9
242	18	369.1	90	276.4 281.2
243	18	369.1	285	454.6 455.7
244	18	378.9	0	511.5 514.1
245	18	389.1	90	425.9 429.8
246	18	389.1	285	455.4 455.1
247	18	409.2	0	464.6 464.1
248	18	429.3	0	472.2 470.9
249	18	549.5	90	510.6 507.8
250	18	549.5	285	512.7 509.7
251	18	930.2	90	748.6 745.4
252	18	930.2	285	760.3 758.0
253	19	369.0	180	501.9 505.2
254	19	369.0	270	482.1 484.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.			17	18	
255	19	398.5	90	507.3	509.7
256	19	408.4	150	548.7	552.8
257	19	488.5	15	513.8	512.3
258	19	488.5	135	573.3	570.3
259	19	548.8	180	553.9	553.0
260	19	548.8	270	597.2	594.2
261	19	798.4	15	699.9	701.9
262	19	798.4	135	671.0	663.8
263	19	928.5	180	741.7	732.2
264	19	928.5	270	770.1	766.9
265	19	1048.7	15	31.7	31.3
266	19	1048.7	135	903.7	912.9
267	21	370.0	150	185.3	182.2
268	21	370.0	144	184.4	181.5
269	21	370.0	126	184.1	181.2
270	21	370.0	120	186.8	183.6
271	21	370.0	30	179.5	176.6
272	21	370.0	26	179.1	176.1
273	21	370.0	7	179.0	176.1
274	21	370.0	0	178.2	175.4
275	21	370.0	210	187.1	183.7
276	21	370.0	206	185.6	182.3
277	21	370.0	187	186.2	183.0
278	21	370.0	180	185.0	181.8
279	22	390.0	30	179.7	176.6
280	22	390.0	26	179.4	176.5
281	22	390.0	7	179.4	176.4
282	22	390.0	0	178.9	175.9
283	22	390.0	330	179.6	176.7
284	22	390.0	324	179.4	176.5
285	22	390.0	306	182.3	179.4
286	22	390.0	300	183.1	180.2
287	22	390.0	210	190.5	187.1
288	22	390.0	206	190.1	186.8
289	22	390.0	187	190.2	186.9
290	22	390.0	180	191.1	187.9
291	23	490.0	180	226.0	222.7
292	23	490.0	173	228.9	225.7
293	23	490.0	156	225.3	222.2
294	23	490.0	150	225.0	221.8
295	23	490.0	60	199.0	196.0
296	23	490.0	54	195.5	192.4
297	23	490.0	34	185.7	182.5
298	23	490.0	30	184.8	181.7
299	23	490.0	0	180.5	177.6
300	23	490.0	353	181.2	178.3
301	23	490.0	336	182.2	179.2
302	23	490.0	330	184.5	181.3
303	24	550.0	180	254.1	251.1
304	24	550.0	173	256.8	253.7
305	24	550.0	156	254.5	251.8
306	24	550.0	150	251.9	248.8
307	24	550.0	0	184.1	180.8
308	24	550.0	353	183.2	180.1
309	24	550.0	336	185.1	182.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.		17	18
365	291050.0	126	425.8
366	291050.0	120	396.9
367	291050.0	30	219.1
368	291050.0	26	211.6
369	291050.0	7	209.7
370	291050.0	0	211.6
371	291050.0	210	446.5
372	291050.0	206	453.7
373	291050.0	187	465.5
374	291050.0	180	461.3
375	01075.0	6	238.2
376	01075.0	5	205.8
377	01075.0	4	326.3
378	01075.0	2	324.5
379	01075.0	1	322.5
380	01075.0	2	317.2
381	01075.0	4	302.1
382	01075.0	4	418.2
383	01075.0	1	415.7
384	01075.0	1	411.0
385	01075.0	4	349.9
386	01075.0	3	536.3
387	01075.0	3	527.9
388	01075.0	5	512.9
389	01075.0	6	590.9
390	01113.0	0	375.0
391	01113.0	0	300.6
392	01113.0	0	439.7
393	01113.0	0	516.4
394	01113.0	0	408.9
395	01113.0	0	315.8
396	0 0.0	0	179.3
397	0 0.0	0	181.1
398	0 0.0	0	177.7
399	0 0.0	0	180.0
400	0 0.0	0	174.5
401	0 0.0	0	174.4
402	0 0.0	0	4060.0
403	0 0.0	0	79.8
404	0 0.0	0	79.9
405	0 0.0	0	1.1
406	0 0.0	0	1.9
407	4 389.5	0	2.9
408	5 389.5	0	3.3
409	6 389.1	0	3.3
410	7 399.4	0	3.9
411	8 389.6	0	3.5
412	9 369.9	0	2.9
413	10 489.8	0	6.9
414	11 389.5	0	3.3
415	12 489.5	0	7.1
416	4 990.0	0	25.0
417	5 989.5	0	24.9
418	61049.5	0	27.3
419	71049.5	0	27.3

TE R AX RAD T  
 NR NR. POS PQS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.			17	18	
420	8	989.3	0	24.9	26.1
421	9	988.8	0	24.9	26.1
422	10	1049.5	0	27.2	28.5
423	11	1049.7	0	27.2	28.5
424	12	1050.0	0	27.3	28.6
425		11047.1	0	79.9	83.7
426		21049.5	0	79.8	83.6
427		31049.5	0	79.8	83.7
428	13	989.7	0	35.3	37.0
429	14	1049.7	0	31.4	32.9
430	15	1049.6	0	31.3	32.8
431	16	1049.5	0	31.1	32.6
432	17	989.6	0	35.5	37.3
433	18	930.7	0	39.9	41.8
434	19	1049.2	0	31.4	32.9
435	1	388.6	0	79.8	83.7
436	2	388.5	0	79.8	83.6
437	3	389.2	0	79.8	83.7
438	13	389.0	0	74.6	78.1
439	14	489.4	0	68.4	71.7
440	15	489.1	0	68.2	71.5
441	16	419.1	0	72.7	76.1
442	17	388.9	0	74.8	78.4
443	18	389.6	0	74.9	78.4
444	19	399.0	0	73.8	77.3
445	1	348.6	0	79.9	83.7
446	2	359.0	0	79.8	83.7
447	3	294.5	0	79.9	83.6
448	4	294.4	0	0.8	0.8
449	4	304.2	0	1.0	1.1
450	4	348.9	0	2.2	2.3
451	4	379.6	0	3.0	3.2
452	5	370.0	0	2.7	2.9
453	7	349.5	0	2.4	2.5
454	7	359.5	0	2.7	2.8
455	7	369.5	0	2.9	3.1
456	7	379.5	0	3.2	3.4
457	7	409.1	0	4.3	4.5
458	8	295.1	0	1.0	1.0
459	8	304.7	0	1.2	1.3
460	8	369.2	0	2.9	3.1
461	9	369.9	0	2.9	3.0
462	12	370.5	0	2.9	3.1
463	13	369.4	0	75.6	79.2
464	14	369.5	0	75.8	79.3
465	15	369.6	0	75.6	79.2
466	16	369.0	0	75.8	79.3
467	17	369.2	0	75.9	79.4
468	18	294.5	0	79.1	82.8
469	18	304.5	0	78.7	82.4
470	18	359.7	0	76.4	80.0
471	18	369.6	0	76.0	79.6
472	18	379.4	0	75.5	79.1
473	18	389.6	0	74.9	78.4
474	18	409.7	0	73.6	77.2

TE R AX RAD T  
 NR NR. PDS POS  
 (MM) (GRD)GRAD C

3T

VERSUCH NR.			17	18	
475	18	429.8	0	72.3	75.8
476	19	369.5	0	75.6	79.1
477	1	738.5	0	79.9	83.6
478	2	738.5	0	2.5	2.5
479	3	739.0	0	79.9	83.6
480	4	739.7	0	15.8	16.6
481	5	739.2	0	15.7	16.4
482	6	739.9	0	15.7	16.5
483	7	799.5	0	18.1	19.0
484	8	739.5	0	15.7	16.4
485	9	739.7	0	15.7	16.5
486	10	739.5	0	15.8	16.6
487	11	739.4	0	15.6	16.3
488	12	799.8	0	18.2	19.0
489	13	739.2	0	52.1	54.5
490	14	799.7	0	48.4	50.7
491	15	800.1	0	48.1	50.3
492	16	799.4	0	47.7	49.9
493	17	739.7	0	52.4	54.8
494	18	550.0	0	64.8	67.9
495	19	798.9	0	48.1	50.3
496	0	0.0	0	1.1	1.1
497	0	0.0	0	0.5	0.5

DATUM 7. 7.80

4T

VERSUCH NR.	1	2	3	4	5	6	7	8
RAUMTEMPERATUR	23.7	25.3	24.6	25.9	25.4	25.0	25.9	26.5
DURCHSATZ (KG/S)	0.0559	0.0501	0.0452	0.0405	0.0367	0.0339	0.0309	0.0276
EL. ENERGIE (KW)	53.7	47.7	42.7	38.3	35.0	31.9	29.0	25.4
WAERMEENERGIE (KW)	56.0	49.7	44.4	39.6	35.9	31.9	28.8	25.3
WAERMEBILANZ (O/O)	4.4	4.3	4.1	3.4	2.7	-0.1	-0.6	-0.3
REYNOLDSZAHL*E-04	1.276	1.141	1.031	0.923	0.837	0.776	0.708	0.633
DRUCKVERLUST (N/M**2)								
GES.X=1060.0(MM)	6600.	5342.	4327.	3486.	2856.	2420.	1996.	1569.
BIS X= 560.0(MM)	1718.	1393.	1139.	925.	761.	653.	549.	439.
BIS X= 624.0(MM)	2762.	2241.	1823.	1476.	1221.	1051.	876.	702.
BIS X= 717.0(MM)	3394.	2752.	2235.	1808.	1493.	1282.	1068.	853.
BIS X= 810.0(MM)	4027.	3267.	2649.	2140.	1764.	1512.	1257.	1002.
BIS X= 874.0(MM)	5182.	4205.	3412.	2761.	2281.	1954.	1627.	1298.
BIS X= 967.0(MM)	5865.	4749.	3854.	3118.	2568.	2198.	1827.	1463.
EINTR.DRUCK (BAR)	8.23	8.22	8.19	8.18	8.17	8.18	8.16	8.14
EINTR.TEMP. GRADC	88.9	91.3	90.9	91.7	92.2	92.7	93.3	94.1

TE R AX RAD T  
NR NR. PGS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	87.6	90.3	89.7	91.5	91.6	91.8	93.5	94.5
2	1	348.1	330	87.8	90.3	90.3	92.1	91.8	92.0	93.6	94.5
3	1	388.1	150	89.8	91.7	91.7	93.3	93.0	93.2	95.0	95.7
4	1	388.1	330	88.7	90.9	90.6	92.3	92.1	92.5	93.9	95.1
5	1	487.7	255	90.9	93.4	93.1	94.9	94.6	95.0	96.6	97.5
6	1	487.7	120	92.3	94.8	94.1	95.9	95.3	96.0	97.6	98.5
7	1	738.0	150	112.4	114.9	114.1	116.1	115.4	115.3	116.9	117.1
8	1	738.0	330	103.3	105.7	106.0	108.3	108.2	108.7	110.7	111.8
9	1	795.4	120	108.1	111.2	111.1	113.3	113.3	113.7	115.0	116.1
10	1	795.4	255	121.2	123.3	122.6	124.3	123.7	123.8	125.0	125.0
11	1	987.0	150	143.4	145.8	144.7	146.4	145.8	145.0	145.6	145.0
12	1	987.0	330	128.5	131.0	131.2	133.8	134.2	134.4	135.9	137.0
13	1	1046.6	120	132.9	135.9	136.3	138.9	138.6	138.7	139.9	140.6
14	1	1046.6	255	153.9	156.0	154.8	156.6	155.6	155.1	155.2	154.9
15	2	358.5	0	88.2	91.1	91.1	92.6	92.1	91.4	92.9	93.5
16	2	388.0	0	144.7	113.2	46.0	58.0	71.2	75.6	108.2	*****
17	2	388.0	210	89.6	92.4	92.6	94.0	93.3	92.4	94.0	94.9
18	2	398.0	0	88.2	91.1	90.8	92.5	92.4	91.6	93.0	93.9
19	2	488.1	30	89.1	91.4	91.8	93.5	93.0	92.2	93.9	94.8
20	2	488.1	165	92.8	95.8	95.3	97.2	96.3	95.2	96.6	97.2
21	2	738.0	0	110.7	113.1	112.9	114.3	113.5	112.1	113.4	113.6
22	2	738.0	210	114.6	116.9	116.1	117.6	116.4	115.2	116.2	116.2
23	2	797.8	30	97.4	100.9	101.4	103.6	103.8	103.3	105.4	106.6
24	2	797.8	165	116.6	118.6	118.4	119.8	118.8	117.7	118.4	118.6
25	2	987.2	0	108.6	112.1	112.7	115.6	116.2	116.0	118.3	120.0
26	2	987.2	210	137.6	139.2	138.4	139.1	138.1	136.4	136.9	136.3
27	2	21049.0	30	111.4	115.4	116.1	119.5	119.9	120.7	123.0	124.9
28	2	21049.0	165	139.4	141.2	141.1	142.5	141.5	139.6	140.6	139.9
29	3	294.0	30	89.7	92.5	92.3	93.7	93.0	92.0	92.9	93.6
30	3	303.7	330	89.5	92.0	92.2	93.4	92.8	91.5	92.5	92.8
31	3	388.7	15	89.1	91.8	91.9	93.7	92.8	91.4	92.9	93.2
32	3	388.7	255	90.5	93.1	93.1	94.4	94.0	92.3	93.5	94.0
33	3	488.5	60	90.2	93.0	93.2	94.9	94.3	92.7	94.3	94.8
34	3	488.5	150	94.2	96.7	96.2	97.9	97.5	95.4	96.3	96.7

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.	1	2	3	4	5	6	7	8		
35	3 738.5 15	97.6	100.5	101.4	103.9	103.8	102.6	104.7	106.0	
36	3 738.5 255	105.1	107.7	107.3	109.3	109.1	107.4	108.8	109.2	
37	3 798.5 60	103.0	105.9	106.6	109.2	109.5	108.3	110.5	111.5	
38	3 798.5 150	115.6	118.7	119.0	121.0	120.3	118.5	119.5	120.1	
39	3 988.5 15	110.2	113.9	115.7	119.0	120.1	119.7	122.2	124.1	
40	3 988.5 255	120.2	122.8	122.8	123.5	125.4	125.3	124.1	125.6	126.5
41	31049.0 60	117.4	121.3	123.4	127.3	128.3	127.4	130.1	132.0	
42	31049.0 150	137.7	140.8	141.2	143.6	143.4	141.1	142.2	142.5	
43	4 293.9 300	155.0	154.3	151.4	149.7	146.8	145.9	145.0	142.5	
44	4 303.7 300	171.0	170.3	167.0	165.2	161.7	160.6	159.2	156.3	
45	4 339.0 300	152.3	152.2	149.4	148.3	145.4	144.5	144.1	142.6	
46	4 348.4 300	163.6	163.3	160.6	159.8	156.7	156.0	155.2	153.0	
47	4 379.1 300	188.1	187.7	184.7	183.2	179.5	177.9	176.5	172.7	
48	4 389.0 45	171.8	173.7	174.1	176.5	177.3	178.6	180.2	179.1	
49	4 389.0 210	*****	*****	*****	*****	*****	*****	*****	*****	
50	4 408.8 300	85.1	87.6	87.3	87.7	88.9	90.9	91.5	90.9	
51	4 418.6 300	183.0	183.9	182.1	183.0	181.4	181.6	182.6	182.8	
52	4 428.7 300	185.2	186.1	184.7	185.3	184.0	184.1	185.4	185.0	
53	4 739.2 45	*****	*****	*****	*****	*****	*****	452.1	450.3	335.3
54	4 739.2 210	225.6	227.7	226.6	228.4	227.6	228.2	229.0	229.2	
55	4 989.5 45	256.7	258.6	258.6	260.8	260.7	260.3	261.5	260.5	
56	4 989.5 210	276.4	278.0	276.9	278.7	278.3	277.3	277.9	276.3	
57	5 369.5 195	158.5	158.3	155.8	155.0	152.1	150.0	149.3	146.7	
58	5 369.5 300	159.5	159.5	156.9	156.2	153.6	151.6	150.9	148.3	
59	5 389.0 30	164.4	166.1	166.0	168.9	169.4	169.6	171.9	171.8	
60	5 389.0 150	163.0	164.8	164.8	166.9	167.4	167.5	169.3	169.4	
61	5 549.0 195	187.7	189.0	187.7	189.0	188.0	186.8	187.4	186.3	
62	5 549.0 300	181.6	183.0	182.1	183.1	182.0	181.5	182.6	181.6	
63	5 738.7 30	201.4	203.0	202.2	203.9	203.1	202.5	203.3	202.7	
64	5 738.7 150	218.2	218.9	217.9	219.1	218.0	215.6	216.3	214.5	
65	5 809.2 120	225.4	226.7	225.6	226.7	225.6	223.4	223.8	221.8	
66	5 819.0 180	234.1	234.2	233.0	234.4	233.1	230.9	230.7	228.3	
67	5 929.4 195	264.4	264.7	263.5	264.6	263.4	260.8	261.3	258.6	
68	5 929.4 300	247.1	247.5	246.1	247.7	246.8	245.5	245.9	244.1	
69	5 989.0 30	237.3	238.3	237.7	239.3	238.6	237.3	238.4	236.5	
70	5 989.0 150	270.7	270.6	268.7	269.8	268.3	265.3	264.7	261.1	
71	6 388.6 225	168.1	170.0	170.1	172.8	173.7	172.1	173.9	173.1	
72	6 388.6 300	168.2	169.9	170.3	173.6	174.4	173.2	174.9	173.9	
73	6 488.5 30	178.7	179.5	178.9	180.5	179.7	176.9	177.8	176.4	
74	6 488.5 150	184.2	185.1	184.1	185.4	184.9	181.4	182.2	180.8	
75	6 739.4 225	226.2	226.5	225.2	226.7	225.7	222.6	222.9	221.1	
76	6 739.4 300	214.1	214.7	213.7	215.1	214.7	211.9	212.7	211.8	
77	6 798.8 30	214.8	215.9	215.1	217.3	216.9	214.5	215.5	214.1	
78	6 798.8 30	234.4	234.8	233.7	235.2	234.7	230.4	230.6	228.4	
79	6 829.0 180	235.8	235.9	234.4	235.7	234.5	230.5	230.1	227.3	
80	6 839.0 240	226.5	226.4	224.8	225.8	224.2	220.8	221.0	218.3	
81	6 988.8 225	*****	283.5	448.1	476.3	447.4	58.6	428.6	96.8	
82	6 988.8 300	257.8	257.9	256.2	257.2	256.1	252.5	253.2	250.4	
83	61049.0 30	243.7	244.6	244.4	247.4	247.8	244.4	246.1	244.5	
84	61049.0 150	*****	*****	*****	*****	*****	*****	481.4	486.1	
85	7 339.0 150	171.1	169.8	166.8	165.4	162.5	156.2	154.4	150.2	
86	7 349.0 150	167.7	167.3	165.0	165.0	162.4	156.4	155.1	151.4	
87	7 359.0 150	162.9	162.1	159.4	158.7	156.2	150.2	149.2	145.6	
88	7 369.0 165	170.3	169.6	166.9	166.2	163.4	157.2	155.5	151.7	
89	7 369.0 330	171.6	170.4	167.7	167.1	164.2	158.6	157.1	153.1	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.	1	2	3	4	5	6	7	8	
90	7 379.0	150 190.3	189.6	187.1	186.3	183.5	176.7	174.9	170.0
91	7 398.9	150 178.0	178.7	178.2	180.4	181.0	176.9	178.9	178.5
92	7 408.6	150 181.2	182.4	181.7	183.3	183.2	179.0	180.8	180.9
93	7 489.4	165 194.0	194.0	195.4	194.9	197.0	192.2	193.6	193.1
94	7 489.4	330 188.7	190.0	189.8	191.7	191.5	187.8	189.1	188.5
95	7 799.0	165 244.0	245.1	244.7	246.9	247.4	242.1	243.5	242.6
96	7 799.0	330 227.2	228.9	229.2	232.0	232.3	228.8	230.7	230.5
97	71049.0	165 87.7	90.1	89.2	90.7	90.4	92.4	92.2	95.0
98	71049.0	330 260.5	262.0	262.7	265.9	266.4	263.3	265.5	265.3
99	8 294.6	210 166.2	165.6	162.1	160.9	157.7	155.9	155.0	151.7
100	8 304.2	270 179.8	178.5	174.7	173.5	169.5	166.8	165.5	161.8
101	8 368.7	135 165.1	164.8	161.4	160.5	157.5	155.6	154.9	152.3
102	8 368.7	255 172.4	171.4	167.9	167.0	164.0	162.1	161.3	158.4
103	8 389.1	30 170.8	172.6	172.1	174.9	174.6	175.1	176.8	175.1
104	8 389.1	300 175.6	176.6	175.8	177.7	177.1	176.9	177.8	176.1
105	8 549.0	135 198.8	200.2	199.7	201.6	201.2	200.5	202.9	203.3
106	8 549.0	255 207.9	209.0	208.6	210.6	210.1	209.7	212.0	213.4
107	8 739.0	30 236.3	237.8	237.1	239.8	239.9	238.9	241.2	240.6
108	8 739.0	300 316.0	315.4	313.4	314.5	312.9	309.3	309.7	306.5
109	8 929.0	135 247.3	248.1	247.5	249.5	249.3	247.9	250.4	249.9
110	8 929.0	255 296.7	297.3	296.8	297.7	296.8	293.8	294.8	292.8
111	8 988.8	30 298.7	298.7	298.4	300.6	301.1	298.2	301.1	300.7
112	8 988.8	300 307.1	307.7	306.6	309.4	309.1	306.8	309.2	309.8
113	9 369.4	105 164.2	164.3	161.3	161.0	157.5	155.2	154.4	151.7
114	9 369.4	180 *****	*****	*****	*****	*****	477.7	366.7	328.7
115	9 389.0	30 172.6	174.6	174.7	177.5	177.7	177.8	179.5	179.0
116	9 389.0	270 173.5	175.5	175.4	178.6	179.2	179.3	181.1	180.4
117	9 549.0	105 196.3	197.6	197.0	198.6	197.5	195.9	197.3	196.5
118	9 549.0	180 199.1	200.7	199.2	200.7	199.4	198.0	198.8	197.8
119	9 739.2	30 235.6	236.4	235.7	237.5	237.0	235.6	237.0	236.4
120	9 739.2	270 250.5	251.2	249.5	250.7	249.1	246.9	248.0	246.4
121	9 909.0	60 293.4	293.7	292.7	295.3	295.2	292.6	293.9	292.0
122	9 919.0	120 324.4	324.3	322.2	323.5	322.4	318.6	319.2	316.1
123	9 929.0	105 321.3	321.0	319.2	321.3	320.5	316.6	318.1	316.0
124	9 929.0	180 342.5	341.6	338.8	339.9	338.3	333.7	334.1	330.3
125	9 988.8	30 304.6	305.1	304.3	306.7	306.4	303.8	305.6	305.8
126	9 988.8	270 332.2	331.4	328.7	329.3	327.5	324.0	324.6	322.8
127	10 489.3	90 183.2	184.3	183.0	184.6	184.1	180.6	181.1	180.6
128	10 489.3	300 181.4	182.4	181.4	182.8	181.4	179.4	180.0	179.9
129	10 549.0	60 190.5	191.5	190.7	191.7	191.1	187.2	188.0	187.0
130	10 549.0	210 197.7	198.7	196.9	197.8	196.6	192.7	192.8	191.7
131	10 739.0	180 *****	*****	*****	65.4	230.4	37.7	462.7	*****
132	10 739.0	330 232.2	233.4	232.2	233.7	233.1	229.9	230.6	229.7
133	10 799.0	90 255.3	255.7	254.5	256.4	256.3	250.9	251.6	250.0
134	10 799.0	300 252.0	252.0	250.5	251.8	250.7	246.7	246.9	244.8
135	10 929.0	60 295.9	296.4	295.4	298.0	298.6	293.1	295.3	294.7
136	10 929.0	210 329.2	328.5	325.8	327.4	326.6	319.9	320.0	317.4
137	10 989.0	180 355.6	353.8	350.0	350.8	349.9	342.1	341.9	338.4
138	10 989.0	330 304.6	304.9	303.3	305.5	305.2	300.3	301.5	300.4
139	101049.0	90 343.4	342.8	340.1	342.1	341.5	334.1	334.4	331.3
140	101049.0	300 327.3	327.0	324.4	326.1	325.5	318.8	319.3	316.7
141	11 389.0	60 170.8	172.3	172.0	175.3	176.7	171.8	173.6	172.5
142	11 389.0	315 167.6	169.0	169.3	172.1	173.4	169.5	171.0	170.4
143	11 489.0	150 183.6	184.2	182.6	184.0	183.6	177.9	178.2	177.5
144	11 489.0	270 180.5	180.6	179.6	180.8	180.4	175.4	176.0	174.7

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.			1	2	3	4	5	6	7	8	
145	11	738.9	60	229.1	229.8	229.1	231.1	231.5	225.0	226.2	224.9
146	11	738.9	315	234.2	234.6	233.3	235.1	235.1	229.6	229.8	228.3
147	11	799.6	150	263.0	262.4	261.6	263.1	262.8	255.4	255.6	252.8
148	11	799.6	270	263.5	262.5	260.6	261.6	260.4	253.7	253.5	250.8
149	11	849.3	240	269.3	267.1	264.1	263.7	262.1	254.5	252.8	248.6
150	11	859.8	300	256.5	255.4	252.9	253.3	251.5	244.4	243.0	238.6
151	11	989.3	60	293.1	293.0	292.4	295.8	296.8	290.4	291.3	289.1
152	11	989.3	315	307.3	306.1	304.3	306.0	305.7	299.0	298.7	296.2
153	111049.2	150	348.3	346.5	344.8	346.4	346.4	337.2	336.4	336.4	331.4
154	111049.2	270	344.6	341.9	338.9	340.0	338.5	329.8	329.3	329.3	324.4
155	12	359.9	30	169.1	168.5	166.0	165.7	163.7	157.3	155.9	152.9
156	12	370.0	15	173.4	172.1	168.7	168.1	165.4	158.3	156.8	153.6
157	12	370.0	240	167.6	166.7	163.9	163.0	160.9	153.8	151.9	149.0
158	12	379.2	90	193.4	192.3	188.7	187.5	184.3	176.6	174.4	170.0
159	12	489.0	90	202.1	202.4	201.6	202.9	203.0	197.4	198.3	199.7
160	12	489.0	270	186.3	187.1	186.1	187.9	187.4	181.8	182.7	182.1
161	12	548.9	15	207.5	208.0	207.2	209.7	209.9	204.1	204.8	205.1
162	12	548.9	240	199.8	200.7	199.9	201.8	202.1	196.1	197.0	196.7
163	12	799.3	90	258.7	259.5	259.6	263.0	264.3	259.2	261.2	262.6
164	12	799.3	270	258.5	259.0	258.7	260.9	261.5	254.8	255.6	254.6
165	12	929.3	15	264.3	265.8	265.9	269.2	270.6	265.4	266.9	265.5
166	12	928.4	240	294.0	294.0	293.0	294.8	295.4	288.5	288.1	285.4
167	121049.5	90	307.6	309.0	309.8	314.2	316.1	311.1	313.5	313.5	315.0
168	121049.5	270	316.3	316.5	316.0	318.4	319.7	312.7	313.9	313.9	312.1
169	13	338.9	60	222.5	217.3	210.9	207.7	202.3	197.1	193.9	187.7
170	13	349.0	60	225.6	222.5	217.8	215.6	211.7	206.9	204.5	198.8
171	13	368.9	90	247.6	243.2	237.0	233.1	227.2	221.0	217.4	210.3
172	13	368.9	240	253.9	249.3	243.0	239.3	233.5	227.3	223.8	216.6
173	13	388.5	45	290.7	292.1	294.3	298.0	297.9	294.6	293.0	285.2
174	13	388.5	270	298.3	298.2	297.7	299.4	297.0	293.6	291.2	282.7
175	13	549.0	90	357.9	357.0	356.4	359.8	361.7	359.8	364.9	369.1
176	13	549.0	240	377.2	375.9	375.7	379.5	383.0	381.8	389.1	394.9
177	13	738.7	45	434.9	433.1	432.3	436.2	438.1	435.2	441.0	442.8
178	13	738.7	270	446.7	444.4	443.8	447.1	449.6	447.5	454.0	455.6
179	13	929.3	90	536.7	532.9	532.0	536.1	538.2	531.9	531.9	521.3
180	13	929.3	240	536.5	532.5	530.5	533.5	534.7	527.2	527.0	517.0
181	13	989.2	45	550.5	546.0	545.8	550.6	556.2	552.5	558.6	552.9
182	13	989.2	270	565.0	561.0	560.8	566.3	571.9	567.0	569.9	562.0
183	14	369.0	30	246.6	241.5	235.9	231.8	226.7	219.0	214.9	208.0
184	14	369.0	270	256.3	251.3	245.1	240.9	235.2	227.9	223.7	216.6
185	14	488.9	75	324.4	323.7	324.6	327.7	330.4	326.5	332.2	340.6
186	14	488.9	180	332.8	332.2	332.5	335.0	337.2	332.7	340.1	350.6
187	14	548.8	30	346.2	344.7	344.6	347.0	348.5	343.7	346.2	349.2
188	14	548.8	270	364.3	362.9	362.5	364.5	365.9	361.2	364.2	368.3
189	14	799.2	75	468.3	465.6	466.1	469.8	473.6	468.4	475.5	480.3
190	14	799.2	180	482.7	479.4	479.3	482.6	485.5	479.9	487.7	492.1
191	14	890.2	0	506.7	500.8	498.7	498.8	497.0	487.0	483.7	471.2
192	14	899.8	60	509.8	506.0	505.0	507.3	507.3	497.2	495.3	484.3
193	14	929.5	30	527.1	523.1	523.5	529.3	533.3	526.0	527.5	518.2
194	14	929.5	270	560.8	555.9	554.9	559.3	562.1	553.4	552.3	540.5
195	141049.2	75	602.0	595.4	593.8	599.3	606.6	601.4	609.0	604.6	604.6
196	141049.2	180	630.7	622.7	620.6	626.1	633.4	627.8	635.1	635.1	628.1
197	15	369.1	150	255.6	250.2	243.7	239.3	234.2	224.1	220.1	213.3
198	15	369.1	270	249.7	244.3	237.9	233.7	228.4	219.0	215.4	208.2
199	15	488.6	60	334.0	331.8	331.1	334.3	337.4	330.4	336.1	343.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.	1	2	3	4	5	6	7	8	
200	15 488.6 345	326.3	325.3	324.7	328.5	331.9	325.8	331.7	339.0
201	15 549.6 150	355.6	353.0	351.9	354.6	356.9	349.5	353.8	359.0
202	15 549.6 270	359.6	357.0	356.0	358.4	360.2	353.0	356.1	359.5
203	15 799.6 60	457.8	454.3	453.4	457.3	460.7	455.7	462.7	468.4
204	15 799.6 345	447.8	444.6	444.2	448.7	453.2	447.6	454.7	459.7
205	15 869.0 0	438.9	433.9	429.6	429.7	427.4	416.3	412.9	403.5
206	15 879.0 300	484.8	478.5	475.3	474.9	473.0	460.4	456.4	444.3
207	15 929.2 150	562.2	557.5	557.7	564.9	569.8	560.5	559.6	545.1
208	15 929.2 270	549.3	544.4	545.3	552.0	557.6	548.1	548.5	536.2
209	151049.1 60	580.0	573.0	571.8	577.1	584.1	579.2	590.2	587.8
210	151049.1 345	583.3	576.2	574.3	579.2	586.2	580.6	589.5	585.2
211	16 368.5 150	270.1	263.5	256.0	251.1	245.8	234.7	230.1	222.4
212	16 368.5 285	251.0	245.0	238.3	234.5	230.1	219.6	215.7	208.3
213	16 418.6 210	314.1	312.7	311.6	314.0	316.9	309.0	313.4	314.1
214	16 428.5 210	323.9	322.7	321.7	324.5	327.6	319.5	323.3	323.7
215	16 488.5 120	384.7	381.1	379.6	382.3	386.5	378.8	385.0	386.6
216	16 488.5 330	336.0	334.0	333.4	336.6	340.7	333.1	338.7	343.2
217	16 548.6 150	408.1	405.3	404.9	409.4	415.5	407.5	414.9	416.0
218	16 548.6 285	365.2	363.5	362.9	366.6	370.9	363.3	368.6	371.0
219	16 798.9 120	508.4	503.4	502.2	507.0	512.7	500.7	507.1	503.9
220	16 798.9 330	454.0	451.8	452.5	458.7	464.4	456.6	463.6	464.8
221	16 929.0 150	525.5	521.2	519.5	523.2	526.5	515.5	516.2	506.7
222	16 929.0 285	532.5	528.5	527.7	532.6	536.5	525.8	525.1	513.3
223	161049.0 120	573.0	569.9	569.9	577.3	587.6	585.3	594.9	591.3
224	161049.0 330	551.0	546.5	546.0	552.0	560.4	556.0	565.6	563.2
225	17 368.7 30	250.7	245.8	239.2	235.4	230.6	223.2	219.6	213.0
226	17 368.7 210	260.3	255.2	249.4	245.5	240.5	233.3	230.3	223.6
227	17 388.4 0	287.7	289.3	290.7	294.6	295.5	290.6	288.9	281.9
228	17 388.4 135	307.5	307.2	305.2	305.7	303.1	295.4	292.0	283.4
229	17 418.8 150	311.2	308.3	305.8	306.6	306.8	302.2	304.9	304.1
230	17 428.8 210	320.7	318.6	315.9	316.8	317.4	313.1	316.0	315.8
231	17 549.0 30	356.3	354.7	354.2	358.1	361.1	358.1	364.3	369.3
232	17 549.0 210	391.7	390.4	390.3	395.5	401.7	400.7	411.6	420.2
233	17 739.2 0	461.5	458.4	457.0	460.6	463.6	458.1	463.6	464.8
234	17 739.2 135	462.6	459.9	458.6	462.7	466.9	461.9	467.4	469.0
235	17 928.9 30	554.5	549.5	546.2	549.0	550.6	540.8	540.6	532.0
236	17 928.9 210	547.0	542.5	539.4	541.7	543.3	534.2	535.4	530.2
237	17 989.1 0	591.7	586.8	583.7	586.9	591.8	584.4	588.6	585.4
238	17 989.1 135	586.6	582.8	581.4	586.4	592.3	585.8	590.5	587.5
239	18 294.0 0	215.2	211.3	205.5	201.9	197.8	189.4	187.2	182.0
240	18 304.0 0	243.4	238.3	232.7	228.5	223.7	214.7	211.5	205.2
241	18 359.2 0	224.4	220.4	214.6	211.2	206.7	198.2	195.7	190.0
242	18 369.1 90	*****	*****	*****	*****	*****	446.8	468.3	385.8
243	18 369.1 285	247.3	242.2	236.2	231.6	227.0	218.5	215.2	208.5
244	18 378.9 0	299.6	293.4	286.4	281.3	274.9	263.9	258.3	248.8
245	18 389.1 90	*****	*****	*****	*****	*****	483.4	478.6	414.7
246	18 389.1 285	290.7	293.1	294.0	296.3	296.0	288.9	286.7	279.4
247	18 409.2 0	298.6	298.1	297.8	301.6	305.9	301.5	306.7	306.8
248	18 429.3 0	311.6	311.5	310.8	313.4	316.4	310.7	316.8	320.2
249	18 549.5 90	359.7	359.5	359.6	363.1	366.3	360.7	366.3	371.4
250	18 549.5 285	363.9	364.7	365.3	369.2	373.8	369.7	375.8	380.6
251	18 930.2 90	556.4	553.8	551.2	555.5	560.7	550.9	552.1	543.0
252	18 930.2 285	569.0	566.6	564.5	569.3	575.4	566.3	566.8	555.2
253	19 369.0 180	274.7	269.6	262.9	258.6	253.3	243.3	238.9	231.3
254	19 369.0 270	260.4	254.9	248.3	243.4	238.6	229.0	225.2	218.7

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.		1	2	3	4	5	6	7	8
255	19 398.5 90	317.3	317.6	317.1	320.9	323.0	314.2	313.1	305.7
256	19 408.4 150	339.1	336.5	334.7	336.9	338.5	330.2	330.5	323.7
257	19 488.5 15	351.4	351.4	351.6	357.1	363.9	359.2	368.4	375.0
258	19 488.5 135	394.6	392.6	391.5	396.7	402.9	397.4	404.5	404.2
259	19 548.8 180	399.8	400.0	401.1	407.6	415.5	411.6	421.7	428.1
260	19 548.8 270	432.1	431.4	433.2	441.1	450.6	445.5	453.6	453.0
261	19 798.4 15	522.2	519.6	519.1	526.0	531.9	525.8	530.5	529.2
262	19 798.4 135	512.6	512.1	513.5	522.5	532.6	527.2	535.2	535.8
263	19 928.5 180	559.9	557.0	555.6	560.0	562.3	551.1	549.2	540.5
264	19 928.5 270	579.1	575.5	573.2	578.0	579.9	567.3	564.7	551.9
265	191048.7 15	24.2	25.8	25.1	26.4	25.9	25.5	26.5	27.1
266	191048.7 135	713.8	708.3	700.6	701.0	698.1	681.4	676.2	659.7
267	21 370.0 150	99.1	102.1	102.4	104.2	104.0	100.7	102.0	102.8
268	21 370.0 144	98.7	101.6	101.9	103.7	103.4	99.9	101.2	101.8
269	21 370.0 126	98.6	101.4	101.6	103.4	103.2	99.6	100.7	101.4
270	21 370.0 120	98.9	101.7	101.8	103.6	103.4	99.7	100.8	101.6
271	21 370.0 30	90.8	93.6	93.7	95.4	95.1	93.3	94.5	95.1
272	21 370.0 26	90.2	92.9	93.1	94.8	94.4	92.7	94.0	94.6
273	21 370.0 7	89.9	92.6	92.6	94.4	94.0	92.6	93.9	94.6
274	21 370.0 0	89.5	92.3	92.4	94.1	93.7	92.5	93.9	94.6
275	21 370.0 210	99.7	102.5	102.6	104.1	103.5	101.8	103.2	104.0
276	21 370.0 206	99.7	102.6	102.6	104.1	103.6	101.6	102.9	103.8
277	21 370.0 187	148.1	*****	*****	*****	*****	48.1	86.9	81.2
278	21 370.0 180	99.8	102.6	102.6	104.1	103.8	101.0	102.3	103.1
279	22 390.0 30	91.7	94.4	94.7	96.5	96.2	94.3	95.6	96.2
280	22 390.0 26	91.1	93.9	94.2	96.0	95.7	94.0	95.3	96.1
281	22 390.0 7	90.5	93.3	93.4	95.3	94.9	93.5	94.9	95.6
282	22 390.0 0	90.3	93.1	93.3	95.1	94.8	93.6	94.9	95.7
283	22 390.0 330	91.3	94.1	94.3	96.1	95.8	95.0	96.5	97.4
284	22 390.0 324	91.6	94.4	94.5	96.3	95.9	95.4	96.9	97.8
285	22 390.0 306	93.6	96.2	96.1	97.7	97.3	97.0	98.4	99.2
286	22 390.0 300	94.4	97.1	97.0	98.6	98.2	97.9	99.3	100.1
287	22 390.0 210	103.5	106.0	105.9	107.4	106.8	105.0	106.3	107.0
288	22 390.0 206	103.8	106.1	106.1	107.6	107.1	104.9	106.2	107.0
289	22 390.0 187	103.9	106.6	106.6	108.0	107.4	105.1	106.1	106.7
290	22 390.0 180	104.0	106.8	106.9	108.5	108.0	105.4	106.7	107.3
291	23 490.0 180	129.7	131.9	131.2	132.1	131.1	127.4	127.9	127.4
292	23 490.0 173	129.7	131.9	131.2	132.2	131.1	127.2	127.8	127.2
293	23 490.0 156	129.0	131.2	130.6	131.6	130.5	126.4	126.9	126.2
294	23 490.0 150	128.1	130.2	129.7	130.7	129.7	125.5	126.0	125.4
295	23 490.0 60	106.6	109.4	109.4	111.2	111.0	108.0	109.1	109.5
296	23 490.0 54	104.4	107.2	107.4	109.2	109.0	106.4	107.5	107.9
297	23 490.0 34	100.5	103.6	104.0	106.1	105.7	103.9	105.2	106.0
298	23 490.0 30	98.9	102.0	102.6	104.7	104.7	102.9	104.3	105.2
299	23 490.0 0	95.5	98.6	99.2	101.4	101.4	100.3	101.8	102.9
300	23 490.0 353	94.7	97.8	98.4	100.7	100.8	100.2	101.8	102.9
301	23 490.0 336	95.8	99.0	99.6	101.8	101.9	101.4	103.1	104.2
302	23 490.0 330	97.8	101.0	101.5	103.7	103.8	103.4	104.9	106.1
303	24 550.0 180	150.2	152.0	151.0	151.6	150.2	145.9	145.8	144.0
304	24 550.0 173	150.5	152.3	151.3	152.0	150.5	146.1	146.0	144.1
305	24 550.0 156	149.3	151.1	150.2	150.8	149.4	144.6	144.5	142.7
306	24 550.0 150	147.7	149.5	148.6	149.4	148.1	143.2	143.2	141.5
307	24 550.0 0	99.8	103.2	104.1	106.2	106.6	105.9	107.6	108.8
308	24 550.0 353	99.2	102.6	103.5	106.1	106.0	105.4	107.3	108.6
309	24 550.0 336	101.4	104.8	105.3	107.7	108.0	107.6	109.3	110.6

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.	1	2	3	4	5	6	7	8
310 24 550.0 330	104.0	107.3	108.1	110.4	110.6	110.1	111.8	112.9
311 24 550.0 240	139.7	141.7	141.0	142.0	140.9	138.4	138.9	137.6
312 24 550.0 234	142.2	144.3	143.5	144.4	143.2	140.5	140.9	139.6
313 24 550.0 216	145.6	147.6	146.7	147.5	146.3	143.1	143.4	141.8
314 24 550.0 210	147.2	149.1	148.3	149.1	147.7	144.3	144.4	142.8
315 25 740.0 150	210.0	210.7	208.6	208.8	207.1	200.8	200.6	198.1
316 25 740.0 144	207.7	208.2	206.2	206.4	204.8	198.5	198.2	195.8
317 25 740.0 126	203.3	203.7	201.7	202.1	200.5	194.1	193.9	191.6
318 25 740.0 120	196.6	197.4	195.6	196.2	194.8	188.5	188.4	186.2
319 25 740.0 30	124.1	128.2	129.8	133.1	133.9	132.8	134.8	136.5
320 25 740.0 26	119.0	123.2	124.9	128.3	129.4	128.6	130.8	132.8
321 25 740.0 7	114.4	118.6	120.5	124.0	125.2	124.8	127.2	129.4
322 25 740.0 0	115.2	119.3	121.1	124.6	125.7	125.6	128.0	130.1
323 25 740.0 210	210.0	210.7	208.6	208.7	206.8	201.9	201.7	199.4
324 25 740.0 206	214.6	215.1	212.9	212.8	210.9	205.5	205.2	202.6
325 25 740.0 187	217.7	218.1	215.8	215.8	213.9	208.1	207.7	205.1
326 25 740.0 180	217.6	217.9	215.7	215.7	213.8	207.8	207.6	204.9
327 26 800.0 30	130.1	134.3	136.2	139.8	141.0	139.9	142.1	144.0
328 26 800.0 26	*****	*****	*****	*****	459.5	275.3	240.9	228.8
329 26 800.0 7	119.9	124.4	126.5	130.4	131.9	131.7	134.2	136.5
330 26 800.0 0	120.1	124.6	126.7	130.4	131.9	131.9	134.4	136.7
331 26 800.0 330	132.3	136.3	138.0	141.4	142.4	142.4	144.6	146.3
332 26 800.0 324	137.6	141.5	142.9	146.0	146.9	146.6	148.7	150.1
333 26 800.0 306	149.7	152.8	128.8	105.1	103.2	108.1	121.3	129.7
334 26 800.0 300	156.5	159.3	159.6	161.9	162.0	160.9	162.3	162.6
335 26 800.0 210	228.4	228.9	226.6	226.5	224.4	218.6	217.9	214.7
336 26 800.0 206	153.1	*****	*****	59.6	*****	86.5	137.5	108.7
337 26 800.0 187	*****	*****	*****	480.2	365.9	162.3	225.0	175.4
338 26 800.0 180	237.0	237.0	234.5	234.2	231.9	225.1	224.1	220.7
339 27 930.0 180	287.3	286.5	283.3	282.8	280.6	272.7	271.8	267.9
340 27 930.0 173	286.1	285.3	282.1	281.7	279.5	271.6	270.7	266.9
341 27 930.0 156	279.4	278.8	276.0	275.7	273.7	265.9	265.1	261.7
342 27 930.0 150	272.6	272.3	269.6	269.5	267.6	259.9	259.2	256.1
343 27 930.0 60	171.9	174.9	175.8	179.0	179.8	177.2	178.6	179.3
344 27 930.0 54	162.6	166.1	167.5	171.0	172.1	170.0	171.8	173.0
345 27 930.0 34	148.1	152.6	154.8	159.0	160.7	159.5	161.9	164.0
346 27 930.0 30	143.3	148.0	150.5	154.9	156.6	156.0	158.5	160.9
347 27 930.0 0	131.5	136.3	139.1	143.6	145.7	146.1	149.0	151.9
348 27 930.0 353	*****	*****	*****	*****	*****	*****	*****	*****
349 27 930.0 336	140.2	144.9	147.3	151.6	153.4	153.8	156.5	159.0
350 27 930.0 330	148.7	153.1	155.1	158.9	160.3	160.4	162.7	164.7
351 28 990.0 180	302.5	301.3	297.5	296.3	293.6	285.1	283.8	279.6
352 28 990.0 173	301.9	300.7	297.0	295.9	293.2	284.7	283.4	279.5
353 28 990.0 156	295.8	294.8	291.3	290.3	287.7	279.3	278.2	274.7
354 28 990.0 150	289.3	288.5	285.1	284.0	281.5	273.2	272.3	268.9
355 28 990.0 0	139.7	145.1	148.2	153.2	155.5	156.1	159.3	162.5
356 28 990.0 353	139.6	144.9	147.9	152.8	155.2	155.8	158.9	162.0
357 28 990.0 336	149.0	153.8	156.6	161.0	163.0	163.5	166.4	169.0
358 28 990.0 330	157.5	161.9	164.2	168.2	169.9	170.0	172.4	174.6
359 28 990.0 240	272.0	271.7	268.8	268.4	266.1	259.9	259.1	255.8
360 28 990.0 234	282.4	281.4	277.9	277.0	274.4	267.7	266.6	262.8
361 28 990.0 216	290.1	288.9	285.3	284.1	281.4	274.1	272.8	268.8
362 28 990.0 210	292.4	291.5	287.8	286.7	283.9	276.3	275.1	271.0
363 291050.0 150	308.6	307.0	302.4	300.6	297.0	297.4	286.0	282.2
364 291050.0 144	307.6	305.7	301.0	299.0	295.1	285.7	284.0	280.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.		1	2	3	4	5	6	7	8	
365	291050.0	126	294.1	293.0	289.3	288.2	285.1	276.3	274.9	271.3
366	291050.0	120	279.8	279.6	276.8	276.6	274.4	266.2	265.3	262.1
367	291050.0	30	160.3	165.5	168.4	173.2	175.4	174.8	177.6	180.2
368	291050.0	26	152.1	157.6	160.8	165.8	168.3	168.2	171.3	174.3
369	291050.0	7	145.9	151.5	154.9	160.1	162.6	163.0	166.4	169.6
370	291050.0	0	146.3	151.8	155.0	160.1	162.6	162.8	166.1	169.3
371	291050.0	210	307.5	306.2	302.2	300.5	297.1	288.2	286.2	281.4
372	291050.0	206	316.0	314.3	309.8	308.0	304.4	295.3	293.0	288.0
373	291050.0	187	322.2	320.3	315.7	313.9	310.1	300.6	298.2	293.1
374	291050.0	180	320.4	318.7	314.2	312.3	308.7	299.2	297.0	292.2
375	01075.0	6	132.5	135.2	135.6	138.2	138.9	138.8	141.0	142.1
376	01075.0	5	114.0	117.3	118.2	121.0	121.7	121.5	124.3	126.0
377	01075.0	4	212.7	214.1	213.4	215.1	214.8	213.0	213.4	211.8
378	01075.0	2	215.7	216.3	215.1	215.9	215.4	213.2	213.1	210.8
379	01075.0	1	215.8	216.6	215.2	216.1	215.5	211.6	211.7	208.9
380	01075.0	2	211.8	213.0	212.1	213.9	213.1	208.2	208.6	206.1
381	01075.0	4	206.5	208.6	208.6	210.9	211.0	206.2	206.6	205.1
382	01075.0	4	295.7	294.9	291.8	291.3	288.9	284.4	282.4	277.0
383	01075.0	1	302.7	300.4	296.7	296.1	294.6	289.1	286.6	281.3
384	01075.0	1	296.5	295.4	292.5	292.5	291.3	282.7	280.7	276.2
385	01075.0	4	266.9	268.4	267.8	269.9	269.7	262.7	263.1	259.6
386	01075.0	3	407.4	404.7	400.3	400.1	396.7	387.8	384.5	373.3
387	01075.0	3	390.9	387.8	382.9	382.9	382.3	370.6	367.9	357.1
388	01075.0	5	394.9	395.1	392.3	392.6	391.6	381.7	379.3	374.8
389	01075.0	6	466.3	468.1	465.2	464.3	452.6	435.8	429.6	432.4
390	01113.0	0	257.0	257.2	255.0	256.5	257.0	252.6	253.7	249.9
391	01113.0	0	210.0	212.4	214.6	214.6	216.0	213.1	212.6	214.0
392	01113.0	0	303.9	308.1	302.9	294.3	300.7	290.8	288.2	287.6
393	01113.0	0	394.5	391.4	386.9	388.3	386.9	376.7	374.8	367.4
394	01113.0	0	313.0	310.8	309.3	311.3	306.8	298.1	294.3	293.7
395	01113.0	0	211.5	213.3	211.4	213.3	214.4	210.1	212.0	211.4
396	0 0.0	0	88.6	91.2	91.4	92.5	93.3	90.3	90.5	90.9
397	0 0.0	0	94.1	96.2	95.9	96.0	96.1	97.3	98.9	99.8
398	0 C.0	0	87.3	88.3	91.2	89.1	91.6	93.4	95.2	94.6
399	0 0.0	0	92.8	96.6	94.1	96.5	96.3	92.8	93.5	92.0
400	0 0.0	0	93.2	94.4	91.9	92.3	91.1	92.6	92.8	91.8
401	0 0.0	0	93.4	94.5	92.1	92.5	91.3	92.6	92.7	91.6
402	0 C.0	0	1715.9	1617.1	1530.6	1449.1	1384.0	1325.8	1261.0	1181.1
403	0 0.0	0	31.3	29.5	27.9	26.4	25.3	24.1	23.0	21.5
404	0 0.0	0	31.4	29.6	27.9	26.5	25.3	24.1	23.0	21.6
405	0 0.0	0	1.2	1.1	0.9	0.8	0.8	0.5	0.4	0.4
406	0 0.0	0	0.6	0.5	1.6	1.4	1.3	0.9	0.8	0.7
407	4 389.5	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8
408	5 389.5	0	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9
409	6 389.1	0	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9
410	7 399.4	0	1.5	1.4	1.3	1.3	1.2	1.1	1.1	1.0
411	8 389.6	0	1.3	1.3	1.2	1.1	1.1	1.0	1.0	0.9
412	9 369.9	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8
413	10 489.8	0	2.7	2.5	2.4	2.2	2.1	2.0	1.9	1.8
414	11 389.5	0	1.2	1.2	1.1	1.1	1.0	1.0	0.9	0.9
415	12 489.5	0	2.7	2.6	2.4	2.3	2.2	2.1	2.0	1.9
416	4 990.0	0	9.8	9.2	8.7	8.2	7.9	7.5	7.2	6.7
417	5 989.5	0	9.7	9.2	8.7	8.2	7.9	7.5	7.1	6.7
418	61049.5	0	10.7	10.0	9.5	9.0	8.6	8.2	7.8	7.3
419	71049.5	0	10.6	10.0	9.5	9.0	8.6	8.2	7.8	7.3

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.		1	2	3	4	5	6	7	8	
420	8 989.3	0	9.7	9.1	8.7	8.2	7.8	7.5	7.1	6.7
421	9 988.8	0	9.7	9.2	8.7	8.2	7.8	7.5	7.1	6.7
422	101049.5	0	10.6	10.0	9.5	9.0	8.6	8.2	7.8	7.3
423	111049.7	0	10.6	10.0	9.5	9.0	8.6	8.2	7.8	7.3
424	121050.0	0	10.7	10.1	9.5	9.0	8.6	8.2	7.8	7.3
425	11047.1	0	31.3	29.5	27.9	26.5	25.3	24.1	23.0	21.5
426	21049.5	0	31.3	29.5	27.9	26.4	25.3	24.2	23.0	21.6
427	31049.5	0	31.3	29.5	27.8	26.5	25.3	24.1	23.0	21.5
428	13 989.7	0	13.8	13.1	12.3	11.7	11.2	10.7	10.2	9.5
429	141049.7	0	12.3	11.6	10.9	10.4	9.9	9.4	9.0	8.4
430	151049.6	0	12.2	11.5	10.9	10.3	9.8	9.4	8.9	8.4
431	161049.5	0	12.1	11.5	10.8	10.3	9.8	9.4	8.9	8.4
432	17 989.6	0	13.9	13.1	12.4	11.8	11.2	10.7	10.2	9.5
433	18 930.7	0	15.7	14.8	14.0	13.2	12.6	12.1	11.5	10.7
434	191049.2	0	12.3	11.6	10.9	10.4	9.9	9.4	9.0	8.4
435	1 388.6	0	31.3	29.5	27.9	26.5	25.3	24.1	23.0	21.5
436	2 388.5	0	31.3	29.5	27.9	26.5	25.3	24.1	23.0	21.5
437	3 389.2	0	31.3	29.5	27.9	26.5	25.3	24.1	23.0	21.5
438	13 389.0	0	29.3	27.7	26.1	24.8	23.7	22.6	21.5	20.2
439	14 489.4	0	26.9	25.4	24.0	22.7	21.7	20.7	19.8	18.5
440	15 489.1	0	26.8	25.3	23.9	22.7	21.7	20.7	19.7	18.4
441	16 419.1	0	28.6	27.0	25.5	24.2	23.2	22.0	21.0	19.7
442	17 388.9	0	29.4	27.7	26.2	24.9	23.7	22.7	21.5	20.2
443	18 389.6	0	29.4	27.7	26.2	24.9	23.8	22.7	21.6	20.3
444	19 399.0	0	29.0	27.4	25.9	24.6	23.4	22.4	21.3	20.0
445	1 348.6	0	31.4	29.5	27.9	26.5	25.4	24.1	22.9	21.6
446	2 359.0	0	31.3	29.5	27.9	26.4	25.3	24.1	23.0	21.5
447	3 294.5	0	31.3	29.5	27.9	26.4	25.3	24.1	23.0	21.6
448	4 294.4	0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
449	4 304.2	0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3
450	4 348.9	0	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6
451	4 379.6	0	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8
452	5 370.0	0	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7
453	7 349.5	0	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.6
454	7 359.5	0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7
455	7 369.5	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.7
456	7 379.5	0	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8
457	7 409.1	0	1.6	1.5	1.4	1.4	1.3	1.2	1.2	1.1
458	8 295.1	0	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2
459	8 304.7	0	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3
460	8 369.2	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8
461	9 369.9	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.7
462	12 370.5	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8
463	13 369.4	0	29.8	28.0	26.5	25.1	24.0	22.9	21.7	20.5
464	14 369.5	0	29.8	28.1	26.5	25.2	24.0	22.9	21.8	20.5
465	15 369.6	0	29.8	28.0	26.5	25.1	24.0	22.9	21.8	20.5
466	16 369.0	0	29.8	28.1	26.5	25.1	24.0	22.9	21.9	20.5
467	17 369.2	0	29.8	28.1	26.6	25.2	24.1	23.0	21.9	20.5
468	18 294.5	0	31.1	29.2	27.7	26.2	25.0	23.9	22.7	21.4
469	18 304.5	0	30.9	29.1	27.5	26.0	25.0	23.8	22.6	21.2
470	18 359.7	0	30.0	28.3	26.7	25.3	24.3	23.1	22.1	20.6
471	18 369.6	0	29.8	28.2	26.6	25.2	24.2	23.0	21.9	20.5
472	18 379.4	0	29.7	27.9	26.5	25.1	24.0	22.9	21.8	20.4
473	18 389.6	0	29.5	27.7	26.3	24.9	23.8	22.7	21.5	20.3
474	18 409.7	0	29.0	27.3	25.8	24.5	23.4	22.3	21.2	19.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

4T

VERSUCH NR.			1	2	3	4	5	6	7	8	
475	18	429.8	0	28.5	26.8	25.3	24.0	23.0	21.9	20.9	19.6
476	19	369.5	0	29.7	28.1	26.5	25.1	24.0	22.9	21.7	20.6
477	1	738.5	0	31.3	29.5	27.9	26.4	25.3	24.1	23.1	21.5
478	2	738.5	0	2.9	1.7	1.3	1.6	1.5	1.0	0.9	0.8
479	3	739.0	0	31.4	29.5	27.9	26.5	25.3	24.1	22.9	21.5
480	4	739.7	0	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.2
481	5	739.2	0	6.1	5.7	5.4	5.2	4.9	4.7	4.5	4.2
482	6	739.9	0	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.2
483	7	799.5	0	7.1	6.6	6.3	5.9	5.7	5.4	5.2	4.8
484	8	739.5	0	6.1	5.7	5.4	5.1	4.9	4.7	4.4	4.2
485	9	739.7	0	6.1	5.8	5.5	5.1	4.9	4.7	4.5	4.2
486	10	739.5	0	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.2
487	11	739.4	0	6.0	5.7	5.4	5.1	4.9	4.6	4.4	4.1
488	12	799.8	0	7.1	6.6	6.3	5.9	5.7	5.4	5.2	4.9
489	13	739.2	0	20.5	19.3	18.3	17.3	16.6	15.8	15.0	14.1
490	14	799.7	0	19.1	17.9	17.0	16.1	15.4	14.6	13.9	13.1
491	15	800.1	0	18.9	17.8	16.9	16.0	15.3	14.5	13.8	13.0
492	16	799.4	0	18.8	17.7	16.7	15.8	15.2	14.4	13.7	12.9
493	17	739.7	0	20.6	19.4	18.4	17.4	16.6	15.9	15.1	14.2
494	18	550.0	0	25.5	24.0	22.8	21.5	20.6	19.6	18.8	17.6
495	19	798.9	0	18.9	17.8	16.9	15.9	15.3	14.6	13.8	13.0
496	0	0.0	0	1.2	14.4	14.0	13.6	13.1	12.4	12.1	11.4
497	0	0.0	0	0.8	11.5	11.5	11.3	11.1	10.6	10.5	9.9

DATUM 7. 7.80

5T

VERSUCH NR.	1	2	3	4	5	6	7	8
RAUMTEMPERATUR	28.7	28.6	30.0	30.6	29.9	28.9	30.6	30.3
DURCHSATZ (KG/S)	0.0564	0.0505	0.0453	0.0405	0.0325	0.0341	0.0310	0.0277
EL. ENERGIE (KW)	65.7	59.0	53.2	47.2	42.5	42.2	38.3	35.1
WAERMEENERGIE(KW)	69.0	62.1	55.8	49.2	39.0	43.4	39.0	35.4
WAERMEBILANZ(0/0)	5.0	5.3	4.9	4.3	-8.3	2.8	1.9	0.8
REYNOLDSZAHL*E-04	1.226	1.096	0.981	0.880	0.707	0.734	0.665	0.593
DRUCKVERLUST (N/M**2)								
GES.X=1060.0(MM)	7117.	5726.	4609.	3657.	3028.	2631.	2172.	1728.
BIS X= 560.0(MM)	1828.	1471.	1198.	970.	795.	695.	580.	469.
BIS X= 624.0(MM)	2926.	2362.	1928.	1551.	1284.	1121.	933.	751.
BIS X= 717.0(MM)	3607.	2909.	2369.	1903.	1571.	1373.	1141.	919.
BIS X= 810.0(MM)	4300.	3463.	2813.	2254.	1861.	1623.	1345.	1083.
BIS X= 874.0(MM)	5552.	4481.	3637.	2920.	2412.	2109.	1751.	1410.
BIS X= 967.0(MM)	6313.	5073.	4114.	3304.	2727.	2379.	1974.	1595.
EINTR.DRUCK (BAR)	8.31	8.32	8.29	8.28	8.29	8.27	8.27	8.26
EINTR.TEMP. GRADC	102.4	102.6	104.1	104.7	105.1	105.2	107.8	108.7

TE R AX RAD T  
NR NR. PCS POS  
(MM) (GRD)GRAD C

1	1	338.8	270	101.6	102.4	104.6	105.3	105.3	107.1	109.8	110.2
2	1	348.1	330	101.8	102.6	104.7	105.6	105.6	107.0	109.7	110.1
3	1	388.1	150	103.9	104.0	106.4	107.7	107.5	108.9	111.3	111.7
4	1	388.1	330	102.6	102.9	105.1	106.3	106.2	107.9	110.4	110.6
5	1	487.7	255	105.4	106.3	108.4	109.6	109.7	110.8	113.5	114.0
6	1	487.7	120	107.5	107.9	109.9	110.7	110.5	112.4	115.1	115.6
7	1	738.0	150	131.5	132.2	134.3	135.2	134.8	137.6	140.2	140.9
8	1	738.0	330	120.9	121.8	124.4	126.2	126.4	129.0	132.1	133.4
9	1	795.4	120	127.2	128.5	131.4	132.4	132.3	135.7	138.5	139.6
10	1	795.4	255	141.8	142.8	144.5	145.3	144.8	148.2	150.8	151.4
11	1	987.0	150	170.1	171.0	172.7	172.7	172.1	177.2	179.0	180.0
12	1	987.0	330	151.5	153.1	155.7	157.8	158.2	162.2	165.8	168.0
13	11046.6	120	157.6	159.6	162.3	163.8	164.1	168.7	171.7	173.6	
14	11046.6	255	182.3	182.6	184.3	184.8	183.7	189.0	191.3	192.4	
15	2	358.5	0	103.2	103.8	105.8	106.5	106.6	106.1	108.4	108.6
16	2	388.0	0	*****	124.5	134.0	*****	*****	*****	*****	*****
17	2	388.0	210	105.1	105.8	107.6	108.4	108.3	108.0	110.5	110.3
18	2	398.0	0	103.2	103.8	106.0	106.8	106.7	106.6	109.0	109.1
19	2	488.1	30	103.9	104.6	106.9	108.2	108.1	107.8	110.1	110.6
20	2	488.1	165	108.2	108.7	110.6	111.3	111.1	110.8	113.2	113.3
21	2	738.0	0	129.9	130.5	132.3	132.6	132.1	132.9	135.3	135.6
22	2	738.0	210	134.3	135.0	136.5	136.3	135.7	136.8	138.9	139.1
23	2	797.8	30	113.6	115.3	118.2	120.2	120.4	121.7	124.8	126.1
24	2	797.8	165	136.7	137.3	139.0	139.6	139.1	140.1	142.1	142.8
25	2	987.2	0	128.3	129.5	133.0	135.2	136.2	138.5	142.4	144.8
26	2	987.2	210	163.9	163.9	165.6	165.3	164.2	167.6	169.0	169.8
27	21049.0	30	132.0	133.7	137.7	140.1	141.3	144.3	148.8	151.5	
28	21049.0	165	166.2	167.2	168.8	169.0	168.4	171.7	173.3	174.5	
29	3	294.0	30	105.3	106.0	107.6	108.7	108.1	106.8	108.7	108.5
30	3	303.7	330	103.7	104.6	106.4	107.2	107.1	105.8	107.6	107.5
31	3	388.7	15	103.8	104.1	106.7	107.6	107.3	106.2	108.2	108.1
32	3	388.7	255	104.9	105.5	107.9	108.7	108.5	107.3	109.3	109.3
33	3	488.5	60	105.4	106.1	108.4	109.6	109.5	108.2	110.5	110.3
34	3	488.5	150	109.0	109.6	111.7	113.0	112.5	111.1	112.7	112.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

51

VERSUCH NR.	1	2	3	4	5	6	7	8	
35	3 738.5 15	113.7	115.4	118.3	120.5	121.0	120.9	123.9	125.1
36	3 738.5 255	123.3	123.7	126.4	127.2	127.4	127.4	129.6	130.2
37	3 798.5 60	120.5	122.6	125.6	128.1	128.6	128.8	131.9	133.4
38	3 798.5 150	136.9	138.4	141.1	142.2	141.7	141.9	144.1	144.9
39	3 988.5 15	130.7	133.2	137.1	140.3	141.7	143.4	147.7	150.6
40	3 988.5 255	142.3	143.3	146.0	147.3	147.7	149.7	152.4	154.6
41	31049.0 60	138.0	141.5	146.1	149.6	151.3	153.2	158.1	161.4
42	31049.0 150	164.0	165.3	168.3	169.7	170.0	172.2	174.9	176.9
43	4 293.9 300	181.6	179.3	178.1	174.9	171.7	175.8	175.3	173.8
44	4 303.7 300	201.6	198.6	197.1	193.5	189.7	195.0	193.8	191.8
45	4 339.0 300	179.2	176.8	176.0	173.1	170.4	174.6	174.7	174.8
46	4 348.4 300	192.4	190.5	189.8	186.9	183.9	189.0	188.7	187.6
47	4 379.1 300	222.8	220.8	219.6	215.4	211.7	217.8	216.0	214.1
48	4 389.0 45	204.0	205.1	208.8	210.0	210.7	220.9	222.6	224.4
49	4 389.0 210	418.9	391.4	365.3	353.3	341.8	306.8	371.9	369.4
50	4 408.8 300	97.6	97.5	99.8	99.3	99.4	102.3	106.0	104.3
51	4 418.6 300	217.0	216.3	217.4	216.2	215.2	224.8	227.0	232.3
52	4 428.7 300	219.5	219.0	220.4	219.1	218.5	227.8	230.1	235.5
53	4 739.2 45	392.6	473.2	67.4	400.0	432.2	387.2	476.3	467.5
54	4 739.2 210	269.6	270.7	273.0	272.3	272.5	286.5	289.3	296.5
55	4 989.5 45	307.7	309.8	312.6	312.7	313.2	328.8	331.9	340.6
56	4 989.5 210	331.9	332.8	335.4	334.5	334.8	351.6	354.2	362.1
57	5 369.5 195	186.7	184.7	184.1	181.2	178.4	181.4	180.7	179.4
58	5 369.5 300	188.4	186.2	185.4	182.9	180.1	183.5	182.9	181.5
59	5 389.0 30	195.0	195.4	198.3	199.9	201.4	209.9	212.9	215.4
60	5 389.0 150	193.4	193.7	196.2	197.2	198.4	206.4	209.3	212.4
61	5 549.0 195	222.7	222.7	224.0	223.5	222.8	230.7	232.6	235.7
62	5 549.0 300	216.0	215.7	217.3	216.9	216.4	224.8	226.4	230.1
63	5 738.7 30	239.5	240.7	242.3	242.4	242.4	252.2	254.8	259.3
64	5 738.7 150	260.5	260.8	262.4	261.5	260.8	270.4	272.0	276.0
65	5 809.2 120	269.5	270.0	271.7	270.9	270.4	280.2	281.5	285.6
66	5 819.0 180	279.7	279.9	281.2	280.1	279.0	289.4	290.4	294.2
67	5 929.4 195	317.3	317.6	319.3	318.1	317.5	331.1	332.3	338.7
68	5 929.4 300	296.2	297.0	298.3	297.5	297.2	310.6	312.1	318.6
69	5 989.0 30	285.8	286.4	288.5	288.1	288.4	300.9	302.5	308.5
70	5 989.0 150	324.2	325.2	326.6	324.9	324.1	337.5	337.5	343.0
71	6 388.6 225	199.0	200.4	203.4	205.3	206.5	212.3	214.4	216.4
72	6 388.6 300	199.2	200.6	203.9	205.9	207.7	213.6	215.7	217.7
73	6 488.5 30	212.0	212.5	214.5	214.2	213.9	218.4	220.2	223.9
74	6 488.5 150	219.2	219.4	221.0	220.6	220.4	224.6	226.1	229.6
75	6 739.4 225	269.4	270.3	272.1	271.4	271.1	278.9	280.5	285.5
76	6 739.4 300	255.1	256.0	257.4	257.0	256.8	265.0	267.1	272.6
77	6 798.8 30	255.7	257.3	259.6	259.7	260.0	268.1	270.0	274.9
78	6 798.8 30	280.4	281.1	282.9	281.9	281.5	289.7	290.8	295.0
79	6 829.0 180	281.0	282.1	283.3	281.8	281.2	288.2	288.6	291.3
80	6 839.0 240	269.8	270.1	270.9	269.8	268.8	276.5	277.5	280.3
81	6 988.8 225	102.7	428.8	489.9	118.3	123.4	124.5	342.4	372.7
82	6 988.8 300	308.6	309.4	310.7	309.5	309.0	320.4	321.6	327.5
83	61049.0 30	291.5	293.8	296.8	296.5	297.8	309.6	311.9	318.7
84	61049.0 150	434.3	400.0	425.5	419.0	426.6	428.2	434.4	431.1
85	7 339.0 150	201.7	198.9	197.4	194.3	190.6	188.4	186.4	183.5
86	7 349.0 150	197.8	196.1	195.7	193.8	190.7	199.0	187.7	185.4
87	7 359.0 150	191.6	189.6	188.5	186.4	183.5	181.2	180.2	178.0
88	7 369.0 165	201.3	198.7	198.0	195.1	192.3	190.0	188.6	186.1
89	7 369.0 330	201.4	199.2	198.2	195.8	192.4	191.3	190.1	187.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.		1	2	3	4	5	6	7	8
90	7 379.0 150	225.0	223.4	222.9	220.0	216.5	215.4	213.2	210.3
91	7 398.9 150	211.1	211.3	214.0	214.7	215.9	218.9	222.3	225.7
92	7 408.6 150	215.6	216.1	218.1	218.3	218.5	221.5	225.0	229.6
93	7 489.4 165	231.0	232.2	234.7	234.7	235.1	239.2	242.0	247.9
94	7 489.4 330	224.6	225.3	228.1	228.0	227.9	233.0	235.6	241.1
95	7 799.0 165	291.4	292.9	296.2	296.2	296.5	305.4	308.2	315.7
96	7 799.0 330	271.4	273.4	276.8	277.5	278.3	287.3	291.0	299.0
97	71049.0 165	102.7	100.9	103.9	104.8	105.3	104.3	108.7	110.1
98	71049.0 330	311.6	314.7	316.7	319.5	321.1	333.4	337.6	347.7
99	8 294.6 210	195.0	192.7	191.0	187.1	183.6	188.0	187.0	185.4
100	8 304.2 270	208.2	205.8	203.8	199.9	195.9	200.8	199.2	197.5
101	8 368.7 135	190.7	188.6	187.8	184.7	181.7	186.7	186.1	185.1
102	8 368.7 255	199.7	197.8	196.6	192.9	189.7	195.0	194.3	193.6
103	8 389.1 30	199.3	200.4	203.5	204.1	204.5	214.5	215.9	217.5
104	8 389.1 300	204.8	205.2	207.4	207.4	206.9	216.1	217.1	218.2
105	8 549.0 135	232.9	234.1	237.0	236.5	236.4	248.7	252.4	260.5
106	8 549.0 255	244.2	245.4	247.7	247.6	247.7	260.2	264.6	274.1
107	8 739.0 30	278.7	281.0	284.4	284.5	284.6	299.7	303.2	312.0
108	8 739.0 300	378.6	380.2	381.9	379.5	377.7	397.5	399.2	408.2
109	8 929.0 135	291.8	293.2	296.1	296.0	296.0	311.0	314.9	324.0
110	8 929.0 255	353.9	356.1	359.1	357.6	357.2	374.9	377.7	386.7
111	8 988.8 30	357.0	358.9	363.4	362.6	363.0	383.3	388.4	404.0
112	8 988.8 300	367.1	369.9	373.9	373.3	373.5	394.1	399.5	414.9
113	9 369.4 105	190.3	188.7	188.4	185.5	182.4	185.7	184.8	183.7
114	9 369.4 180	401.6	410.4	345.5	316.1	307.4	312.5	278.3	261.7
115	9 389.0 30	201.9	203.0	206.7	207.8	208.6	217.4	219.8	222.1
116	9 389.0 270	201.7	203.1	207.3	208.7	210.2	219.0	221.3	223.6
117	9 549.0 105	230.3	230.8	233.7	233.2	232.9	241.9	244.1	249.4
118	9 549.0 180	233.5	234.0	236.6	235.6	235.2	244.6	246.4	251.7
119	9 739.2 30	278.0	279.7	283.1	282.5	282.6	296.1	298.8	307.3
120	9 739.2 270	294.2	295.2	298.1	296.6	296.2	310.5	312.5	320.8
121	9 909.0 60	352.0	354.5	359.5	358.3	358.9	378.5	380.4	389.7
122	9 919.0 120	391.7	393.7	397.4	394.6	393.8	415.8	416.8	426.7
123	9 929.0 105	388.7	390.6	394.9	392.2	391.9	415.0	416.8	428.6
124	9 929.0 180	413.8	415.2	418.7	414.9	413.8	437.4	437.7	448.0
125	9 988.8 30	368.4	370.1	374.9	373.2	374.0	397.1	402.2	423.3
126	9 988.8 270	402.8	403.5	406.3	402.2	401.1	425.6	428.7	449.0
127	10 489.3 90	214.5	214.4	217.0	216.7	216.5	221.1	222.8	227.8
128	10 489.3 300	212.1	212.5	214.6	213.8	213.5	219.8	221.4	226.5
129	10 549.0 60	223.6	223.7	226.0	225.5	224.6	230.0	231.5	235.8
130	10 549.0 210	230.7	231.0	233.2	232.2	231.3	236.8	238.0	242.6
131	10 739.0 180	300.9	301.5	304.3	302.7	301.9	312.7	313.9	321.9
132	10 739.0 330	274.8	276.1	279.1	278.3	278.4	289.1	290.9	298.6
133	10 799.0 90	303.3	304.8	308.6	307.6	307.1	318.4	320.1	328.5
134	10 799.0 300	298.8	299.3	301.8	300.0	299.9	311.5	312.8	320.7
135	10 929.0 60	357.3	359.8	365.4	364.6	365.2	383.6	386.5	400.5
136	10 929.0 210	398.3	399.8	403.5	400.4	399.7	419.5	420.4	433.3
137	10 989.0 180	434.0	434.5	437.8	433.5	432.9	456.4	456.7	474.6
138	10 989.0 330	368.6	370.2	374.9	372.9	373.5	393.5	396.0	414.7
139	101049.0 90	417.9	419.8	423.7	420.8	420.6	443.3	443.9	460.9
140	101049.0 300	395.9	398.0	401.6	398.8	398.6	420.3	421.3	437.3
141	11 389.0 60	199.2	201.0	204.9	207.8	208.7	211.5	213.2	215.5
142	11 389.0 315	196.1	197.2	200.9	203.5	204.3	208.1	209.6	212.5
143	11 489.0 150	288.4	295.6	367.2	230.3	217.4	446.1	*****	233.1
144	11 489.0 270	211.4	211.8	213.4	213.2	212.4	215.2	216.3	220.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.		1	2	3	4	5	6	7	8	
145	11 738.9	60	271.2	272.8	276.2	276.5	276.1	283.3	285.0	292.0
146	11 738.9	315	277.7	279.0	281.8	280.9	280.5	288.8	289.7	297.1
147	11 799.6	150	312.8	314.7	317.7	316.9	316.1	326.0	326.2	333.4
148	11 799.6	270	313.7	313.9	315.7	314.0	312.8	323.0	322.8	329.9
149	11 849.3	240	320.9	320.0	320.3	317.0	313.9	321.6	319.3	323.4
150	11 859.8	300	304.9	304.2	305.8	302.8	300.5	307.8	305.7	308.3
151	11 989.3	60	355.2	358.0	362.7	362.7	363.6	379.6	380.8	395.2
152	11 989.3	315	371.7	373.5	376.5	374.6	373.8	390.7	390.7	404.5
153	111049.2	150	430.7	432.5	435.6	431.8	430.5	449.7	448.3	460.4
154	111049.2	270	420.2	421.4	422.9	418.8	417.1	436.2	435.0	447.4
155	12 359.9	30	198.4	196.3	195.8	193.7	191.8	189.5	188.5	187.5
156	12 370.0	15	202.5	200.2	199.2	196.4	193.3	190.9	189.3	188.0
157	12 370.0	240	196.0	193.5	192.8	190.2	188.1	184.7	183.5	182.2
158	12 379.2	90	227.5	224.9	223.5	219.7	216.1	214.3	211.6	209.8
159	12 489.0	90	238.7	238.8	240.9	240.8	241.2	245.7	248.7	259.2
160	12 489.0	270	219.4	220.0	222.2	222.0	222.5	225.5	227.8	234.5
161	12 548.9	15	245.8	246.8	249.5	249.8	250.5	255.7	258.6	267.2
162	12 548.9	240	235.9	237.0	239.7	240.0	240.8	245.1	247.7	255.3
163	12 799.3	90	309.4	311.5	315.8	316.8	318.8	330.5	336.0	350.1
164	12 799.3	270	308.4	310.6	314.0	314.0	315.3	325.5	328.7	340.2
165	12 929.3	15	315.7	318.6	323.6	324.8	326.5	337.6	340.6	350.5
166	12 928.4	240	222.4	*****	*****	282.0	392.7	384.9	376.9	390.2
167	121049.5	90	369.2	373.5	379.5	381.4	383.7	400.1	406.7	425.4
168	121049.5	270	380.9	384.3	388.4	388.3	389.8	406.2	409.3	425.0
169	13 338.8	60	260.3	253.0	248.4	241.8	235.4	240.3	236.6	234.1
170	13 349.0	60	263.8	260.1	257.7	252.7	247.6	254.0	250.8	249.5
171	13 368.9	90	290.9	286.1	281.7	274.1	267.1	273.0	268.0	264.6
172	13 368.9	240	298.4	293.3	289.0	281.5	274.3	281.6	276.7	274.0
173	13 388.5	45	352.1	358.4	364.5	363.1	360.5	378.1	373.2	372.1
174	13 388.5	270	360.9	363.8	367.2	363.7	359.4	377.7	371.6	370.2
175	13 549.0	90	436.9	441.5	447.7	447.6	451.1	493.0	507.3	548.5
176	13 549.0	240	459.7	463.6	470.3	471.3	476.3	521.6	534.7	563.7
177	13 738.7	45	528.9	533.2	539.0	538.9	543.0	586.9	594.7	617.4
178	13 738.7	270	541.3	545.4	551.0	550.4	554.4	598.8	607.3	629.9
179	13 929.3	90	652.0	657.5	663.6	662.4	662.2	701.9	694.7	699.9
180	13 929.3	240	650.9	654.7	660.6	657.2	656.1	693.3	688.0	696.1
181	13 989.2	45	672.0	677.5	685.5	687.8	693.6	742.2	739.2	750.6
182	13 989.2	270	687.4	694.2	703.4	705.2	708.6	752.5	747.5	757.0
183	14 369.0	30	290.4	285.0	281.2	273.9	267.2	270.9	265.5	262.0
184	14 369.0	270	301.2	296.1	291.4	283.6	276.9	281.2	275.9	272.6
185	14 488.9	75	395.8	400.0	406.8	407.3	413.3	449.0	464.5	499.2
186	14 488.9	180	405.7	410.4	415.8	416.2	421.9	460.8	478.6	514.1
187	14 548.8	30	420.8	424.9	429.8	429.1	431.3	463.6	477.8	523.7
188	14 548.8	270	443.2	447.1	451.6	450.6	452.8	488.9	503.8	551.1
189	14 799.2	75	569.6	575.4	581.7	582.0	587.9	636.0	646.4	674.3
190	14 799.2	180	586.5	592.0	598.1	598.4	604.5	655.3	665.7	692.8
191	14 890.2	0	613.2	615.7	617.5	610.1	605.7	637.1	629.2	635.3
192	14 899.8	60	619.8	624.1	628.1	622.8	620.5	653.8	646.9	655.0
193	14 929.5	30	641.9	649.1	656.6	655.5	657.9	697.6	691.4	700.4
194	14 929.5	270	680.9	686.3	692.7	689.9	689.8	728.9	720.3	725.8
195	141049.2	75	736.3	742.2	750.7	752.5	760.5	813.7	810.4	827.1
196	141049.2	180	774.1	779.0	787.3	787.2	795.6	851.0	846.1	857.8
197	15 369.1	150	301.1	296.2	291.3	283.6	277.0	278.1	272.4	269.5
198	15 369.1	270	293.4	288.1	283.4	276.0	269.7	271.0	265.2	262.3
199	15 488.6	60	407.7	411.9	417.6	418.6	423.7	457.3	472.2	508.2

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.	1	2	3	4	5	6	7	8			
200	15	488.6	345	398.0	402.8	408.5	410.4	416.1	449.6	464.0	500.2
201	15	549.6	150	433.0	437.5	442.1	441.9	446.3	480.9	497.4	550.2
202	15	549.6	270	436.5	440.5	445.0	444.4	447.0	479.6	494.1	545.0
203	15	799.6	60	559.1	564.6	570.7	570.5	577.4	622.8	629.7	654.6
204	15	799.6	345	545.3	551.5	557.8	558.4	565.4	610.5	617.4	642.8
205	15	869.0	0	533.1	534.6	534.8	526.7	522.8	546.6	538.5	544.5
206	15	879.0	300	587.4	590.1	589.9	581.5	576.0	602.3	592.8	597.0
207	15	929.2	150	685.5	694.9	704.1	702.1	701.7	737.9	724.6	725.8
208	15	929.2	270	668.7	677.8	686.5	684.9	686.4	724.1	712.9	716.4
209	15	1049.1	60	713.9	720.0	726.4	727.7	738.5	789.8	786.5	800.1
210	15	1049.1	345	713.6	719.5	726.8	727.0	736.3	786.2	780.7	794.6
211	16	368.5	150	316.7	310.8	305.1	296.2	289.0	289.8	283.1	279.8
212	16	368.5	285	294.1	288.9	284.7	277.0	271.0	271.0	265.3	261.7
213	16	418.6	210	380.7	383.7	388.4	389.1	392.3	414.9	418.0	432.4
214	16	428.5	210	393.6	397.8	403.0	402.9	406.1	429.9	432.9	448.9
215	16	488.5	120	470.3	473.8	479.4	479.4	486.0	521.8	525.6	547.1
216	16	488.5	330	411.2	415.8	422.2	423.1	428.7	462.2	472.5	507.3
217	16	548.6	150	500.5	506.3	514.2	516.4	523.8	564.2	568.7	592.5
218	16	548.6	285	447.7	453.1	459.7	461.0	466.9	503.3	513.7	554.6
219	16	798.9	120	619.6	625.3	633.1	633.9	640.1	682.0	682.3	699.7
220	16	798.9	330	554.9	562.7	570.9	573.8	581.8	624.7	628.5	650.1
221	16	929.0	150	637.9	643.4	649.5	647.1	647.4	681.3	674.9	685.6
222	16	929.0	285	648.5	655.2	661.8	659.5	659.6	691.8	682.1	687.3
223	16	1049.0	120	690.5	698.0	708.0	712.9	725.6	775.0	773.3	787.9
224	16	1049.0	330	675.8	682.4	690.5	693.3	701.9	747.0	745.6	760.2
225	17	368.7	30	294.0	289.2	284.4	276.6	270.5	275.4	270.4	266.9
226	17	368.7	210	305.0	300.4	296.1	288.3	281.9	288.2	283.3	281.2
227	17	388.4	0	343.0	353.6	359.2	358.7	357.5	372.8	367.6	365.8
228	17	388.4	135	371.6	373.9	374.8	369.2	364.4	377.3	369.6	366.4
229	17	418.8	150	374.5	375.4	376.5	374.2	374.8	399.5	400.2	411.0
230	17	428.8	210	386.8	387.8	389.7	387.3	388.1	415.3	417.2	429.5
231	17	549.0	30	432.8	438.1	443.5	444.9	451.3	492.3	503.1	539.9
232	17	549.0	210	477.6	483.6	491.1	494.3	504.3	556.2	567.1	591.1
233	17	739.2	0	560.7	560.5	571.1	569.6	574.6	618.1	623.6	645.6
234	17	739.2	135	561.4	566.9	572.1	571.7	576.9	618.8	623.1	643.5
235	17	928.9	30	671.1	670.1	679.4	675.5	675.4	714.5	709.1	720.5
236	17	928.9	210	661.7	666.3	669.3	664.7	665.0	703.1	700.2	715.2
237	17	989.1	0	721.3	726.4	729.7	727.5	733.0	783.6	782.4	797.9
238	17	989.1	135	710.3	717.6	723.3	724.3	730.6	776.6	777.6	794.1
239	18	294.0	0	251.6	247.4	242.8	236.1	230.8	231.0	227.9	225.3
240	18	304.0	0	285.8	281.6	276.4	269.1	262.9	264.8	260.3	257.3
241	18	359.2	0	262.9	258.6	253.7	246.7	241.3	242.0	238.3	235.2
242	18	369.1	90	384.2	405.3	472.6	475.0	481.8	278.2	287.7	344.1
243	18	369.1	285	290.2	285.3	280.2	272.8	266.2	269.5	264.5	261.1
244	18	378.9	0	355.2	349.7	343.2	333.4	325.1	329.2	321.0	316.1
245	18	389.1	90	687.4	413.1	683.8	372.3	445.8	427.2	384.8	457.9
246	18	389.1	285	352.1	357.0	360.9	359.3	356.6	369.6	363.5	361.7
247	18	409.2	0	362.5	364.9	369.4	372.7	377.9	402.3	403.5	412.1
248	18	429.3	0	379.0	382.7	386.0	387.3	391.7	419.6	425.1	440.3
249	18	549.5	90	438.8	444.2	449.6	450.7	456.2	492.1	504.8	545.2
250	18	549.5	285	445.9	452.1	457.9	460.2	466.7	505.9	517.9	554.4
251	18	930.2	90	679.0	685.3	690.8	690.4	693.6	733.6	727.5	737.2
252	18	930.2	285	691.7	698.7	704.6	705.0	707.2	746.1	738.7	746.1
253	19	369.0	180	323.0	317.5	312.3	304.4	298.1	301.0	295.5	293.8
254	19	369.0	270	306.4	300.1	294.5	287.6	281.7	283.5	278.5	276.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD) GRAD C

5T

VERSUCH NR.	1	2	3	4	5	6	7	8
255 19 398.5 90	386.7	391.8	396.0	396.0	395.9	411.0	405.6	407.8
256 19 408.4 150	412.4	415.5	417.7	417.7	417.4	436.6	432.0	435.4
257 19 488.5 15	432.5	439.5	446.8	452.6	463.5	504.0	513.4	537.7
258 19 488.5 135	484.4	490.1	496.0	501.5	509.5	547.3	549.5	563.0
259 19 548.8 180	491.5	499.9	508.8	514.8	526.8	573.5	583.5	610.8
260 19 548.8 270	532.6	542.1	551.7	558.8	568.5	610.1	612.0	626.8
261 19 798.4 15	637.0	644.4	650.7	653.9	660.1	702.1	702.6	721.9
262 19 798.4 135	622.6	631.9	641.5	648.5	657.9	702.8	706.0	723.8
263 19 928.5 180	679.0	686.3	690.0	688.3	688.3	721.4	714.8	726.2
264 19 928.5 270	705.5	711.8	715.4	711.9	709.3	742.0	732.2	738.9
265 191048.7 15	29.3	29.2	30.6	31.2	30.5	29.5	31.2	30.9
266 191048.7 135	864.8	864.2	857.7	846.0	839.2	869.9	854.4	857.3
267 21 370.0 150	113.8	114.6	116.7	117.9	117.7	116.0	118.3	119.0
268 21 370.0 144	113.4	114.1	116.2	117.3	117.2	115.1	117.3	117.9
269 21 370.0 126	113.3	113.9	116.0	117.2	117.1	114.5	116.7	117.2
270 21 370.0 120	113.8	114.5	116.5	117.7	117.7	115.1	117.3	117.9
271 21 370.0 30	103.6	104.2	106.3	107.6	107.5	106.7	109.1	109.2
272 21 370.0 26	102.6	103.3	105.4	106.6	106.6	106.0	108.4	108.6
273 21 370.0 7	102.2	102.7	104.9	106.1	106.0	105.8	108.2	108.6
274 21 370.0 0	101.8	102.4	104.5	105.8	105.8	105.8	108.1	108.6
275 21 370.0 210	113.9	114.6	116.4	117.3	116.9	117.6	119.9	120.6
276 21 370.0 206	114.1	114.7	116.7	117.5	117.1	117.4	119.7	120.3
277 21 370.0 187	133.0	109.2	144.5	129.6	119.5	124.0	172.5	120.3
278 21 370.0 180	114.0	114.7	116.7	117.5	117.2	116.4	118.8	119.5
279 22 390.0 30	104.5	105.1	107.4	108.7	108.6	107.8	110.2	110.3
280 22 390.0 26	104.3	105.0	107.2	108.6	108.6	108.0	110.4	110.4
281 22 390.0 7	103.4	104.0	106.2	107.6	107.6	107.4	109.8	110.2
282 22 390.0 0	103.2	103.8	106.0	107.3	107.4	107.5	110.0	110.4
283 22 390.0 330	104.3	104.9	107.2	108.4	108.5	108.9	111.5	112.1
284 22 390.0 324	104.5	105.2	107.4	108.6	108.7	109.5	112.0	112.7
285 22 390.0 306	106.6	107.3	109.3	110.4	110.0	111.5	114.0	114.6
286 22 390.0 300	107.7	108.4	110.0	111.1	110.9	112.7	115.1	115.8
287 22 390.0 210	118.6	119.2	121.1	121.9	121.5	122.2	124.5	125.2
288 22 390.0 206	119.1	119.8	121.7	122.4	122.0	122.4	124.7	125.3
289 22 390.0 187	119.6	120.3	122.2	123.0	122.5	122.2	124.6	125.2
290 22 390.0 180	120.6	121.3	123.4	124.3	123.8	123.2	125.6	126.3
291 23 490.0 180	151.0	151.3	152.7	152.5	151.2	150.7	152.5	152.8
292 23 490.0 173	151.0	151.4	152.8	152.7	151.4	150.6	152.4	152.9
293 23 490.0 156	150.3	150.7	152.1	152.0	150.7	149.6	151.4	151.8
294 23 490.0 150	149.4	149.8	151.2	151.2	149.9	148.5	150.3	150.7
295 23 490.0 60	123.2	124.0	126.2	127.5	127.3	125.9	128.2	128.6
296 23 490.0 54	120.5	121.3	123.5	124.9	124.8	123.6	125.9	126.4
297 23 490.0 34	115.3	116.3	118.9	120.5	120.7	119.9	122.6	123.2
298 23 490.0 30	113.5	114.6	117.3	118.9	119.2	118.7	121.4	122.2
299 23 490.0 0	109.2	110.3	112.9	114.6	115.0	115.4	118.2	119.2
300 23 490.0 353	109.3	110.5	113.1	114.8	115.2	115.9	118.8	119.7
301 23 490.0 336	110.8	111.9	114.5	116.2	116.5	117.5	120.5	121.4
302 23 490.0 330	113.1	114.3	116.9	118.5	118.8	120.0	122.9	123.7
303 24 550.0 180	176.3	176.7	177.9	177.9	174.5	174.5	175.5	175.2
304 24 550.0 173	176.7	177.1	178.2	177.4	175.3	174.7	175.7	175.7
305 24 550.0 156	175.6	176.0	176.9	176.2	174.0	172.8	174.0	174.1
306 24 550.0 150	173.5	173.8	175.0	174.4	172.3	170.9	172.2	172.2
307 24 550.0 0	114.8	116.3	119.3	121.4	122.0	122.8	125.9	127.2
308 24 550.0 353	114.1	115.6	118.6	120.7	121.4	122.3	125.5	126.8
309 24 550.0 336	116.7	118.2	121.1	123.2	123.8	125.0	128.3	129.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.	1	2	3	4	5	6	7	8
310 24 550.0 330	120.4	121.8	124.6	126.5	127.0	128.4	131.5	132.7
311 24 550.0 240	163.1	163.5	164.9	164.6	163.2	164.7	166.1	166.0
312 24 550.0 234	166.2	166.7	168.0	167.6	166.0	167.5	168.9	168.8
313 24 550.0 216	170.5	170.8	172.1	171.5	169.8	170.7	171.9	171.7
314 24 550.0 210	172.4	172.8	173.9	173.4	171.5	172.0	173.1	172.9
315 25 740.0 150	249.9	250.4	251.1	249.8	247.3	250.0	252.5	255.0
316 25 740.0 144	246.8	247.2	248.0	246.6	244.3	246.7	249.1	251.5
317 25 740.0 126	241.2	241.5	242.3	241.0	238.9	240.8	243.0	245.4
318 25 740.0 120	233.0	233.4	234.4	233.6	231.6	233.1	235.5	237.7
319 25 740.0 30	144.3	147.0	151.3	154.5	155.9	157.2	161.9	164.7
320 25 740.0 26	138.1	140.9	145.3	148.7	150.3	151.9	156.6	159.6
321 25 740.0 7	132.5	135.3	139.7	143.2	145.0	147.0	151.9	155.0
322 25 740.0 0	133.4	136.2	140.5	144.0	145.7	148.2	153.0	156.2
323 25 740.0 210	249.0	249.5	250.2	248.7	246.2	250.5	253.2	255.6
324 25 740.0 206	254.8	255.3	255.9	254.2	251.6	256.1	258.4	261.1
325 25 740.0 187	259.0	259.4	260.1	258.2	255.6	260.1	262.5	265.4
326 25 740.0 180	258.8	259.3	259.9	258.1	255.5	259.7	262.1	265.1
327 26 800.0 30	151.5	154.7	159.4	162.9	164.6	166.4	171.4	174.7
328 26 800.0 26	157.7	150.3	156.3	146.7	141.3	180.8	190.7	178.1
329 26 800.0 7	138.8	142.1	147.1	151.0	153.1	155.5	160.9	164.5
330 26 800.0 0	138.9	142.2	147.2	151.1	153.2	155.8	161.2	164.7
331 26 800.0 330	153.9	156.9	161.2	164.5	166.1	169.3	174.4	177.4
332 26 800.0 324	160.2	163.0	167.1	170.1	171.3	174.9	179.6	182.6
333 26 800.0 306	174.6	176.7	180.2	182.2	182.8	186.7	190.8	193.3
334 26 800.0 300	182.6	184.5	187.7	189.3	189.6	193.6	197.5	199.9
335 26 800.0 210	271.7	272.4	273.0	271.0	267.9	272.4	274.7	277.0
336 26 800.0 206	188.5	198.4	217.9	192.6	187.0	166.7	202.8	213.9
337 26 800.0 187	169.1	170.0	186.5	229.2	135.4	136.9	202.7	214.6
338 26 800.0 180	282.7	283.2	283.7	281.3	277.9	282.5	284.7	288.0
339 27 930.0 180	343.9	344.8	345.1	342.3	338.6	345.9	348.3	352.8
340 27 930.0 173	342.7	343.5	344.0	341.3	337.6	344.8	347.3	351.8
341 27 930.0 156	334.1	335.1	335.9	333.7	330.4	336.7	339.4	343.4
342 27 930.0 150	325.5	326.7	327.6	325.7	322.6	328.2	331.2	334.8
343 27 930.0 60	201.9	204.8	209.1	212.0	213.0	215.7	220.2	224.3
344 27 930.0 54	190.7	193.9	198.5	201.9	203.3	206.1	211.0	215.3
345 27 930.0 34	173.0	177.1	182.6	186.9	189.2	192.0	197.9	202.4
346 27 930.0 30	167.2	171.3	177.0	181.5	184.1	187.1	193.1	197.8
347 27 930.0 0	152.9	157.1	162.9	167.6	170.6	174.2	180.5	185.3
348 27 930.0 353	*****	*****	*****	*****	*****	*****	*****	*****
349 27 930.0 336	163.4	167.3	173.0	177.4	180.0	184.2	190.3	194.9
350 27 930.0 330	173.3	177.1	182.2	186.2	188.3	192.6	198.5	202.7
351 28 990.0 180	363.1	363.9	364.0	360.7	356.6	364.9	367.8	372.8
352 28 990.0 173	362.5	363.3	363.5	360.3	356.3	364.8	367.7	372.8
353 28 990.0 156	355.2	356.3	356.4	353.3	349.6	357.2	360.4	365.3
354 28 990.0 150	347.3	348.1	348.1	345.2	341.6	348.2	351.5	356.3
355 28 990.0 0	162.7	167.5	174.0	179.6	182.9	187.1	194.4	200.0
356 28 990.0 353	162.5	167.2	173.6	179.1	182.4	186.7	193.9	199.4
357 28 990.0 336	173.6	178.1	184.2	189.3	192.3	196.7	203.6	209.0
358 28 990.0 330	183.8	187.9	193.6	198.3	200.8	205.3	211.7	217.0
359 28 990.0 240	324.5	325.5	326.2	323.9	320.5	328.5	331.6	335.4
360 28 990.0 234	336.7	337.4	337.5	334.6	330.8	339.1	341.8	345.8
361 28 990.0 216	346.3	347.0	347.0	344.0	339.9	347.8	350.7	354.5
362 28 990.0 210	349.7	350.5	350.6	347.6	343.5	351.2	354.3	358.2
363 291050.0 150	371.8	371.9	370.3	365.8	360.9	367.6	370.5	376.2
364 291050.0 144	371.2	370.6	368.4	363.4	358.4	364.9	367.3	373.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.		1	2	3	4	5	6	7	8	
365	291050.0	126	353.6	354.0	353.1	349.4	345.2	351.7	354.4	359.6
366	291050.0	120	335.2	336.5	336.9	334.6	331.5	337.3	340.6	345.8
367	291050.0	30	187.3	192.5	199.2	204.4	207.4	211.4	218.7	224.4
368	291050.0	26	177.3	182.7	189.5	195.2	198.5	202.8	210.3	216.1
369	291050.0	7	169.7	175.0	182.0	187.8	191.4	195.8	203.6	209.6
370	291050.0	0	170.4	175.7	182.5	188.2	191.8	196.1	203.8	209.8
371	291050.0	210	368.2	369.0	368.6	364.9	360.0	367.3	370.0	374.2
372	291050.0	206	378.7	379.3	378.6	374.5	369.0	377.4	379.8	384.2
373	291050.0	187	387.4	387.9	387.0	382.4	376.8	386.1	388.3	393.3
374	291050.0	180	385.3	385.8	385.0	380.5	375.2	384.1	386.6	391.9
375	01075.0	6	154.0	155.7	158.7	161.0	161.8	166.4	170.8	173.3
376	01075.0	5	131.5	133.4	137.2	139.6	140.8	144.0	148.4	151.9
377	01075.0	4	248.6	250.5	253.4	253.2	252.4	262.4	264.8	266.9
378	01075.0	2	252.5	253.7	255.9	254.7	252.5	264.3	264.9	266.2
379	01075.0	1	254.4	255.0	257.7	256.3	253.9	263.4	263.4	265.2
380	01075.0	2	249.1	250.5	253.0	252.3	251.0	257.7	258.6	260.6
381	01075.0	4	243.9	246.1	249.5	250.1	249.4	254.6	256.5	259.0
382	01075.0	4	354.8	355.0	356.4	352.7	347.1	363.4	363.5	365.4
383	01075.0	1	364.7	365.4	365.8	360.2	355.4	374.3	373.1	377.8
384	01075.0	1	360.6	359.9	361.5	356.1	352.0	366.3	365.8	369.7
385	01075.0	4	316.3	319.7	322.8	322.6	320.8	331.3	333.2	339.2
386	01075.0	3	496.2	497.7	497.2	488.2	479.5	503.5	496.4	493.8
387	01075.0	3	474.9	475.0	475.9	471.0	463.6	480.5	475.4	474.4
388	01075.0	5	471.6	475.0	472.8	468.3	462.3	479.1	484.1	501.0
389	01075.0	6	588.1	592.4	580.0	553.0	535.9	545.0	535.2	556.9
390	01113.0	0	311.7	312.2	315.8	313.6	310.4	328.6	329.8	335.3
391	01113.0	0	249.4	250.5	257.1	256.8	258.0	262.7	265.3	267.6
392	01113.0	0	367.9	366.7	364.4	361.5	360.2	376.4	379.0	388.3
393	01113.0	0	472.8	475.5	475.5	469.8	465.5	483.0	480.0	479.4
394	01113.0	0	375.7	377.9	379.7	373.6	368.0	382.2	379.7	383.3
395	01113.0	0	249.3	253.2	255.1	254.4	251.4	265.8	267.5	272.2
396	0 0.0	0	102.3	104.6	105.6	107.4	108.0	102.1	102.9	105.5
397	0 0.0	0	106.9	107.6	107.0	107.3	107.6	112.1	113.5	114.8
398	0 0.0	0	99.6	100.0	100.9	101.5	102.6	107.3	109.5	108.8
399	0 0.0	0	104.4	108.7	107.5	107.7	107.1	104.8	104.2	105.7
400	0 0.0	0	94.7	94.4	94.6	95.8	96.2	94.1	96.0	95.8
401	0 0.0	0	94.6	94.4	94.5	95.6	96.0	93.8	95.7	95.5
402	0 0.0	0	1866.6	1766.3	1677.7	1579.6	1499.6	1484.8	1416.7	1351.6
403	0 0.0	0	35.2	33.4	31.7	29.9	28.4	28.4	27.0	26.0
404	0 0.0	0	35.2	33.5	31.9	29.9	28.4	28.5	27.1	25.9
405	0 0.0	0	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4
406	0 0.0	0	0.9	0.9	0.9	0.8	0.7	0.7	0.7	0.7
407	4 389.5	0	1.2	1.2	1.1	1.0	1.0	1.0	0.9	0.9
408	5 389.5	0	1.4	1.3	1.3	1.2	1.1	1.1	1.1	1.0
409	6 389.1	0	1.4	1.3	1.3	1.2	1.1	1.1	1.1	1.0
410	7 399.4	0	1.6	1.6	1.5	1.4	1.3	1.3	1.2	1.2
411	8 389.6	0	1.5	1.4	1.3	1.3	1.2	1.2	1.1	1.1
412	9 369.9	0	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9
413	10 489.8	0	2.9	2.8	2.6	2.5	2.4	2.4	2.2	2.1
414	11 389.5	0	1.4	1.3	1.2	1.2	1.1	1.1	1.0	1.0
415	12 489.5	0	3.0	2.9	2.7	2.6	2.4	2.4	2.3	2.2
416	4 990.0	0	10.9	10.3	9.8	9.2	8.7	8.7	8.3	8.0
417	5 989.5	0	10.8	10.3	9.8	9.2	8.7	8.7	8.3	7.9
418	61049.5	0	11.9	11.3	10.7	10.1	9.5	9.5	9.1	8.7
419	71049.5	0	11.8	11.2	10.7	10.0	9.6	9.5	9.1	8.7

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.		1	2	3	4	5	6	7	8	
420	8 989.3	0	10.8	10.2	9.7	9.1	8.7	8.7	8.3	7.9
421	9 988.8	0	10.8	10.3	9.7	9.2	8.7	8.7	8.3	7.9
422	101049.5	0	11.8	11.2	10.7	10.0	9.5	9.5	9.1	8.6
423	111049.7	0	11.8	11.2	10.7	10.0	9.5	9.5	9.1	8.6
424	121050.0	0	11.9	11.3	10.7	10.1	9.6	9.5	9.1	8.7
425	11047.1	0	35.2	33.5	31.8	29.9	28.4	28.4	27.1	25.9
426	21049.5	0	35.2	33.4	31.8	30.0	28.4	28.4	27.1	25.9
427	31049.5	0	35.2	33.4	31.9	30.0	28.4	28.4	27.1	25.9
428	13 989.7	0	15.5	14.7	14.0	13.2	12.5	12.5	11.9	11.4
429	141049.7	0	13.7	13.0	12.4	11.6	11.0	11.0	10.5	10.1
430	151049.6	0	13.7	13.0	12.4	11.6	11.0	11.0	10.5	10.0
431	161049.5	0	13.6	12.9	12.3	11.6	10.9	10.9	10.4	10.0
432	17 989.6	0	15.6	14.8	14.1	13.3	12.6	12.6	12.0	11.5
433	18 930.7	0	17.6	16.7	15.9	14.9	14.1	14.2	13.5	13.0
434	191049.2	0	13.7	13.0	12.4	11.6	11.0	11.0	10.5	10.0
435	1 388.6	0	35.2	33.5	31.8	29.9	28.3	28.4	27.1	26.0
436	2 388.5	0	35.2	33.4	31.8	29.9	28.4	28.4	27.1	26.0
437	3 389.2	0	35.2	33.4	31.8	29.9	28.4	28.4	27.1	25.9
438	13 389.0	0	33.0	31.3	29.9	28.0	26.6	26.7	25.4	24.3
439	14 489.4	0	30.3	28.7	27.4	25.8	24.4	24.5	23.3	22.3
440	15 489.1	0	30.2	28.6	27.3	25.6	24.3	24.4	23.2	22.2
441	16 419.1	0	32.2	30.5	29.1	27.4	25.9	26.0	24.8	23.7
442	17 389.9	0	33.0	31.5	29.9	28.1	26.7	26.8	25.5	24.4
443	18 389.6	0	33.1	31.4	30.0	28.2	26.7	26.8	25.5	24.5
444	19 399.0	0	32.6	31.0	29.6	27.8	26.4	26.4	25.2	24.1
445	1 348.6	0	35.2	33.4	31.8	29.9	28.4	28.4	27.1	25.9
446	2 359.0	0	35.2	33.4	31.8	30.0	28.4	28.5	27.1	26.0
447	3 294.5	0	35.2	33.4	31.9	29.9	28.4	28.4	27.1	26.0
448	4 294.4	0	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
449	4 304.2	0	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3
450	4 348.9	0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.7
451	4 375.6	0	1.3	1.2	1.1	1.1	1.0	1.0	1.0	0.9
452	5 370.0	0	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8
453	7 349.5	0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.7
454	7 359.5	0	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8
455	7 369.5	0	1.2	1.2	1.1	1.0	1.0	1.0	0.9	0.9
456	7 379.5	0	1.3	1.3	1.2	1.1	1.1	1.1	1.0	1.0
457	7 409.1	0	1.8	1.7	1.6	1.5	1.4	1.4	1.4	1.3
458	8 295.1	0	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3
459	8 304.7	0	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
460	8 369.2	0	1.2	1.2	1.1	1.0	1.0	1.0	0.9	0.9
461	9 369.9	0	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9
462	12 370.5	0	1.2	1.2	1.1	1.0	1.0	1.0	0.9	0.9
463	13 369.4	0	33.5	31.7	30.3	28.4	26.9	27.1	25.9	24.7
464	14 369.5	0	33.5	31.8	30.3	28.5	27.0	27.1	25.8	24.7
465	15 369.6	0	33.5	31.7	30.3	28.4	26.9	27.0	25.7	24.7
466	16 369.0	0	33.5	31.8	30.3	28.4	27.0	27.0	25.8	24.8
467	17 369.2	0	33.6	31.8	30.3	28.4	27.0	27.1	25.8	24.8
468	18 294.5	0	34.9	33.1	31.6	29.6	28.1	28.2	26.9	25.7
469	18 304.5	0	34.8	32.9	31.4	29.5	27.9	28.0	26.7	25.6
470	18 359.7	0	33.8	32.1	30.6	28.7	27.3	27.3	26.0	24.9
471	18 369.6	0	33.6	31.9	30.4	28.5	27.1	27.1	25.9	24.7
472	18 379.4	0	33.5	31.7	30.2	28.4	26.9	27.0	25.7	24.6
473	18 389.6	0	33.1	31.4	30.0	28.1	26.6	26.8	25.5	24.4
474	18 409.7	0	32.7	30.9	29.5	27.7	26.2	26.3	25.1	24.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

5T

VERSUCH NR.			1	2	3	4	5	6	7	8	
475	18	429.8	0	32.0	30.4	29.0	27.2	25.8	25.9	24.7	23.6
476	19	369.5	0	33.4	31.7	30.3	28.4	26.9	27.0	25.8	24.6
477	1	738.5	0	35.3	33.4	31.9	29.9	28.3	28.4	27.1	25.9
478	2	738.5	0	1.1	1.0	1.0	1.0	0.8	0.9	0.8	0.7
479	3	739.0	0	35.2	33.3	31.8	29.9	28.3	28.4	27.2	25.9
480	4	739.7	0	6.8	6.5	6.2	5.8	5.5	5.5	5.2	5.0
481	5	739.2	0	6.8	6.4	6.1	5.8	5.5	5.4	5.2	5.0
482	6	739.9	0	6.8	6.4	6.1	5.8	5.5	5.4	5.2	5.0
483	7	799.5	0	7.8	7.4	7.1	6.7	6.3	6.3	6.0	5.7
484	8	739.5	0	6.7	6.4	6.1	5.7	5.4	5.4	5.1	4.9
485	9	739.7	0	6.8	6.4	6.1	5.7	5.4	5.4	5.2	4.9
486	10	739.5	0	6.8	6.4	6.2	5.8	5.5	5.5	5.2	5.0
487	11	739.4	0	6.7	6.4	6.1	5.7	5.4	5.4	5.1	4.9
488	12	799.8	0	7.8	7.4	7.1	6.6	6.3	6.3	6.0	5.7
489	13	739.2	0	23.0	21.8	20.8	19.6	18.5	18.6	17.7	16.9
490	14	799.7	0	21.4	20.3	19.3	18.1	17.2	17.3	16.4	15.7
491	15	800.1	0	21.2	20.1	19.2	18.0	17.1	17.2	16.3	15.6
492	16	799.4	0	21.0	19.9	19.0	17.8	16.9	16.9	16.1	15.5
493	17	739.7	0	23.2	22.0	21.0	19.7	18.6	18.7	17.8	17.1
494	18	550.0	0	28.7	27.2	26.0	24.3	23.1	23.1	22.0	21.1
495	19	798.9	0	21.3	20.1	19.2	18.0	17.1	17.1	16.3	15.6
496	0	0.0	0	0.5	0.5	0.4	0.4	14.4	14.6	14.2	13.6
497	0	0.0	0	1.0	1.0	0.9	0.8	12.3	12.5	12.4	12.0

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
RAUMTEMPERATUR	26.0	26.8	30.3	31.1	31.8	32.2	32.0	32.1	30.1	27.1	29.2	29.1	32.7	34.8	32.4	32.0
DURCHSATZ (KG/S)	0.0280	0.0247	0.0217	0.0192	0.0173	0.0155	0.0141	0.0126	0.0113	0.0102	0.0092	0.0083	0.0075	0.0066	0.0059	0.0052
EL. ENERGIE (KW)	38.8	35.1	32.2	29.3	27.4	25.4	24.0	22.2	21.0	19.8	18.5	17.3	16.6	15.4	13.9	12.7
WAERMEENERGIE(KW)	40.4	36.2	33.4	30.6	28.3	25.9	24.1	23.0	21.6	19.9	18.2	16.8	15.7	14.2	13.0	11.7
WAERMEBILANZ(O/O)	4.2	3.0	3.6	4.7	3.1	1.9	0.5	3.3	2.9	0.3	-1.8	-3.4	-5.6	-7.5	-6.6	-7.7
REYNOLDSZAHLE*E-04	0.596	0.524	0.455	0.398	0.357	0.319	0.288	0.254	0.225	0.202	0.180	0.161	0.145	0.128	0.113	0.100
DRUCKVERLUST (N/M**2)																
GES.X=1060.0(MM)	1994.	1578.	1253.	1040.	868.	731.	634.	527.	461.	401.	348.	301.	267.	231.	203.	175.
BIS X= 560.0(MM)	514.	410.	324.	272.	229.	194.	166.	137.	122.	106.	89.	79.	71.	62.	56.	51.
BIS X= 624.0(MM)	828.	658.	525.	437.	364.	305.	266.	217.	188.	165.	143.	121.	111.	98.	89.	74.
BIS X= 717.0(MM)	1013.	799.	638.	529.	442.	373.	320.	262.	231.	200.	174.	150.	131.	116.	101.	84.
BIS X= 810.0(MM)	1191.	947.	746.	622.	515.	436.	377.	311.	272.	239.	207.	178.	159.	138.	116.	103.
BIS X= 874.0(MM)	1560.	1242.	991.	818.	679.	572.	499.	409.	359.	312.	271.	235.	207.	181.	158.	139.
BIS X= 967.0(MM)	1781.	1411.	1124.	932.	779.	656.	571.	470.	411.	355.	312.	269.	239.	203.	176.	156.
EINTR.DRUCK (BAR)	7.59	7.60	7.60	7.62	7.64	7.65	7.66	7.72	7.73	7.74	7.74	7.74	7.75	7.76	7.76	7.77
EINTR.TEMP. GRADC	96.6	98.2	100.5	102.5	102.8	103.7	104.9	107.3	111.3	111.6	115.6	112.3	111.9	111.8	112.6	113.6

TE R NR.	AX POS (MM)	RAD POS (GRD)	T GRAD C																
1	1	338.8	270	96.9	99.0	103.5	105.5	106.1	106.7	106.9	111.1	116.1	115.0	120.1	117.7	118.2	120.6	118.6	118.5
2	1	348.1	330	96.7	98.7	103.3	105.4	105.9	106.6	106.7	110.9	115.9	114.7	120.1	118.0	118.7	120.8	118.9	118.8
3	1	388.1	150	99.3	101.3	106.0	108.1	108.9	109.8	110.0	114.2	119.6	118.8	123.9	120.9	121.6	123.5	121.5	121.2
4	1	388.1	330	97.5	99.6	104.2	106.2	107.0	107.8	108.1	112.2	117.6	116.4	121.6	119.5	120.4	122.7	120.9	121.1
5	1	487.7	255	101.8	103.9	108.8	111.3	112.5	114.0	114.9	120.1	126.1	125.6	131.1	128.9	130.5	133.4	132.7	133.3
6	1	487.7	120	102.7	105.0	110.0	112.4	113.8	115.2	115.9	121.1	127.3	126.7	132.2	130.5	132.4	135.5	135.0	136.1
7	1	738.0	150	130.6	133.8	139.6	143.5	146.1	148.8	151.1	161.1	171.7	173.9	182.1	182.9	188.3	194.9	198.9	199.9
8	1	738.0	330	121.0	124.5	131.0	135.4	138.3	141.8	144.9	156.2	167.8	169.2	177.4	179.4	186.2	194.1	199.2	205.1
9	1	795.4	120	128.8	132.4	138.8	143.6	147.3	151.0	154.5	166.2	178.5	181.5	190.5	192.7	199.2	207.5	213.5	217.7
10	1	795.4	255	141.5	144.8	151.0	155.9	159.2	162.5	165.4	176.6	188.7	191.0	199.6	202.0	209.3	218.4	225.4	230.6
11	1	987.0	150	173.7	178.0	185.5	191.3	195.9	201.0	206.7	221.8	237.4	242.8	254.8	260.6	270.5	283.8	298.0	306.8
12	1	987.0	330	159.1	164.2	172.7	180.5	185.8	191.5	197.2	215.4	234.7	239.2	251.6	259.6	272.8	288.9	307.0	324.2
13	1	1046.6	120	165.9	171.1	179.9	187.1	192.9	198.6	205.1	223.4	241.6	248.3	261.8	269.9	281.8	297.2	314.8	328.2
14	1	1046.6	255	186.9	191.6	199.8	207.0	211.9	217.1	222.9	242.2	262.4	268.4	281.7	290.9	305.3	323.5	344.3	360.7
15	2	358.5	0	95.9	97.5	101.7	103.3	104.1	104.8	105.0	108.3	112.5	111.9	117.1	114.5	116.0	118.5	117.6	117.3
16	2	388.0	0	*****	60.3	73.4	*****	71.3	82.6	*****	*****	*****	*****	102.6	109.1	*****	113.3	124.6	*****
17	2	388.0	210	98.2	99.9	104.5	106.2	107.1	108.2	108.7	112.2	117.1	117.0	122.1	118.6	119.7	121.8	121.0	120.3
18	2	398.0	0	95.9	97.9	102.2	104.1	105.0	106.0	106.6	110.1	114.8	114.5	119.4	117.0	118.7	121.2	120.3	120.2
19	2	488.1	30	97.4	99.5	104.2	106.6	107.8	109.3	110.3	114.5	119.9	119.5	125.0	123.2	125.3	128.3	128.2	128.6
20	2	488.1	165	102.1	103.9	108.5	110.9	112.0	113.0	113.8	117.8	123.2	123.5	128.7	126.1	127.5	130.5	130.4	129.6
21	2	738.0	0	125.6	128.3	133.4	136.5	138.3	140.4	142.1	149.0	157.1	159.3	167.1	166.8	170.9	176.1	179.3	179.6
22	2	738.0	210	129.5	131.9	137.0	140.0	141.6	143.4	145.1	152.1	160.1	162.5	169.9	169.6	173.7	178.9	182.1	182.2
23	2	797.8	30	114.4	117.9	124.0	128.3	131.2	134.8	137.8	146.9	157.6	160.4	169.2	171.3	177.9	185.4	191.2	196.3
24	2	797.8	165	133.5	136.1	141.6	145.3	147.6	149.9	152.2	160.1	168.8	171.8	180.1	180.8	185.9	192.2	196.9	198.2
25	2	987.2	0	134.4	139.4	147.5	154.5	159.6	165.0	170.0	185.4	203.7	209.1	222.2	228.9	240.3	253.3	267.7	284.2
26	2	987.2	210	162.7	165.9	172.4	177.0	180.6	184.6	188.8	200.3	213.7	220.1	231.9	236.1	244.5	255.1	266.5	273.2
27	2	1049.0	30	141.2	146.7	155.4	163.5	169.1	175.2	180.7	198.4	219.5	226.3	241.3	249.9	263.9	279.6	296.7	315.3
28	2	1049.0	165	167.5	171.3	178.5	184.2	188.6	193.3	198.3	211.9	227.5	235.0	248.2	254.2	264.7	277.5	291.3	299.8
29	3	294.0	30	95.2	96.9	100.6	102.0	102.6	103.5	103.7	106.1	109.6	108.8	113.4	111.4	114.2	116.9	116.6	116.6
30	3	303.7	330	94.9	96.4	100.3	101.6	102.1	103.1	103.3	105.4	108.6	108.0	112.4	110.4	113.2	115.9	115.7	115.7
31	3	388.7	15	95.3	97.0	101.2	102.8	103.9	105.0	105.4	108.0	111.1	111.0	115.6	114.0	117.3	120.2	120.3	120.6
32	3	388.7	255	96.8	98.4	102.6	104.3	105.5	106.4	107.1	109.9	113.3	113.8	118.0	115.6	118.1	121.1	121.4	121.0
33	3	488.5	60	97.7	99.8	104.3	106.8	108.6	110.4	111.4	114.7	119.0	119.1	124.0	123.4	127.3	131.0	132.3	134.0
34	3	488.5	150	101.0	102.9	107.3	109.6	111.3	112.6	113.6	117.1	121.4	122.0	126.9	125.4	129.0	132.5	133.8	134.5

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
35	3 738.5	15 112.7	116.5	123.0	127.9	131.8	135.9	139.2	148.3	157.8	160.0	168.0	170.6	178.1	186.1	193.8	204.0	
36	3 738.5	255 119.1	122.2	128.1	132.4	135.7	139.5	142.6	151.0	159.7	162.3	169.9	171.5	177.7	184.8	191.3	197.4	
37	3 798.5	60 121.7	126.0	133.0	138.9	143.4	148.2	152.2	162.8	173.6	176.7	185.6	189.7	199.0	209.3	220.7	235.4	
38	3 798.5	150 134.5	138.3	144.7	150.2	154.5	158.7	162.6	172.1	182.2	185.2	193.6	196.2	204.0	213.2	223.3	233.7	
39	3 988.5	15 139.6	145.8	155.1	164.2	170.8	178.6	185.9	204.8	223.8	229.4	242.4	250.6	264.7	281.4	300.3	324.1	
40	3 988.5	255 145.2	150.4	158.7	166.2	172.4	179.5	186.2	202.9	219.8	226.8	239.3	246.4	258.8	273.1	288.6	303.9	
41	31049.0	60 152.2	158.9	168.7	178.6	186.2	194.4	202.4	223.6	245.4	253.0	268.2	279.0	295.8	316.1	339.5	365.9	
42	31049.0	150 170.2	175.8	185.1	193.8	200.8	208.3	215.7	234.8	254.3	262.3	276.1	284.9	299.9	317.3	337.5	356.4	
43	4 293.9	300 166.6	166.6	169.7	170.4	170.3	169.8	169.6	172.9	177.9	177.2	179.2	173.6	171.8	172.6	169.1	160.7	
44	4 303.7	300 186.5	186.4	189.4	190.2	190.4	189.8	189.7	192.7	197.4	196.7	198.2	192.0	189.9	190.1	186.3	175.4	
45	4 339.0	300 169.1	171.0	175.8	176.9	177.4	176.6	177.3	181.4	186.8	185.0	185.1	180.7	180.1	181.1	178.5	170.1	
46	4 348.4	300 181.4	182.2	185.9	186.7	187.7	188.0	189.0	194.1	200.9	201.4	204.0	199.4	198.5	199.5	196.6	184.9	
47	4 379.1	300 211.1	210.7	213.2	213.2	213.2	212.6	213.0	217.0	223.1	224.2	226.9	222.9	223.2	226.6	225.7	211.4	
48	4 389.0	45 222.3	225.3	229.7	230.4	230.5	229.4	229.5	233.0	238.7	239.6	241.3	236.4	236.2	239.2	239.1	223.7	
49	4 389.0	210 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	444.9	457.6	403.5	379.9	357.4	347.6	
50	4 408.8	300 92.9	92.2	95.2	97.6	96.1	95.7	95.6	101.0	107.0	109.4	113.8	111.7	104.7	104.2	105.8	106.9	
51	4 418.6	300 231.9	242.2	254.3	261.0	264.9	265.9	267.5	272.4	277.9	278.4	279.1	274.0	272.7	273.8	272.0	251.3	
52	4 428.7	300 235.5	247.1	261.0	269.4	274.4	275.8	277.6	282.5	287.7	288.2	288.3	283.3	281.7	282.5	280.4	259.0	
53	4 739.2	45 *****	*****	*****	*****	*****	*****	*****	*****	*****	470.2	453.2	472.1	395.1	415.1	431.8	382.3	338.0
54	4 739.2	210 300.2	315.5	337.1	352.6	363.0	369.2	375.0	387.4	398.1	402.1	406.3	405.8	407.7	412.3	416.6	389.4	
55	4 989.5	45 348.3	368.0	395.0	415.5	429.0	438.2	447.9	465.2	480.6	487.1	493.6	496.8	502.9	512.7	524.1	502.4	
56	4 989.5	210 371.8	390.9	417.1	437.3	450.6	459.2	468.6	487.4	504.1	510.4	517.9	521.5	528.4	538.3	550.1	527.9	
57	5 369.5	195 173.6	174.1	177.6	177.9	177.9	177.6	178.3	182.0	188.7	191.2	196.1	193.2	193.9	198.5	200.9	191.2	
58	5 369.5	300 176.0	176.7	180.3	181.0	181.2	181.1	181.8	185.5	192.4	195.0	200.2	197.1	197.6	202.1	204.3	193.6	
59	5 389.0	30 213.2	217.3	222.8	223.1	222.9	221.6	221.5	224.2	229.2	230.2	233.3	228.8	228.7	231.6	233.8	219.4	
60	5 389.0	150 210.9	215.4	221.0	221.4	221.1	220.2	220.4	223.0	228.2	229.4	232.4	227.5	227.0	229.4	231.2	217.3	
61	5 549.0	195 235.1	243.1	262.5	297.1	318.7	328.7	334.9	340.6	344.9	344.5	343.7	335.8	332.1	330.4	327.4	299.5	
62	5 549.0	300 229.5	237.7	257.4	290.8	310.9	322.1	330.0	337.2	341.8	341.6	341.2	333.5	329.7	327.7	324.5	296.2	
63	5 738.7	30 260.9	272.5	295.1	317.4	333.9	344.3	350.1	357.4	364.6	368.6	372.7	369.7	370.4	374.2	378.1	351.4	
64	5 738.7	150 278.3	288.9	309.8	329.9	345.7	354.8	361.0	369.8	378.0	382.3	386.6	383.8	384.6	388.1	392.1	365.7	
65	5 809.2	120 289.0	298.3	314.6	340.7	368.0	385.6	395.7	406.4	414.2	418.1	420.8	417.6	417.6	420.2	423.8	396.8	
66	5 819.0	180 298.3	307.2	322.1	347.5	375.3	393.3	403.6	414.9	422.9	426.8	429.9	426.7	427.0	430.0	434.1	408.2	
67	5 929.4	195 347.5	361.0	376.5	384.4	391.3	397.3	404.4	417.9	431.0	441.1	449.0	452.8	460.0	471.8	485.6	466.7	
68	5 929.4	300 325.7	339.3	356.2	365.6	374.1	380.5	387.2	399.2	410.9	419.3	426.7	429.8	437.0	448.2	461.1	439.3	
69	5 989.0	30 314.9	329.3	357.8	380.1	395.8	406.3	414.8	427.3	439.1	447.4	454.0	456.0	460.9	469.4	479.9	456.4	
70	5 989.0	150 353.9	368.2	395.3	414.1	427.0	435.5	443.5	458.0	471.1	480.7	487.9	490.7	496.2	505.2	516.8	496.6	
71	6 388.6	225 215.7	219.5	224.0	223.8	224.2	223.1	222.6	224.2	227.9	228.6	231.7	228.0	230.1	232.5	236.0	221.5	
72	6 388.6	300 216.9	220.3	224.7	224.4	224.8	223.6	223.2	224.7	228.6	229.1	232.5	228.5	230.6	233.5	237.5	223.0	
73	6 488.5	30 223.2	233.9	262.3	284.8	297.2	302.1	304.5	307.4	310.3	310.1	310.8	305.1	304.7	303.6	302.8	277.7	
74	6 488.5	150 228.9	239.8	267.2	289.7	302.0	305.8	307.6	310.5	312.9	312.4	312.9	307.2	306.8	306.0	305.0	279.6	
75	6 739.4	225 289.6	303.5	328.6	344.7	356.3	362.8	367.2	374.6	381.2	385.2	389.4	387.2	389.0	392.7	396.9	372.4	
76	6 739.4	300 275.6	289.5	315.0	333.5	346.5	354.1	358.9	366.0	372.5	376.2	380.7	378.4	380.3	383.9	387.9	361.5	
77	6 798.8	30 278.0	288.5	313.2	341.9	363.3	376.9	385.7	395.9	402.2	405.6	408.9	406.1	407.4	409.9	413.2	386.2	
78	6 798.8	30 299.8	310.2	334.9	361.1	381.1	392.6	400.0	408.9	415.0	418.4	421.4	418.7	420.4	423.4	428.0	404.8	
79	6 829.0	180 294.9	302.2	317.4	336.6	354.3	366.2	374.6	386.8	396.0	401.5	406.3	406.0	409.1	413.9	420.2	400.4	
80	6 839.0	240 283.9	290.1	301.5	313.3	325.1	333.2	339.9	351.6	363.1	366.8	372.3	372.2	376.0	382.2	389.4	369.7	
81	6 988.8	225 74.9	104.2	91.0	77.0	89.3	88.7	79.8	450.9	472.3	471.8	99.5	103.0	214.1	510.2	522.7	507.8	
82	6 988.8	300 335.8	351.9	379.6	398.6	411.9	419.3	426.1	438.4	449.9	459.9	468.7	471.5	477.4	486.4	498.9	481.0	
83	61049.0	30 325.4	338.5	364.5	394.4	416.1	429.7	440.0	455.7	468.5	477.5	485.4	487.3	492.3	499.9	511.9	494.7	
84	61049.0	150 *****	*****	*****	*****	*****	*****	*****	*****	*****	*****	979.9	940.9	834.9	*****	*****	*****	
85	7 339.0	150 178.3	176.8	179.1	180.7	182.8	183.5	183.0	184.7	185.5	185.0	186.4	184.0	187.3	187.5	185.9	175.7	
86	7 349.0	150 180.3	180.0	182.7	184.5	186.9	188.5	189.0	192.7	*****	114.1	198.4	197.1	201.1	201.8	200.3	187.6	
87	7 359.0	150 172.2	171.8	174.6	175.9	177.7	178.8	179.2	183.4	187.2	190.3	195.3	196.2	203.4	207.2	207.8	194.9	
88	7 369.0	165 181.3	180.8	183.3	184.0	185.3	185.6	185.2	187.7	199.8	191.6	195.9	196.7	204.4	209.0	211.1	198.9	
89	7 369.0	330 193.0	182.4	184.6	185.2	186.2	186.6	186.1	188.2	190.2	191.7	195.9	196.4	204.2	209.1	211.3	199.4	

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
90	7 379.0	150 208.3	207.3	209.0	208.7	209.5	208.9	208.0	209.6	210.3	210.7	213.6	213.6	220.5	225.4	227.1	212.5	
91	7 398.9	150 224.7	230.0	236.4	238.4	240.5	240.5	240.2	242.1	242.7	242.4	243.8	242.7	247.8	251.8	253.0	234.7	
92	7 408.6	150 229.1	236.8	245.5	248.6	251.4	251.6	251.3	253.4	254.0	253.4	254.5	253.2	257.6	261.0	261.7	242.0	
93	7 489.4	165 248.3	264.7	289.0	303.8	312.4	314.3	315.1	317.7	318.1	316.8	316.6	313.6	316.0	316.9	316.4	290.6	
94	7 489.4	330 241.9	258.1	282.6	298.8	309.0	312.2	313.8	316.5	316.5	316.1	316.3	313.5	315.8	316.2	315.5	289.2	
95	7 799.0	165 322.8	338.5	361.7	380.7	396.6	404.9	411.3	422.2	429.4	432.6	436.5	437.0	443.8	450.2	457.2	440.0	
96	7 799.0	330 304.8	322.2	348.2	368.7	384.4	394.1	401.1	412.8	420.2	422.9	426.5	426.4	432.1	437.5	443.5	423.9	
97	71049.0	165 96.9	98.8	100.3	102.0	101.6	104.3	106.3	105.8	113.2	110.9	116.7	115.6	111.3	112.4	112.5	114.7	
98	71049.0	330 357.6	378.6	409.2	432.0	449.9	462.2	472.2	491.8	506.9	512.3	520.0	524.1	533.8	543.7	556.4	547.3	
99	8 294.6	210 178.9	179.0	182.0	182.6	182.6	182.1	181.8	184.9	190.2	187.8	188.5	184.5	183.4	183.3	180.2	170.1	
100	8 304.2	270 194.7	194.4	197.5	197.8	197.6	196.7	196.1	198.4	*****	88.1	*****	196.4	195.0	*****	*****	*****	
101	8 368.7	135 181.1	181.5	184.7	185.5	186.5	186.9	187.4	191.8	198.7	198.7	201.8	200.1	201.7	204.9	205.8	194.4	
102	8 368.7	255 189.3	190.2	194.2	195.8	197.3	198.3	199.3	204.4	211.3	210.9	213.4	211.5	213.2	216.1	215.2	201.0	
103	8 389.1	30 216.4	218.8	223.0	224.2	225.4	225.5	226.0	230.4	236.9	236.3	238.9	236.2	236.4	237.5	236.2	219.7	
104	8 389.1	300 217.3	219.4	224.1	226.2	227.9	229.1	230.2	235.6	242.4	242.0	243.3	242.0	242.2	243.2	241.7	224.0	
105	8 549.0	135 263.9	282.1	313.3	336.4	348.1	351.5	353.4	358.7	363.7	362.4	362.4	358.4	357.2	357.7	358.4	334.2	
106	8 549.0	255 277.6	298.5	326.3	342.6	350.6	352.2	353.5	357.9	362.1	360.2	360.2	356.7	356.1	357.5	358.9	335.0	
107	8 739.0	30 319.1	335.6	360.8	380.2	394.4	403.4	410.8	424.0	435.0	438.6	443.5	444.2	447.9	455.0	462.7	439.5	
108	8 739.0	300 428.7	441.8	457.5	469.4	480.7	489.5	500.4	522.6	540.8	551.2	561.7	570.3	580.6	593.3	607.0	590.0	
109	8 929.0	135 332.4	349.4	373.4	390.8	402.8	410.1	416.1	428.6	439.6	442.0	446.6	448.0	452.6	460.4	468.5	445.2	
110	8 929.0	255 403.8	418.0	435.8	450.0	462.2	472.3	484.3	509.3	528.4	536.9	547.1	555.5	566.4	579.5	592.9	572.4	
111	8 988.8	30 424.0	448.5	473.7	490.8	503.8	513.8	525.3	547.2	563.5	570.6	578.5	585.7	596.1	608.3	621.6	599.6	
112	8 988.8	300 434.3	457.3	480.9	496.7	508.7	517.6	528.6	551.2	568.0	573.6	581.3	588.3	599.1	611.6	624.8	603.3	
113	9 369.4	105 179.5	179.9	182.8	183.6	183.8	183.6	184.5	188.5	195.8	195.9	199.6	197.9	199.9	203.5	206.0	196.1	
114	9 369.4	180 *****	*****	*****	*****	*****	*****	*****	*****	974.7	405.8	390.6	335.1	320.2	286.9	273.5	264.4	311.3
115	9 389.0	30 221.3	224.5	229.3	230.3	230.2	228.9	228.8	231.1	236.6	235.5	237.5	233.6	235.3	237.8	239.8	224.4	
116	9 389.0	270 223.9	226.5	230.7	231.2	231.1	229.8	229.6	231.9	237.5	236.4	238.7	234.9	236.4	238.9	240.3	224.3	
117	9 549.0	105 252.3	263.4	293.8	323.9	346.5	352.4	355.7	359.4	363.3	361.5	360.2	354.3	353.2	352.9	351.5	328.7	
118	9 549.0	180 255.3	266.9	297.2	332.2	348.4	353.0	356.0	359.5	363.5	361.6	360.3	354.9	354.1	354.6	353.8	331.8	
119	9 739.2	30 315.7	337.3	366.1	383.4	395.0	402.1	410.2	422.8	433.0	438.7	444.1	444.1	448.0	454.6	460.9	443.3	
120	9 739.2	270 331.7	353.6	382.3	398.8	409.2	414.7	422.1	434.1	443.7	449.1	454.5	454.6	458.7	465.0	471.0	452.4	
121	9 909.0	60 409.4	419.9	432.1	439.4	448.2	456.1	468.0	489.8	506.4	520.9	535.9	546.1	558.6	576.4	594.8	592.8	
122	9 919.0	120 451.7	462.5	474.5	481.5	491.4	499.7	512.7	534.6	549.3	563.6	577.3	587.6	599.6	616.0	633.8	633.9	
123	9 929.0	105 454.1	466.7	479.8	487.2	496.6	505.2	518.1	539.5	553.9	567.8	581.3	590.6	602.4	618.6	636.1	635.0	
124	9 929.0	180 475.8	486.6	498.5	506.0	516.5	525.3	538.7	559.9	573.6	586.8	598.7	608.0	619.6	635.8	653.1	647.7	
125	9 988.8	30 452.1	477.8	499.9	511.1	523.3	533.0	545.7	565.7	578.8	590.5	600.3	606.8	616.7	630.4	645.8	633.6	
126	9 988.8	270 482.2	504.7	524.4	534.8	546.4	554.6	567.0	586.6	599.1	610.2	619.5	627.7	638.1	651.3	665.8	651.3	
127	10 489.3	90 227.9	238.2	266.0	293.0	306.7	312.3	315.8	319.4	321.5	320.9	321.1	315.4	317.1	318.1	317.2	295.5	
128	10 489.3	300 227.0	238.1	267.3	292.4	305.1	310.1	313.8	318.0	321.1	320.8	321.3	315.9	317.2	317.7	316.2	292.6	
129	10 549.0	60 237.6	246.0	264.9	304.6	333.5	346.0	352.3	357.2	359.1	358.4	357.6	350.8	351.4	351.5	350.2	328.9	
130	10 549.0	210 246.5	255.3	274.1	313.0	339.3	350.8	356.4	360.7	362.8	362.1	361.2	355.2	356.1	356.5	354.9	337.1	
131	10 739.0	180 335.5	351.4	379.5	398.8	412.9	421.2	429.9	441.7	451.3	459.1	464.9	465.1	471.2	480.8	491.4	512.9	
132	10 739.0	330 306.5	322.4	350.5	370.5	385.7	395.7	404.4	416.7	425.6	432.6	438.4	438.5	444.6	453.0	461.6	464.7	
133	10 799.0	90 341.9	358.2	390.5	421.2	444.1	457.9	468.3	481.1	489.9	496.5	501.7	501.2	507.1	517.0	528.1	549.2	
134	10 799.0	300 331.7	347.4	379.3	410.9	434.3	447.9	458.1	470.0	477.8	483.7	488.4	487.6	493.3	501.8	511.0	520.4	
135	10 929.0	60 422.2	437.9	452.3	458.6	468.5	478.3	491.1	513.7	533.1	550.2	564.7	575.6	592.4	613.0	630.1	660.2	
136	10 929.0	210 461.0	474.8	487.5	492.9	503.4	513.4	526.5	549.3	563.0	585.4	599.5	609.6	625.9	647.3	668.8	700.6	
137	10 989.0	180 511.4	534.7	552.5	560.1	572.0	581.8	595.4	618.4	635.3	651.1	662.8	673.6	690.4	711.6	732.1	758.9	
138	10 989.0	330 442.1	469.2	492.5	503.0	515.8	526.5	538.9	559.4	573.8	588.4	601.2	610.1	624.5	642.8	660.4	672.2	
139	101049.0	90 495.1	529.8	561.8	576.3	590.9	600.7	613.4	634.9	649.0	662.2	672.0	680.1	694.2	711.9	730.2	746.0	
140	101049.0	300 469.4	504.7	536.5	551.7	567.1	577.5	589.3	607.6	618.8	632.3	642.8	649.6	661.9	677.7	694.1	700.2	
141	11 389.0	60 213.7	216.5	221.8	222.4	223.1	221.8	221.2	221.6	222.2	221.9	225.0	221.3	226.4	231.5	235.4	217.5	
142	11 389.0	315 209.8	213.4	218.6	219.5	220.3	219.7	219.3	220.1	221.2	220.2	223.3	219.8	224.4	228.9	232.7	215.6	
143	11 489.0	150 224.1	232.7	257.1	287.9	303.6	308.6	311.0	313.7	348.3	321.2	312.8	370.1	*****	*****	*****	403.5	
144	11 489.0	270 220.5	229.2	252.4	282.8	300.1	305.9	309.1	312.2	313.5	313.1	313.9	309.6	312.6	314.0	314.3	293.5	

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
145	11	738.9	60	299.3	314.8	343.6	363.7	379.2	388.7	397.6	410.2	418.3	425.1	431.2	433.2	443.0	453.1	464.5	478.3
146	11	738.9	315	305.5	321.7	351.2	369.0	383.4	392.8	401.6	413.8	421.6	428.2	434.3	436.1	445.3	455.3	466.6	479.3
147	11	799.6	150	348.7	363.8	395.1	425.3	449.0	461.9	473.0	487.0	495.2	502.0	507.8	510.5	521.6	533.6	548.9	583.2
148	11	799.6	270	344.4	359.4	390.7	419.8	442.7	456.0	467.1	479.9	487.2	492.7	497.1	499.2	508.5	519.3	531.1	556.2
149	11	849.3	240	337.0	346.4	363.4	382.0	406.2	423.3	439.3	458.9	472.0	481.8	491.0	498.5	512.0	527.5	543.3	575.0
150	11	859.8	300	318.5	323.7	333.5	342.0	356.8	371.1	388.9	416.6	437.4	452.0	465.8	480.0	503.4	525.6	542.4	569.8
151	11	989.3	60	422.4	452.0	482.5	495.3	511.3	522.5	536.8	559.9	576.2	590.0	601.0	609.6	625.9	644.0	658.3	676.2
152	11	989.3	315	430.2	458.7	486.9	499.8	514.4	525.3	539.9	562.4	578.5	592.6	604.0	613.1	628.3	646.4	659.2	676.4
153	111049.2	150	499.2	531.7	570.3	594.2	601.2	611.7	625.6	649.3	664.5	675.8	683.5	690.6	704.7	722.1	738.5	761.1	
154	111049.2	270	478.6	509.6	547.5	564.1	582.3	593.7	608.2	630.2	644.5	656.3	664.7	671.5	684.2	700.9	714.9	734.6	
155	12	359.9	30	183.7	184.6	188.1	189.7	191.6	192.1	192.4	195.4	196.8	197.6	202.1	201.9	204.9	206.6	202.5	191.4
156	12	370.0	15	184.5	185.1	188.9	190.4	192.3	192.8	192.9	195.5	196.7	197.8	203.2	204.8	209.5	212.2	208.4	197.7
157	12	370.0	240	178.6	179.1	182.8	184.1	185.7	186.2	186.1	188.4	189.3	190.0	194.2	195.2	200.0	203.9	202.7	194.8
158	12	379.2	90	208.4	208.3	211.9	213.1	215.2	215.5	215.6	217.3	217.3	216.5	221.2	224.2	228.4	230.2	223.4	212.0
159	12	489.0	90	263.6	281.2	300.0	310.9	318.7	320.8	322.5	325.5	325.6	324.9	324.9	322.4	324.9	327.1	318.9	304.8
160	12	489.0	270	236.8	251.8	278.6	297.6	309.2	313.0	315.8	319.3	319.9	320.0	318.4	321.4	323.6	315.7	302.3	
161	12	548.9	15	270.2	288.3	312.5	332.1	345.6	353.0	357.0	357.7	357.2	357.2	354.9	358.7	362.3	354.5	343.7	
162	12	548.9	240	259.9	275.2	300.6	325.9	343.8	349.9	354.4	358.9	360.0	359.6	359.7	357.8	361.2	364.7	358.4	349.1
163	12	799.3	90	361.6	381.3	407.5	424.6	438.1	444.5	451.2	462.6	472.4	476.7	482.1	486.4	497.6	509.7	511.0	522.7
164	12	799.3	270	351.7	371.3	400.1	422.5	439.4	447.6	455.8	467.3	476.3	481.2	485.8	489.5	499.5	510.6	513.8	525.1
165	12	929.3	15	362.3	377.0	398.2	415.9	433.4	445.6	457.9	478.8	497.6	508.5	520.7	531.6	547.2	564.5	570.2	587.6
166	12	928.4	240	400.8	415.3	434.6	448.0	463.1	456.1	414.5	353.3	524.7	537.3	549.2	561.6	579.0	596.3	634.5	*****
167	121049.5	90	443.8	472.9	503.3	521.7	537.8	548.3	559.3	579.1	597.7	606.4	616.5	625.6	640.5	656.7	662.5	680.7	
168	121049.5	270	451.0	478.7	510.5	527.8	544.1	555.5	568.2	588.0	605.0	614.7	624.0	633.8	648.7	665.0	674.0	691.1	
169	13	338.8	60	236.1	234.6	236.8	235.9	236.6	236.2	236.2	237.4	240.3	237.0	235.4	231.6	230.6	229.8	239.4	239.6
170	13	349.0	60	250.7	250.5	254.7	255.9	259.3	262.3	265.8	271.4	277.4	276.0	274.7	271.2	269.9	269.2	283.5	283.3
171	13	368.9	90	268.5	266.5	268.0	266.2	266.3	265.6	265.9	265.1	275.2	276.6	279.4	282.4	287.2	293.3	316.9	322.8
172	13	368.9	240	278.0	276.7	279.6	279.2	280.5	281.2	282.6	287.4	293.4	294.9	297.4	300.4	304.9	307.7	329.4	333.8
173	13	388.5	45	388.2	385.9	386.7	381.1	379.6	376.2	374.3	373.8	374.4	371.2	368.5	366.3	367.8	371.8	405.5	410.1
174	13	388.5	270	387.0	384.5	386.4	381.4	380.8	379.0	378.7	379.8	380.9	377.9	375.1	372.7	376.1	379.4	411.9	415.1
175	13	549.0	90	606.0	633.0	648.6	644.3	642.6	634.6	629.9	622.4	613.9	605.5	594.2	583.8	577.1	573.2	601.8	596.1
176	13	549.0	240	615.9	630.8	640.9	634.9	633.4	625.8	621.0	615.6	607.8	599.6	588.8	579.6	574.3	571.5	603.2	597.5
177	13	738.7	45	665.6	683.1	697.8	695.3	698.3	696.6	698.7	701.5	700.0	698.7	692.1	687.7	685.6	687.0	708.0	690.8
178	13	738.7	270	678.9	692.9	704.0	699.3	701.2	693.9	700.2	702.4	701.2	698.4	691.9	686.6	684.9	685.3	704.6	684.6
179	13	929.3	90	749.2	751.6	759.6	759.1	767.6	771.6	781.6	796.3	803.7	809.5	809.7	811.7	816.1	823.2	828.9	807.4
180	13	929.3	240	744.9	750.9	760.1	759.3	766.9	769.4	777.1	791.0	797.5	800.4	798.4	797.6	800.1	803.8	814.3	790.7
181	13	989.2	45	803.2	807.3	813.9	810.9	817.0	818.9	825.8	834.5	838.2	840.6	837.3	837.4	840.3	845.9	854.7	833.9
182	13	989.2	270	809.1	814.0	821.2	817.3	820.6	819.1	823.1	829.1	831.6	830.5	826.0	823.9	826.1	829.7	840.9	818.6
183	14	369.0	30	266.4	264.1	265.5	263.8	264.8	263.9	264.6	266.8	270.4	272.3	275.5	276.6	281.1	289.0	321.3	329.4
184	14	369.0	270	277.3	275.2	277.0	275.7	276.6	275.5	275.9	278.3	281.9	284.3	288.0	289.9	295.0	303.2	336.5	341.3
185	14	488.9	75	545.1	566.9	581.3	576.7	576.2	569.3	565.6	556.6	546.7	539.9	531.0	523.4	519.8	516.5	556.4	553.7
186	14	488.9	180	560.4	579.2	589.2	581.9	579.0	570.5	566.1	557.5	540.9	539.9	530.3	522.9	519.1	515.6	551.0	549.0
187	14	548.8	30	581.2	613.7	637.1	639.6	641.0	633.1	628.7	617.7	604.5	596.8	585.3	576.6	571.0	565.9	607.2	602.3
188	14	548.8	270	610.0	639.5	656.2	651.1	648.5	638.6	632.7	621.0	607.1	598.7	586.7	577.3	571.7	567.3	602.7	598.2
189	14	799.2	75	733.2	752.6	768.7	767.4	770.0	766.1	767.1	763.1	757.6	756.5	751.6	751.8	754.9	759.9	814.0	818.4
190	14	799.2	180	751.5	767.9	778.3	773.4	775.0	771.3	773.0	770.0	765.2	765.1	760.9	762.3	766.6	772.3	809.7	810.8
191	14	890.2	0	678.9	682.6	691.5	692.9	703.8	712.8	729.3	748.0	760.0	774.4	782.2	793.3	803.6	813.9	857.2	851.1
192	14	899.8	60	699.9	703.4	711.4	712.5	723.6	733.1	750.6	770.3	781.9	796.1	803.0	813.7	825.3	836.3	883.9	878.1
193	14	929.5	30	748.7	750.7	757.5	755.9	765.4	771.6	784.7	796.8	803.4	814.8	818.5	825.7	835.2	845.1	882.2	872.2
194	14	929.5	270	774.7	775.3	781.4	779.6	789.1	795.0	807.9	819.9	824.7	834.0	835.3	839.9	847.9	856.7	869.2	855.0
195	141049.2	75	886.7	894.1	901.0	890.0	901.8	901.7	908.6	912.6	911.9	916.8	915.4	918.0	923.7	931.1	961.7	947.0	
196	141049.2	180	916.8	917.9	922.5	916.9	922.5	922.4	929.2	932.3	930.9	934.9	934.0	936.9	943.0	950.2	951.5	933.5	
197	15	369.1	150	274.0	273.1	276.0	275.2	277.0	276.5	278.2	281.7	285.1	286.5	292.6	299.0	308.5	317.0	353.9	354.1
198	15	369.1	270	267.0	265.2	266.8	265.0	266.4	266.4	268.3	271.1	274.9	277.1	283.4	289.2	298.2	307.8	347.4	348.1
199	15	488.6	60	551.5	573.8	589.9	586.3	585.3	576.6	572.9	565.2	561.7	556.1	548.5	544.5	545.0	545.1	600.0	593.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
200	15	488.6	345	542.8	565.9	584.3	582.6	583.0	576.1	573.1	565.0	561.0	556.3	548.1	543.6	543.9	543.2	597.6	589.5
201	15	549.6	150	611.0	638.6	653.1	647.9	646.1	636.2	632.0	622.9	617.9	612.1	602.8	597.7	597.5	596.8	658.0	652.7
202	15	549.6	270	604.6	635.1	655.0	655.1	656.0	647.5	643.8	633.7	627.3	620.3	610.4	603.5	601.7	599.4	656.8	648.7
203	15	799.6	60	713.1	732.5	752.2	752.1	758.0	755.8	759.4	761.9	766.2	767.5	764.3	767.8	774.7	783.5	868.2	870.8
204	15	799.6	345	698.5	718.9	740.5	742.8	749.9	748.2	751.5	753.1	756.9	757.9	754.2	756.1	761.8	769.9	847.3	849.6
205	15	869.0	0	584.7	592.3	606.5	612.6	631.3	648.0	672.5	703.4	728.7	748.8	761.9	778.8	793.4	806.7	885.4	881.8
206	15	879.0	300	640.4	644.7	655.5	658.2	673.9	687.5	709.7	737.5	760.0	778.2	789.6	802.9	814.9	827.9	904.3	900.5
207	15	929.2	150	778.1	777.7	785.9	785.8	799.1	804.8	819.6	839.2	856.6	867.9	871.7	879.2	889.2	900.4	973.0	961.1
208	15	929.2	270	768.8	768.4	775.4	773.4	785.0	791.2	805.8	822.7	837.2	848.0	852.0	859.8	869.5	881.0	946.9	936.2
209	15	1049.1	60	863.6	874.2	886.3	881.2	889.7	889.7	897.1	905.8	912.7	916.0	914.4	918.3	924.7	933.1	992.4	977.6
210	15	1049.1	345	856.0	867.8	878.7	874.1	881.6	880.8	887.5	894.7	901.4	904.7	903.6	908.0	914.3	923.8	981.6	967.9
211	16	368.5	150	285.6	283.5	285.9	284.9	287.2	287.0	288.3	291.4	294.4	294.8	298.3	304.1	311.5	315.8	350.6	349.3
212	16	368.5	285	268.0	265.4	266.6	264.5	265.4	264.4	265.3	268.2	272.1	272.8	278.1	286.6	296.2	303.9	342.4	344.1
213	16	418.6	210	461.8	471.1	479.6	476.2	478.4	473.5	473.1	471.1	471.0	467.7	462.5	461.3	464.3	465.8	519.9	512.4
214	16	428.5	210	481.6	491.9	501.4	498.6	500.9	495.2	494.7	492.7	492.2	488.4	482.6	481.0	483.4	484.4	539.8	532.4
215	16	488.5	120	594.3	605.4	614.8	609.0	610.1	602.3	600.8	594.8	592.3	586.3	576.6	573.1	573.9	573.7	635.4	627.3
216	16	488.5	330	554.3	578.3	596.7	594.8	597.3	589.7	588.1	581.9	580.4	574.6	565.9	563.2	564.3	564.5	625.3	616.2
217	16	548.6	150	647.9	660.2	668.6	662.2	663.1	654.1	651.5	644.5	642.1	635.1	625.9	622.5	623.1	623.1	685.7	676.4
218	16	548.6	285	615.9	643.1	661.4	661.5	664.3	655.7	653.2	645.7	642.8	635.6	625.7	621.6	621.0	619.8	681.8	670.8
219	16	798.9	120	751.3	761.0	770.9	765.7	768.8	763.9	765.6	766.0	770.0	767.9	762.4	760.6	764.5	769.2	837.7	833.2
220	16	798.9	330	699.5	716.5	736.5	739.2	746.3	744.1	747.9	748.3	750.6	749.8	745.2	744.1	749.2	755.8	828.4	824.3
221	16	929.0	150	736.5	744.7	758.4	761.2	771.6	775.4	785.5	797.0	814.2	822.9	825.2	828.6	836.1	843.9	907.8	896.6
222	16	929.0	285	736.5	738.7	748.4	747.3	757.3	761.5	773.3	787.7	804.2	813.8	817.5	822.7	832.2	842.9	913.7	901.0
223	16	1049.0	120	842.7	850.9	862.2	858.4	862.7	860.9	866.4	871.6	881.0	881.1	879.3	878.5	883.3	888.9	941.4	931.7
224	16	1049.0	330	817.9	831.7	846.2	842.2	848.2	847.2	853.3	860.8	868.7	869.6	867.0	866.9	872.7	881.0	939.2	928.2
225	17	368.7	30	271.8	270.0	272.1	270.4	271.7	271.1	272.3	274.8	273.6	272.9	277.9	282.3	287.9	296.5	134.3	129.6
226	17	368.7	210	286.2	286.1	290.7	291.3	294.5	294.9	296.9	300.3	298.9	300.7	306.9	307.7	309.4	311.6	133.6	128.7
227	17	388.4	0	382.2	379.8	381.2	376.7	377.1	374.3	374.8	372.8	364.2	361.9	364.0	365.7	369.4	373.1	140.3	135.8
228	17	388.4	135	382.8	380.2	381.6	377.8	379.7	378.0	379.7	377.9	370.9	369.2	372.8	375.7	378.8	381.4	139.0	134.4
229	17	418.8	150	437.2	445.7	456.0	456.0	460.3	459.3	461.6	458.4	447.1	443.4	441.6	440.9	443.2	446.2	150.2	145.3
230	17	428.8	210	459.0	468.3	478.8	478.3	483.2	481.7	484.3	481.5	469.4	464.7	461.9	459.7	460.9	463.4	152.0	147.5
231	17	549.0	30	596.2	634.4	658.3	655.4	655.5	647.0	645.6	634.9	615.6	607.6	600.0	594.1	592.8	593.1	235.9	228.0
232	17	549.0	210	641.1	654.1	663.0	654.2	652.5	643.5	641.2	630.4	612.3	605.5	599.1	593.7	594.0	595.6	225.7	221.1
233	17	739.2	0	698.0	715.1	729.5	727.0	732.7	730.5	734.1	731.1	719.1	717.8	716.5	716.4	720.0	725.2	403.9	404.4
234	17	739.2	135	693.0	706.5	719.5	719.2	724.8	721.9	724.5	722.5	711.9	710.4	709.6	710.0	714.0	718.6	387.9	390.2
235	17	928.9	30	774.0	784.6	799.8	800.6	811.0	815.3	826.8	836.5	836.0	840.1	842.9	846.8	854.3	863.1	593.2	593.9
236	17	928.9	210	769.5	782.9	798.8	799.9	810.1	813.9	822.9	828.6	824.2	824.1	823.8	824.2	829.3	835.1	547.5	552.3
237	17	989.1	0	858.7	865.9	876.5	873.1	879.9	878.6	885.3	888.3	883.4	884.6	894.7	885.9	891.4	898.0	634.0	634.8
238	17	989.1	135	854.5	862.4	871.8	868.0	874.0	871.7	876.7	879.0	874.6	875.0	875.4	876.3	882.6	888.9	628.6	630.8
239	18	294.0	0	226.3	226.4	230.0	230.2	230.9	230.5	230.1	230.0	229.7	223.5	223.1	222.1	223.4	223.6	236.9	232.0
240	18	304.0	0	262.0	261.2	265.4	265.9	267.5	267.1	267.0	266.3	265.9	259.4	258.2	256.1	256.8	256.5	275.0	268.7
241	18	359.2	0	238.2	236.9	239.4	239.4	239.7	240.9	243.7	250.5	258.2	260.2	269.3	278.6	286.2	291.1	321.3	317.3
242	18	369.1	90	*****	*****	*****	*****	*****	470.3	964.1	438.0	264.8	216.3	324.3	312.8	278.1	356.5	316.8	379.2
243	18	369.1	285	265.5	264.1	266.3	264.7	265.1	264.5	265.9	269.7	274.2	273.5	279.6	286.9	295.6	303.6	336.1	333.5
244	18	378.9	0	327.4	323.2	323.2	318.0	316.1	313.2	312.6	312.5	314.4	310.9	314.0	318.7	326.9	335.6	377.4	374.7
245	18	389.1	90	199.3	*****	*****	*****	473.6	*****	*****	474.9	398.8	390.4	425.4	481.3	410.9	380.8	472.5	394.8
246	18	389.1	285	377.3	375.3	377.1	372.5	371.6	367.5	367.1	367.7	369.7	366.2	367.6	370.0	376.4	383.7	429.9	425.2
247	18	409.2	0	437.3	441.4	446.5	441.7	440.7	435.5	434.6	433.8	435.2	430.6	429.8	429.0	433.0	437.0	489.9	481.3
248	18	429.3	0	470.8	480.7	489.6	485.2	484.5	479.1	478.4	477.2	478.3	473.1	471.1	468.8	471.4	473.6	527.8	517.6
249	18	549.5	90	599.7	628.5	646.3	642.4	641.7	634.1	632.0	626.7	625.0	617.7	612.3	607.0	607.6	608.0	669.3	656.0
250	18	549.5	285	606.5	632.2	649.1	645.0	644.3	636.4	634.6	629.3	627.1	619.6	613.9	607.7	608.0	607.8	657.1	643.0
251	18	930.2	90	795.3	802.0	815.3	818.5	828.1	832.9	845.2	861.8	876.3	880.2	882.7	884.9	892.4	899.7	940.2	920.4
252	18	930.2	285	801.2	806.6	817.7	820.0	828.6	832.7	846.0	862.0	875.1	878.7	881.2	882.7	889.2	894.5	906.3	883.5
253	19	369.0	180	302.1	302.1	306.8	306.6	308.4	309.9	312.7	317.7	321.4	320.8	324.8	328.9	335.8	340.3	379.2	371.9
254	19	369.0	270	282.8	282.1	285.5	284.6	285.9	286.1	288.4	292.5	295.8	295.1	299.6	304.8	314.0	322.0	365.4	361.0

TE R AX RAD T  
 NR NR. PCS PCS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
255	19	398.5	90	431.6	431.6	435.6	432.5	434.1	433.0	435.2	436.5	438.0	434.4	432.8	431.8	437.4	442.3	499.8	490.3
256	19	408.4	150	462.0	462.6	467.6	463.7	465.7	464.6	467.6	469.6	471.3	466.9	463.7	460.6	464.4	466.9	524.8	514.1
257	19	488.5	15	583.3	593.5	603.9	599.0	599.8	594.4	594.2	590.5	588.8	582.5	576.4	571.2	572.5	571.3	638.0	624.9
258	19	488.5	135	605.6	608.7	613.8	606.7	606.6	601.4	601.2	596.6	593.5	585.6	579.0	573.3	574.3	573.6	639.2	627.0
259	19	548.8	180	659.0	671.1	679.7	672.3	670.6	662.6	660.2	653.3	649.4	641.2	633.9	627.7	628.C	626.4	693.6	681.2
260	19	548.8	270	673.1	676.7	680.8	671.6	669.2	660.9	658.3	651.4	648.3	640.3	633.7	628.2	629.4	628.3	694.3	681.4
261	19	798.4	15	783.6	754.4	804.8	799.4	801.0	797.1	799.6	799.9	803.2	801.4	800.8	800.0	806.3	811.0	895.7	885.0
262	19	798.4	135	780.7	787.5	794.0	788.4	789.1	784.5	786.2	786.3	789.3	784.9	782.2	779.5	784.0	786.9	856.4	845.9
263	19	928.5	180	780.9	796.3	816.0	817.3	823.9	825.5	834.2	844.8	857.6	858.8	857.9	855.9	860.2	861.3	911.7	896.1
264	19	928.5	270	793.4	800.8	816.7	818.3	826.8	830.7	842.5	856.6	872.6	878.2	880.8	880.9	887.0	889.4	946.2	928.2
265	191048.7	15	26.5	27.3	30.7	31.6	32.2	32.7	32.4	32.6	30.6	27.6	29.7	29.6	33.2	35.3	32.8	32.5	32.5
266	191048.7	135	911.5	909.8	914.3	908.3	909.6	905.1	907.4	912.6	920.9	916.5	913.7	909.7	912.8	912.2	952.7	941.5	941.5
267	21	370.0	150	108.7	111.8	117.6	121.6	124.3	126.8	128.6	134.7	139.8	138.2	142.8	145.5	152.5	157.8	161.1	166.3
268	21	370.0	144	108.0	111.0	116.7	120.7	123.4	126.0	127.8	133.7	138.5	137.0	141.6	144.4	151.4	156.6	160.2	165.6
269	21	370.0	126	107.4	110.4	116.1	120.2	123.0	125.7	127.6	133.4	138.1	136.8	141.2	144.0	150.9	156.0	159.6	164.8
270	21	370.0	120	107.9	110.7	116.3	120.2	123.1	125.6	127.4	133.2	137.8	136.5	140.8	143.5	150.4	155.6	159.0	164.4
271	21	370.0	30	98.4	100.6	105.3	108.2	110.2	112.0	112.6	117.4	121.9	120.6	125.1	126.6	132.1	136.1	136.4	139.9
272	21	370.0	26	97.7	100.0	104.7	107.4	109.2	111.0	111.9	116.2	120.9	119.7	124.2	125.5	130.6	134.8	135.0	138.3
273	21	370.0	7	97.6	99.9	104.5	107.1	108.7	110.4	111.3	115.7	120.4	119.3	123.7	124.8	129.9	133.9	134.0	137.1
274	21	370.0	0	97.6	99.9	104.6	107.3	108.9	110.5	111.4	115.8	120.8	119.6	124.0	125.1	130.2	134.1	134.1	137.0
275	21	370.0	210	110.4	113.2	118.5	121.9	124.2	126.4	128.0	134.3	139.9	138.1	142.3	144.6	150.7	155.7	154.8	158.3
276	21	370.0	206	110.3	113.1	118.5	122.1	124.5	126.7	128.4	134.6	139.9	138.1	142.4	144.8	151.2	156.3	155.3	159.0
277	21	370.0	187	48.4	68.9	50.5	63.8	83.9	116.3	124.4	102.0	168.8	147.4	154.4	158.8	177.7	167.7	160.0	162.7
278	21	370.0	180	109.8	112.9	118.5	122.2	124.9	127.4	129.2	135.3	140.2	138.6	143.0	145.7	152.4	157.5	159.6	163.8
279	22	390.0	30	99.9	102.2	106.9	110.1	111.8	113.8	115.0	120.0	124.9	123.8	128.5	130.0	135.7	140.1	140.8	144.9
280	22	390.0	26	99.6	102.0	106.8	109.7	111.7	113.2	114.3	119.5	124.7	123.6	128.3	129.8	135.3	139.5	140.1	144.1
281	22	390.0	7	99.1	101.5	106.3	108.9	110.8	112.3	113.4	118.5	123.9	122.9	127.4	128.7	134.0	138.2	138.7	142.2
282	22	390.0	0	99.3	101.7	106.5	109.2	111.0	112.4	113.5	118.6	124.3	123.3	127.8	129.1	134.4	138.6	139.0	142.4
283	22	390.0	330	101.2	103.8	108.7	111.2	113.0	114.8	116.0	121.9	127.8	126.6	131.1	132.4	137.6	141.6	142.0	145.3
284	22	390.0	324	101.9	104.4	109.4	111.9	113.8	115.6	116.8	122.8	128.8	127.7	132.1	133.3	138.5	142.6	142.8	146.0
285	22	390.0	306	104.2	106.6	111.3	114.1	116.0	117.9	119.3	125.3	131.5	130.6	134.7	135.9	140.5	144.9	144.9	148.0
286	22	390.0	300	105.4	107.5	112.5	115.3	117.3	119.2	120.5	126.7	132.9	132.0	136.2	137.3	142.4	146.6	146.7	149.7
287	22	390.0	210	115.3	118.2	123.6	127.1	129.7	132.1	134.1	140.9	147.2	145.7	150.0	152.4	158.9	164.3	163.6	167.7
288	22	390.0	206	115.6	118.4	123.9	127.5	130.1	132.6	134.6	141.3	147.4	146.0	150.3	152.9	159.0	165.1	164.3	168.7
289	22	390.0	187	115.7	118.7	124.2	128.0	130.7	133.3	135.4	142.0	148.0	146.6	151.1	153.8	160.7	166.3	167.9	172.7
290	22	390.0	180	116.0	119.1	124.8	128.7	131.5	134.2	136.3	143.1	149.3	147.8	152.5	155.3	162.3	167.9	170.7	175.8
291	23	490.0	180	144.9	148.5	155.0	160.2	164.4	168.7	172.7	184.7	196.3	197.1	204.9	211.5	223.6	234.6	243.6	253.6
292	23	490.0	173	145.1	148.8	155.3	160.7	164.9	169.1	173.0	185.1	196.5	197.3	205.2	211.7	223.8	234.9	246.8	257.5
293	23	490.0	156	144.0	147.8	154.2	159.5	163.6	167.8	171.6	183.6	195.3	195.9	203.8	210.2	222.3	233.2	247.1	258.7
294	23	490.0	150	142.8	146.5	152.9	158.3	162.2	166.3	170.0	181.8	193.3	193.8	201.6	207.3	219.7	230.2	244.0	256.4
295	23	490.0	60	118.4	121.3	126.9	131.3	134.5	137.6	140.2	145.1	151.1	157.8	164.1	168.0	176.9	184.3	188.9	199.2
296	23	490.0	54	116.2	119.1	124.6	129.0	132.2	135.4	137.9	146.6	155.5	155.1	161.3	165.0	173.6	180.8	185.0	194.8
297	23	490.0	34	112.6	115.3	121.4	125.8	128.9	132.1	134.5	143.0	152.1	151.5	157.6	161.1	169.3	176.1	180.0	188.9
298	23	490.0	30	111.3	114.5	120.2	124.6	127.6	130.7	133.1	141.8	150.9	150.2	156.3	159.6	167.6	174.2	177.9	186.3
299	23	490.0	0	108.3	111.4	117.2	121.3	124.1	127.0	129.3	137.9	146.8	146.2	152.0	155.1	162.6	168.8	172.1	179.2
300	23	490.0	353	108.0	111.2	116.9	121.1	124.0	126.9	129.3	138.1	147.4	146.8	152.7	155.6	163.1	169.2	172.5	179.4
301	23	490.0	336	109.6	112.9	118.6	122.9	125.7	128.7	131.1	140.2	149.7	149.1	155.0	158.0	165.5	171.7	175.0	181.4
302	23	490.0	330	112.0	115.3	121.0	125.2	123.1	131.1	133.5	142.8	152.7	152.1	157.9	161.1	168.6	174.9	178.2	184.5
303	24	550.0	180	168.7	172.6	180.0	187.0	193.2	199.9	206.5	223.9	240.0	242.6	252.5	260.8	274.8	287.0	295.3	304.8
304	24	550.0	173	169.4	173.4	180.8	187.9	194.1	200.6	207.2	224.5	240.7	243.3	253.2	261.5	275.6	287.7	300.7	310.6
305	24	550.0	156	167.7	171.8	179.1	186.3	192.3	198.7	205.0	222.2	238.4	240.7	250.4	258.5	272.5	284.3	300.0	311.4
306	24	550.0	150	165.8	169.9	177.0	184.2	189.9	196.1	202.2	218.9	234.8	236.7	246.2	254.1	267.8	279.5	295.4	307.9
307	24	550.0	0	116.2	119.8	126.0	131.1	134.6	138.5	141.9	153.3	164.7	164.6	171.5	175.8	184.8	192.4	197.3	205.9
308	24	550.0	353	115.7	119.4	125.6	130.6	134.1	137.9	141.2	152.6	164.0	164.0	171.0	175.2	184.1	191.7	196.5	204.8
309	24	550.0	336	118.4	122.0	128.2	133.3	136.8	140.8	144.2	156.0	167.8	167.7	174.7	179.0	187.9	195.5	200.5	208.1

TE R AX RAD T  
 NR NR. PGS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
310	24	550.0	330	121.7	125.2	131.4	136.4	140.0	144.0	147.5	159.7	171.9	171.8	178.9	183.3	192.2	200.0	204.9	212.0
311	24	550.0	240	158.3	161.6	168.1	174.2	179.3	184.8	190.3	205.9	220.8	222.5	231.8	238.4	250.5	261.4	266.7	270.7
312	24	550.0	234	161.2	164.7	171.2	177.3	182.5	188.2	193.9	209.7	224.7	226.5	235.7	242.6	255.2	266.5	269.1	273.4
313	24	550.0	216	164.4	167.9	174.6	180.9	186.4	192.4	198.5	215.2	230.3	232.4	241.9	249.2	262.2	273.7	268.4	274.0
314	24	550.0	210	165.7	169.4	176.2	182.9	188.5	194.7	200.9	217.7	233.1	235.1	244.7	251.9	265.1	276.7	272.8	279.0
315	25	740.0	150	258.7	266.1	277.3	290.0	299.7	309.4	318.8	343.8	368.0	370.3	379.7	387.5	401.4	413.3	430.4	441.8
316	25	740.0	144	255.2	262.5	273.5	286.2	295.9	305.4	314.9	339.6	363.9	366.2	375.7	383.5	397.5	409.3	428.7	441.5
317	25	740.0	126	248.3	255.4	266.5	279.3	288.7	297.9	307.0	330.8	355.0	357.5	367.1	375.2	389.4	401.4	422.6	436.9
318	25	740.0	120	239.4	246.1	256.9	269.9	279.3	288.4	297.1	320.1	343.9	346.5	356.4	364.6	378.5	391.2	410.8	426.1
319	25	740.0	30	157.2	163.2	172.5	183.2	190.4	198.5	205.6	226.3	247.2	248.6	258.4	265.8	278.7	289.8	299.0	313.8
320	25	740.0	26	151.7	157.8	167.1	177.6	184.7	192.6	199.5	220.0	240.6	242.0	251.7	259.2	272.0	282.9	292.0	306.0
321	25	740.0	7	146.6	152.7	161.9	172.2	179.1	186.7	193.5	213.6	234.0	235.5	245.1	252.4	265.0	276.0	284.9	297.6
322	25	740.0	0	147.6	153.7	162.9	173.1	180.0	187.7	194.5	214.9	235.5	236.9	246.6	253.8	266.3	277.3	286.1	298.2
323	25	740.0	210	259.3	266.5	277.0	288.3	297.2	306.4	316.0	341.0	363.8	366.6	376.8	384.7	398.4	410.2	400.4	403.4
324	25	740.0	206	265.6	272.8	283.7	295.3	304.7	314.1	324.1	349.2	371.8	374.8	384.9	392.8	406.7	418.5	408.1	412.3
325	25	740.0	187	270.9	278.2	289.7	301.8	311.6	321.0	330.9	356.0	378.9	381.9	391.9	399.7	413.7	425.5	426.1	431.4
326	25	740.0	180	270.5	277.9	289.5	301.8	311.9	321.5	331.5	356.8	380.1	383.0	392.8	400.7	414.8	426.5	434.1	440.4
327	26	800.0	30	168.2	174.8	184.8	197.1	205.6	215.0	223.2	247.1	271.1	272.9	283.6	292.0	306.0	318.3	329.0	345.3
328	26	800.0	26	*****	*****	*****	436.8	414.6	375.2	373.4	336.8	329.8	307.8	348.5	314.1	343.1	324.5	335.5	355.0
329	26	800.0	7	157.1	163.8	173.7	185.4	193.4	202.5	210.6	233.9	257.2	259.3	270.2	278.3	292.0	304.0	314.3	329.1
330	26	800.0	0	157.4	164.1	174.1	185.7	193.7	202.8	210.9	234.4	257.8	259.8	270.5	278.6	292.2	304.2	314.3	327.3
331	26	800.0	330	171.4	177.7	187.5	199.2	207.2	216.5	224.9	249.3	273.1	275.0	285.5	293.6	307.2	319.2	328.7	338.1
332	26	800.0	324	176.9	183.2	192.9	204.5	212.6	221.9	230.6	255.1	279.0	281.1	291.8	300.0	313.6	325.8	334.7	343.1
333	26	800.0	306	73.4	76.3	82.3	85.6	95.5	233.3	242.2	267.1	290.9	293.4	304.3	312.7	326.6	339.0	346.9	353.5
334	26	800.0	300	196.1	201.9	211.5	223.0	231.5	241.0	250.1	275.1	298.9	301.6	312.8	321.4	335.5	348.2	355.7	361.3
335	26	800.0	210	283.8	291.9	304.2	318.2	329.2	340.3	351.8	379.8	404.9	408.4	419.7	428.8	443.9	456.9	446.7	449.5
336	26	800.0	206	163.5	168.9	162.7	219.2	154.3	252.5	210.6	297.1	275.5	274.3	282.3	275.4	329.7	301.3	316.9	277.4
337	26	800.0	187	*****	*****	*****	484.9	371.6	406.1	349.0	375.2	310.5	279.8	320.8	299.0	311.6	296.8	273.4	256.3
338	26	800.0	180	296.8	305.5	319.0	334.1	346.3	357.8	369.4	397.5	423.4	427.1	438.2	447.1	462.7	475.9	484.4	490.9
339	27	930.0	180	368.3	378.5	393.9	410.8	423.6	435.4	447.7	478.0	506.9	510.4	522.3	532.6	550.0	564.5	575.1	582.0
340	27	930.0	173	367.9	378.4	394.3	411.6	424.6	436.6	449.1	479.3	508.0	511.3	523.0	533.3	550.7	565.2	581.2	588.6
341	27	930.0	156	357.9	367.6	382.7	400.4	413.5	425.7	438.3	465.1	499.3	502.2	514.3	524.6	542.0	556.5	576.8	586.9
342	27	930.0	150	347.9	357.4	372.0	389.7	402.7	415.3	427.7	458.7	489.1	492.5	504.3	514.5	531.9	546.5	568.1	580.1
343	27	930.0	60	224.0	232.1	244.7	260.5	272.1	283.9	294.8	323.5	352.7	356.8	369.7	380.8	398.1	413.7	427.5	448.2
344	27	930.0	54	213.8	221.9	234.4	250.1	261.4	273.4	284.3	312.8	341.9	346.0	359.2	370.1	387.4	402.8	416.4	436.8
345	27	930.0	34	199.4	207.6	219.9	235.4	246.1	257.8	268.6	297.4	326.5	330.5	344.0	355.3	372.4	387.7	401.5	421.7
346	27	930.0	30	194.0	202.3	214.4	229.7	240.0	251.5	262.0	291.1	320.4	324.1	337.6	348.8	365.8	380.8	394.6	413.9
347	27	930.0	0	180.5	188.6	200.5	214.9	224.6	235.3	245.2	274.1	302.7	306.5	319.8	330.5	347.0	362.3	375.9	392.9
348	27	930.0	353	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
349	27	930.0	336	190.7	198.8	210.6	225.1	234.8	245.6	255.6	284.5	313.4	317.0	330.1	340.7	356.9	371.7	384.5	398.8
350	27	930.0	330	199.9	207.8	219.6	234.3	244.0	254.8	265.1	293.9	322.7	326.1	339.1	349.5	365.5	380.0	392.1	404.8
351	28	990.0	180	392.6	403.6	419.7	437.3	450.7	463.8	478.0	512.3	546.9	551.4	564.5	575.9	594.0	608.3	617.1	623.5
352	28	990.0	173	392.8	404.1	420.4	438.3	451.9	465.1	479.3	513.5	548.3	552.8	566.1	577.5	595.5	610.1	623.7	630.3
353	28	990.0	156	383.4	394.2	410.0	428.4	442.1	455.5	469.7	504.1	539.4	543.9	557.4	568.8	587.2	601.5	619.9	628.4
354	28	990.0	150	372.6	383.2	398.6	417.3	430.7	444.3	458.3	492.4	527.7	532.0	545.5	556.9	575.0	589.6	609.3	620.2
355	28	990.0	0	196.6	205.9	219.2	236.2	247.3	259.7	271.0	302.1	333.8	337.6	351.4	362.6	379.4	394.8	409.5	427.8
356	28	990.0	353	196.3	205.6	218.9	235.6	246.7	258.9	270.1	301.0	332.4	336.3	349.9	361.1	377.7	393.1	407.7	425.4
357	28	990.0	336	206.6	215.9	229.1	246.1	257.2	269.5	280.6	311.7	343.2	346.7	360.0	371.0	387.4	402.6	416.6	432.3
358	28	990.0	330	215.5	224.7	238.1	255.2	266.4	278.5	289.6	321.0	352.3	355.7	368.6	379.4	395.8	410.9	424.2	438.4
359	28	990.0	240	349.6	359.4	374.0	390.4	402.6	414.3	426.6	458.5	489.7	493.2	505.0	515.2	531.9	546.0	547.5	551.3
360	28	990.0	234	361.9	371.7	386.3	402.6	414.9	426.5	438.9	471.0	501.5	505.5	517.4	527.4	544.3	558.4	555.0	559.0
361	28	990.0	216	371.4	381.5	396.4	413.3	425.7	437.7	450.4	483.2	514.1	517.9	530.0	540.3	557.5	571.5	563.4	568.7
362	28	990.0	210	375.5	385.9	401.0	418.3	430.8	443.1	456.0	489.5	521.1	524.7	536.8	547.5	564.7	579.0	573.0	578.7
363	29	1050.0	150	395.3	407.8	425.2	444.1	458.0	472.3	487.5	522.6	558.9	562.9	576.4	587.6	604.7	618.4	637.6	647.5
364	29	1050.0	144	390.9	403.4	421.1	440.4	454.5	468.7	483.8	518.2	553.9	558.4	572.0	583.1	600.6	614.4	636.6	648.0

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
365	291050.0	126	376.1	388.1	405.5	424.9	438.8	452.9	467.4	500.5	535.4	540.4	554.6	566.7	584.9	599.4	623.9	637.4
366	291050.0	120	360.3	372.0	389.1	408.9	422.8	436.7	450.9	483.7	519.3	524.2	538.9	551.5	569.9	584.6	608.1	624.0
367	291050.0	30	223.8	233.6	247.6	266.0	278.5	292.2	304.3	336.1	369.0	373.0	387.2	398.6	415.9	431.6	446.4	466.7
368	291050.0	26	214.7	224.6	238.5	256.5	268.9	282.5	294.6	326.3	359.1	363.3	377.5	388.9	406.1	421.8	436.6	456.1
369	291050.0	7	207.4	217.4	231.2	248.9	260.9	274.4	286.3	317.9	350.6	355.1	369.5	381.0	397.9	413.5	428.2	446.4
370	291050.0	0	207.7	217.6	231.4	248.9	260.7	273.9	285.7	317.3	350.1	354.5	368.7	380.1	396.8	412.2	426.8	444.2
371	291050.0	210	394.5	405.9	422.3	440.5	453.7	466.9	481.0	515.8	549.0	553.0	565.4	575.9	592.8	606.6	600.0	605.2
372	291050.0	206	406.1	417.8	434.7	452.6	466.3	479.9	494.2	530.1	563.5	567.6	580.6	591.1	608.5	622.1	615.0	620.7
373	291050.0	187	416.9	429.0	446.6	464.4	478.6	492.5	507.5	544.9	579.9	584.6	597.7	608.7	626.4	639.8	641.1	646.6
374	291050.0	180	414.9	427.1	444.9	463.3	477.5	491.5	506.4	543.7	579.5	583.9	597.5	608.0	625.7	639.1	647.2	652.9
375	01075.0	6	168.1	174.2	182.7	189.6	192.4	198.1	206.0	229.9	259.0	268.8	287.3	303.8	324.0	346.7	370.8	395.9
376	01075.0	5	144.8	150.7	159.8	168.9	175.5	181.6	189.4	214.6	247.0	256.4	273.2	288.5	309.4	330.4	350.2	376.2
377	01075.0	4	270.3	275.5	285.9	296.1	309.1	316.9	328.5	354.9	380.6	391.5	407.6	419.3	440.5	460.4	460.7	471.9
378	01075.0	2	271.7	275.9	283.5	287.3	292.8	297.1	305.7	322.8	338.6	350.3	362.2	367.9	380.5	390.5	374.5	377.7
379	01075.0	1	249.7	273.0	280.2	282.5	287.1	289.7	297.2	309.8	323.9	336.1	345.5	350.0	365.4	380.8	380.7	386.8
380	01075.0	2	264.7	267.7	275.0	277.9	280.7	285.8	291.2	302.3	315.0	327.3	336.4	346.2	367.2	385.8	398.9	415.2
381	01075.0	4	262.3	267.2	277.8	289.3	300.6	311.5	323.4	347.5	372.3	384.5	401.1	413.2	437.5	462.4	480.2	507.1
382	01075.0	4	385.6	391.8	407.7	420.5	433.2	442.3	457.3	488.7	509.9	520.7	533.1	543.1	563.1	583.0	601.1	608.7
383	01075.0	1	402.5	405.9	419.6	424.2	437.3	451.4	467.2	489.1	505.0	531.3	550.9	562.3	588.8	609.7	670.5	663.5
384	01075.0	1	393.4	399.6	407.3	415.5	426.1	436.8	457.9	492.2	518.6	542.5	565.9	581.5	611.1	633.4	721.6	723.1
385	01075.0	4	351.7	363.2	378.6	397.8	418.5	432.5	444.6	464.5	490.3	508.3	533.8	555.3	585.3	612.7	676.8	709.2
386	01075.0	3	521.5	521.4	537.7	552.6	575.5	593.5	616.0	646.0	660.3	681.7	709.1	726.7	757.8	776.8	648.8	673.4
387	01075.0	3	505.6	513.2	535.4	555.4	582.7	600.7	623.5	658.4	689.0	708.0	732.3	746.5	779.0	794.8	890.6	874.7
388	01075.0	5	541.6	557.9	585.9	605.5	626.1	642.1	664.0	710.8	751.4	757.4	769.5	776.1	791.9	799.1	818.8	814.3
389	01075.0	6	564.8	588.3	614.5	620.3	630.4	647.7	672.9	705.8	743.0	751.9	765.0	770.9	785.5	790.5	830.9	825.3
390	01113.0	0	350.0	352.1	363.6	373.6	386.5	396.0	404.3	421.7	428.8	440.8	453.6	459.9	477.0	498.5	531.8	550.4
391	01113.0	0	272.7	276.3	297.7	309.5	319.2	328.5	332.4	342.2	364.0	376.1	385.9	391.4	400.2	414.4	417.3	432.8
392	01113.0	0	425.9	441.2	465.1	486.7	472.3	469.8	481.5	526.8	560.5	553.0	568.4	582.9	597.5	590.3	600.2	608.0
393	01113.0	0	508.1	514.6	526.7	543.5	557.7	561.4	573.4	617.7	631.3	643.6	649.4	653.1	672.7	673.7	704.6	702.3
394	01113.0	0	416.2	413.2	428.1	433.8	449.4	458.6	468.0	464.9	484.6	494.1	499.6	504.4	519.1	530.3	544.9	547.6
395	01113.0	0	274.2	281.7	294.3	311.0	320.8	330.9	344.4	370.9	394.1	402.1	417.4	423.0	425.4	437.1	417.0	417.4
396	0 0.0	0	93.4	95.9	99.7	102.0	104.2	104.1	105.8	107.7	109.6	107.2	112.3	108.4	114.2	113.2	115.4	117.2
397	0 0.0	0	103.4	105.9	106.6	103.5	109.4	110.7	112.0	114.6	115.5	119.1	119.6	113.4	117.2	117.5	116.7	115.6
398	0 0.0	0	98.8	100.7	104.5	107.2	107.8	103.6	107.9	113.7	117.7	118.4	123.7	117.6	116.6	116.3	112.3	111.2
399	0 0.0	0	93.9	94.5	96.6	98.9	100.4	102.6	99.3	103.8	101.2	106.4	105.4	100.3	108.3	106.2	113.2	113.8
400	0 0.0	0	91.7	92.5	95.2	96.4	98.2	98.9	98.3	100.4	94.5	91.5	93.2	92.3	95.1	96.8	93.8	92.8
401	0 0.0	0	91.5	92.3	95.0	96.2	97.9	98.6	98.0	100.3	94.4	91.3	93.0	92.2	95.0	96.7	93.7	92.7
402	0 0.0	0	1412.3	1341.4	1281.0	1220.7	1178.3	1133.6	1102.6	1060.3	1021.8	992.0	959.6	920.5	904.8	871.0	785.0	750.1
403	0 0.0	0	27.5	26.2	25.1	24.0	23.3	22.4	21.8	21.0	20.5	20.0	19.3	18.6	18.3	17.7	17.7	16.9
404	0 0.0	0	27.5	26.1	25.2	24.0	23.2	22.4	21.9	21.1	20.5	20.0	19.3	18.7	18.3	17.6	17.7	16.9
405	0 0.0	0	0.9	0.8	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.3	14.1	15.0	14.5
406	0 0.0	0	1.6	1.5	1.3	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.6	0.6	0.5	11.6	12.7	12.3
407	4 389.5	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5
408	5 389.5	0	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6
409	6 389.1	0	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6
410	7 399.4	0	1.2	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7
411	8 389.6	0	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6
412	9 369.9	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5
413	10 489.8	0	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.5	1.4	1.2	1.2
414	11 389.5	0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.5
415	12 489.5	0	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.3	1.2
416	4 990.0	0	8.4	8.0	7.7	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.6	5.4	4.8	4.6
417	5 989.5	0	8.3	8.0	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.6	5.4	4.8	4.6
418	61049.5	0	9.1	8.7	8.4	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.1	5.9	5.3	5.1
419	71049.5	0	9.1	8.7	8.4	8.1	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.1	5.9	5.3	5.1

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
420	8 989.3	0	8.3	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	4.8	4.6
421	9 988.8	0	8.3	7.9	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.6	5.4	4.8
422	101049.5	0	9.1	8.7	8.4	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.1	5.9	5.3
423	111049.7	0	9.1	8.7	8.4	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.1	5.9	5.3
424	121050.0	0	9.1	8.7	8.4	8.1	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.3
425	11047.1	0	27.4	26.1	25.2	23.9	23.2	22.3	21.8	21.1	20.5	20.0	19.3	18.6	18.3	17.6	17.7
426	21049.5	0	27.4	26.2	25.1	24.1	23.3	22.4	21.8	21.1	20.5	20.0	19.3	18.7	18.4	17.7	17.7
427	31049.5	0	27.5	26.1	25.2	24.0	23.2	22.4	21.9	21.1	20.5	20.0	19.4	18.6	18.3	17.7	17.8
428	13 989.7	0	12.0	11.5	11.0	10.6	10.3	9.9	9.6	9.4	9.2	9.1	8.8	8.5	8.5	8.2	7.8
429	141049.7	0	10.6	10.1	9.8	9.4	9.1	8.8	8.6	8.4	8.3	8.2	8.0	7.7	7.6	7.3	6.8
430	151049.6	0	10.5	10.0	9.7	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.3	7.2	6.9	6.4
431	161049.5	0	10.5	10.0	9.7	9.2	9.0	8.7	8.4	8.2	8.0	7.8	7.5	7.2	7.1	6.9	6.3
432	17 989.6	0	12.1	11.5	11.1	10.6	10.3	10.0	9.7	9.5	9.6	9.3	9.0	8.8	8.6	8.3	17.7
433	18 930.7	0	13.6	13.0	12.5	12.0	11.6	11.2	10.9	10.6	10.3	10.0	9.7	9.4	9.2	8.9	8.3
434	191049.2	0	10.6	10.1	9.7	9.3	9.1	8.7	8.5	8.3	8.1	7.9	7.7	7.4	7.2	7.0	6.4
435	1 388.6	0	27.5	26.1	25.1	24.0	23.3	22.4	21.8	21.1	20.5	20.0	19.4	18.7	18.3	17.7	17.7
436	2 388.5	0	27.4	26.1	25.1	23.9	23.3	22.5	21.8	21.1	20.5	20.0	19.3	18.7	18.3	17.7	17.7
437	3 389.2	0	27.4	26.1	25.2	24.0	23.2	22.4	21.8	21.0	20.5	20.0	19.4	18.7	18.3	17.8	17.7
438	13 389.0	0	25.8	24.5	23.6	22.5	21.8	21.0	20.4	19.8	19.3	18.8	18.2	17.6	17.3	16.6	16.6
439	14 489.4	0	23.6	22.5	21.7	20.7	20.1	19.4	18.9	18.3	17.8	17.4	16.8	16.2	15.9	15.3	15.2
440	15 489.1	0	23.6	22.4	21.6	20.6	20.0	19.2	18.7	18.1	17.7	17.2	16.7	16.1	15.8	15.3	15.1
441	16 419.1	0	25.2	23.9	23.0	22.0	21.3	20.6	20.0	19.4	18.8	18.3	17.7	17.1	16.8	16.2	16.2
442	17 388.9	0	25.8	24.6	23.6	22.6	22.0	21.1	20.5	19.9	19.4	18.8	18.3	17.7	17.3	16.8	17.7
443	18 389.6	0	25.9	24.6	23.7	22.6	21.9	21.1	20.6	19.9	19.3	18.9	18.3	17.6	17.2	16.8	16.7
444	19 399.0	0	25.6	24.4	23.3	22.3	21.7	20.8	20.2	19.6	19.2	18.7	18.0	17.4	17.1	16.5	16.4
445	1 348.6	0	27.4	26.1	25.1	24.0	23.3	22.3	21.8	21.1	20.5	20.0	19.4	18.6	18.3	17.7	17.7
446	2 359.0	0	27.5	26.1	25.1	24.0	23.3	22.4	21.8	21.1	20.6	20.0	19.3	18.7	18.3	17.6	17.7
447	3 294.5	0	27.5	26.1	25.2	24.0	23.3	22.4	21.7	21.1	20.5	20.0	19.3	18.7	18.3	17.6	17.7
448	4 294.4	0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1
449	4 304.2	0	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
450	4 348.9	0	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4
451	4 379.6	0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.5
452	5 370.0	0	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5
453	7 349.5	0	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4
454	7 359.5	0	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.4
455	7 369.5	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5
456	7 379.5	0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.5
457	7 409.1	0	1.4	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.7
458	8 295.1	0	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
459	8 304.7	0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2
460	8 369.2	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5
461	9 369.9	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5
462	12 370.5	0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.5
463	13 369.4	0	26.1	24.9	24.0	22.9	22.2	21.4	20.7	20.0	19.6	19.1	18.4	17.8	17.5	16.8	16.8
464	14 369.5	0	26.2	25.0	23.9	22.8	22.2	21.3	20.8	20.1	19.5	19.0	18.5	17.9	17.5	16.8	16.9
465	15 369.6	0	26.1	24.9	23.9	22.9	22.3	21.3	20.7	20.1	19.5	19.1	18.4	17.8	17.5	16.8	16.8
466	16 369.0	0	26.2	24.9	23.9	22.8	22.2	21.3	20.8	20.1	19.6	19.0	18.4	17.9	17.5	16.8	16.9
467	17 369.2	0	26.2	25.0	24.0	22.9	22.3	21.4	20.7	20.2	19.6	19.1	18.5	17.8	17.6	16.9	17.7
468	18 294.5	0	27.3	25.9	24.9	23.7	23.0	22.2	21.6	20.9	20.3	19.8	19.1	18.5	18.3	17.5	17.6
469	18 304.5	0	27.2	25.9	24.7	23.7	22.9	22.2	21.5	20.8	20.2	19.7	19.1	18.4	18.1	17.5	17.5
470	18 359.7	0	26.4	25.1	24.1	23.0	22.4	21.5	20.9	20.3	19.7	19.2	18.6	18.0	17.6	17.0	16.3
471	18 369.6	0	26.3	25.0	24.0	22.9	22.2	21.4	20.8	20.2	19.6	19.1	18.5	17.9	17.6	16.8	16.9
472	18 379.4	0	26.1	24.9	23.9	22.8	22.2	21.2	20.7	20.1	19.6	19.0	18.4	17.8	17.4	16.8	16.8
473	18 389.6	0	25.9	24.6	23.6	22.6	21.9	21.1	20.6	19.9	19.3	18.9	18.3	17.7	17.4	16.6	16.6
474	18 409.7	0	25.5	24.2	23.2	22.3	21.6	20.8	20.2	19.5	19.1	18.5	18.0	17.3	17.0	16.4	16.3

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
475 18 429.8 0	25.1	23.9	22.9	21.9	21.2	20.4	19.9	19.3	18.7	18.2	17.7	17.1	16.8	16.2	16.1	15.4
476 19 369.5 0	26.1	24.9	23.8	22.8	22.1	21.3	20.7	20.0	19.6	19.1	18.5	17.8	17.4	16.8	16.8	16.0
477 1 738.5 0	27.5	26.1	25.2	24.0	23.3	22.3	21.8	21.1	20.5	20.0	19.4	18.7	18.3	17.7	17.7	16.8
478 2 738.5 0	1.3	1.7	1.5	1.3	1.1	1.1	1.0	0.8	0.8	0.7	0.7	17.1	16.8	16.3	16.3	15.6
479 3 739.0 0	27.5	26.2	25.1	24.0	23.2	22.3	21.8	21.0	20.4	20.0	19.4	18.7	18.3	17.8	17.7	16.9
480 4 739.7 0	5.3	5.0	4.8	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.3	3.0	2.9
481 5 739.2 0	5.2	5.0	4.8	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.5	3.5	3.3	3.0	2.8
482 6 739.9 0	5.2	5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.5	3.5	3.4	3.0	2.8
483 7 799.5 0	6.0	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.8	3.4	3.3
484 8 739.5 0	5.1	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.8	3.8	3.6	3.5	3.4	3.3	2.9	2.8
485 9 739.7 0	5.2	4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.5	3.4	3.3	2.9	2.8
486 10 739.5 0	5.2	4.9	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.5	3.5	3.3	2.9	2.8
487 11 739.4 0	5.1	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	2.9	2.8
488 12 799.8 0	6.0	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.8	3.4	3.3
489 13 739.2 0	17.9	17.0	16.4	15.7	15.2	14.7	14.3	13.8	13.6	13.2	12.8	12.4	12.2	11.9	11.6	11.1
490 14 799.7 0	16.6	15.8	15.2	14.6	14.2	13.6	13.3	13.0	12.7	12.4	12.1	11.7	11.5	11.1	10.7	10.2
491 15 800.1 0	16.5	15.7	15.1	14.5	14.0	13.5	13.2	12.8	12.5	12.1	11.7	11.3	11.1	10.7	10.4	9.9
492 16 799.4 0	16.4	15.5	14.9	14.3	13.9	13.4	13.0	12.6	12.3	12.0	11.7	11.2	11.0	10.7	10.2	9.8
493 17 739.7 0	18.1	17.2	16.5	15.8	15.3	14.7	14.4	14.0	13.8	13.4	13.0	12.6	12.4	11.9	11.7	10.9
494 18 550.0 0	22.4	21.2	20.5	19.6	18.9	18.3	17.8	17.3	16.7	16.3	15.9	15.3	15.1	14.5	14.3	13.7
495 19 798.9 0	16.5	15.7	15.1	14.5	14.1	13.5	13.2	12.8	12.5	12.1	11.7	11.4	11.1	10.7	10.3	9.9
496 0 0.0 0	13.5	13.2	13.0	12.4	12.2	11.8	11.5	11.0	10.6	10.7	10.3	10.1	9.9	9.6	9.2	8.9
497 0 0.0 0	11.1	11.0	11.0	10.5	10.5	10.2	10.0	9.4	9.1	9.3	9.0	8.9	8.7	8.5	8.2	7.9

DATUM

8. 7.80

6T

VERSUCH NR.	17	18	19	20
RAUMTEMPERATUR	33.0	37.1	31.1	23.9
DURCHSATZ (KG/S)	0.0046	0.0042	0.0032	0.0023
EL. ENERGIE (KW)	10.3	9.5	8.4	7.4
WAERMEENERGIE (KW)	9.9	8.9	7.3	5.6
WAERMEBILANZ (O/O)	-3.5	-6.2	-13.2	-23.9
REYNOLDSZAHL*E-04	0.C90	0.081	0.061	0.C43
DRUCKVERLUST (N/M**2)				
GES.X=1060.0(MM)	151.	0.	0.	0.
BIS X= 560.0(MM)	43.	0.	0.	0.
BIS X= 624.0(MM)	66.	0.	0.	0.
BIS X= 717.0(MM)	69.	0.	0.	0.
BIS X= 810.0(MM)	88.	0.	0.	0.
BIS X= 874.0(MM)	116.	0.	0.	0.
BIS X= 967.0(MM)	136.	0.	0.	0.
EINTR.DRUCK (BAR)	7.78	7.77	7.76	7.75
EINTR.TEMP. GRADC	112.8	113.7	110.1	105.3

TE R	AX	RAD	T				
NR NR.	POS	POS	GRAD	C			
	(MM)	(GRD)	GRAD	C			

1	1	338.8	270	121.0	126.1	122.1	117.6
2	1	348.1	330	121.4	126.5	122.6	118.5
3	1	388.1	150	123.3	128.4	124.9	122.0
4	1	388.1	330	124.1	129.5	126.4	124.1
5	1	487.7	255	135.5	141.3	141.8	145.6
6	1	487.7	120	138.9	145.0	146.6	152.0
7	1	738.0	150	199.2	206.5	220.9	247.0
8	1	738.0	330	212.2	221.7	238.8	267.0
9	1	795.4	120	220.8	229.6	247.6	277.5
10	1	795.4	255	235.8	245.2	264.8	295.0
11	1	987.0	150	313.5	324.8	350.8	391.7
12	1	987.0	330	346.0	358.5	382.3	417.8
13	1	1046.6	120	340.8	352.9	378.0	418.2
14	1	1046.6	255	375.5	384.9	405.8	439.8
15	2	358.5	0	119.2	124.1	119.9	115.3
16	2	388.0	0	96.0	95.6	131.3	91.9
17	2	388.0	210	121.3	126.1	122.1	118.1
18	2	398.0	0	122.2	127.2	123.4	120.2
19	2	488.1	30	130.9	136.7	136.0	138.8
20	2	488.1	165	129.9	134.8	133.2	134.5
21	2	738.0	0	180.3	187.4	198.6	223.0
22	2	738.0	210	182.3	189.2	200.3	224.5
23	2	797.8	30	204.4	215.6	235.6	270.8
24	2	797.8	165	199.5	207.4	224.2	257.0
25	2	987.2	0	312.7	331.4	357.6	394.0
26	2	987.2	210	282.7	296.2	324.0	368.5
27	2	1049.0	30	342.1	357.6	380.1	418.8
28	2	1049.0	165	309.0	321.5	349.8	397.4
29	3	294.0	30	118.5	123.5	119.4	114.2
30	3	303.7	330	117.6	122.7	118.7	113.4
31	3	388.7	15	122.8	128.2	125.8	124.3
32	3	388.7	255	122.5	127.8	125.0	122.8
33	3	488.5	60	138.0	145.3	148.5	157.5
34	3	488.5	150	136.8	143.1	144.8	151.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAC C

6T

VERSUCH NR.			17	18	19	20	
35	3	738.5	15	217.6	230.9	252.4	288.0
36	3	738.5	255	206.3	217.8	236.6	268.2
37	3	798.5	60	252.9	269.3	294.7	328.5
38	3	798.5	150	247.0	261.3	285.7	318.5
39	3	988.5	15	355.2	377.6	408.9	444.8
40	3	988.5	255	325.3	345.9	379.9	421.5
41	31049.0	60	397.9	418.2	444.4	478.9	
42	31049.0	150	378.7	397.2	428.2	471.9	
43	4	293.9	300	151.9	154.2	148.7	141.0
44	4	303.7	300	163.1	164.8	159.0	151.0
45	4	339.0	300	164.0	166.1	160.7	153.0
46	4	348.4	300	171.6	172.9	167.9	160.8
47	4	379.1	300	191.6	192.8	190.2	184.4
48	4	389.0	45	201.2	202.2	200.4	195.0
49	4	389.0	210	334.8	323.1	303.7	268.0
50	4	408.8	300	108.6	110.3	103.7	104.1
51	4	418.6	300	222.3	222.0	220.5	216.4
52	4	428.7	300	228.3	227.9	226.2	222.9
53	4	739.2	45	296.4	291.1	267.0	285.0
54	4	739.2	210	334.6	334.7	347.1	363.0
55	4	989.5	45	448.0	447.8	466.5	494.0
56	4	989.5	210	466.1	465.0	482.9	510.0
57	5	369.5	195	175.5	177.6	173.6	166.3
58	5	369.5	300	177.4	179.3	174.9	167.1
59	5	389.0	30	196.9	198.2	193.8	184.8
60	5	389.0	150	194.8	196.1	192.1	183.6
61	5	549.0	195	258.5	255.5	251.5	247.8
62	5	549.0	300	255.4	252.5	248.3	243.6
63	5	738.7	30	305.9	304.8	314.4	328.1
64	5	738.7	150	320.0	317.9	331.4	349.3
65	5	809.2	120	348.0	344.8	363.0	387.0
66	5	819.0	180	359.7	356.2	375.8	402.4
67	5	929.4	195	414.0	411.7	443.0	478.9
68	5	929.4	300	385.7	384.9	412.5	444.9
69	5	989.0	30	400.0	398.4	427.6	465.7
70	5	989.0	150	438.4	434.3	467.1	506.7
71	6	388.6	225	197.3	198.2	194.2	185.5
72	6	388.6	300	198.2	199.1	194.9	186.0
73	6	488.5	30	240.3	238.7	234.2	227.2
74	6	488.5	150	242.1	240.6	236.1	229.9
75	6	739.4	225	332.9	330.6	346.5	371.5
76	6	739.4	300	319.6	318.1	330.8	351.7
77	6	798.8	30	343.0	340.6	357.7	384.6
78	6	798.8	30	366.0	362.6	385.2	417.8
79	6	829.0	180	366.0	364.5	393.4	433.0
80	6	839.0	240	336.4	338.0	370.0	413.1
81	6	988.8	225	470.2	475.0	502.7	540.4
82	6	988.8	300	439.0	438.8	473.7	514.2
83	61049.0	30	456.4	458.7	497.8	543.2	
84	61049.0	150	716.0	735.4	*****	*****	
85	7	339.0	150	161.0	163.0	157.0	150.8
86	7	349.0	150	170.3	171.9	166.1	159.7
87	7	359.0	150	176.0	177.5	172.4	166.9
88	7	369.0	165	180.0	182.0	178.3	173.4
89	7	369.0	330	180.4	182.6	179.1	174.0

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

GT

VERSUCH NR.		17	18	19	20
90	7 379.0 150	190.3	192.0	188.0	183.0
91	7 398.9 150	208.1	209.3	206.1	201.2
92	7 408.6 150	214.1	215.3	212.3	207.9
93	7 489.4 165	254.6	254.8	255.2	256.6
94	7 489.4 330	252.7	253.1	252.9	253.2
95	7 799.0 165	411.5	415.4	438.3	466.9
96	7 799.0 330	392.7	397.3	416.7	441.9
97	71049.0 165	114.8	116.0	108.9	101.6
98	71049.0 330	529.6	538.2	569.4	599.7
99	8 294.6 210	159.7	162.0	156.3	149.1
100	8 304.2 270	*****	*****	*****	*****
101	8 368.7 135	178.1	180.6	177.7	173.4
102	8 368.7 255	183.3	185.2	181.4	175.9
103	8 389.1 30	197.4	200.1	198.9	194.4
104	8 389.1 300	201.1	203.4	201.4	196.3
105	8 549.0 135	276.7	276.8	278.5	280.1
106	8 549.0 255	283.7	284.5	287.6	289.0
107	8 739.0 30	357.1	357.9	371.5	389.2
108	8 739.0 300	463.4	463.4	484.9	516.1
109	8 929.0 135	365.6	366.9	380.7	397.9
110	8 929.0 255	475.8	474.8	491.5	517.7
111	8 988.8 30	504.1	502.9	518.8	545.8
112	8 988.8 300	521.0	519.2	531.5	553.5
113	9 369.4 105	179.8	182.0	177.2	171.5
114	9 369.4 180	219.8	225.8	217.4	234.8
115	9 389.0 30	201.6	203.1	198.0	191.0
116	9 389.0 270	201.2	202.9	197.5	190.4
117	9 549.0 105	280.8	279.4	283.3	295.3
118	9 549.0 180	278.1	277.1	281.3	293.1
119	9 739.2 30	379.4	379.2	401.4	426.0
120	9 739.2 270	370.8	370.7	391.5	415.5
121	9 909.0 60	514.6	511.2	539.9	566.7
122	9 919.0 120	549.5	544.0	571.8	596.8
123	9 929.0 105	550.7	545.4	572.5	597.1
124	9 929.0 180	539.0	534.9	562.6	590.1
125	9 988.8 30	533.4	529.7	557.5	588.4
126	9 988.8 270	522.4	520.1	548.8	582.6
127	10 489.3 90	265.7	264.8	270.6	286.5
128	10 489.3 300	260.6	259.8	263.5	275.9
129	10 549.0 60	300.3	299.7	315.7	347.2
130	10 549.0 210	312.4	312.2	330.9	364.7
131	10 739.0 180	537.4	534.2	578.3	608.8
132	10 739.0 330	465.9	465.1	504.5	538.1
133	10 799.0 90	564.3	559.0	596.8	623.7
134	10 799.0 300	521.0	517.5	552.5	579.1
135	10 929.0 60	661.9	655.9	671.8	677.7
136	10 929.0 210	701.2	691.4	703.8	705.0
137	10 989.0 180	745.4	733.7	738.5	738.7
138	10 989.0 330	649.0	642.5	657.0	669.5
139	101049.0 90	726.0	717.2	731.0	741.3
140	101049.0 300	667.1	661.5	680.7	697.8
141	11 389.0 60	195.4	197.0	194.2	189.1
142	11 389.0 315	194.4	196.3	194.2	190.0
143	11 489.0 150	339.2	214.6	233.3	162.5
144	11 489.0 270	269.4	269.4	276.9	293.9

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	17	18	19	20	
145	11 738.9 60	492.2	491.1	522.8	553.1
146	11 738.9 315	492.0	491.2	524.4	555.6
147	11 799.6 150	604.8	600.2	627.1	650.0
148	11 799.6 270	571.5	568.6	599.4	626.2
149	11 849.3 240	591.5	592.0	626.2	654.2
150	11 859.8 300	579.7	581.0	612.0	638.7
151	11 989.3 60	676.8	675.7	690.9	706.4
152	11 989.3 315	673.9	672.1	688.5	704.5
153	111049.2 150	765.4	762.3	774.5	783.3
154	111049.2 270	732.0	728.7	745.6	759.4
155	12 359.9 30	175.1	178.2	174.5	170.1
156	12 370.0 15	180.6	183.7	181.4	178.7
157	12 370.0 240	179.1	182.5	181.0	179.8
158	12 379.2 90	192.0	195.0	192.9	191.8
159	12 489.0 90	279.2	283.7	293.2	305.6
160	12 489.0 270	276.7	280.5	289.6	301.9
161	12 548.9 15	319.7	325.2	338.0	354.2
162	12 548.9 240	328.8	333.8	349.6	368.9
163	12 799.3 90	520.5	528.5	548.3	566.4
164	12 799.3 270	524.7	531.1	556.5	579.5
165	12 929.3 15	589.6	595.5	612.3	626.9
166	12 928.4 240	*****	*****	*****	193.4
167	121049.5 90	683.3	687.0	695.9	703.1
168	121049.5 270	694.7	697.8	711.5	722.9
169	13 338.8 60	126.6	132.6	128.4	122.1
170	13 349.0 60	124.5	130.5	126.4	122.4
171	13 368.9 90	128.8	134.9	131.8	129.7
172	13 368.9 240	125.2	131.3	127.6	125.3
173	13 388.5 45	133.2	139.2	136.3	134.8
174	13 388.5 270	129.0	134.9	131.9	131.3
175	13 549.0 90	191.8	198.6	208.6	227.7
176	13 549.0 240	185.1	193.1	204.0	222.2
177	13 738.7 45	291.3	299.4	328.3	374.4
178	13 738.7 270	277.1	287.9	320.3	366.5
179	13 929.3 90	471.8	478.2	514.6	559.6
180	13 929.3 240	435.6	444.6	481.3	526.1
181	13 989.2 45	496.7	502.6	536.6	580.5
182	13 989.2 270	480.1	488.2	521.2	561.7
183	14 369.0 30	347.5	344.4	337.4	329.1
184	14 369.0 270	357.6	353.9	343.9	332.6
185	14 488.9 75	580.0	568.1	555.6	557.3
186	14 488.9 180	575.1	562.3	549.3	551.2
187	14 548.8 30	628.1	615.2	607.6	618.0
188	14 548.8 270	616.3	602.8	592.6	598.5
189	14 799.2 75	855.6	837.3	826.9	817.5
190	14 799.2 180	838.4	820.6	810.8	802.0
191	14 890.2 0	856.5	838.8	827.6	819.2
192	14 899.8 60	895.9	876.1	861.5	848.7
193	14 929.5 30	876.9	859.2	845.3	836.6
194	14 929.5 270	837.4	821.1	810.8	807.0
195	141049.2 75	942.3	925.0	912.9	906.2
196	141049.2 180	926.0	911.2	900.6	897.6
197	15 369.1 150	373.8	369.5	361.3	353.8
198	15 369.1 270	368.9	365.2	358.6	352.2
199	15 488.6 60	628.1	616.1	613.0	627.4

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.		17	18	19	20
200	15 488.6	345 622.9	610.0	604.0	614.7
201	15 549.6	150 699.3	689.7	700.2	732.4
202	15 549.6	270 690.2	679.2	683.7	710.2
203	15 799.6	60 917.7	899.7	888.3	876.7
204	15 799.6	345 896.4	879.3	871.4	862.4
205	15 869.0	0 924.0	908.0	899.4	888.0
206	15 879.0	300 941.5	923.8	912.9	899.0
207	15 929.2	150 993.0	974.2	953.4	932.7
208	15 929.2	270 967.9	949.9	933.4	916.1
209	151049.1	60 997.6	982.2	965.5	951.5
210	151049.1	345 982.9	967.9	951.4	938.7
211	16 368.5	150 371.2	367.4	362.8	358.3
212	16 368.5	285 367.8	364.9	362.2	359.7
213	16 418.6	210 547.4	539.1	532.9	531.8
214	16 428.5	210 567.3	558.3	550.7	551.0
215	16 488.5	120 663.1	649.5	634.2	629.8
216	16 488.5	330 650.9	636.6	622.2	622.7
217	16 548.6	150 714.3	700.7	690.0	694.2
218	16 548.6	285 709.5	695.9	688.8	701.6
219	16 798.9	120 869.6	855.5	837.4	821.9
220	16 798.9	330 861.2	847.6	834.7	825.6
221	16 929.0	150 921.7	906.6	885.4	868.1
222	16 929.0	285 928.5	913.9	896.7	883.1
223	161049.0	120 956.8	944.1	923.3	926.9
224	161049.0	330 954.6	944.4	929.3	919.1
225	17 368.7	30 131.5	137.4	135.2	135.9
226	17 368.7	210 130.7	136.7	134.6	134.7
227	17 388.4	0 136.9	142.8	141.4	143.7
228	17 388.4	135 137.2	143.4	142.6	146.2
229	17 418.8	150 149.3	155.7	158.2	166.9
230	17 428.8	210 151.2	158.2	162.0	172.0
231	17 549.0	30 238.8	246.8	268.7	309.7
232	17 549.0	210 233.0	242.3	263.7	297.5
233	17 739.2	0 418.3	426.1	455.5	490.4
234	17 739.2	135 421.1	429.9	461.7	498.3
235	17 928.9	30 586.5	591.5	611.1	639.9
236	17 928.9	210 555.6	562.3	580.7	605.1
237	17 989.1	0 606.6	610.7	629.7	662.5
238	17 989.1	135 633.5	636.4	648.5	669.1
239	18 294.0	0 239.6	239.0	227.7	217.6
240	18 304.0	0 278.8	276.5	264.1	253.6
241	18 359.2	0 334.4	331.9	325.8	323.2
242	18 369.1	90 315.5	321.9	400.5	305.0
243	18 369.1	285 354.9	354.2	351.5	350.7
244	18 378.9	0 398.3	396.2	391.6	390.5
245	18 389.1	90 394.9	381.6	466.8	423.6
246	18 389.1	285 454.4	450.5	444.3	441.0
247	18 409.2	0 512.1	506.4	500.0	497.8
248	18 429.3	0 550.5	543.1	534.7	533.4
249	18 549.5	90 699.0	687.8	685.9	703.1
250	18 549.5	285 680.5	668.8	661.9	672.1
251	18 930.2	90 946.8	930.3	908.7	891.7
252	18 930.2	285 900.0	886.7	871.4	860.7
253	19 369.0	180 395.5	390.7	383.0	377.1
254	19 369.0	270 387.9	384.4	380.7	377.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	17	18	19	20
255	19 398.5 90	525.2	516.4	506.4 497.8
256	19 408.4 150	550.0	540.7	530.5 521.9
257	19 488.5 15	665.5	654.0	649.0 657.5
258	19 488.5 135	664.8	652.4	641.4 640.4
259	19 548.8 180	726.0	715.3	715.0 728.4
260	19 548.8 270	721.5	708.8	700.7 704.0
261	19 798.4 15	929.5	912.0	893.7 873.7
262	19 798.4 135	884.8	868.7	848.8 827.8
263	19 928.5 180	921.7	906.1	881.4 860.5
264	19 928.5 270	955.8	938.3	914.1 893.4
265	191048.7 15	33.4	37.5	31.7 24.2
266	191048.7 135	964.6	949.1	924.6 902.7
267	21 370.0 150	174.7	180.8	179.0 179.2
268	21 370.0 144	174.3	180.4	178.7 179.0
269	21 370.0 126	173.4	179.6	177.7 178.2
270	21 370.0 120	172.8	179.2	177.1 177.7
271	21 370.0 30	145.5	152.1	148.6 146.8
272	21 370.0 26	143.6	150.1	146.7 144.7
273	21 370.0 7	142.2	148.3	144.9 142.7
274	21 370.0 0	142.0	148.0	144.1 142.1
275	21 370.0 210	161.6	166.9	164.0 163.2
276	21 370.0 206	163.9	169.3	166.3 166.2
277	21 370.0 187	169.2	174.7	172.2 172.4
278	21 370.0 180	170.9	176.6	174.4 174.5
279	22 390.0 30	151.4	158.4	155.8 154.7
280	22 390.0 26	150.3	157.1	154.3 153.2
281	22 390.0 7	148.2	154.8	151.9 150.7
282	22 390.0 0	148.3	154.7	151.2 150.3
283	22 390.0 330	150.2	156.0	152.7 151.1
284	22 390.0 324	150.5	156.0	152.8 151.3
285	22 390.0 306	151.6	156.8	153.2 152.6
286	22 390.0 300	152.8	158.0	155.5 153.8
287	22 390.0 210	171.9	177.2	174.7 175.6
288	22 390.0 206	174.4	179.8	177.8 179.0
289	22 390.0 187	180.4	186.0	184.9 186.7
290	22 390.0 180	184.2	189.9	188.9 191.1
291	23 490.0 180	269.4	274.2	275.3 281.4
292	23 490.0 173	274.7	279.8	281.3 287.9
293	23 490.0 156	277.2	282.6	283.9 289.9
294	23 490.0 150	275.2	281.0	282.1 287.9
295	23 490.0 60	210.6	219.6	220.5 226.0
296	23 490.0 54	205.9	214.7	215.5 220.6
297	23 490.0 34	199.8	208.2	207.8 212.5
298	23 490.0 30	196.9	205.0	204.4 208.3
299	23 490.0 0	188.6	195.7	194.8 198.1
300	23 490.0 353	188.4	195.3	194.2 197.4
301	23 490.0 336	189.6	195.9	194.6 197.8
302	23 490.0 330	191.7	197.6	195.9 199.3
303	24 550.0 180	321.4	325.0	327.5 336.7
304	24 550.0 173	329.7	333.6	336.4 346.0
305	24 550.0 156	331.9	336.3	338.7 347.7
306	24 550.0 150	328.7	333.7	335.8 344.5
307	24 550.0 0	216.2	223.3	223.2 228.5
308	24 550.0 353	214.6	221.3	221.1 226.5
309	24 550.0 336	216.7	222.7	222.3 227.4

TE R AX RAD T  
 NR NR. PCS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	17	18	19	20
310 24 550.0 330	219.5	224.8	223.7	229.3
311 24 550.0 240	255.7	259.2	259.8	268.3
312 24 550.0 234	260.0	263.6	265.4	273.3
313 24 550.0 216	272.8	276.4	278.4	286.6
314 24 550.0 210	283.6	287.2	289.0	297.6
315 25 740.0 150	468.0	473.4	474.6	482.3
316 25 740.0 144	469.0	474.9	477.3	484.2
317 25 740.0 126	464.7	471.3	473.8	481.6
318 25 740.0 120	452.6	460.1	463.1	471.5
319 25 740.0 30	330.3	340.8	344.4	357.6
320 25 740.0 26	321.9	331.8	336.1	349.2
321 25 740.0 7	312.4	321.7	326.2	339.6
322 25 740.0 0	312.1	320.7	324.8	337.9
323 25 740.0 210	410.3	414.5	419.8	432.2
324 25 740.0 206	424.8	429.1	434.3	446.7
325 25 740.0 187	451.6	455.5	459.1	470.7
326 25 740.0 180	463.3	466.9	470.2	479.7
327 26 800.0 30	363.0	373.3	378.3	391.3
328 26 800.0 26	379.4	386.1	397.4	400.0
329 26 800.0 7	343.9	353.2	358.6	372.7
330 26 800.0 0	342.1	350.7	355.9	369.8
331 26 800.0 330	348.1	354.0	358.3	371.3
332 26 800.0 324	350.5	355.9	360.2	373.6
333 26 800.0 306	356.7	361.2	365.7	379.3
334 26 800.0 300	362.1	366.2	370.5	384.1
335 26 800.0 210	455.3	458.9	465.1	476.9
336 26 800.0 206	261.5	300.2	286.5	325.2
337 26 800.0 187	212.9	314.4	235.1	262.5
338 26 800.0 180	513.2	516.1	519.5	527.3
339 27 930.0 180	596.1	593.9	589.1	590.1
340 27 930.0 173	605.2	602.8	597.5	597.1
341 27 930.0 156	605.2	603.7	597.3	596.4
342 27 930.0 150	599.6	599.0	593.3	592.2
343 27 930.0 60	468.1	478.3	483.4	495.7
344 27 930.0 54	456.9	467.6	473.0	486.1
345 27 930.0 34	441.9	452.7	458.2	471.2
346 27 930.0 30	434.1	444.5	449.1	462.9
347 27 930.0 0	411.5	421.1	426.8	442.6
348 27 930.0 353	*****	*****	*****	*****
349 27 930.0 336	413.9	421.4	426.2	441.6
350 27 930.0 330	417.5	423.8	428.2	442.7
351 28 990.0 180	637.5	632.6	625.0	623.2
352 28 990.0 173	645.9	641.1	632.7	630.2
353 28 990.0 156	645.9	641.8	633.2	630.0
354 28 990.0 150	638.9	635.9	627.8	624.8
355 28 990.0 0	448.6	458.0	463.0	476.4
356 28 990.0 353	445.6	454.4	459.5	473.1
357 28 990.0 336	449.6	456.9	461.1	474.1
358 28 990.0 330	453.3	459.2	462.3	475.0
359 28 990.0 240	535.2	533.9	534.0	543.5
360 28 990.0 234	544.6	543.1	543.4	551.7
361 28 990.0 216	565.7	563.4	561.9	567.4
362 28 990.0 210	581.6	578.9	575.7	579.3
363 291050.0 150	665.0	658.2	649.2	646.2
364 291050.0 144	666.9	661.3	653.2	649.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.		17	18	19	20
365	291050.0	126	659.6	655.4	648.3
366	291050.0	120	645.7	643.2	637.2
367	291050.0	30	486.7	494.4	498.1
368	291050.0	26	476.3	483.5	486.7
369	291050.0	7	466.2	472.8	476.5
370	291050.0	0	463.0	468.9	472.5
371	291050.0	210	603.1	596.2	592.4
372	291050.0	206	624.3	616.8	612.0
373	291050.0	187	656.3	648.1	640.7
374	291050.0	180	665.0	656.6	648.3
375	01075.0	6	421.8	433.7	449.9
376	01075.0	5	402.5	413.9	430.6
377	01075.0	4	442.5	448.9	474.6
378	01075.0	2	324.5	334.3	374.8
379	01075.0	1	368.0	373.1	430.6
380	01075.0	2	418.0	430.4	492.4
381	01075.0	4	527.3	541.0	578.5
382	01075.0	4	459.4	467.7	497.1
383	01075.0	1	626.6	627.2	659.3
384	01075.0	1	748.2	745.4	766.6
385	01075.0	4	765.9	770.2	773.3
386	01075.0	3	534.8	555.9	627.3
387	01075.0	3	923.5	918.4	919.3
388	01075.0	5	831.7	814.4	794.6
389	01075.0	6	841.8	821.1	801.3
390	01113.0	0	538.3	535.3	576.0
391	01113.0	0	456.1	468.8	500.7
392	01113.0	0	593.3	571.6	597.5
393	01113.0	0	677.0	651.0	649.9
394	01113.0	0	491.2	512.9	515.8
395	01113.0	0	388.7	397.5	453.5
396	0 0.0	0	115.5	116.8	112.8
397	0 0.0	0	112.4	111.7	114.9
398	0 0.0	0	115.8	115.5	111.3
399	0 0.0	0	105.9	107.4	111.2
400	0 0.0	0	93.2	96.8	88.7
401	0 0.0	0	93.1	96.6	88.8
402	0 0.0	0	635.0	613.8	571.4
403	0 0.0	0	16.2	15.5	14.6
404	0 0.0	0	16.3	15.5	14.5
405	0 0.0	0	13.8	13.5	12.9
406	0 0.0	0	11.8	11.6	11.2
407	4 389.5	0	0.4	0.4	0.4
408	5 389.5	0	0.5	0.5	0.4
409	6 389.1	0	0.5	0.5	0.4
410	7 399.4	0	0.6	0.5	0.5
411	8 389.6	0	0.5	0.5	0.5
412	9 369.9	0	0.4	0.4	0.4
413	10 489.8	0	1.0	0.9	0.9
414	11 389.5	0	0.5	0.4	0.4
415	12 489.5	0	1.0	1.0	0.9
416	4 990.0	0	3.8	3.7	3.5
417	5 989.5	0	3.8	3.7	3.5
418	61049.5	0	4.2	4.1	3.8
419	71049.5	0	4.2	4.0	3.8

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.			17	18	19	20	
420	8	989.3	0	3.8	3.7	3.5	3.3
421	9	988.8	0	3.8	3.7	3.5	3.3
422	10	1049.5	0	4.2	4.0	3.8	3.6
423	11	1049.7	0	4.2	4.0	3.8	3.6
424	12	1050.0	0	4.2	4.0	3.8	3.6
425	11	1047.1	0	16.3	15.7	14.5	13.8
426	21	1049.5	0	16.2	15.5	14.5	13.7
427	31	1049.5	0	16.2	15.6	14.6	13.7
428	13	989.7	0	16.2	15.6	14.5	13.8
429	14	1049.7	0	5.6	5.4	5.1	4.8
430	15	1049.6	0	5.2	5.0	4.7	4.5
431	16	1049.5	0	5.1	4.9	4.7	4.4
432	17	989.6	0	16.2	15.5	14.6	13.8
433	18	930.7	0	7.1	6.8	6.4	6.1
434	19	1049.2	0	5.3	5.1	4.8	4.6
435	1	388.6	0	16.2	15.5	14.5	13.9
436	2	388.5	0	16.3	15.6	14.7	13.8
437	3	389.2	0	16.2	15.6	14.5	13.8
438	13	389.0	0	16.3	15.5	14.6	13.7
439	14	489.4	0	13.9	13.4	12.4	11.8
440	15	489.1	0	13.8	13.2	12.4	11.6
441	16	419.1	0	14.8	14.1	13.3	12.5
442	17	388.9	0	16.2	15.6	14.5	13.7
443	18	389.6	0	15.3	14.6	13.7	12.9
444	19	399.0	0	15.0	14.3	13.4	12.7
445	1	348.6	0	16.2	15.5	14.6	13.8
446	2	359.0	0	16.3	15.5	14.5	13.7
447	3	294.5	0	16.2	15.5	14.6	13.9
448	4	294.4	0	0.1	0.1	0.1	0.1
449	4	304.2	0	0.1	0.1	0.1	0.1
450	4	348.9	0	0.3	0.3	0.3	0.3
451	4	379.6	0	0.4	0.4	0.4	0.4
452	5	370.0	0	0.4	0.4	0.3	0.3
453	7	349.5	0	0.3	0.3	0.3	0.3
454	7	359.5	0	0.4	0.4	0.3	0.3
455	7	369.5	0	0.4	0.4	0.4	0.3
456	7	379.5	0	0.4	0.4	0.4	0.4
457	7	409.1	0	0.6	0.6	0.5	0.5
458	8	295.1	0	0.1	0.1	0.1	0.1
459	8	304.7	0	0.2	0.2	0.2	0.1
460	8	369.2	0	0.4	0.4	0.4	0.3
461	9	369.9	0	0.4	0.4	0.4	0.3
462	12	370.5	0	0.4	0.4	0.4	0.3
463	13	369.4	0	16.2	15.5	14.5	13.7
464	14	369.5	0	15.4	14.9	13.9	13.1
465	15	369.6	0	15.4	14.6	13.8	13.0
466	16	369.0	0	15.4	14.7	13.8	13.1
467	17	369.2	0	16.2	15.4	14.5	13.7
468	18	294.5	0	16.0	15.4	14.5	13.7
469	18	304.5	0	16.0	15.2	14.3	13.5
470	18	359.7	0	15.5	14.8	13.9	13.2
471	18	369.6	0	15.5	14.7	13.9	13.0
472	18	379.4	0	15.4	14.7	13.8	13.1
473	18	389.6	0	15.1	14.5	13.8	12.9
474	18	409.7	0	14.9	14.2	13.4	12.7

TE R AX RAD T  
 NR NR. POS POS  
 (MM) (GRD)GRAD C

6T

VERSUCH NR.	17	18	19	20
475 18 429.8 0	14.7	13.9	13.2	12.4
476 19 369.5 0	15.3	14.7	13.8	13.0
477 1 738.5 0	16.3	15.5	14.7	13.7
478 2 738.5 0	14.9	14.2	13.5	12.7
479 3 739.0 0	16.2	15.6	14.7	13.7
480 4 739.7 0	2.4	2.3	2.2	2.0
481 5 739.2 0	2.4	2.3	2.1	2.0
482 6 739.9 0	2.4	2.3	2.1	2.0
483 7 799.5 0	2.7	2.6	2.4	2.3
484 8 739.5 0	2.4	2.2	2.1	2.0
485 9 739.7 0	2.4	2.3	2.1	2.0
486 10 739.5 0	2.3	2.2	2.1	2.0
487 11 739.4 0	2.3	2.2	2.1	2.0
488 12 799.8 0	2.7	2.6	2.5	2.3
489 13 739.2 0	16.2	15.5	14.7	13.7
490 14 799.7 0	9.4	9.0	8.5	8.1
491 15 800.1 0	9.1	8.6	8.2	7.7
492 16 799.4 0	9.0	8.6	8.1	7.7
493 17 739.7 0	16.2	15.5	14.7	13.7
494 18 550.0 0	13.0	12.3	11.6	11.0
495 19 798.9 0	9.1	8.7	8.2	7.7
496 0 0.0 0	8.1	7.8	7.4	7.0
497 0 0.0 0	7.2	6.9	6.7	6.3




Fig. 1: Cross section of rod bundle




Fig. 2: Test section (schematic diagram)






Fig. 3: Roughness geometry




Fig. 4: Cross section of wrapper tube

slots for spacer grids

spacer grid

bore for pressure tap device

special grid




Fig. 5: Details of wrapper tube






Fig. 6: Spacer grid



(a) before rounding the leading edges



(b) after rounding the leading edges

Fig. 7: Leading edges of spacer grid






Fig. 8: Spacer grid in wrapper tube


0° (Fig. 21)




spacer 1




spacer 2




spacer 3



spacer 4



special grid



spacer 5

Fig. 9: Orientation of standoffs of grid




Fig.10: Special grid for gas temperature measurements  
(not equipped with thermocouples)




Fig.11: Test section with dummy rods and without instrumentation




Fig.12: Test section (without instrumentation)




Fig.13: Full view of test section (without instrumentation)




Fig.14: Test section after instrumentation




Fig.15: Detail of test section




Fig.16: Special grid equipped with thermocouples




Fig.18: Detail of test section inlet




Fig.17: Downstream end of test section




Fig.19: Electrical connections and instrumentation on top of test section




Fig.20: Axial distribution of thermocouples and pressure taps




Fig. 21: Circumferential distribution of thermocouples in tubes and wrapper






Fig. 22: X-rays of some thermocouples



- thermocouples in the wrapper
- electrical connections (flexible)
- outlet gas temperature
- short-circuit ring

Fig. 24: Thermocouples at test section outlet



- electrical connections
- thermocouples of tubes (insulated)

Fig. 23: Thermocouples at test section inlet




Fig. 25: Axial and circumferential distributions of thermocouples for inlet gas temperature




Fig. 26: Axial and circumferential distributions of thermocouples for outlet gas temperature




Fig. 27: Sketch of test section inside pressure vessel




Fig. 28: Electrical connection for power tilt measurements






Fig. 30: Drag coefficients of spacer grid in the roughened part of the rod bundle versus bulk Reynolds number







Fig. 31: Temperatures measured along test section




Fig. 32: Detail of temperature distribution measured